

Project Name: Digitech Offerings Tester: Mehreen Iftikhar		Execution Date 20/5/2026 Version(0.0.1)		URL: https://digitech-offerings-185302913428-asia-south1.run.app/index.html			
ID	Title	Test Scenario	Pre-condition	Steps to reproduce	Expected Result	Actual Result	Status
Module 1: Global Header Navigation							
TC_HD_001	Root Logo Target Alignment	Verify primary brand asset path routing redirects to home.	User is on a sub-route e.g.,services.	1. Click on the top-left 'Digitech Offerings' logo graphic asset.	Interface must cleanly unmount active sub-routes and reload the index root directory layout path (?).	As expected.	PASS
TC_HD_002	Home Menu Navigation Verification	Verify Home menu option anchor navigation link state connectivity.	Main site is initialized completely.	1. Mouse click directly on the 'Home' text inside the header nav matrix.	Application shifts viewport layout context back to the primary landing frame securely.	As expected.	PASS
TC_HD_003	Services Route Header Link Execution	Verify Services menu choice routes session parameters correctly.	User is on the home route.	1. Target and click the 'Services' text link item inside the navigation block.	System modifies browser URL route to '/services/' and loads solution components.	As expected.	PASS
TC_HD_004	About Us Header Link Focus	Verify About Us tab option transitions users to correct layout deck paths.	Site pages are deployed.	1. Tap on the 'About Us' navigation header option text block line.	Router pushes state updates dynamically, mounting the company timeline layout page view.	As expected.	PASS
TC_HD_005	Clients Directory Navigation Handler	Verify Clients link execution triggers active portfolio asset loading.	Header panel is fully operational.	1. Click the 'Clients' menu selection element row inside layout bounds.	System switches route to '/clients/' and renders customer validation segments.	As expected.	PASS
TC_HD_006	Contact Us Route Target Linking	Verify Contact Us navigation path mapping parameters match specifications.	User wants to access forms.	1. Select 'Contact Us' text choice located inside header menu layout blocks.	Application unloads previous views and successfully opens the interactive contact screen.	As expected.	PASS
TC_HD_007	Active Navigation State Highlight Effects	Verify font color mutations when navigation sub-routes are currently active.	User clicks alternative page selections.	1. Access 'about-us' page. 2. Observe the text color element configuration on the header block.	The selected link text transforms to primary neon purple layout color properties for precise visual feedback.	As expected.	PASS
TC_HD_008	Header Fixed Sticky Matrix Layout scrolling	Verify header container keeps rigid layout positioning properties during view scroll operations.	Long scroll paths are populated.	1. Drag mouse wheel layout views down into the lowest footer boundaries of screens.	The header wrapper element stays fully sticky at top bounds, maintaining overlay interaction links flawlessly.	As expected.	PASS
TC_HD_009	Header Mobile Responsive Hamburger UI Toggle	Verify responsive mobile menu layout drawer expands on touch event parameters.	Screen width scales down to compact smartphone view formats.	1. Reduce view to 390px. 2. Click onto the triple-line mobile hamburger vector icon component.	The icon transitions into an active cross structure, opening a clean full-screen vertical navigation array overlay.	As expected.	PASS
TC_HD_010	Mobile Header Dropdown Dismissal Workflow	Verify out-of-bounds clicks or secondary selections collapse the mobile navigation drawer.	Mobile menu drawer is currently active.	1. Click outside the expanded drawer grid boundary layers or tap 'Home'.	The responsive vertical menu slides out of focus smoothly, recovering clean view panel spaces.	As expected.	PASS
Module 2: Home Page Core Feature							
TC_HP_001	Hero Banner Main Typography Sizing Rules	Verify typographic scaling values across standard visual grid formats.	Hero viewport loads elements on screen startup.	1. Audit font measurements of the text 'Engineering the future, one line of code at a time'.	Typography scales correctly inside layout layers, avoiding overlapping or cutting letter lines.	As expected.	PASS
TC_HP_002	Hero Section Action Button Glow Transitions	Verify CSS hover transitions on primary landing CTA button triggers.	Hero banner buttons are active.	1. Move mouse cursor over the primary purple 'GET STARTED' conversion button layout element.	The button trigger maps an active shadow expansion effect, shifting background scaling variables elegantly.	As expected.	PASS
TC_HP_003	Primary Hero Call-To-Action Layout Triggering	Verify button click initializes global lead verification form wizards.	Get Started button asset is responsive.	1. Click onto the 'GET STARTED' action button card chip in the primary banner section.	The global wizard controller interrupts standard threads, prompting the multi-tab popup overlay modal matrix.	As expected.	PASS
TC_HP_004	Tech Stack Infinite Marquee Velocity Validation	Verify absolute continuous horizontal motion handling across technology stack carousels.	Marquee container finishes page layout rendering.	1. Focus screen onto the marquee icon line. 2. Monitor icon tracking parameters continuously for 60 seconds.	Icon assets track horizontal planes infinitely without displaying layout lag, jagged skips, or sudden loop breaks.	As expected.	PASS
TC_HP_005	Secondary Secondary Call-To-Action Button Redirect	Verify secondary button clicks drop viewport anchors down to target solution layers.	Hero bottom buttons grid is active.	1. Tap on the transparent border button 'Explore Services' option choice inside hero.	Viewport loops scroll indicators down smoothly, self-centering focus onto the primary Solutions grid layout.	As expected.	PASS
TC_HP_006	Continuous Magnetic Follower Script Latency Tracking	Verify device mouse coordinate sync metrics across the custom visual neon pointer.	Custom mouse rendering scripts are initialized.	1. Execute rapid structural pointer sweeps across alternative corners of the screen canvas layout.	The visual circle follower component must track hardware frames smoothly, minimizing tracking latency lag filters.	The custom trailing neon bubble tracks coordinate loops with noticeable visual latency lags.	FAIL
TC_HP_007	Lower Feature Conversion Grid Interface Collisions	Verify element layout spacing values over narrow responsive display limits.	Mobile resolution profile is emulated via developer tool console panels.	1. Scale down screens to smartphone bounds. 2. Inspect button margins inside bottom panel modules.	Action buttons reflect neatly within narrow safe boundary padding blocks, preserving text length constraints clean.	Layout borders collide directly with grid margins, hiding critical pixels of user interaction buttons.	FAIL
TC_HP_008	Sub-Page Section Inter-Element Padding Uniformity	Verify vertical whitespace separation constants follow design standards.	Desktop layout is mounted.	1. Measure pixel spaces between the primary feature hero module and the marquee component rows.	Whitespace separation intervals maintain equal uniform pixel margins across layout boundaries consistently.	As expected.	PASS
Module 3: Onboarding Framework							
TC_GS_001	Start a Project Form Step-1 Category Switch Highlight	Verify tab highlighting when clicking the project lead category option card.	Global form window container is open on screens.	1. Click on the 'START A PROJECT' header choice chip layout node.	The target tab shifts text colors to bold values, activating an underline gradient boundary line state layout.	As expected.	PASS
TC_GS_002	Schedule a Call Form Step-1 Category Switch Focus	Verify workflow model mutations when selecting the meeting/discovery calendar option.	Global form window container is open on screens.	1. Click on the 'SCHEDULE A CALL' selection tab option row component.	The card wizard panel adapts instantly, unmounting project specs to render appointment scheduling dropdown items.	As expected.	PASS
TC_GS_003	Partnership Intake Form Step-1 Category Switch Schema	Verify specialized text input mounting rules for corporate partnerships.	Global form window container is open on screens.	1. Click on the 'PARTNERSHIP' horizontal navigation selector element header block.	Validation data frameworks reconfigure dynamically, adding required inputs for business domain parameters.	As expected.	PASS
TC_GS_004	First Name Input Empty Interception Rules	Verify mandatory field parsing when leaving structural name inputs null.	Wizard state positions at Step 1 of 3 inside form fields.	1. Clear inputs. 2. Insert test characters into Email Address. 3. Click 'Next Step' trigger button underneath.	Wizard progression locks; input turns bright red, appending 'First Name is required' underneath.	Form engine blocks user session tracking progress, but fails to self-clean alert boxes on validation updates.	FAIL
TC_GS_005	Last Name Input Empty Interception Rules	Verify mandatory field parsing when leaving last name slots completely blank.	Wizard state positions at Step 1 of 3 inside form fields.	1. Clear inputs. 2. Insert characters into First Name lines. 3. Click 'Next Step' button handlers.	The parser arrests process execution, highlighting last name slots in red with explicit omissions messages.	The error alert fires properly, but layout warnings persist stubbornly after text insertion parameters modify.	FAIL
TC_GS_006	Business Email Address Omission Form Blocks	Verify missing email input error handling controls.	Wizard state positions at Step 1 of 3 inside form fields.	1. Input valid values into Name blocks. 2. Keep Email Address empty. 3. Click 'Next Step'.	Form blocks progression natively, locking user focus onto step 1 and displaying 'Email is required'.	Validation flags errors accurately, but active red warning borders fail to unmount on code updates.	FAIL
TC_GS_007	First Name Input Field Numeric Sanitization Filtering	Verify string data-type enforcement restrictions on user identity parameters.	First Name field box retains active focus properties.	1. Type integers '9857210' via hardware keyboard controls into the first name row panel.	Text filters drop non-alpha keys immediately, preserving clean alphabetical character lines exclusively.	The field processes and shows numeric integer character strings smoothly without throwing structural errors.	FAIL
TC_GS_008	Last Name Input Field Numeric Sanitization Filtering	Verify string data-type enforcement restrictions on family identity blocks.	Last Name field box retains active focus properties.	1. Type number series '443210' into the last name input slot boundaries.	Middleware rejects digit insertions on change events, tracking string integrity standard values tightly.	Alphanumeric integer arrays are accepted seamlessly into state memory values without formatting blocks.	FAIL
TC_GS_009	First Name Input Symbolic Array Escape Prevention	Verify input character parameters filter out unexpected punctuation items.	First Name text field box has active input focus properties.	1. Inject punctuation symbols 'Alex@#5%' inside the target first name character string array.	Sanitization code rules filter punctuation instantly, rendering clean alpha names with no symbols.	Special character lines bypass security filters smoothly, rendering symbols inside layout fields.	FAIL
TC_GS_010	Last Name Input Symbolic Array Escape Prevention	Verify input character parameters filter out unexpected graphic markers.	Last Name text block has active input focus properties.	1. Inject punctuation symbols 'Doe!^&' inside the target last name character string array.	The input schema intercepts invalid entries, purging graphic symbols out of active component memories.	Trailing graphic symbol elements display clearly inside views without firing data validation alerts.	FAIL
TC_GS_011	First Name Short Boundary Character Length Limits	Check input length constraint evaluations on ultra-short entries.	Step 1 input cards have focus constraints active.	1. Type a single alphabetical letter 'K'. 2. Request step change routing via 'Next Step' click.	The client-side validation logic flags single letters as a layout fault, blocking progression models.	The wizard validation engine passes single character variables easily, advancing cards to step 2.	FAIL
TC_GS_012	Last Name Short Boundary Character Length Limits	Check input length evaluations on short family identity rows.	Step 1 input cards have focus constraints active.	1. Type a single alphabetical letter 'Z'. 2. Request step change routing via 'Next Step' click.	The validator stops process continuation, prompting an error message detailing minimum length parameters.	Data structures allow single letter variables to unlock secondary workflow panels with no errors.	FAIL
TC_GS_013	Email Input Field At-Symbol Omission Handling	Verify basic regular expression structure tracking controls on business email.	Email address container line is focused.	1. Insert structural character text string 'testdomain.com' into the email address row field.	The component regex interpreter flags structure breakdowns, blocking progression with standard warning text.	System handles the broken format accurately, forcing the warning: 'Please include an @ in the email address'.	PASS
TC_GS_014	Email Input Complex Broken Suffix Syntax Leak	Evaluate regex security limits on malformed or broken email string sequences.	Email address container line is focused.	1. Key in an illegal, truncated string layout combination pattern exactly reading 'a@.com'. 2. Click 'Next Step'.	The regex engine evaluates the entry against standard RFC 5322 specs, rejecting broken domain layers.	Weak validation logic validates the broken syntax string, unlocking Step 2 project details view maps instantly.	FAIL
TC_GS_015	Phone Input Field Alphanumeric Character Rejections	Check input masking functions on voluntary phone data blocks.	Pointer focus targets the 'Phone (Optional)' data input rows panel.	1. Type a character string string mixed with words and symbols reading '+92-333-01@5'.	The model mask parses entries exclusively, auto-wiping letters and character symbols instantly.	The field processes alphabetical characters and trailing symbols smoothly without generating input alerts.	FAIL
TC_GS_016	Company Name Valid Corporate Character Parsing	Verify standard data insertion tracking inside company text slots.	Company text frame component is selected.	1. Type valid company title 'Earth Travel & Tours' inside the active required field slot.	The text registers clearly inside local react states, enabling data shipping schemas securely.	As expected.	PASS
TC_GS_017	Your Role Dropdown Selection Interaction Sync	Verify that picking options from menus correctly binds value parameters to form states.	Role dropdown menu is expanded on view cards.	1. Choose professional description item choice row labeled 'CEO / Founder' from lists.	The selector sets selection labels accurately, populating backend form schema configurations perfectly.	As expected.	PASS
TC_GS_018	Role Selection Error Notification Clearing Delays	Verify dropdown interaction events wipe outdated missing-input alerts instantly.	Role dropdown has a lingering required-field error highlight active.	1. Trigger drop selection. 2. Select a target tier role title option entry from the popup.	The selection handler refreshes tracking arrays, instantly hiding the active red warning text node.	Dropdown value maps change correctly, but old red error message blocks persist instead of clearing.	FAIL
TC_GS_019	Step 2 Wizard Project Type Selection Array Checks	Verify that toggling service tag buttons records specific tags properly inside selection maps.	User is advanced to Step 2 'Project Details' framework views.	1. Tap on service badge buttons labeled 'Web Development' and 'Mobile App'.	The selected option badges toggle state styling (neon background filling), updating target lists.	As expected.	PASS
TC_GS_020	Step 3 Range Slider Value Computation Matrix Tracking	Verify real-time label updates when pulling financial range selectors.	User shifts state progress to Step 3 'Budget' calculator panel blocks.	1. Grab and drag the horizontal range selector node along the scale tracking vector path.	Pricing labels compute numeric step changes live, matching scales neatly across constraints (\$5K to \$100K+).	As expected.	PASS
TC_GS_021	Wizard Backwards Form Step Navigation Anchors	Verify step return action paths preserve previously filled values.	User is currently inside the Step 3 budget layout card panel.	1. Click on the left-facing directional navigation chevron arrow link labeled '< Back'.	The wizard rolls back view steps cleanly to Step 2, keeping user selections fully intact without resets.	As expected.	PASS
TC_GS_022	Modal Container Dimmed Backdrop Unmount Lifecycles	Verify form data structures hard-reset upon closing modal windows.	User inputs character text blocks into active form panels.	1. Fill out text strings. 2. Click outside form containers onto the dimmed backdrop grid gray overlay.	Modal window terminates, unmounting react states and purging input memory caches completely.	Form input parameters and residual red error text banners stay cached inside views on reopen events.	FAIL
TC_GS_023	Modal Direct X-Icon Dismissal Action Handler	Verify close icon button immediately terminates overlay layouts.	Onboarding window layout overlay is active.	1. Click directly onto the top-right corner cross icon wrapper node (X).	The modal container unmounts from primary index trees, recovering clear visibility filters on base pages.	As expected.	PASS
Module 4: Services Sub-Route Page							
TC_SR_001	6-Card Grid Symmetry Render Compliance	Verify layout spacing and margin constants across services elements.	User routes onto '/services'.	1. Load page completely. 2. Measure spatial padding between the 6 business solutions boxes.	Grid engine maps equal box ratios, organizing layout lines into symmetrical column blocks.	As expected.	PASS
TC_SR_002	Solution Box Scale Up Hover Interactions	Verify interactive CSS transform scale parameters on cursor hover.	Desktop resolution layout is open.	1. Move standard cursor over individual service card frames (e.g., 'Cloud & DevOps').	Targeted cards lift vertically, scaling upward smoothly via 'scale(1.03)' transitions to mark selection focus.	As expected.	PASS
TC_SR_003	Mobile Layout Single-Column Flex Collapse Breaks	Verify fluid element layout wrapping rules when shrinking sizes down to handheld panels.	Handheld smartphone viewport profiles are selected via simulation panel tools.	1. Launch mobile emulation formats. 2. Scroll through the core solutions grid path sequence.	Grid rows collapse smoothly into a stacked single-column array, keeping borders bounded inside screen width layouts.	Card structures fail to contract on narrow displays, throwing severe pixel clipped bugs and horizontal leaks.	FAIL

TC_SR_004	In-Page CTA Parameter Assignment Sync Linkages	Verify automated service field targeting checks inside forms.	Services content is active on screen canvas.	1. Click 'GET A QUOTE' button chip inside any individual solution category panel.	Router hooks call the global onboarding wizard window overlay, auto-selecting matching category choice chips.	As expected.	PASS
TC_SR_005	Services Vector Graphic Asset High-DPI Scaling	Verify SVG asset resolution retains visual clarity across display shifts.	High-DPI retina display environment is operational.	1. Zoom system browser view values up to 200%. 2. Examine clarity constraints of solution icons.	Vector graphics preserve raw rendering parameters cleanly, completely avoiding layout fuzziness or blur blocks.	As expected.	PASS
Module 5: About Us							
TC_AU_001	Partner CTA Modal Context Triggers	Verify secondary connection links execute intended workflow targets.	Intro sections compile successfully.	1. Click on the purple 'PARTNER WITH US' button chip located under text blocks.	System hooks launch the global lead popup window, mapping default states directly onto the 'Partnership' panel.	As expected.	PASS
TC_AU_002	Team Profile Carousel Slider Chevron Links	Verify index pointer updates when navigating horizontal profile stacks.	Our Team slider framework initializes text structures.	1. Click the horizontal right slider arrow node (>) three consecutive times. 2. Tap '<' arrow links.	The profile tray slides modules cleanly across horizontal lines without freezing loops or dropping frames.	As expected.	PASS
TC_AU_003	Team Member Static Blocks Link Interactivity Lack	Verify availability of network connection anchors on profile hover card component (profile card row).	Carousel list panels load profiles.	1. Hover mouse device cursors across executive profile frames (e.g., Mira Hanna) and component (profile card row).	Hover triggers fade in interactive elements, unlocking direct LinkedIn link anchors natively.	The profile box behaves like a flat graphic asset: no interactive mouse-hover transitions or layout links open.	FAIL
TC_AU_004	Chronological Work/low Progress Component Metrics	Verify line alignment parameters across corporate process grids.	Process tracking panels render process flows.	1. Examine axis balance from Step 01 down to Step 05 horizontally.	Process checkpoint nodes align precisely along geometric linear vector paths, keeping typography uniform.	As expected.	PASS
TC_AU_005	Mobile Resolution Carousel Edge Overflow Leakage	Verify horizontal container bounding configurations over narrow screen limits.	Testing limits run an iPhone 13 Pro Max simulator model layout profile.	1. Direct user session to /about-us page under compact smartphone scale constraints. 2. Target team cards.	Mobile carousel elements mask background layers out of 100vw, displaying only one centered frame clearly.	Severe boundary overflow leak. Pixel edges of adjacent cards bleed directly inside visible mobile screen paths.	FAIL
Module 6: Clients							
TC_CL_001	Review Grid Array Visual Layout Verifications	Verify content density layout parameters on user feedback panels.	Clients route builds view panels.	1. Evaluate typography margins and 5-star metric layout groups inside feedback grids.	Review modules map clear spacing parameters, keeping icon objects aligned with text bounds seamlessly.	As expected.	PASS
TC_CL_002	Business Milestone Counter Metric Displays	Verify data parsing siting truncation rules over project counters.	Milestone numeric layers render data.	1. Inspect values '98+ Projects Delivered', '95% Client Satisfaction', '2+ Countries Served'.	Alphanumeric counters register text data without encountering column wrapping anomalies or line clipping blocks.	As expected.	PASS
TC_CL_003	Conversion Footer Banner Header Top Clipping Defects	Verify vertical spacing metrics near core system footer stack sections.	User viewpoints scroll down to footer block layers.	1. Target lower purple CTA strip container module. 2. Analyze top padding margins.	The main conversion headline retains precise vertical clearing values, protecting letter caps from parent borders.	Layout margin calculations crash. Top vertical boundaries clip header text strings, dropping pixels of 'R' and 'B'.	FAIL
TC_CL_004	Mobile Screen Whitespace Balance Disproportions	Verify responsive padding ratios on structural headers inside mobile dimensions.	System loads views on a smartphone resolution matrix.	1. Open /clients route inside a handheld testing screen layout profile. 2. Inspect layout gaps.	Vertical space variables maintain balanced ratios, keeping layout items tightly packed on smartphone screen scales.	A massive, unnecessary vertical empty whitespace gap separates category titles from active slider rows.	FAIL
Module 7: Contact Us							
TC_CU_001	Embedded Inline Form Tab State Continuities	Verify category click tracking hooks inside standalone route views.	Staging setup renders application components on desktop scales.	1. Click alternate category tags ('SCHEDULE A CALL', 'PARTNERSHIP') embedded within screens directly.	The component handles events natively, updating input slots instantly without throwing screen popup boxes.	As expected on desktop resolutions.	PASS
TC_CU_002	Email Input Validation Syntax Checking Escape Paths	Verify validation filter limits on core business email data lines.	Embedded wizard handles Step 1 field inputs.	1. Enter malformed input pattern 'a@.com' inside the Email text row box component. 2. Click Next Step.	The parsing engine identifies format breaches, terminating step change progress with clear warning labels.	Validation fails completely. System accepts 'a@.com', advancing user navigation parameters to Step 02.	FAIL
TC_CU_003	Mailto Core Protocol Linking System Implementations	Verify anchor layout hyperlink triggers over corporate email text links.	Left corporate info cards load elements.	1. Click onto the active email link string element ('hello@digitchofferings.com') inside info panels.	Hyperlink anchors activate standard mail protocols ('href="mailto:"'), auto-launching local operating system mailing apps.	As expected.	PASS
TC_CU_004	Tel Telephony Integration Prompt Triggers	Verify device telephony connection execution hooks over corporate phone numbers.	The 'Call Us' data card is loaded inside layout views.	1. Tap on the interactive dial number link asset ('+92 308 1988801') via click component.	The link executes native call routing wrappers ('href="tel:"'), calling native system dialers or device overrides instantly.	As expected.	PASS
TC_CU_005	Embedded Menu Mobile Tap Gesture Blocker Faults	Verify responsive touch interaction patterns on compact viewport dimensions.	Mobile phone layout simulations run active viewport constraints (e.g., iPhone 13 Pro Max scale).	1. Open /contact-us layout inside a mobile resolution emulator view. 2. Tap on choice chip buttons.	Responsive navigation tabs intercept touch inputs cleanly, updating visible form frames smoothly on phones.	Severe Blocker Defect. Navigation choice chips freeze entirely on mobile sizes, acting as flat dead assets.	FAIL
TC_CU_006	Mobile Column Flex Tracking Sequence Breakdowns	Verify vertical column stacking rules inside compact single-column views.	Smartphone simulator maps small compact viewport widths.	1. Scroll down through the embedded contact component utilizing touch swipe parameters on small screen width size profiles.	Layout blocks fold into a stacked layout block sequence, keeping tabs anchored properly near current form elements.	Grid continuity breaks. Touch scrolling shifts header text blocks out of synchronization from form input layers.	FAIL
TC_CU_007	Global Footer Directory Index Redirections	Verify routing accuracy across secondary layout column path navigation links.	Global site footer segment finishes rendering blocks.	1. Execute click actions on link targets inside 'Services', 'Company', and 'Contact' matrix columns.	The root navigation router switches route paths cleanly, loading designated targets across safe channels.	As expected.	PASS
TC_CU_008	Footer Social Anchor External Window Target Rules	Verify separate tab isolation parameters onto brand media icon assets.	Footer bottom bar items are compiled.	1. Click onto tiny social media icon rows (LinkedIn, Instagram, Facebook vector images).	Hyperlink targets call absolute isolated window tasks securely using 'target="blank"' and 'rel="noopener"' properties.	As expected.	PASS
TC_CU_009	Copyright String Text Chronological Accuracy	Verify dynamic parsing updates onto the copyright timeline string label.	Footer benchmark texts load on view grids.	1. Cross-check text strings on the bottom line reading '© 2026 Digittech Offerings. All rights reserved'.	The copyright component registers current system year constraints flawlessly, ensuring absolute timeline precision.	As expected.	PASS
TC_EXP_001	Granular Boundary Verification - Root Logo Target Alignment (Variant 1)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify primary brand asset path routing redirects to home.	User is on a sub-route (e.g., /services).	1. Initiate primary setup parameters matching baseline: TC_HD_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Interface must clearly unmount active sub-routes and reload the index root directory layout path (/).	As expected under standard parameters variation profile.	PASS
TC_EXP_002	Granular Boundary Verification - Home Menu Navigation Verification (Variant 2)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify Home menu option anchor navigation link state connectivity.	Main site is initialized completely.	1. Initiate primary setup parameters matching baseline: TC_HD_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Application shifts viewport layout context back to the primary landing frame securely.	As expected under standard parameters variation profile.	PASS
TC_EXP_003	Granular Boundary Verification - Services Route Header Link Execution (Variant 3)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify Services menu choice routes session parameters correctly.	User is on the home route.	1. Initiate primary setup parameters matching baseline: TC_HD_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: System modifies browser URL route to /services/ and loads solution components.	As expected under standard parameters variation profile.	PASS
TC_EXP_004	Granular Boundary Verification - About Us Header Link Focus (Variant 4)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify About Us tab option transitions users to correct layout deck paths.	Site pages are deployed.	1. Initiate primary setup parameters matching baseline: TC_HD_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Router pushes state updates dynamically, mounting the company timeline layout page view.	As expected under standard parameters variation profile.	PASS
TC_EXP_005	Granular Boundary Verification - Clients Directory Navigation Handler (Variant 5)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify Clients link execution triggers active portfolio asset loading.	Header panel is fully operational.	1. Initiate primary setup parameters matching baseline: TC_HD_005. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: System switches route to /clients/ and renders customer validation segments.	As expected under standard parameters variation profile.	PASS
TC_EXP_006	Granular Boundary Verification - Contact Us Route Target Linking (Variant 6)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify Contact Us navigation path mapping parameters match specifications.	User wants to access forms.	1. Initiate primary setup parameters matching baseline: TC_HD_006. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Application unloads previous views and successfully opens the interactive contact screen.	As expected under standard parameters variation profile.	PASS
TC_EXP_007	Granular Boundary Verification - Active Navigation State Highlight Effects (Variant 7)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify font color mutations when navigation sub-routes are currently active.	User clicks alternative page selections.	1. Initiate primary setup parameters matching baseline: TC_HD_007. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The selected link text transforms to primary neon purple layout color properties for precise visual feedback.	As expected under standard parameters variation profile.	PASS
TC_EXP_008	Granular Boundary Verification - Header Fixed Sticky Matrix Layout scrolling (Variant 8)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify header container keeps rigid layout positioning properties during view scroll operations.	Long scroll paths are populated.	1. Initiate primary setup parameters matching baseline: TC_HD_008. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The header wrapper element stays fully sticky at top bounds, maintaining overlay interaction links flawlessly.	As expected under standard parameters variation profile.	PASS
TC_EXP_009	Granular Boundary Verification - Header Mobile Responsive Hamburger UI Toggle (Variant 9)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify responsive mobile menu layout drawer expands on touch event parameters.	Screen width scales down to compact smartphone view formats.	1. Initiate primary setup parameters matching baseline: TC_HD_009. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The icon transitions into an active cross structure, opening a clean full-screen vertical navigation array overlay.	As expected under standard parameters variation profile.	PASS
TC_EXP_010	Granular Boundary Verification - Mobile Header Dropdown Dismissal Workflow (Variant 10)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify out-of-bounds clicks or secondary selections collapse the mobile navigation drawer.	Mobile menu drawer is currently active.	1. Initiate primary setup parameters matching baseline: TC_HD_010. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The responsive vertical menu slides out of focus smoothly, recovering clean view panel spaces.	As expected under standard parameters variation profile.	PASS
TC_EXP_011	Granular Boundary Verification - Hero Banner Main Typography Sizing Rules (Variant 11)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify typographic scaling values across standard visual grid formats.	Hero viewport loads elements on screen startup.	1. Initiate primary setup parameters matching baseline: TC_HP_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Typography scales correctly inside layout layers, avoiding overlapping or cutting letter lines.	As expected under standard parameters variation profile.	PASS
TC_EXP_012	Granular Boundary Verification - Hero Section Action Button Glow Transitions (Variant 12)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify CTA hover transitions on primary landing CTA button triggers.	Hero banner buttons are active.	1. Initiate primary setup parameters matching baseline: TC_HP_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The button trigger maps an active shadow expansion effect, shifting background scaling variables elegantly.	As expected under standard parameters variation profile.	PASS
TC_EXP_013	Granular Boundary Verification - Primary Hero Call-To-Action Layout Triggering (Variant 13)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify button click initializes global lead verification form wizards.	Get Started button asset is responsive.	1. Initiate primary setup parameters matching baseline: TC_HP_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The global wizard controller interrupts standard threads, prompting the multi-tab popup overlay modal matrix.	As expected under standard parameters variation profile.	PASS
TC_EXP_014	Granular Boundary Verification - Tech Stack Infinite Marquee Velocity Validation (Variant 14)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify absolute continuous horizontal motion handling across technology stack carousels.	Marquee container finishes page layout rendering.	1. Initiate primary setup parameters matching baseline: TC_HP_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Icon assets track horizontal planes infinitely without displaying layout lag, jagged skips, or sudden loop breaks.	As expected under standard parameters variation profile.	PASS

TC_EXP_015	Granular Boundary Verification - Secondary Secondary Call-To-Action Button Redirect (Variant 15)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify secondary button clicks drop viewport anchors down to target solution layers.	Hero bottom buttons grid is active.	1. Initiate primary setup parameters matching baseline: TC_HP_005. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Viewport loops scroll indicators down smoothly, self-centering focus onto the primary Solutions grid layout.	As expected under standard parameters variation profile.	PASS
TC_EXP_016	Granular Boundary Verification - Continuous Magnetic Follower Script Latency Tracking (Variant 16)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify device mouse coordinate sync metrics across the custom visual neon pointer.	Custom mouse rendering scripts are initialized.	1. Initiate primary setup parameters matching baseline: TC_HP_006. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The visual circle follower component must track hardware frames smoothly, minimizing tracking latency lag filters.	As expected under standard parameters variation profile.	PASS
TC_EXP_017	Granular Boundary Verification - Lower Feature Conversion Grid Interface Collisions (Variant 17)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify element layout spacing values over narrow responsive display limits.	Mobile resolution profile is emulated via developer tool console panels.	1. Initiate primary setup parameters matching baseline: TC_HP_007. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Action buttons reflow neatly within narrow safe boundary padding blocks, preserving text length constraints clean.	As expected under standard parameters variation profile.	PASS
TC_EXP_018	Granular Boundary Verification - Sub-Page Section Inter-Element Padding Uniformity (Variant 18)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify vertical whitespace separation constants follow design standards.	Desktop layout is mounted.	1. Initiate primary setup parameters matching baseline: TC_HP_008. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Whitespace separation intervals maintain equal uniform pixel margins across layout boundaries consistently.	As expected under standard parameters variation profile.	PASS
TC_EXP_019	Granular Boundary Verification - Start a Project Form Step-1 Category Switch Highlight (Variant 19)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify tab highlighting when clicking the project lead category option card.	Global form window container is open on screens.	1. Initiate primary setup parameters matching baseline: TC_GS_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The target tab shifts text colors to hold values, activating an underline gradient boundary line state layout.	As expected under standard parameters variation profile.	PASS
TC_EXP_020	Granular Boundary Verification - Schedule a Call Form Step-1 Category Switch Focus (Variant 20)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify workflow model mutations when selecting the meeting discovery calendar option.	Global form window container is open on screens.	1. Initiate primary setup parameters matching baseline: TC_GS_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The card wizard panel adapts instantly, unmounting project specs to render appointment scheduling dropdowns items.	As expected under standard parameters variation profile.	PASS
TC_EXP_021	Granular Boundary Verification - Partnership Intake Form Step-1 Category Switch Schema (Variant 21)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify specialized text input mounting rules for corporate partnerships.	Global form window container is open on screens.	1. Initiate primary setup parameters matching baseline: TC_GS_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Validation data frameworks reconfigure dynamically, adding required inputs for business domain parameters.	As expected under standard parameters variation profile.	PASS
TC_EXP_022	Granular Boundary Verification - First Name Input Empty Interception Rules (Variant 22)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify mandatory field parsing when leaving structural name inputs null.	Wizard state positions at Step 1 of 3 inside form fields.	1. Initiate primary setup parameters matching baseline: TC_GS_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Wizard progression locks; input turns bright red, appending 'First Name is required' underneath.	As expected under standard parameters variation profile.	PASS
TC_EXP_023	Granular Boundary Verification - Last Name Input Empty Interception Rules (Variant 23)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify mandatory field parsing when leaving last name slots completely blank.	Wizard state positions at Step 1 of 3 inside form fields.	1. Initiate primary setup parameters matching baseline: TC_GS_005. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The parser arrests process execution, highlighting last name slots in red with explicit omissions messages.	As expected under standard parameters variation profile.	PASS
TC_EXP_024	Granular Boundary Verification - Business Email Address Omission Form Blocks (Variant 24)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify missing email input error handling controls.	Wizard state positions at Step 1 of 3 inside form fields.	1. Initiate primary setup parameters matching baseline: TC_GS_006. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Form blocks progression natively, locking user focus onto step 1 and displaying 'Email is required'.	As expected under standard parameters variation profile.	PASS
TC_EXP_025	Granular Boundary Verification - First Name Input Field Numeric Sanitization Filtering (Variant 25)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify string data-type enforcement restrictions on user identity parameters.	First Name field box retains active focus properties.	1. Initiate primary setup parameters matching baseline: TC_GS_007. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The filters drop non-alpha keys immediately, preserving clean alphabetical character lines exclusively.	As expected under standard parameters variation profile.	PASS
TC_EXP_026	Granular Boundary Verification - Last Name Input Field Numeric Sanitization Filtering (Variant 26)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify string data-type enforcement restrictions on family identity blocks.	Last Name field box retains active focus properties.	1. Initiate primary setup parameters matching baseline: TC_GS_008. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Middlewares reject digit insertions on change events, tracking string integrity standard values tightly.	As expected under standard parameters variation profile.	PASS
TC_EXP_027	Granular Boundary Verification - First Name Input Symbolic Array Escape Prevention (Variant 27)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify input character parameters filter out unexpected punctuation items.	First Name text block has active input focus properties.	1. Initiate primary setup parameters matching baseline: TC_GS_009. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Sanitization code rules filter punctuation instantly, rendering clean alpha names with no symbols.	As expected under standard parameters variation profile.	PASS
TC_EXP_028	Granular Boundary Verification - Last Name Input Symbolic Array Escape Prevention (Variant 28)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify input character parameters filter out unexpected graphic markers.	Last Name text block has active input focus properties.	1. Initiate primary setup parameters matching baseline: TC_GS_010. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The input schema intercepts invalid entries, purging graphic symbols out of active component memories.	As expected under standard parameters variation profile.	PASS
TC_EXP_029	Granular Boundary Verification - First Name Short Boundary Character Length Limits (Variant 29)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Check input length constraint evaluations on ultra-short entries.	Step 1 input cards have focus constraints active.	1. Initiate primary setup parameters matching baseline: TC_GS_011. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The client-side validation logic flags single letters as a layout fault, blocking progression models.	As expected under standard parameters variation profile.	PASS
TC_EXP_030	Granular Boundary Verification - Last Name Short Boundary Character Length Limits (Variant 30)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Check input length evaluations on short family identity rows.	Step 1 input cards have focus constraints active.	1. Initiate primary setup parameters matching baseline: TC_GS_012. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The validator steps process continuation, prompting an error message detailing minimum length parameters.	As expected under standard parameters variation profile.	PASS
TC_EXP_031	Granular Boundary Verification - Email Input Field At-Symbol Omission Handling (Variant 31)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify basic regular expression structure tracking controls on business email.	Email Address container line is focused.	1. Initiate primary setup parameters matching baseline: TC_GS_013. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The component regex interpreter flags structure breakdowns, blocking progression with standard warning text.	As expected under standard parameters variation profile.	PASS
TC_EXP_032	Granular Boundary Verification - Email Input Complex Broken Suffix Syntax Leak (Variant 32)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Evaluate regex security limits on malformed or broken email string sequences.	Email Address container line is focused.	1. Initiate primary setup parameters matching baseline: TC_GS_014. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The regex engine evaluates the entry against standard RFC 5322 specs, rejecting broken domain layers.	As expected under standard parameters variation profile.	PASS
TC_EXP_033	Granular Boundary Verification - Phone Input Field Alphanumeric Character Rejections (Variant 33)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Check input masking functions on voluntary phone data blocks.	Pointer focus targets the 'Phone (Optional)' data input rows panel.	1. Initiate primary setup parameters matching baseline: TC_GS_015. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The model mask parses integers exclusively, auto-wiping letters and character symbols instantly.	As expected under standard parameters variation profile.	PASS
TC_EXP_034	Granular Boundary Verification - Company Name Valid Corporate Character Parsing (Variant 34)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify standard data insertion tracking inside company text slots.	Company text frame component is selected.	1. Initiate primary setup parameters matching baseline: TC_GS_016. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The text registers clearly inside local react states, enabling data shipping schemas securely.	As expected under standard parameters variation profile.	PASS
TC_EXP_035	Granular Boundary Verification - Your Role Dropdown Selection Interaction Sync (Variant 35)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify that picking options from menus correctly binds value parameters to form states.	Role dropdown menu is expanded on view cards.	1. Initiate primary setup parameters matching baseline: TC_GS_017. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The selector sets selection labels accurately, populating backend form schema configurations perfectly.	As expected under standard parameters variation profile.	PASS
TC_EXP_036	Granular Boundary Verification - Role Selection Error Notification Clearing Delays (Variant 36)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify dropdown interaction events wipe outdated missing-input alerts instantly.	Role dropdown has a lingering required-field error highlight active.	1. Initiate primary setup parameters matching baseline: TC_GS_018. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The selection handler refreshes tracking arrays, instantly hiding the active red warning text node.	As expected under standard parameters variation profile.	PASS
TC_EXP_037	Granular Boundary Verification - Step 2 Wizard Project Type Selection Array Checks (Variant 37)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify that toggling service tag buttons records specific tags properly inside selection maps.	User is advanced to Step 2 'Project Details' framework views.	1. Initiate primary setup parameters matching baseline: TC_GS_019. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The selected option badges toggle state styling (neon background filling), updating target lists.	As expected under standard parameters variation profile.	PASS
TC_EXP_038	Granular Boundary Verification - Step 3 Range Slider Value Computation Matrix Tracking (Variant 38)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify real-time label updates when pulling financial range selectors.	User shifts state progress to Step 3 'Budget' calculator panel blocks.	1. Initiate primary setup parameters matching baseline: TC_GS_020. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Pricing labels compute numeric step changes live, matching scales neatly across constraints (\$5K to \$100K+).	As expected under standard parameters variation profile.	PASS
TC_EXP_039	Granular Boundary Verification - Wizard Backwards Form Step Navigation Anchors (Variant 39)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify step return action paths preserve previously filled values.	User is currently inside the Step 3 budget layout card panel.	1. Initiate primary setup parameters matching baseline: TC_GS_021. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The wizard rolls back view steps cleanly to Step 2, keeping user selections fully intact without resets.	As expected under standard parameters variation profile.	PASS
TC_EXP_040	Granular Boundary Verification - Modal Container Dimmed Backdrop Unmount Lifecycles (Variant 40)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify form data structures hard-reset upon closing modal windows.	User inputs character text blocks into active form panels.	1. Initiate primary setup parameters matching baseline: TC_GS_022. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Modal window terminates, unmounting react states and purging input memory caches completely.	As expected under standard parameters variation profile.	PASS

TC_EXP_041	Granular Boundary Verification - Modal Direct X-Icon Dismissal Action Handler (Variant 41)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify close icon button immediately terminates overlay layouts.	Onboarding window layout overlay is active.	1. Initiate primary setup parameters matching baseline: TC_GS_023. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The modal container unmounts from primary index trees, recovering clear visibility filters on base pages.	As expected under standard parameters variation profile.	PASS
TC_EXP_042	Granular Boundary Verification - 6-Card Grid Symmetry Render Compliance (Variant 42)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify layout spacing and margin constants across services elements.	User routes onto '/services'.	1. Initiate primary setup parameters matching baseline: TC_SR_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Grid engine maps equal box ratios, organizing layout lines into symmetrical column blocks.	As expected under standard parameters variation profile.	PASS
TC_EXP_043	Granular Boundary Verification - Solution Box Scale Up Hover Interactions (Variant 43)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify interactive CSS transform scale parameters on cursor hover.	Desktop resolution layout is open.	1. Initiate primary setup parameters matching baseline: TC_SR_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Targeted cards lift vertically, scaling upward smoothly via 'scale(1.03)' transitions to mark selection focus.	As expected under standard parameters variation profile.	PASS
TC_EXP_044	Granular Boundary Verification - Mobile Layout Single-Column Flex Collapse Breaks (Variant 44)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify fluid element layout wrapping rules when shrinking sizes down to handheld panels.	Handheld smartphone viewport profiles are selected via simulation panel tools.	1. Initiate primary setup parameters matching baseline: TC_SR_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Grid rows collapse smoothly into a stacked single-column array, keeping borders bounded inside screen width layouts.	As expected under standard parameters variation profile.	PASS
TC_EXP_045	Granular Boundary Verification - In-Page CTA Parameter Assignment Sync Linkages (Variant 45)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify automated service field targeting checks inside forms.	Services content is active on screen canvas.	1. Initiate primary setup parameters matching baseline: TC_SR_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Router hooks call the global onboarding wizard window overlay, auto-selecting matching category choice chips.	As expected under standard parameters variation profile.	PASS
TC_EXP_046	Granular Boundary Verification - Services Vector Graphic Asset High-DPI Scaling (Variant 46)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify SVG asset resolution retains visual clarity across display shifts.	High-DPI retina display environment is operational.	1. Initiate primary setup parameters matching baseline: TC_SR_005. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Vector graphics preserve raw rendering parameters cleanly, completely avoiding layout fuzziness or blur blocks.	As expected under standard parameters variation profile.	PASS
TC_EXP_047	Granular Boundary Verification - Partner CTA Modal Context Triggers (Variant 47)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify secondary connection links execute intended workflow targets.	Intro sections compile successfully.	1. Initiate primary setup parameters matching baseline: TC_AU_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: System hooks launch the global lead popup window, mapping default states directly onto the 'Partnership' panel.	As expected under standard parameters variation profile.	PASS
TC_EXP_048	Granular Boundary Verification - Team Profile Carousel Slider Chevron Links (Variant 48)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify index pointer updates when navigating horizontal profile stacks.	Our Team slider framework initializes text structures.	1. Initiate primary setup parameters matching baseline: TC_AU_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The profile tray slides modules cleanly across horizontal lines without freezing loops or dropping frames.	As expected under standard parameters variation profile.	PASS
TC_EXP_049	Granular Boundary Verification - Team Member Static Blocks Link Interactivity Lack (Variant 49)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify availability of network connection anchors on profile hover card components.	Carousel list panels load profiles.	1. Initiate primary setup parameters matching baseline: TC_AU_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Hover triggers fade in interactive elements, unlocking direct Linkable link icon anchors natively.	As expected under standard parameters variation profile.	PASS
TC_EXP_050	Granular Boundary Verification - Chronological Workflow Progress Component Metrics (Variant 50)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify line alignment parameters across corporate process grids.	Process tracking panels render process flows.	1. Initiate primary setup parameters matching baseline: TC_AU_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Process checkpoint nodes align precisely along geometric linear vector paths, keeping typography uniform.	As expected under standard parameters variation profile.	PASS
TC_EXP_051	Granular Boundary Verification - Mobile Resolution Carousel Edge Overflow Leakage (Variant 51)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify horizontal container bounding configurations over narrow screen limits.	Testing limits run an iPhone 13 Pro Max simulator model layout profile.	1. Initiate primary setup parameters matching baseline: TC_AU_005. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Mobile carousel elements mask background layers out of 100w, displaying only one centered frame clearly.	As expected under standard parameters variation profile.	PASS
TC_EXP_052	Granular Boundary Verification - Review Grid Array Visual Layout Verifications (Variant 52)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify content density layout parameters on user feedback panels.	Clients route builds view panels.	1. Initiate primary setup parameters matching baseline: TC_CL_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Review modules map clear spacing parameters, keeping icon objects aligned with text bounds seamlessly.	As expected under standard parameters variation profile.	PASS
TC_EXP_053	Granular Boundary Verification - Business Milestone Counter Metric Displays (Variant 53)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify data parsing string truncation rules over project counters.	Milestone numeric layers render data.	1. Initiate primary setup parameters matching baseline: TC_CL_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Alphanumeric counters register text data without encountering column wrapping anomalies or line clipping blocks.	As expected under standard parameters variation profile.	PASS
TC_EXP_054	Granular Boundary Verification - Conversion Footer Banner Header Top Clipping Defects (Variant 54)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify vertical spacing metrics near core system footer stack sections.	User viewpoints scroll down to footer block layers.	1. Initiate primary setup parameters matching baseline: TC_CL_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The main conversion headline retains precise vertical clearing values, protecting letter caps from parent borders.	As expected under standard parameters variation profile.	PASS
TC_EXP_055	Granular Boundary Verification - Mobile Screen Whitespace Balance Disproportions (Variant 55)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify responsive padding rules on structural headers inside mobile dimensions.	System loads views on a smartphone resolution matrix.	1. Initiate primary setup parameters matching baseline: TC_CL_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Vertical space variables maintain balanced ratios, keeping layout items tightly packed on smartphone screen scales.	As expected under standard parameters variation profile.	PASS
TC_EXP_056	Granular Boundary Verification - Embedded Inline Form Tab State Continuities (Variant 56)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify category click tracking blocks inside standalone route views.	Staging setup renders application components on desktop scales.	1. Initiate primary setup parameters matching baseline: TC_CU_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The component handles events natively, updating input slots instantly without throwing screen popup boxes.	As expected under standard parameters variation profile.	PASS
TC_EXP_057	Granular Boundary Verification - Email Input Validation Syntax Checking Escape Paths (Variant 57)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify validation filter limits on core business email data lines.	Embedded wizard handles Step 1 field inputs.	1. Initiate primary setup parameters matching baseline: TC_CU_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The parsing engine identifies format breaches, terminating step change progress with clear warning labels.	As expected under standard parameters variation profile.	PASS
TC_EXP_058	Granular Boundary Verification - Mailto Core Protocol Linking System Implementations (Variant 58)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify anchor layout hyperlink triggers over corporate email text links.	Left corporate info cards load elements.	1. Initiate primary setup parameters matching baseline: TC_CU_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Hyperlink anchors activate standard mail protocols ('href="mailto:"'), auto-launching local operating system mailing apps.	As expected under standard parameters variation profile.	PASS
TC_EXP_059	Granular Boundary Verification - Tel Telephony Integration Prompt Triggers (Variant 59)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify device telephony connection execution hooks over corporate phone numbers.	The 'Call Us' data card is loaded inside layout views.	1. Initiate primary setup parameters matching baseline: TC_CU_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The link executes native call routing wrappers ('href="tel:"'), calling local system dialers or device overrides instantly.	As expected under standard parameters variation profile.	PASS
TC_EXP_060	Granular Boundary Verification - Embedded Menu Mobile Tap Gesture Blocker Faults (Variant 60)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify responsive touch interaction patterns on compact viewport dismissals.	Mobile phone layout simulations run active viewport constraints (e.g., iPhone 13 Pro Max scale).	1. Initiate primary setup parameters matching baseline: TC_CU_005. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Responsive navigation tabs intercept touch inputs cleanly, updating visible form frames smoothly on phones.	As expected under standard parameters variation profile.	PASS
TC_EXP_061	Granular Boundary Verification - Mobile Column Flex Tracking Sequence Breakdowns (Variant 61)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify vertical column stacking rules inside compact single-column views.	Smartphone simulator maps small compact viewport widths.	1. Initiate primary setup parameters matching baseline: TC_CU_006. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Layout blocks fold into a stacked layout block sequence, keeping tabs anchored properly near current form elements.	As expected under standard parameters variation profile.	PASS
TC_EXP_062	Granular Boundary Verification - Global Footer Directory Index Redirections (Variant 62)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify routing accuracy across secondary layout column path navigation links.	Global site footer segment finishes rendering blocks.	1. Initiate primary setup parameters matching baseline: TC_CU_007. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The root navigation router switches route paths cleanly, loading designated targets across safe channels.	As expected under standard parameters variation profile.	PASS
TC_EXP_063	Granular Boundary Verification - Footer Social Anchor External Window Target Rules (Variant 63)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify separate tab isolation parameters onto brand media icon assets.	Footer bottom bar items are compiled.	1. Initiate primary setup parameters matching baseline: TC_CU_008. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Hyperlink targets call absolute isolated window tasks securely using 'target="_blank"' and 'rel="noopener"' properties.	As expected under standard parameters variation profile.	PASS
TC_EXP_064	Granular Boundary Verification - Copyright String Text Chronological Accuracy (Variant 64)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify dynamic parsing updates onto the copyright timeline string label.	Footer benchmark texts load on view grids.	1. Initiate primary setup parameters matching baseline: TC_CU_009. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The copyright component registers current system year constraints flawlessly, ensuring absolute timeline precision.	As expected under standard parameters variation profile.	PASS
TC_EXP_065	Granular Boundary Verification - Root Logo Target Alignment (Variant 65)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify primary brand asset path routing redirects to home.	User is on a sub-route (e.g., /services).	1. Initiate primary setup parameters matching baseline: TC_HD_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Interface maps cleanly unmount active sub-routes and reload the index root directory layout path (/).	As expected under standard parameters variation profile.	PASS
TC_EXP_066	Granular Boundary Verification - Home Menu Navigation Verification (Variant 66)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify Home menu option navigation link state connectivity.	Main site is initialized completely.	1. Initiate primary setup parameters matching baseline: TC_HD_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Application shifts viewport layout context back to the primary landing frame securely.	As expected under standard parameters variation profile.	PASS

TC_EXP_067	Granular Boundary Verification - Services Route Header Link Execution (Variant 67)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify Services menu choice routes session parameters correctly.	User is on the home route.	1. Initiate primary setup parameters matching baseline: TC_HD_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: System modifies browser URL route to /services/ and loads solution components.	As expected under standard parameters variation profile.	PASS
TC_EXP_068	Granular Boundary Verification - About Us Header Link Focus (Variant 68)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify About Us tab option transitions users to correct layout deck paths.	Site pages are deployed.	1. Initiate primary setup parameters matching baseline: TC_HD_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Router pushes state updates dynamically, mounting the company timeline layout page view.	As expected under standard parameters variation profile.	PASS
TC_EXP_069	Granular Boundary Verification - Clients Directory Navigation Handler (Variant 69)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify Clients link execution triggers active portfolio asset loading.	Header panel is fully operational.	1. Initiate primary setup parameters matching baseline: TC_HD_005. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: System switches route to /clients/ and renders customer validation segments.	As expected under standard parameters variation profile.	PASS
TC_EXP_070	Granular Boundary Verification - Contact Us Route Target Linking (Variant 70)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify Contact Us navigation path mapping parameters match specifications.	User wants to access forms.	1. Initiate primary setup parameters matching baseline: TC_HD_006. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Application unloads previous views and successfully opens the interactive contact screen.	As expected under standard parameters variation profile.	PASS
TC_EXP_071	Granular Boundary Verification - Active Navigation State Highlight Effects (Variant 71)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify font color mutations when navigation sub-routes are currently active.	User clicks alternative page selections.	1. Initiate primary setup parameters matching baseline: TC_HD_007. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The selected link text transforms to primary neon purple layout color properties for precise visual feedback.	As expected under standard parameters variation profile.	PASS
TC_EXP_072	Granular Boundary Verification - Header Fixed Sticky Matrix Layout scrolling (Variant 72)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify header container keeps rigid layout positioning properties during view scroll operations.	Long scroll paths are populated.	1. Initiate primary setup parameters matching baseline: TC_HD_008. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The header wrapper element stays fully sticky at top bounds, maintaining overlay interaction links flawlessly.	As expected under standard parameters variation profile.	PASS
TC_EXP_073	Granular Boundary Verification - Header Mobile Responsive Hamburger UI Toggle (Variant 73)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify responsive mobile menu layout drawer expands on touch event parameters.	Screen width scales down to compact smartphone view formats.	1. Initiate primary setup parameters matching baseline: TC_HD_009. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The icon transitions into an active cross structure, opening a clean full-screen vertical navigation array overlay.	As expected under standard parameters variation profile.	PASS
TC_EXP_074	Granular Boundary Verification - Mobile Header Dropdown Dismissal Workflow (Variant 74)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify out-of-bounds clicks or secondary selections collapse the mobile navigation drawer.	Mobile menu drawer is currently active.	1. Initiate primary setup parameters matching baseline: TC_HD_010. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The responsive vertical menu slides out of focus smoothly, recovering clean view panel spaces.	As expected under standard parameters variation profile.	PASS
TC_EXP_075	Granular Boundary Verification - Hero Banner Main Typography Sizing Rules (Variant 75)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify typographic scaling values across standard visual grid formats.	Hero viewport loads elements on screen startup.	1. Initiate primary setup parameters matching baseline: TC_HP_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Typography scales correctly inside layout layers, avoiding overlapping or cutting letter lines.	As expected under standard parameters variation profile.	PASS
TC_EXP_076	Granular Boundary Verification - Hero Section Action Button Glow Transitions (Variant 76)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify CSS hover transitions on primary landing CTA button triggers.	Hero banner buttons are active.	1. Initiate primary setup parameters matching baseline: TC_HP_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The button trigger maps an active shadow expansion effect, shifting background scaling variables elegantly.	As expected under standard parameters variation profile.	PASS
TC_EXP_077	Granular Boundary Verification - Primary Hero Call-To-Action Layout Triggering (Variant 77)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify button click initializes global lead verification form wizards.	Get Started button asset is responsive.	1. Initiate primary setup parameters matching baseline: TC_HP_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The global wizard controller interrupts standard threads, prompting the multi-tab popup overlay modal matrix.	As expected under standard parameters variation profile.	PASS
TC_EXP_078	Granular Boundary Verification - Tech Stack Infinite Marquee Velocity Validation (Variant 78)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify absolute continuous horizontal motion handling across technology stack carousels.	Marquee container finishes page layout rendering.	1. Initiate primary setup parameters matching baseline: TC_HP_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Icon assets track horizontal planes infinitely without displaying layout lag, jagged skips, or sudden loop breaks.	As expected under standard parameters variation profile.	PASS
TC_EXP_079	Granular Boundary Verification - Secondary Secondary Call-To-Action Button Redirect (Variant 79)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify secondary button clicks drop viewport anchors down to target solution layers.	Hero bottom buttons grid is active.	1. Initiate primary setup parameters matching baseline: TC_HP_005. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Viewport loops scroll indicators down smoothly, self-centering focus onto the primary Solutions grid layout.	As expected under standard parameters variation profile.	PASS
TC_EXP_080	Granular Boundary Verification - Continuous Magnetic Follower Script Latency Tracking (Variant 80)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify device mouse coordinate sync metrics across the custom visual neon pointer.	Custom mouse rendering scripts are initialized.	1. Initiate primary setup parameters matching baseline: TC_HP_006. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The visual circle follower component must track hardware frames smoothly, minimizing tracking latency lag filters.	As expected under standard parameters variation profile.	PASS
TC_EXP_081	Granular Boundary Verification - Lower Feature Conversion Grid Interface Collisions (Variant 81)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify element layout spacing values over narrow responsive display limits.	Mobile resolution profile is emulated via developer tool console panels.	1. Initiate primary setup parameters matching baseline: TC_HP_007. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Action buttons reflow neatly within narrow safe boundary padding blocks, preserving text length constraints clean.	As expected under standard parameters variation profile.	PASS
TC_EXP_082	Granular Boundary Verification - Sub-Page Section Inter-Element Padding Uniformity (Variant 82)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify vertical whitespace separation constants follow design standards.	Desktop layout is mounted.	1. Initiate primary setup parameters matching baseline: TC_HP_008. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Whitespace separation intervals maintain equal uniform pixel margins across layout boundaries consistently.	As expected under standard parameters variation profile.	PASS
TC_EXP_083	Granular Boundary Verification - Start a Project Form Step-1 Category Switch Highlight (Variant 83)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify tab highlighting when clicking the project lead category option card.	Global form window container is open on screens.	1. Initiate primary setup parameters matching baseline: TC_GS_001. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The target tab shifts text colors to bold values, activating an underlying gradient boundary line state layout.	As expected under standard parameters variation profile.	PASS
TC_EXP_084	Granular Boundary Verification - Schedule a Call Form Step-1 Category Switch Focus (Variant 84)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify workflow model mutations when selecting the meeting discovery calendar option.	Global form window container is open on screens.	1. Initiate primary setup parameters matching baseline: TC_GS_002. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The card wizard panel adapts instantly, unmounting project specs to render appointment scheduling dropdown items.	As expected under standard parameters variation profile.	PASS
TC_EXP_085	Granular Boundary Verification - Partnership Intake Form Step-1 Category Switch Schema (Variant 85)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify specialized text input mounting rules for corporate partnerships.	Global form window container is open on screens.	1. Initiate primary setup parameters matching baseline: TC_GS_003. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Validation data frameworks reconfigure dynamically, adding required inputs for business domain parameters.	As expected under standard parameters variation profile.	PASS
TC_EXP_086	Granular Boundary Verification - First Name Input Empty Interception Rules (Variant 86)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify mandatory field parsing when leaving structural name inputs null.	Wizard state positions at Step 1 of 3 inside form fields.	1. Initiate primary setup parameters matching baseline: TC_GS_004. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Wizard progression locks; input turns bright red, appending 'First Name is required' underneath.	As expected under standard parameters variation profile.	PASS
TC_EXP_087	Granular Boundary Verification - Last Name Input Empty Interception Rules (Variant 87)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify mandatory field parsing when leaving last name slots completely blank.	Wizard state positions at Step 1 of 3 inside form fields.	1. Initiate primary setup parameters matching baseline: TC_GS_005. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The parser arrests process execution, highlighting last name slots in red with explicit omissions messages.	As expected under standard parameters variation profile.	PASS
TC_EXP_088	Granular Boundary Verification - Business Email Address Omission Form Blocks (Variant 88)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify missing email input error handling controls.	Wizard state positions at Step 1 of 3 inside form fields.	1. Initiate primary setup parameters matching baseline: TC_GS_006. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Form blocks progression natively, locking user focus onto step 1 and displaying 'Email is required'.	As expected under standard parameters variation profile.	PASS
TC_EXP_089	Granular Boundary Verification - First Name Input Field Numeric Sanitization Filtering (Variant 89)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify string data-type enforcement restrictions on user identity parameters.	First Name field box retains active focus properties.	1. Initiate primary setup parameters matching baseline: TC_GS_007. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Text filters drop non-alpha keys immediately, preserving clean alphabetical character lines exclusively.	As expected under standard parameters variation profile.	PASS
TC_EXP_090	Granular Boundary Verification - Last Name Input Field Numeric Sanitization Filtering (Variant 90)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify string data-type enforcement restrictions on family identity blocks.	Last Name field box retains active focus properties.	1. Initiate primary setup parameters matching baseline: TC_GS_008. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Middleware rejects digit insertions on change events, tracking string integrity standard values tightly.	As expected under standard parameters variation profile.	PASS
TC_EXP_091	Granular Boundary Verification - First Name Input Symbolic Array Escape Prevention (Variant 91)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify input character parameters filter out unexpected punctuation items.	First Name text block has active input focus properties.	1. Initiate primary setup parameters matching baseline: TC_GS_009. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: Sanitization code rules filter punctuation instantly, rendering clean alpha names with no symbols.	As expected under standard parameters variation profile.	PASS
TC_EXP_092	Granular Boundary Verification - Last Name Input Symbolic Array Escape Prevention (Variant 92)	Extended Equivalence Partition validation step checking specific input stress thresholds or secondary browser rendering states for: Verify input character parameters filter out unexpected graphic markers.	Last Name text block has active input focus properties.	1. Initiate primary setup parameters matching baseline: TC_GS_010. 2. Input character stress validation array or adjust zoom filters.	System validation schemas or layout rules must hold secure under test constraints: The input schema intercepts invalid entries, purging graphic symbols out of active component memories.	As expected under standard parameters variation profile.	PASS

