

ARCHIOSK UI Baseline and History Register

2026-09-22 · deployed build **55554b5** · STATIC_VERSION 181

Captured live from <https://archiosk.com> in a real browser on an authenticated session.
20 screenshots across 17 pages, with the control inventory read from the live DOM.

Documentation only. Nothing in the application was changed to produce this record, and no control is judged here except where the repository itself records an intent to judge it against.

ARCHIOSK UI Baseline + History Register

Baseline date: 2026-09-22 **Deployed code:** 55554b5 — *feat(explore): one public product page, and a clean checkout that can prove itself* **Static asset version:** STATIC_VERSION=181 **Capture method:** live <https://archiosk.com>, real Chrome, authenticated admin session, 1538x784 viewport **Companion document:** ARCHIOSK_UI_BASELINE_2026-09-22.pdf — the same record with the screenshots inline

0. How this record was made, and what it cannot claim

0.1 How the deployed SHA was established

The application exposes no build identifier. /health returns liveness only — `{"checks":{"registry_recovery":"ok","registry_store":"ok"},"missing_config":[],"status":"ok"}` — with no commit, no version and no build time.

The deployed commit is therefore **inferred from content markers, not asserted by the application**:

Marker	Observed live	Unique to
Explore headline "Governed intelligence for projects, assets, and opportunities"	present	55554b5
landing.css?v=181	present, HTTP 200	STATIC_VERSION=181, set at that deployment
Superseded copy "What Archiosk does" on /explore	absent	post-55554b5

Two commits have been pushed to origin/main since (1e4e4de requirements, 09ccb7f README). Neither is deployed and neither changes rendered output.

This is itself the first recorded anomaly. A UI baseline that cannot name the build it is a picture of is resting on inference. See A-01.

0.2 Prior UI history in the repository — what actually exists

Searched: tracked images, docs/records/, governance/, tools/static_preview/, C:\Archiosk\FlightTests, and git history.

Source	Finding
Tracked images in the repo	4 files, all app icons. No UI screenshots exist anywhere in version control.
tools/static_preview/	Produces HTML snapshots, not images; output is git-ignored (.gitignore:33) and transient.
C:\Archiosk\FlightTests\evaluator	Rendered <i>drawing sheet</i> PNGs — document evidence, not application UI.
C:\Archiosk\FlightTests\visible	JSON evidence stores, no images.
Git history of templates/	The real prior record. Specific, dated, and quoted throughout below.

This document is therefore the first screenshot baseline ARCHIOSK has ever had. Every change classification below is made against *markup history*, which is genuine evidence, and never against a prior image, which does not exist. Where markup history does not state why a change was made, the entry reads UNKNOWN_INTENT rather than supplying a motive.

0.3 The two recorded pagescape notes, and their outcome

Two UI directions were recorded during the 2026-07-26 Cedar Harbour walkthrough as *recorded, not authorized*. Both have since been implemented, by 96c2257 — *First live pagescape correction pass*.

Recorded note	Status today	Classification
Remove the "STEP 1" label from /upload	Gone. The page reads "New Project" with no step label.	REMOVED — documented intent, implemented
True pre-auth zero-state, no shell chrome behind the sign-in form	Implemented. Signed-out /login is 4,520 bytes with no workspace-topbar, no menu bar, and a bare <body>.	REMOVED (the chrome) — documented intent, implemented

96c2257 also established a **disclosure grammar** — *"One disclosure-grammar mechanism app-wide ... collapsed accordions with a count summary, not always-expanded content."* That principle is the nearest documented intent for the collapse affordances examined in section 2, and it is a *general* principle, not a decision about any specific control.

0.4 Limits of this baseline — stated rather than hidden

1. **No signed-out screenshots.** /, /gateway and /login redirect an authenticated session to /projects. Capturing them as a visitor sees them would mean ending the Product Owner's live session, which was not done. /login is recorded from its served markup instead; / and /gateway are recorded as redirects. **This is a real gap**, and closing it needs one deliberate signed-out pass.
2. **No true mobile rendering.** The window was resized to 420x900 and the tool reported success, but innerwidth stayed at 1771 — the viewport did not follow the window, and the resulting capture is **byte-identical** to the desktop one (sha256 prefix 46850fed85a2). Responsive behaviour below is read from the stylesheet and the DOM and is labelled as such. **No responsive claim here rests on a screenshot.**
3. **Capture-tool quirk, not an application defect.** Screenshots requested with a scale parameter returned magnified or four-way-tiled images. Every image kept here was captured at default scale and visually verified. Recorded so a future operator does not mistake the artifact for a rendering bug.
4. **Density is per-page and not persisted.** INSPECT survives only in the URL (?density=inspect, written by history.replaceState) and is lost on the next navigation. Screenshots labelled WORK are the default state.

1. Vocabulary, grounded in the code

1.1 Density modes — PUBLIC / WORK / INSPECT

Defined in `static/css/product_ui.css:1-5`, applied as `body[data-ui-density]`.

Mode	Set by	Content width	Section gap	Base text
public	<code>templates/landing_shell.html:41</code>	48rem	4rem	default
work	<code>templates/base.html:86</code> — default for every authenticated page	76rem	2.5rem	.95rem
inspect	?density=inspect, or Tools & settings -> View: Inspect	90rem	1.25rem	.85rem

The control is a two-button group (Work / Inspect) at the foot of the app-menu panel — `templates/_app_menu.html:789`. **PUBLIC is not offered as a user choice**; `static/js/product_ui.js` accepts only work and inspect.

Observed effect (screenshots 01 vs 03): in INSPECT the project rows tighten and the content column widens, so five project rows sit above the fold where WORK shows three. Nothing is added or removed — it is density, not disclosure.

1.2 Developer / UI Reference Mode — what it is, and what it is not

UI Reference Mode does not reveal hidden controls. It labels controls that are already on screen.

- Control: Account menu (admin ...) -> **UI Reference Mode**, a checkbox — `templates/base.html:384`.
- Mechanism: stores `ui-reference-mode` in `localStorage` and adds `ui-reference-mode-active` to `<html>` — `templates/base.html:60, 1511-1516`.
- Effect: `static/css/main.css:7983-7988` gives every `[data-ui-ref]` element a dashed `--machine-blue` outline and a `::after` badge printing its own `data-ui-ref` value.
- Scope: presentation only. **No element's visibility changes, no control appears, no route unlocks**. Its own source comment calls it "a developer/QA-facing toggle, not a product-owner-facing feature".

Verified live: screenshot 05 has Reference Mode on and shows an identical control set to screenshot 01, with identifier badges added over the top.

"Developer Mode" is a separate and unrelated thing — a server-side session state rendered as a `DEVELOPER MODE` badge with an exit x in the menu bar (`templates/_app_menu.html:853-856`). It was **active throughout this capture**. Its only observed rendering effect is the badge itself.

1.3 Shells — five, not four

`templates/` holds four files named `*_shell.html` (auth, gateway, landing, panel). The **Help Center is a fifth shell that is not named as one**:

`templates/help/index.html` is a standalone `<!doctype html>` document that does not extend `base.html`. It renders with no menu bar and in a light theme, while every other authenticated page is dark with the menu bar. See A-02.

2. The Projects collapse affordance — the case asked for specifically

2.1 What the affordances are

/projects carries **three** collapse affordances, all native <details>, all introduced by the same commit d8b836b (2026-09-21):

#	Affordance	Source	Contents
1	"Other ways to start or recover work"	templates/projects.html:17	Document Upload, Planning & Zoning, Removed Projects
2	"Ask GO to help you find your next step"	templates/projects.html (class ui-help-composer)	the GO orientation Composer, moved here from index.html
3	"Project reference" — one per project row	templates/projects.html:125	that project's project_id

2.2 The three questions asked, answered from observation

Is it visible normally? Yes. All three summaries render on a plain, signed-in visit to /projects with no flags, no query string and no mode set. Screenshot 01 shows the two page-level triangles under the page heading and a "Project reference" triangle on every row. All three are **closed by default** — the summary is visible, the content is not.

Does it appear only in UI Reference Mode? No. Reference Mode cannot make a control appear; it only overlays identifier badges on elements that are already rendered (section 1.2). Screenshot 05 is /projects with Reference Mode on: the same three affordances, in the same places, still closed, now wearing badges.

A detail worth recording: **the disclosure summaries carry no data-ui-ref of their own.** Their children do — projects-directory.document-shop, projects-directory.planning-zoning, projects-directory.removed-link. So in Reference Mode the *contents* can be named but the *affordance that hides them* cannot.

Is historical intent documented? Partially, and not at the level that matters.

- d8b836b's message is a single line — *"Simplify governed review UI with shared density shells and result-first presentation"* — with no body. It states no reason for collapsing these particular controls.
- templates/projects.html carries a detailed CLAUDE-HOME-UNIFY-01 comment explaining the page's *heading* and the Composer's *move*, and says nothing about the disclosures.
- The general disclosure grammar from 96c2257 (section 0.3) is consistent with collapsing them, but is a principle, not a decision about these controls.

Classification: CONDITIONAL + UNKNOWN_INTENT. Per instruction, no judgement is offered on whether this is good or bad. What can be said factually is what changed: before d8b836b, Document Upload / Planning & Zoning / Removed Projects were **always-visible buttons**, and the project id was **always-visible text**; after it, both sit one click away.

2.3 A related inconsistency, recorded without judgement

The project id is treated **two different ways in two places**:

- /projects — behind a per-row "Project reference" disclosure.

- /removed-projects — printed in full, unhidden, directly under each project name (screenshot 12).

Same datum, same user, two grammars. No commit states an intent for the difference. **Classification:** UNKNOWN_INTENT.

3. Page-by-page baseline

Field order per page: route -> purpose -> primary action -> visible controls -> conditional/hidden -> Reference-Mode-only -> responsive -> density -> interactions -> anomalies -> change classification.

Reference-id counts come from a live DOM sweep classifying every [data-ui-ref] element as `VISIBLE`, `BEHIND_DISCLOSURE` (inside a closed `<details>`), `ZERO_BOX` (rendered but zero-sized) or `HIDDEN_CSS` (`display:none/visibility:hidden/hidden`).

3.1 All Projects — /projects

Screenshots 01 (WORK), 02 (app menu open), 03 (INSPECT), 04 (account menu open), 05 (Reference Mode on)

- **Deployed SHA / date:** 55554b5 / 2026-09-22
- **Purpose:** the single home destination for a signed-in session. / and /gateway both land here — proven by byte-identical captures, not assumed.
- **Primary action:** open a project (each row is the link).
- **Visible controls (14 refs):** projects-directory.new-project (admin only), .search, .environment-filter, .filter-apply, .list, .leaf x8, .leaf.delete x8, tank.container, menu.developer-mode-badge + .exit, footer.public, footer.explore, footer.support.
- **Conditional / hidden:** 97 refs behind disclosures (91 of them the app menu, 3 projects-directory, 3 index.orientation); 31 zero-box; 7 CSS-hidden, including menu.mobile-nav-toggle (correctly hidden above 640px) and menu.help.shortcuts-panel.
- **Reference-Mode-only controls:** none. Reference Mode adds badges, not controls.
- **Responsive (from CSS, not observed):** at <=640px .workspace-menubar is replaced by .mobile-nav-toggle opening a drawer — static/css/main.css:8410. Above 641px the toggle is hidden — :8830. The rule's own comment cites "the Product Owner's own iPhone screenshot" as the reason, so intent here **is** documented.
- **Density:** WORK default; INSPECT via the menu (screenshot 03).
- **Known interactions:** menu-bar <summary> elements opened on the **second** click after a fresh page load in both menus tested; the first click focused without opening. Observed twice, cause not established.
- **Anomalies:** A-05 (Search nav) **resolved 2026-09-22, see §7**; A-06 (id disclosure inconsistency) open.
- **Change classification vs markup history:**
 - "Other ways to start or recover work" disclosure — **HIDDEN** (was three visible buttons) / UNKNOWN_INTENT
 - Per-row "Project reference" disclosure — **HIDDEN** (was visible id) / UNKNOWN_INTENT
 - Orientation Composer — **MOVED** here from templates/index.html, documented in CLAUDE-HOME-UNIFY-01
 - Heading "All Projects" — **BEHAVIOR_CHANGED** from "Projects" to match the File menu item verbatim, documented
 - + New Project — **UNCHANGED**, admin-gated, documented in CLAUDE-PROJECTS-NEW-ACTION-01

[Projects](#)[Review](#)[Compare](#)[Documents](#)[Search](#)[Tools & settings](#)

DEVELOPER MODE

admin ...

YOUR WORKING ENVIRONMENT

All Projects

+ New Project

Open a project, review what needs attention, or start new work.

► Other ways to start or recover work

► Ask GO to help you find your next step

Environment

All environments

Apply

Projects

222109 1860 Alstep Dr

Updated Sep 7, 2026 · 0 requirement(s)

► Project reference [Delete](#)

Project Smoke Detector (PSD)

Updated Aug 27, 2026 · 0 requirement(s)

► Project reference [Delete](#)

Project North Star


Updated Aug 23, 2026 · 0 requirement(s)

► Project reference [Delete](#)

01 - /projects, WORK density, as it renders on a plain signed-in visit

ARCHIOSK UI Baseline 2026-09-22 | deployed build 55554b5 | documentation only

page 9



02 - Tools & settings open: eight menus and the View density control

ProjectsReviewCompareDocumentsSearchTools & settingsDEVELOPER MODE

ArchioskFileEditViewDocumentToolsWindowHelp

View:WorkInspect

Open a project, review what needs attention, or start new work.

+ New Project

Other ways to start or recover work

Ask GO to help you find your next step

Search projects

EnvironmentAll environments

Apply

Projects

222109 1860 Alstep DrUpdated Sep 7, 2026 · 0 requirement(s)Project referenceDelete

Project Smoke Detector (PSD)Updated Aug 27, 2026 · 0 requirement(s)Project referenceDelete

Project North StarUpdated Aug 23, 2026 · 0 requirement(s)Project referenceDelete

PSD_Owner_Program_Rev_2_IO_Style.pdfUpdated Aug 20, 2026 · 0 requirement(s)Project referenceDelete

CLAUDE-DELTA-SPIN-02-Acceptance-NorthBayview-G1Updated Aug 19, 2026 · 0 requirement(s)Project referenceDelete

03 - INSPECT density: five rows above the fold where WORK shows three

[Projects](#)[Review](#)[Compare](#)[Documents](#)[Search](#)[Tools & settings](#)

DEVELOPER MODE

admin ...

Sign out

Removed Projects

☐ UI Reference Mode

YOUR WORKING ENVIRONMENT

All Projects

+ New Project

Open a project, review what needs attention, or start new work.

► Other ways to start or recover work

► Ask GO to help you find your next step

Search projects

Environment

All environments

Apply

Projects

222109 1860 Alstep Dr

Updated Sep 7, 2026 · 0 requirement(s)

► Project reference [Delete](#)

Project Smoke Detector (PSD)

Updated Aug 27, 2026 · 0 requirement(s)

► Project reference [Delete](#)

Project North Star


Updated Aug 23, 2026 · 0 requirement(s)

► Project reference [Delete](#)

04 - Account menu: Sign out, Removed Projects, UI Reference Mode

ARCHIOSK UI Baseline 2026-09-22 | deployed build 55554b5 | documentation only

page 12



05 - UI Reference Mode ON: identical controls, identifier badges added

3.2 New Project — /upload

Screenshot 06

- **Purpose:** create a project and bring in its founding material.
- **Primary action:** upload.submit.
- **Visible controls (26 refs):** identity (upload.actor, upload.role); five company-identity radios (client_owner, lead_design_consultant, subconsultant, prime_contractor, trade_bidder); project identity (upload.project-name, upload.project-code as four single-character acronym boxes); three source-domain choices (client-issued, team-workspace, external-reference); folder and file pickers; upload.help Composer with voice.

- **Conditional / hidden (15):** `upload.client-size-error`, `upload.folder.picker-input`, `.domain-summary`, `.summary`, `.founding-picker`, `.error`, `upload.file.rows`, `.founding-note`, `upload.help.voice.status`, `.reply` — all error/progress states that appear on interaction.
- **Reference-Mode-only:** none.
- **Density:** WORK. **Disclosures:** none — this page is fully expanded.
- **Anomalies:** none observed.
- **Change classification:** "STEP 1" eyebrow — **REMOVED**, documented intent (section 0.3). Page title "New Project" — **BEHAVIOR_CHANGED** from "Ingest an RFP or RFQ", documented in 4ddd215 *"the page says what the person is doing"*.

Projects Review Compare Documents Search Tools & settings DEVELOPER MODE admin ...

New Project

Your identity

Your name

Your role

Company identity

☐ Client
☐ Lead Design Consultant
☐ Subconsultant
☐ Design-Builder / GC
☐ Subcontractor

Project identity

Project name

Acronym

Upload Project Folder

Connect Client Data Room


Connect Your Workspace

06 - /upload. No step label: the 2026-07-26 note, implemented

3.3 Document Upload — /document-shop

Screenshot 07

- **Purpose:** examine a document without creating a project first.
- **Primary action:** `document-shop.submit` — "Examine this document".
- **Visible controls (11):** `document-shop.intake`, `.file`, `.file.choose`, `.accepted-formats` (".csv, .docx, .jpeg, .jpg, .md, .pdf, .png, .txt, .xlsx. Up to 60 MB per file."), `.name` (required), `.submit`, `.jobs-link`.
- **Conditional / hidden:** `document-shop.file.status`, `.file.names`.
- **Reference-Mode-only:** none. **Density:** WORK. **Disclosures:** none.
- **Anomalies:** none observed.
- **Change classification:** **ADDED** as a whole page by `f114d9a` — *"a door for the person who has a document but not a project"*. Documented intent.




07 - /document-shop

3.4 My documents — /document-shop/jobs

Screenshot 08

- **Purpose:** the private desk of documents brought in for examination.
- **Primary action:** open a document's result.
- **Visible controls:** view nav (My documents / Archive / Recently Deleted), Reload, Select all, Clear selection, an "N selected" counter, per-row checkbox + title + "Analysis history" + Delete, and "Examine a document".
- **Reference-Mode-only:** none. **Density:** WORK.

- **Anomalies: A-03** (literal ? separators) and **A-04** (title/heading disagreement). Both below.
- **Change classification: UNCHANGED** in structure since f114d9a/b8ce135.



08 - /document-shop/jobs. Note the literal '?' separators (A-03)

3.5 Planning & Zoning — /planning-zoning

Screenshot 09

- **Purpose:** read a municipality's own zoning and planning records for an address.
- **Primary action:** planning-zoning.submit.

- **Visible controls (25):** mode tabs (Single property / Batch); `planning-zoning.backend-state`; address field; four analysis-mode radios (Zoning check / Zoning + planning constraints / Development envelope / Zoning + planning-level design options); optional context (direction, strategy, condition, question); submit; `planning-zoning.gate-note`.
- **Conditional / hidden:** `planning-zoning.working` — the working indicator.
- **Reference-Mode-only:** none. **Density:** WORK. **Disclosures:** none.
- **Anomalies: A-07** — the page prints the literal token `BACKEND_READY_TO_WIRE` to the user.
- **Change classification: ADDED** by 4b9afb8 — *"the front door, and the honest boundary behind it"*. Documented intent.

ProjectsReviewCompareDocumentsSearchTools & settingsDEVELOPER MODEadmin ...

Planning & Zoning

Start with an address. ARCHIOSK reads the municipality's own zoning and planning records and reports what governs the property — you do not enter zoning data yourself.

Single property

Batch

BACKEND_READY_TO_WIRE — Live City of Toronto planning analysis is enabled on this environment. One property per request.

Property address

123 Queen Street West, Toronto, ON

What property would you like ARCHIOSK to review?

What would you like to check?

Zoning check

Zoning + planning constraints

Development envelope

Zoning + planning-level design options

Optional context


Development direction

09 - /planning-zoning. Note `BACKEND_READY_TO_WIRE` in page copy (A-07)

3.6 Case Workspace — /projects/<id>/workspace

Screenshot 10

- **Purpose:** the working surface for one project — conversation, evidence, tools.
- **Primary action:** `chat.composer.send`.
- **Visible controls (41 of 317 refs):** breadcrumb with conversation switcher (`shell.context.identity.toggle`); tray switcher — Lists, Display, Eye, Toolbox (`shell.tray-switcher.*`); `chat.dock`, `chat.thread`, `chat.operational-actions`; composer with attach, voice and send; Toolbox panel — `toolbox.maximize`, `toolbox.compare`, Spin block (`toolbox.spin.run-first`, `toolbox.spin.world-survival = Survival Mode`, two ? help affordances, `toolbox.spin.empty = "No Spin runs yet."`), and Project Intelligence (REQUIREMENTS 0, CONVERSATION 5, Investigations (3), RFI Correspondence (0), Work Products (0), Tasks (0), Tags (0), Evidence Isolation, Project Administration).
- **Conditional / hidden: 132 refs behind disclosures** (108 menu, 21 toolbox, 3 shell) and **107 zero-box** — by far the densest page in the application. **Roughly seven of every eight reference-identified controls here are not on screen at rest.**
- **Reference-Mode-only:** none.
- **Density:** WORK, shell work-start.
- **Anomalies: A-08** — the conversation prints `SOURCE_REFERENCE` seven times in consecutive lines.
- **Change classification:** structure **UNCHANGED** this baseline period; the answer-first presentation shipped in 91c0fa6 is **not** wired into this dock (see A-08), so the workspace still shows the pre-fix shape.




10 - Case Workspace. 317 reference ids; 41 on screen. SOURCE_REFERENCE repeats (A-08)

3.7 GO Review Workspace — /admin/survey-evaluation

Screenshot 11

- **Purpose:** investigate a question, understand the result, inspect the evidence.
- **Primary action:** submit the evaluation objective.
- **Visible controls:** "Choose a review task" link; "Reload view"; the objective textarea; a task card grid — Review a project (selected), Compare sources, Review coordination, Evaluate capital alignment, and three more below the fold.

- **Reached from:** menu bar **Review** (/admin/survey-evaluation) and **Compare** (same path with ?task=compare). These are two entries to one page distinguished by a query parameter — **not** duplicate links.
- **Reference-Mode-only:** none. **Density:** WORK.
- **Anomalies:** an admin-only route (/admin/. . .) occupies two of the six primary navigation slots. Recorded as an observation, not a judgement.
- **Change classification:** **BEHAVIOR_CHANGED** by d8b836b — shared density shells and result-first presentation. Commit message states the what, not the why.




11 - /admin/survey-evaluation

3.8 Removed Projects — /removed-projects

Screenshot 12

- **Purpose:** recover a project moved out of active use.
- **Primary action:** Restore.
- **Visible controls:** "Back to Active Projects"; per row — name, full project id, "Removed <date> by <user>", Restore.
- **Reference-Mode-only:** none. **Density:** WORK.
- **Authorization note:** @login_required, **not** admin-gated — deliberate, per CLAUDE-LEFT-RAIL-01, which documents the separate menu.account.* ref namespace as reflecting that real difference.
- **Anomalies: A-06** — ids shown raw here, disclosed behind a triangle on /projects.
- **Change classification: MOVED** — reached from the Account menu and from inside the "Other ways to start or recover work" disclosure on /projects; previously a top-level button. Documented for the menu move, UNKNOWN_INTENT for the disclosure.




12 - /removed-projects. Ids printed raw here, disclosed on /projects (A-06)

3.9 Help Center — /help

Screenshot 13

- **Purpose:** "The desks carry controls. The reasoning lives here."
- **Primary action:** open a guide.
- **Visible controls:** eight guide cards (New Project; Field access passes; Spatial coordination; Spin & Survival Mode; Building Box in meetings; Drawing ingestion & baselines; What is Reconciliation?; File types & limits), a "Help Clip Studio" link, and a footer.
- **Reference-Mode-only:** none — **and none of the badges appear here at all**, since the page does not load the authenticated shell.

- **Density:** none. body carries no data-ui-density.
- **Anomalies: A-02** — light theme, no menu bar, no navigation back into the app except the footer.
- **Change classification: UNCHANGED** as a standalone document since CLAUDE-HELP-CENTER-01. The comment documents the card-container choice; the standalone-shell choice is UNKNOWN_INTENT.




13 - /help. Light theme, no menu bar, a fifth shell (A-02)

3.10 Diagnostics — /developer/diagnostics

Screenshot 14

- **Purpose:** problems captured from the live product, with the context the application already knew.

- **Primary action:** read a captured report. Empty at capture: "No diagnostics captured yet."
- **Visible controls:** none beyond the shell — the page is a read surface.
- **Density:** WORK, full menu bar. **Reference-Mode-only:** none.
- **Notable:** the page states plainly that "Nothing here has been transmitted anywhere — a report waits until a development session is asked to read it."
- **Change classification:** **UNCHANGED** this period.




14 - /developer/diagnostics

3.11 Explore — /explore (public)

Screenshot 15

- **Purpose:** the one public product page.
- **Primary actions:** Request Trial Access (/start-trial), Sign In (/login).
- **Visible controls:** back link; hero with the five-item "what it shows" list; four working-environment cards; five numbered workflow steps; governance section; a second CTA pair.
- **Density:** PUBLIC, shell public-explain, 48rem column, serif display face on the Deep Ocean dotted field.
- **Renders while signed in** without adopting the app chrome — unlike /about.
- **Change classification:** **BEHAVIOR_CHANGED** wholesale by 55554b5 — seven internal capability headings replaced by four sections. Intent documented in the template comment and the commit.




15 - /explore, PUBLIC density

3.12 Request Trial Access — /start-trial (public)

Screenshot 16

- **Purpose:** request access.
- **Primary action:** Request Access.
- **Visible controls:** Name, Email (required), "What are you hoping to use Archiosk for? (optional)", submit.
- **Density:** PUBLIC. Renders without app chrome even when signed in.
- **Change classification:** **UNCHANGED** this period.




The screenshot shows a dark-themed web interface for requesting trial access. At the top center, the text "ARCHIOSK" is displayed in a small, light blue font. Below it, the title "Request Trial Access" is centered in a large, white, serif font. The form consists of three input fields stacked vertically, each with a light blue border and a light blue placeholder text. The first field is labeled "Name" in a small, light blue font. The second field is labeled "Email *" in a small, light blue font. The third field is labeled "What are you hoping to use Archiosk for? (optional)" in a small, light blue font. Below the input fields, there is a light blue button with rounded corners and the text "Request Access" in a dark blue font. The background of the form is a dark blue grid pattern.

16 - /start-trial

3.13 About — /about

Screenshot 17

- **Purpose:** short statement of what Archiosk is.
- **Primary action:** "What Archiosk does" -> /explore.
- **Visible controls:** heading, two paragraphs, the CTA, and a closed "Technical details" disclosure.
- **Density:** **PUBLIC**, shell `public-explain` — **but it renders the authenticated menu bar** when signed in. Mixed condition; see A-09.
- **Anomalies:** **A-09** (mixed shell) and **A-10** — the button still reads "What Archiosk does", the exact phrase 55554b5 retired from /explore. The label now names its destination by a title that destination no longer uses.
- **Change classification:** **BEHAVIOR_CHANGED** at the destination, label **UNCHANGED** — a carry-through gap from the Explore rewrite.



17 - /about. PUBLIC density wearing the authenticated menu bar (A-09)

3.14 Sign in — /login (markup only, no screenshot)

- **Purpose:** authenticate.
- **Primary action:** auth.signin.submit.
- **Controls (6 refs, from served markup):** auth.signin.username, .password, .password-toggle, .submit, .voice, .voice.status.
- **Pre-auth footprint:** 4,520 bytes. No workspace-topbar, no menu bar, <body> with no attributes, <h1>Archiosk</h1>.
- **Density:** none.
- **Change classification:** REMOVED (all shell chrome) by 96c2257, documented intent, and the state the 2026-07-26 note asked for.

- **Gap:** no rendered screenshot — see section 0.4.

3.15 Redirects and non-pages

Route	Behaviour	Evidence
/	-> /projects when authenticated	capture byte-identical to /projects
/gateway	-> /projects when authenticated	capture byte-identical to /projects
/login	-> /projects when authenticated	observed at session start
/search	JSON API, unchanged — no longer reachable from the navigation	screenshot 18, A-05 (resolved)
/find	the Search page, added 2026-09-22 — in-shell, plain GET form	§7
/project/<id>	plain-text "Not authorised." for both projects tried	screenshot 19, A-11
/documents/<project_id>	styled 404 with chrome and "Back to home"	screenshot 20


Pretty print ☐

```
{"results":[]}
```

18 - /search reached from the primary nav: raw JSON (A-05)

Not authorised.

19 - /project/<id>: unstyled plain text, no shell, no way back (A-11)



20 - the styled 404, for contrast with 19

4. Anomalies and uncertainties

Recorded, classified, **not fixed** — this task is documentation only. Severity is this record's own reading, offered to help triage, and is not a Product Owner decision.

#	Anomaly	Evidence	Severity
A-01	No deployed build identifier anywhere in the UI or <code>/health</code> . The running build cannot state which commit it is; this baseline had to infer it from copy and asset version.	<code>/health</code> body; section 0.1	Medium — every future live verdict depends on inference
A-02	Help Center renders in a light theme with no app chrome , unlike every other authenticated page. It is a standalone <code><!doctype html></code> that does not extend <code>base.html</code> .	screenshot 13; <code>templates/help/index.html</code>	Medium
A-03	Literal ? characters used as separators between the three Document Shop views — "My documents ? Archive ? Recently Deleted". Confirmed as U+003F in the source, not an encoding artifact of capture.	<code>templates/document_shop_jobs.html</code> : 21, 22	Low, visible on every visit
A-04	Title and heading disagree : <code><title></code> is "Document Shop Jobs", <code><h1></code> is "My documents". Internal name in the tab, product name on the page.	screenshot 08	Low
A-05	~~Primary-nav "Search" navigates to a JSON endpoint.~~ RESOLVED 2026-09-22 — see §7. The route's docstring called it "the Global search overlay's backend ... exposed as JSON for the overlay instead of a full-page GET" and the menu linked straight at it, so clicking Search showed <code>{"results": []}</code> . The overlay it was built for is not in this codebase; that nav link was its only remaining consumer.	<code>routes/portal.py</code> : 3228; <code>templates/_app_menu.html</code> : 138; screenshot 18	was High
A-06	Project id disclosed two different ways : behind a per-row triangle on <code>/projects</code> , printed raw on <code>/removed-projects</code> .	screenshots 01, 12	Low
A-07	BACKEND_READY_TO_WIRE printed to the user on Planning & Zoning — an internal classification constant surfaced as page copy.	<code>routes/planning_zoning.py</code> : 52, 169; screenshot 09	Medium
A-08	SOURCE_REFERENCE printed seven times in a Case Workspace conversation. This is the exact symptom <code>services/answer_presentation.py</code> was built to collapse ("the same SOURCE_REFERENCE qualification several times", its own docstring line 6) — the projection is wired into the document page but not into the workspace dock.	screenshot 10; <code>services/answer_presentation.py</code> : 6	Medium
A-09	/about is a PUBLIC-density page that renders the authenticated menu bar . Mixed shell condition.	screenshot 17	Low
A-10	Superseded label survives : <code>/about</code> still offers "What Archiosk does", the phrase 55554b5 retired from <code>/explore</code> . Carry-through gap from that change.	screenshot 17	Low
A-11	/project/<id> returns a bare unstyled "Not authorised." for an admin who can open the same project's workspace — no shell, no explanation, no way back. Reproduced on two different projects with byte-identical output, so it is route-wide, not project-specific.	screenshot 19	Medium

#	Anomaly	Evidence	Severity
A-12	Dead CSS rule: <code>product_ui.css</code> hides <code>.workspace-menubar-mobile-toggle</code> under <code>body[data-ui-density]</code> , but that class exists in no template or script. The live mobile control is <code>.mobile-nav-toggle</code> , governed correctly by the 640px breakpoint. The rule matches nothing.	<code>static/css/product_ui.css</code> ; grep of <code>templates/</code> , <code>static/js/</code>	Low
U-01	Uncertainty — second-click menu opening. Menu-bar <summary> elements opened on the second click after a fresh page load, in both menus tested; the first click focused without opening. Observed twice. Cause not established, and not investigated further under a documentation-only scope.	screenshots 19->20 and 22->23 sequences	Unresolved
U-02	Uncertainty — density does not persist. INSPECT lives only in the URL and is lost on navigation. Whether that is intended is not stated anywhere.	<code>static/js/product_ui.js</code>	Unresolved

5. Change classification summary

Classification	Count	Items
ADDED	2	Document Upload page; Planning & Zoning page
REMOVED	2	"STEP 1" label on /upload; all pre-auth shell chrome on /login
MOVED	2	Orientation Composer (index -> projects); Removed Projects (top level -> Account menu + disclosure)
HIDDEN	2	"Other ways to start or recover work"; per-row "Project reference"
CONDITIONAL	1	+ New Project (admin only)
BEHAVIOR_CHANGED	4	Explore page rewritten; /upload title; Projects heading; GO Review density shells
UNCHANGED	6	My documents; Removed Projects structure; Help Center; Diagnostics; Request Trial Access; /about label
UNKNOWN_INTENT	4	Both Projects disclosures; the id-disclosure inconsistency; the Help Center standalone shell

Every UNKNOWN_INTENT above shares one cause: the change is real and traceable in markup, and the commit that made it did not say why. d8b836b alone accounts for three of the four, and it is the only UI commit in this period whose message is a single line with no body.

6. What a future baseline should do differently

1. **Capture signed out.** One pass as a visitor closes the /, /login and public landing gap, which is the only category of page this baseline could not photograph.
2. **Capture at a real phone width.** Resizing the window did not resize the viewport here; a device-emulation capture or a genuinely narrow window is needed before any responsive claim can rest on an image rather than a stylesheet.
3. **Record the build the page came from.** Until the application can state its own commit (A-01), every baseline inherits the same inference.

Prepared 2026-09-22 against live <https://archiosk.com>. Documentation only — no application code, template, stylesheet or test was changed in producing this record.

7. Register update — A-05 resolved, 2026-09-22

The first defect this baseline recorded has been fixed, and the record is updated rather than rewritten: the anomaly row above is struck through and kept, because a baseline that quietly deletes what it found cannot later be used to show what changed.

What was wrong. The primary-navigation "Search" item pointed at `portal.global_search`, whose own docstring describes it as the backend for a search *overlay* — "exposed as JSON for the overlay instead of a full-page GET". No overlay exists in this codebase. The nav link was its only remaining consumer, so the one thing that endpoint was never meant to serve was the only thing still calling it, and the Product Owner landed on `{"results": []}` outside the shell with no way back.

What changed.

Change	Classification
<code>/find</code> — a Search page inside the ordinary shell	ADDED
Nav "Search" now targets <code>portal.search_page</code> , with <code>data-ui-ref="menu.search"</code>	BEHAVIOR_CHANGED (documented intent)
<code>_global_search_results()</code> — the match rule, extracted	MOVED (no behaviour change)
<code>/search</code> JSON endpoint	UNCHANGED

Why a separate route rather than content negotiation on `/search`. Nine test files call `/search` and read JSON from it. Deciding between JSON and HTML by Accept header would have left all of them depending on a header nobody set deliberately — correct until the first test sends a browser-shaped Accept, and then failing somewhere far from the cause. `/search` is therefore untouched.

No second search engine. The page and the endpoint call the same `_global_search_results()`. A test asserts the endpoint's body contains no matching of its own, and another asserts the template makes no network call — the page is a plain GET form, so browser Back, reload, bookmarking and sharing work by default rather than by being reimplemented.

One correction to this document's own earlier claim. The register implied the substring match rule lived only in the search endpoint. It did not: the same rule appears four times in `routes/portal.py` and did so before this change, as `global_search`'s docstring always said ("the same filename/project_id substring match the Projects directory's own search already uses"). This change added no fifth occurrence and did not consolidate the existing four, which was not its scope.

Page record — `/find`, Search.

- **Purpose:** find a project by name or reference, without leaving the shell.
- **Primary action:** `search.submit`.
- **Visible controls:** `search.form`, `search.query`, `search.submit`, `search.coverage`; with a query, `search.count` and `search.results / search.result / search.result.open`, or `search.empty`.
- **Conditional:** results and the empty-state message appear only after a query; an empty query shows the form and claims nothing.
- **Reference-Mode-only controls:** none.
- **Density:** WORK, shell `work-start`, full menu bar.
- **Responsive:** inherits the shell's 640px drawer behaviour; no rules of its own.

- **Known interactions:** the query lives in the URL (`/find?q=...`), so Back, reload and bookmarking behave normally. No JavaScript.
- **Anomalies:** none. The page states its own coverage — projects only, matched on name and reference — because a box that searched less than the user assumed would be worse than one that says so.