


CSE370 : Database Systems

Assignment 01/02/03 | Fall 2026

ID : <24301400> | Name : Md. Mehtabul Islam

No 1 Query (as Plain Text)	CREATE TABLE runners (student_id INT(3), student_name VARCHAR(100), email VARCHAR(100), distance_covered INT, time_taken_mins INT);
No 1 SS (of Query & Output in Shell)	
No 2 Query (as Plain Text)	INSERT INTO runners (student_id, student_name, email, distance_covered, time_taken_mins) VALUES (101, 'Mikasa Ackerman', 'mikasa.a@g.bracu.ac.bd', 5, 35), (102, 'Edward Elric', 'e.elric@iub.ac.bd', 10, 59), (103, 'Riza Hawkeye', 'riza.h@ewu.ac.bd', 5, 38), (104, 'Bruce Wayne', 'b.wayne@g.bracu.ac.bd', 10, 63), (105, 'Peter Parker', 'p.parker@iub.ac.bd', 5, 33), (106, 'Alphonse Elric', 'a.elric@iub.ac.bd', 10, 55), (107, 'Son Goku', 'son.goku@g.bracu.ac.bd', 5, 46),

	(108, 'Gon Freecss', 'gon.f@g.bracu.ac.bd', 10, 68), (109, 'Tanjiro Kamado', 'tanjiro.k@g.bracu.ac.bd', 5, 29), (110, 'Roy Mustang', 'roy.m@ewu.ac.bd', 10, 83);
No 2 SS (of Query & Output in Shell)	
No 3 Query (as Plain Text)	SELECT * FROM runners WHERE distance_covered > 7;

No 3 SS (of Query & Output in Shell)	
No 4 Query (as Plain Text)	SELECT LOWER(student_name) AS student_name FROM runners ORDER BY time_taken_mins DESC;
No 4 SS (of Query & Output in Shell)	



No 5 Query (as Plain Text)	ALTER TABLE runners CHANGE distance_covered total_distance DECIMAL(3,1);
No 5 SS (of Query & Output in Shell)	

```
MariaDB [Marathon_24301400]> select * from runners;
+------------+-----------------+-------------------------+----------------+-----------------+
| student_id | student_name    | email                   | total_distance | time_taken_mins |
+------------+-----------------+-------------------------+----------------+-----------------+
|        101 | Mikasa Ackerman | mikasa.a@g.bracu.ac.bd  |            5.0 |              35 |
|        102 | Edward Elric    | e.elric@iub.ac.bd       |           10.0 |              59 |
|        103 | Riza Hawkeye    | riza.h@ewu.ac.bd        |            5.0 |              38 |
|        104 | Bruce Wayne     | b.wayne@g.bracu.ac.bd   |           10.0 |              63 |
|        105 | Peter Parker    | p.parker@iub.ac.bd      |            5.0 |              33 |
|        106 | Alphonse Elric  | a.elric@iub.ac.bd       |           10.0 |              55 |
|        107 | Son Goku        | son.goku@g.bracu.ac.bd  |            5.0 |              46 |
|        108 | Gon Freecss     | gon.f@g.bracu.ac.bd     |           10.0 |              68 |
|        109 | Tanjiro Kamado  | tanjiro.k@g.bracu.ac.bd |            5.0 |              29 |
|        110 | Roy Mustang     | roy.m@ewu.ac.bd         |           10.0 |              83 |
+------------+-----------------+-------------------------+----------------+-----------------+
10 rows in set (0.002 sec)
```

```
MariaDB [Marathon_24301400]> ALTER TABLE runners CHANGE distance_covered total_distance DECIMAL(3,1);
Query OK, 10 rows affected (0.029 sec)
Records: 10  Duplicates: 0  Warnings: 0
```

No 6 Query (as Plain Text)	ALTER TABLE runners ADD kmh DECIMAL(3,1);
No 6 SS (of Query & Output in Shell)	

```
MariaDB [Marathon_24301400]> ALTER TABLE runners ADD kmh DECIMAL(3,1);
Query OK, 0 rows affected (0.005 sec)
Records: 0  Duplicates: 0  Warnings: 0
```

	
No 7 Query (as Plain Text)	UPDATE runners SET kmh = (total_distance * 60) / time_taken_mins;
No 7 SS (of Query & Output in Shell)	


```
MariaDB [Marathon_24301400]> select * from runners;
+------------+-----------------+--------------------------+----------------+-----------------+------+
| student_id | student_name    | email                    | total_distance | time_taken_mins | kmh  |
+------------+-----------------+--------------------------+----------------+-----------------+------+
|        101 | Mikasa Ackerman | mikasa.a@g.bracu.ac.bd   |            5.0 |              35 |  8.6 |
|        102 | Edward Elric    | e.elric@iub.ac.bd        |           10.0 |              59 | 10.2 |
|        103 | Riza Hawkeye    | riza.h@ewu.ac.bd         |            5.0 |              38 |  7.9 |
|        104 | Bruce Wayne     | b.wayne@g.bracu.ac.bd    |           10.0 |              63 |  9.5 |
|        105 | Peter Parker    | p.parker@iub.ac.bd       |            5.0 |              33 |  9.1 |
|        106 | Alphonse Elric  | a.elric@iub.ac.bd        |           10.0 |              55 | 10.9 |
|        107 | Son Goku        | son.goku@g.bracu.ac.bd   |            5.0 |              46 |  6.5 |
|        108 | Gon Freecss     | gon.f@g.bracu.ac.bd      |           10.0 |              68 |  8.8 |
|        109 | Tanjiro Kamado  | tanjiro.k@g.bracu.ac.bd  |            5.0 |              29 | 10.3 |
|        110 | Roy Mustang     | roy.m@ewu.ac.bd          |           10.0 |              83 |  7.2 |
+------------+-----------------+--------------------------+----------------+-----------------+------+
10 rows in set (0.000 sec)
```

No 8 Query (as Plain Text)

SELECT student_id, student_name, kmh, (total_distance / 10) * (time_taken_mins / 60) * 100 AS points FROM runners;

No 8 SS (of Query & Output in Shell)

```
MariaDB [Marathon_24301400]> SELECT student_id, student_name, kmh, (total_distance / 10) * (time_taken_mins / 60) * 100 AS points F
ROM runners;
+------------+-----------------+------+---------------+
| student_id | student_name    | kmh  | points        |
+------------+-----------------+------+---------------+
|        101 | Mikasa Ackerman |  8.6 |  29.166666650 |
|        102 | Edward Elric    | 10.2 |  98.333333300 |
|        103 | Riza Hawkeye    |  7.9 |  31.666666650 |
|        104 | Bruce Wayne     |  9.5 | 105.000000000 |
|        105 | Peter Parker    |  9.1 |  27.500000000 |
|        106 | Alphonse Elric  | 10.9 |  91.666666600 |
|        107 | Son Goku        |  6.5 |  38.333333300 |
|        108 | Gon Freecss     |  8.8 | 113.333333300 |
|        109 | Tanjiro Kamado  | 10.3 |  24.166666650 |
|        110 | Roy Mustang     |  7.2 | 138.333333300 |
+------------+-----------------+------+---------------+
10 rows in set (0.001 sec)
```

No 9 Query (as Plain Text)	SELECT student_name FROM runners WHERE total_distance = 10 AND time_taken_mins BETWEEN 40 AND 60;
No 9 SS (of Query & Output in Shell)	
No 10 Query (as Plain Text)	SELECT student_name FROM runners WHERE email LIKE '%@g.bracu.ac.bd';
No 10 SS (of Query & Output in Shell)	