



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP****Batch No: AH250061**

Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
 Name of Material : SODIUM CHLORIDE IP

Material Code	: RMI-0370	Use Before (For RM)	: 29-Apr-25
AR. No.	: 23007409	Re-test / Exp. Date	: 23-Dec-25
Net. Wt. / Nos.	: 21.274	Count (For PM) / Lot	: N.A
Tare Wt.	: 0.118	(For RM)	
Gross Wt.	: 21.392	Case No.	: 1/1
Issued By	: Umesh Dabhi	Verified By	: <i>Umesh Dabhi</i>
Sign./Date	: 08-Apr-25	Sign./Date	: <i>08-Apr-25</i>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP****Batch No: AH250061**

Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : SODIUM GLUCONATE

Material Code	: RMI-0445	Use Before (For RM)	: 29-Apr-25
AR. No.	: 23004509	Retest / Exp. Date	: 15-Jul-25
Net. Wt. / Nos.	: 4.700 KG	Count (For PM) / Lot	: N.A
Tare Wt.	: 0.062 KG	(For RM)	
Gross Wt.	: 4.762 KG	Case No.	: 1/1
Issued By	: Umesh Dabhi	Verified By	: Mayur Lambdale
Sign./Date	: 08-Apr-25	Sign./Date	: 08-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



Page for Pasting Labels/ Printouts

Exhibit-VIII

**Product Name:** Multiple Electrolytes Injection Type 1 USP

**Batch No:** AH250061



Product Name : Multiple Electrolytes Inj. Typ e I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : SODIUM GLUCONATE

Material Code	:	RMI-0445	Use Before (For RM)	:	29-Apr-25
AR. No.	:	24016359	Retest / Exp. Date	:	24-Feb-26
Net. Wt. / Nos.	:	15.426 KG	Count (For PM) / Lot	:	N.A
Tare Wt.	:	0.062 KG	(For RM)	:	
Gross Wt.	:	15.488 KG	Case No.	:	1/1
Issued By	:	Umesh Dabhi	Verified By	:	<i>Mayurkumbade</i>
Sign./Date	:	08-Apr-25	Sign./Date	:	<i>08-Apr-25</i>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



Page for Pasting Labels/ Printouts

Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP**

**Batch No: AH250061**



Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : SODIUM ACETATE TRIHYDRATE IP

Material Code	: RMI-0391	Use Before (For RM)	: 29-Apr-25
AR. No.	: 23004070	Re-test / Exp. Date	: 26-Jun-25
Net. Wt. / Nos.	: 14.720 KG	Count (For PM) / Lot	: N.A
Tare Wt.	: 0.116 KG	(For RM)	
Gross Wt.	: 14.836 KG	Case No.	: 1/1
Issued By	: Umesh Dabhi	Verified By	: <i>Mayur Ramchandani</i>
Sign./Date	: 08-Apr-25	Sign./Date	: <i>08-Apr-25</i>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP****Batch No: AH250061**

Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : POTASSIUM CHLORIDE IP

Material Code	: RMI-0369	Use Before (For RM)	: 29-Apr-25
AR. No.	: 23004124	Re-test / Exp. Date	: 06-Jul-25
Net. Wt. / Nos.	: 1.492 KG	Count (For PM) / Lot	: N.A
Tare Wt.	: 0.036 KG	(For RM)	
Gross Wt.	: 1.528 KG	Case No.	: 1/1
Issued By	: Umesh Dabhi	Verified By	: <i>Umesh Dabhi</i>
Sign./Date	: 08-Apr-25	Sign./Date	: <i>08-Apr-25</i>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP****Batch No: AH250061**

Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : MAGNESIUM CHLORIDE IP HEXAHDRATE

Material Code	: RMI-0373	Use Before (For RM)	: 29-Apr-25
AR. No.	: ARM2100059	Retest / Exp. Date	: 30-Apr-26
Net. Wt. / Nos.	: 1.202 KG	Count (For PM) / Lot	: N.A
Tare Wt.	: 0.036 KG	(For RM)	
Gross Wt.	: 1.238 KG	Case No.	: 1/1
Issued By	: Umesh Dabhi	Verified By	: <i>M.D. Umesh Dabhi</i>
Sign./Date	: 08-Apr-25	Sign./Date	: <i>08-Apr-25</i>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



**Page for Pasting Labels/ Printouts**

**Exhibit-VIII**

**Product Name: Multiple Electrolytes Injection Type 1 USP**

**Batch No: AH250061**

DISPENSING LABEL			
Product Name	: Multiple Electrolytes Injection Type 1 USP		
Batch No.	: AH250061		
Name of Material	: Sodium Hydroxide IP		
Material Code	: RMI-0389	Use Before (For RM)	: 29-APR-25
AR No.	: 23009910	Retest / Exp. Date	: 23-Nov-25
Net. Wt./Nos.	: 4.0000 gm		
Tare Wt.	: 2.1201 gm	Count (For PM)/ Lot (For RM)	: NA
Gross Wt.	: 6.1201 gm	Case No	: 01/01
Issued By	: Umesh Dubri	Verified By	: Mayur Tambade
Sign/Date	: 08-APR-25	Sign/Date	: 08-APR-25
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	

DISPENSING LABEL			
Product Name	: Multiple Electrolytes Injection Type 1 USP		
Batch No.	: AH250061		
Name of Material	: Hydrochloric Acid IP		
Material Code	: RMI-0388	Use Before (For RM)	: 29-APR-25
AR No.	: 23010857	Retest / Exp. Date	: 24-Nov-25
Net. Wt./Nos.	: 10.1100 gm		
Tare Wt.	: 157.6104 gm	Count (For PM)/ Lot (For RM)	: NA
Gross Wt.	: 167.7204 gm	Case No	: 01/01
Issued By	: Umesh Dubri	Verified By	: Sanjay Kumar Yadav
Sign/Date	: 08-APR-25	Sign/Date	: 08-APR-25
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

Product Name: Multiple Electrolytes Injection Type 1 USP

Batch No: AH250061

DISPENSING LABEL			
Product Name	Multiple Electrolytes Injection Type 1 USP		
Batch No.	AH250061		
Name of Material	Magnesium Chloride IP Hexahydrate		
Material Code	RMI-0373	Use Before (For RM)	: 29-Apr-25
AR No.	ARM2100059	Retest / Exp. Date	: 30-Apr-26
Net. Wt./Nos.	NA		
Tare Wt.	NA	Count (For PM)/ Lot (For RM)	: NA
Gross Wt.	1.242 kg	Case No	: 01101
Issued By	Umesh Dubhi	Verified By	: Mayur Ramchandrade
Sign/Date	(29-08-APR-25)	Sign/Date	: <del>29-08-APR-25</del>
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	

DISPENSING LABEL			
Product Name	Multiple Electrolytes Injection Type 1 USP		
Batch No.	AH250061		
Name of Material	Sodium Chloride IP		
Material Code	RMI-0370	Use Before (For RM)	: 29-Apr-25
AR No.	23007409	Retest / Exp. Date	: 23-Dec-25
Net. Wt./Nos.	NA		
Tare Wt.	NA	Count (For PM)/ Lot (For RM)	: NA
Gross Wt.	21.394 kg	Case No	: 01101
Issued By	Umesh Dubhi	Verified By	: Mayur Ramchandrade
Sign/Date	(29-08-APR-25)	Sign/Date	: <del>29-08-APR-25</del>
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	



✓  
Page for Pasting Labels/ Printouts

**Exhibit-VIII**

**Product Name: Multiple Electrolytes Injection Type 1 USP**

**Batch No: AH250061**

DISPENSING LABEL			
Product Name	: Multiple Electrolytes Injection Type 1 USP		
Batch No.	: AH250061		
Name of Material	: Sodium Gluconate		
Material Code	: RMI-0445	Use Before (For RM)	: 29-Apr-25
AR No.	: 23004509	Retest / Exp. Date	: 15-Jul-25
Net. Wt./Nos.	: NA		
Tare Wt.	: NA	Count (For PM)/ Lot (For RM)	: NA
Gross Wt.	: 4.766 1cg	Case No	: 0101
Issued By	: Umesh Dubhi	Verified By	: Mayur Rambhade
Sign/Date	: 08-Apr-25	Sign/Date	: NA 08-Apr-25
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	

DISPENSING LABEL			
Product Name	: Multiple Electrolytes Injection Type 1 USP		
Batch No.	: AH250061		
Name of Material	: SODIUM GLUCONATE		
Material Code	: RMI-0445	Use Before (For RM)	: 29-Apr-25
AR No.	: 24016359	Retest / Exp. Date	: 24-Feb-26
Net. Wt./Nos.	: NA		
Tare Wt.	: NA	Count (For PM)/ Lot (For RM)	: NA
Gross Wt.	: 15.490 1cg	Case No	: 0101
Issued By	: Umesh Dubhi	Verified By	: Mayur Rambhade
Sign/Date	: 08-Apr-25	Sign/Date	: NA 08-Apr-25
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	



Page for Pasting Labels/ Printouts

**Exhibit-VIII**

**Product Name: Multiple Electrolytes Injection Type 1 USP**

**Batch No: AH250061**

DISPENSING LABEL			
Product Name	:	Multiple Electrolytes Injection Type 1 USP	
Batch No.	:	AH250061	
Name of Material	:	Sodium Acetate Trihydrate IP	
Material Code	:	RMI-0391	Use Before (For RM) : <u>29-APR-25</u>
AR No.	:	23004070	Retest / Exp. Date : 26-Jun-25
Net. Wt./Nos.	:	NA	
Tare Wt.	:	NA	Count (For PM)/ Lot (For RM) : NA
Gross Wt.	:	14.8401cg	Case No : 01/01
Issued By	:	Umesh Oobhi	Verified By : Mayur Rambhade
Sign/Date	:	<u>0208-APR-25</u>	Sign/Date : <u>May 08-APR-25</u>
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	

DISPENSING LABEL			
Product Name	:	Multiple Electrolytes Injection Type 1 USP	
Batch No.	:	AH250061	
Name of Material	:	POTASSIUM CHLORIDE IP	
Material Code	:	RMI-0369	Use Before (For RM) : <u>29-APR-25</u>
AR No.	:	23004124	Retest / Exp. Date : 06-Jul-25
Net. Wt./Nos.	:	- NA	
Tare Wt.	:	NA	Count (For PM)/ Lot (For RM) : NA
Gross Wt.	:	1.5321cg	Case No : 01/01
Issued By	:	Umesh Oobhi	Verified By : Mayur Rambhade
Sign/Date	:	<u>0208-APR-25</u>	Sign/Date : <u>May 08-APR-25</u>
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	



Page for Pasting Labels/ Printouts

**Exhibit-VIII**

**Product Name: Multiple Electrolytes Injection Type 1 USP**

**Batch No: AH250061**

DISPENSING LABEL			
Product Name	: Multiple Electrolytes Injection Type 1 USP		
Batch No.	: AH250061		
Name of Material	: Sodium Hydroxide IP		
Material Code	: RMI-0389	Use Before (For RM)	: <i>29-Apr-25</i>
AR No.	: 23009910	Retest / Exp. Date	: 23-Nov-25
Net. Wt./Nos.	: NA		
Tare Wt.	: NA	Count (For PM)/ Lot (For RM)	: NA
Gross Wt.	: 7.4341 gm	Case No	: 01/01
Issued By	: Umesh Dubhi	Verified By	: <i>Mayur Rambhade</i>
Sign/Date	: <i>08-Apr-25</i>	Sign/Date	: <i>NA 08-Apr-25</i>
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	

DISPENSING LABEL			
Product Name	: Multiple Electrolytes Injection Type 1 USP		
Batch No.	: AH250061		
Name of Material	: Hydrochloric Acid IP		
Material Code	: RMI-0388	Use Before (For RM)	: <i>29-Apr-25</i>
AR No.	: 23010857	Retest / Exp. Date	: 24-Nov-25
Net. Wt./Nos.	: NA		
Tare Wt.	: NA	Count (For PM)/ Lot (For RM)	: NA
Gross Wt.	: 179.5282 gm	Case No	: 01/01
Issued By	: Umesh Dubhi	Verified By	: Sanjay Kumar Yadav
Sign/Date	: <i>08-Apr-25</i>	Sign/Date	: <i>SAJ 08-Apr-25</i>
Note: Write "NA" or strike out, whichever is not applicable.			
IR-MM-002-FM12-00		Ref. SOP No. IR-MM-002	



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

Product Name: Multiple Electrolytes Injection Type 1 USP

Batch No. : AH250061



Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061

Name of Material : 0.45 µm + 0.2 µm PES Membrane Filter type Aseptisure HS 10" Cartridge Filter (Cat. No. CPHX5401A0SS101)

Material Code : MMI-0446

AR. No. : 24007297

Net. Wt. / Nos. : 1 NO

Tare Wt. : N.A

Gross Wt. : N.A

Issued By : Nilesh Thakkar

Sign./Date : 07-Apr-25

Use Before (For RM) : N.A

Retest / Exp. Date : 31-Mar-29

Count (For PM) / Lot  
(For RM)

Case No. : 1/1

Verified By

Sign./Date : Nilesh ABP  
07-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name:** Multiple Electrolytes Injection Type 1 USP**Batch No:** AH250061**Product Name** : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)**Batch No.** : AH250061**Name of Material** : 1.2 μm Clarisure HPA Polypropylene 10" Cartridge Filter (Cat**Material Code** : MMI-0447**Use Before (For RM)** : N.A**AR. No.** : 23024082**Re-test / Exp. Date** : 30-Jun-28**Net. Wt. / Nos.** : 1 NO**Count (For PM) / Lot** : N.A**Tare Wt.** : N.A**(For RM)****Gross Wt.** : N.A**Case No.** : 1/1**Issued By** : Nilesh Thakkar**Verified By** : ASR Avinash**Sign./Date** : 07-Apr-25**Sign./Date** : 07-Apr-25**Note :** Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP****Batch No: AH250061**

Product Name : Multiple Electrolytes Inj. Typ e I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : Silicon Tube - 8.0 (ID) X 12.8 (OD) Impure

Material Code	: MMI-0366	Use Before (For RM)	: N.A
AR. No.	: 23004869	Re-test / Exp. Date	: 31-May-28
Net. Wt. / Nos.	: 7.000 MT	Count (For PM) / Lot	: N.A
Tare Wt.	: N.A	(For RM)	
Gross Wt.	: N.A	Case No.	: 1/1
Issued By	: Nilesh Thakkar	Verified By	: Animesh ABC
Sign./Date	: 07-Apr-25	Sign./Date	: 07-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

Product Name: Multiple Electrolytes Injection Type 1 USP

Batch No. : AH250061



Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : POLYPROPYLENE DOUBLE WOUND FLAT FILM APP114-S 220MM(WIDTH) - 200 $\mu$ M  
(THICKNESS) - (POLYCINE APP114-S-220-200-F)

Material Code	: PMI-0981	Use Before (For RM)	: N.A
AR. No.	: 23010951	Retest / Exp. Date	: 13-Sep-25
Net. Wt. / Nos.	: 99.430 MT 7.855 kg	Count (For PM) / Lot	: N.A
Tare Wt.	: N.A	(For RM)	
Gross Wt.	: N.A	Case No.	: 1/4
Issued By	: Nilesh Thakkar	Verified By	: Nilesh Thakkar
Sign./Date	: 07-Apr-25	Sign./Date	: 07-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

Product Name: Multiple Electrolytes Injection Type 1 USP

Batch No. : AH250061



Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No.

: AH250061

Name of Material

: POLYPROPYLENE DOUBLE WOUND FLAT FILM APP114-S 220MM(WIDTH) - 200µM  
(THICKNESS) - (POLYCINE APP114-S-220-200-F)

Material Code

: PMI-0981

Use Before (For RM) : N.A

AR. No.

: 23010951

Retest / Exp. Date : 13-Sep-25

Net. Wt. / Nos.

: 143.291 MT 11.320 kg

Count (For PM) / Lot : N.A

Tare Wt.

: N.A

(For RM)

Gross Wt.

: N.A

Case No. : 2/4

Issued By

: Nilesh Thakkar

Verified By : Animesh Pawar  
ASR

Sign./Date

: 07-Apr-25

Sign./Date : 07-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No.

: AH250061

Name of Material

: POLYPROPYLENE DOUBLE WOUND FLAT FILM APP114-S 220MM(WIDTH) - 200µM  
(THICKNESS) - (POLYCINE APP114-S-220-200-F)

Material Code

: PMI-0981

Use Before (For RM) : N.A

AR. No.

: 23010951

Retest / Exp. Date : 13-Sep-25

Net. Wt. / Nos.

: 485.633

MT 38.355 kg

Count (For PM) / Lot : N.A

Tare Wt.

: N.A

(For RM)

Gross Wt.

: N.A

Case No. : 3/4

Issued By

: Nilesh Thakkar

Verified By : Animesh Pawar

Sign./Date

: 07-Apr-25

Sign./Date : 07-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

Product Name: Multiple Electrolytes Injection Type 1 USP

Batch No. : AH250061



Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : POLYPROPYLENE DOUBLE WOUND FLAT FILM APP114-S 220MM(MDTH) - 200 $\mu$ M  
(THICKNESS) - (POLYCINE APP114-S-220-200-F)

Material Code	: PMI-0981	Use Before (For RM)	: N.A
AR. No.	: 23010951	Re-test / Exp. Date	: 13-Sep-25
Net. Wt. / Nos.	: 460.000 MT 38.35 ukg	Count (For PM) / Lot	: N.A
Tare Wt.	: N.A	(For RM)	
Gross Wt.	: N.A	Case No.	: 4/4
Issued By	: Nilesh Thakkar	Verified By	: <i>Avinash A&amp;C</i>
Sign./Date	: 07-Apr-25	Sign./Date	: <i>07-Apr-25</i>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP****Batch No. : AH250061**

Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : Polypropylene Tube APP107-S- 8.20 X 6.20

Material Code	: PMI-0996	Use Before (For RM)	: N.A
AR. No.	: 24004243	Retest / Exp. Date	: 19-Apr-26
Net. Wt. / Nos.	: 26.905 MT <del>0.565 kg</del>	Count (For PM) / Lot (For RM)	: N.A
Tare Wt.	: N.A	Case No.	: 1/4
Gross Wt.	: N.A	Verified By	: Amneal AR
Issued By	: Nilesh Thakkar	Sign./Date	: 07-Apr-25
Sign./Date	: 07-Apr-25		

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

Product Name: Multiple Electrolytes Injection Type 1 USP

Batch No. : AH250061

**amneal**  
**DISPENSING LABEL**

Product Name	: Multiple Electrolytes Inj. Typ e I USP 500 mL (AMNEALYTE)		
Batch No.	: AH250061		
Name of Material	: Polypropylene Tube APP107-S- 8.20 X 6.20		
Material Code	: PMI-0996	Use Before (For RM)	: N.A
AR. No.	: 24004243	Re-test / Exp. Date	: 19-Apr-26
Net. Wt. / Nos.	: 72.619 MT 1.525 kg	Count (For PM) / Lot	: N.A
Tare Wt.	: N.A	(For RM)	
Gross Wt.	: N.A	Case No.	: 2/4
Issued By	: Nilesh Thakkar	Verified By	: Anilash ASR
Sign./Date	: 07-Apr-25	Sign./Date	: 07-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.  
IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



**amneal**  
**DISPENSING LABEL**

Product Name	: Multiple Electrolytes Inj. Typ e I USP 500 mL (AMNEALYTE)		
Batch No.	: AH250061		
Name of Material	: Polypropylene Tube APP107-S- 8.20 X 6.20		
Material Code	: PMI-0996	Use Before (For RM)	: N.A
AR. No.	: 24004243	Re-test / Exp. Date	: 19-Apr-26
Net. Wt. / Nos.	: 138.810 MT 2.915 kg	Count (For PM) / Lot	: N.A
Tare Wt.	: N.A	(For RM)	
Gross Wt.	: N.A	Case No.	: 3/4
Issued By	: Nilesh Thakkar	Verified By	: Anilash ASR
Sign./Date	: 07-Apr-25	Sign./Date	: 07-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.  
IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002





## Page for Pasting Labels/ Printouts

## Exhibit-VIII

Product Name: Multiple Electrolytes Injection Type 1 USP

Batch No. : AH250061



Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061

Name of Material : Polypropylene Tube APP107-S - 8.20 X 6.20

Material Code : PMI-0996

AR. No. : 24004243

Use Before (For RM) : N.A

Net. Wt. / Nos. : 445.000 MT 9.205kg

Retest / Exp. Date : 19-Apr-26

Tare Wt. : N.A

Count (For PM) / Lot : N.A

Gross Wt. : N.A

(For RM)

Issued By : Nilesh Thakkar

Case No. : 4/4

Sign./Date : 07-Apr-25

Verified By : Anilash  
ASR  
Sign./Date : 07-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



✓  
Page for Pasting Labels/ Printouts

Exhibit-VIII

**Product Name:** Multiple Electrolytes Injection Type 1 USP

**Batch No. :** AH250061



**Product Name :** Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

**Batch No.** : AH250061  
**Name of Material** : HOT STAMPING FOIL 135MM

<b>Material Code</b>	: MMI-0359	<b>Use Before (For RM)</b>	: N.A
<b>AR. No.</b>	: 24008570	<b>Retest / Exp. Date</b>	: 10-Sep-25
<b>Net. Wt. / Nos.</b>	: 153.333 MT <del>0.460Kg</del>	<b>Count (For PM) / Lot</b>	: N.A
<b>Tare Wt.</b>	: N.A	(For RM)	
<b>Gross Wt.</b>	: N.A	<b>Case No.</b>	: 1/5
<b>Issued By</b>	: Nilesh Thakkar	<b>Verified By</b>	: <i>Avinash ASR</i>
<b>Sign./Date</b>	: 07-Apr-25	<b>Sign./Date</b>	: <i>07-Apr-25</i>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



**Product Name :** Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

**Batch No.** : AH250061  
**Name of Material** : HOT STAMPING FOIL 135MM

<b>Material Code</b>	: MMI-0359	<b>Use Before (For RM)</b>	: N.A
<b>AR. No.</b>	: 24008570	<b>Retest / Exp. Date</b>	: 10-Sep-25
<b>Net. Wt. / Nos.</b>	: 318.333 MT <del>0.955Kg</del>	<b>Count (For PM) / Lot</b>	: N.A
<b>Tare Wt.</b>	: N.A	(For RM)	
<b>Gross Wt.</b>	: N.A	<b>Case No.</b>	: 2/5
<b>Issued By</b>	: Nilesh Thakkar	<b>Verified By</b>	: <i>Avinash ASR</i>
<b>Sign./Date</b>	: 07-Apr-25	<b>Sign./Date</b>	: <i>07-Apr-25</i>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

Product Name: Multiple Electrolytes Injection Type 1 USP

Batch No. : AH250061

 <b>DISPENSING LABEL</b>		
<b>Product Name</b>	: Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)	
<b>Batch No.</b>	: AH250061	
<b>Name of Material</b>	: HOT STAMPING FOIL 135MM	
<b>Material Code</b>	: MMI-0359	
<b>AR. No.</b>	: 24008570	
<b>Net. Wt. / Nos.</b>	366.000	MT <i>0.960kg</i>
<b>Tare Wt.</b>	: N.A	
<b>Gross Wt.</b>	: N.A	
<b>Issued By</b>	: Nilesh Thakkar	
<b>Sign./Date</b>	: 07-Apr-25	
<b>Use Before (For RM)</b>	: N.A	
<b>Retest / Exp. Date</b>	: 10-Sep-25	
<b>Count (For PM) / Lot (For RM)</b>	: N.A	
<b>Case No.</b>	: 3/5	
<b>Verified By</b>	: Avinash ASR	
<b>Sign./Date</b>	: 07-Apr-25	

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002

Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)



Batch No. : AH250061

Name of Material : HOT STAMPING FOIL 135MM

<b>Material Code</b>	: MMI-0359	
<b>AR. No.</b>	: 24008570	
<b>Net. Wt. / Nos.</b>	366.000	MT <i>0.960kg</i>
<b>Tare Wt.</b>	: N.A	
<b>Gross Wt.</b>	: N.A	
<b>Issued By</b>	: Nilesh Thakkar	
<b>Sign./Date</b>	: 07-Apr-25	
<b>Use Before (For RM)</b>	: N.A	
<b>Retest / Exp. Date</b>	: 10-Sep-25	
<b>Count (For PM) / Lot (For RM)</b>	: N.A	
<b>Case No.</b>	: 4/5	
<b>Verified By</b>	: Avinash ASR	
<b>Sign./Date</b>	: 07-Apr-25	

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP****Batch No. : AH250061**

Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : HOT STAMPING FOIL 135MM

Material Code	: MMI-0359	Use Before (For RM)	: N.A
AR. No.	: 24008570	Re-test / Exp. Date	: 10-Sep-25
Net. Wt. / Nos.	: 366.000 MT 0.960 KG	Count (For PM) / Lot	: N.A
Tare Wt.	: N.A	(For RM)	
Gross Wt.	: N.A	Case No.	: 5/5
Issued By	: Nilesh Thakkar	Verified By	: Anand K. Patel
Sign./Date	: 07-Apr-25	Sign./Date	: 07-Apr-25

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP****Batch No. : AH250061**

Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061

Name of Material : TWIST-OFF PORT 823 PP INERTA 016 + PLUG (TP823.007\_A) (TWIST-OFF PORT 823 PP-IN016-TP823.007\_A)

Material Code : PMI-0985

AR. No. : 24001593

Net. Wt. / Nos. : 2366 NO

Tare Wt. : N.A

Gross Wt. : N.A

Issued By : Ajay Rana

Sign./Date : 08-Apr-25

Use Before (For RM) : N.A

Retest / Exp. Date : 28-Mar-27

Count (For PM) / Lot : N.A

(For RM)

Case No. : 3/3

Verified By : *Ajai Grami*Sign./Date : *08-Apr-25*

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



## Page for Pasting Labels/ Printouts

## Exhibit-VIII

**Product Name: Multiple Electrolytes Injection Type 1 USP****Batch No. : AH250061**

Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : TWIST-OFF PORT 823 PP INERTA 016 + PLUG (TP823.007\_A) (TWIST-OFF PORT 823  
PP-IN016-TP823.007\_A)

Material Code	: PMI-0985	Use Before (For RM)	: N.A
AR. No.	: 24001593	Retest / Exp. Date	: 28-Mar-27
Net. Wt. / Nos.	: 3000 NO	Count (For PM) / Lot	: N.A
Tare Wt.	: N.A	(For RM)	
Gross Wt.	: N.A	Case No.	: 1/3
Issued By	: Ajay Rana	Verified By	: Anil Gami
Sign./Date	: 08-Apr-25	Sign./Date	: <u>08-Apr-25</u>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002



Product Name : Multiple Electrolytes Inj. Type I USP 500 mL (AMNEALYTE)

Batch No. : AH250061  
Name of Material : TWIST-OFF PORT 823 PP INERTA 016 + PLUG (TP823.007\_A) (TWIST-OFF PORT 823  
PP-IN016-TP823.007\_A)

Material Code	: PMI-0985	Use Before (For RM)	: N.A
AR. No.	: 24001593	Retest / Exp. Date	: 28-Mar-27
Net. Wt. / Nos.	: 3000 NO	Count (For PM) / Lot	: N.A
Tare Wt.	: N.A	(For RM)	
Gross Wt.	: N.A	Case No.	: 2/3
Issued By	: Ajay Rana	Verified By	: Anil Gami
Sign./Date	: 08-Apr-25	Sign./Date	: <u>08-Apr-25</u>

Note : Write "NA" or strike out, whichever is not applicable.

IR-MM-002-FM12-00

Ref. SOP No. IR-MM-002