

TUGAS KETIGA

1.

```
1 package main
2
3 import "fmt"
4
5 func main() {
6     var x,y int
7     var status string
8     fmt.Scan(&x, &y)
9
10    if x > 0 && y > 0 {
11        status = "Kuadran I"
12    } else if x < 0 && y > 0 {
13        status = "Kuadran II"
14    } else if x < 0 && y < 0 {
15        status = "Kuadran III"
16    } else if x > 0 && y < 0 {
17        status = "Kuadran IV"
18    } else {
19        status = "Pada sumbu"
20    }
21
22    fmt.Println(status)
23 }
```

Program Posisi Titik

kamus
x,y : int
status : string

Algoritma
Input(x,y)
IF $x > 0$ and $y > 0$ then
 status ← "Kuadran I"
else if $x < 0$ and $y > 0$ then
 status ← "Kuadran II"
else if $x < 0$ and $y < 0$ then
 status ← "Kuadran III"
else if $x > 0$ and $y < 0$ then
 status ← "Kuadran IV"
else then
 status ← "Pada sumbu"
endif

Output(status)
End Program

```
Microsoft Windows [Version 10.0.26200.8875]
(c) Microsoft Corporation. All rights reserved.

C:\belajar\Latihan-Golang>go run latihan7.go
3 4
Kuadran I

C:\belajar\Latihan-Golang>go run latihan7.go
0 7
Pada sumbu

C:\belajar\Latihan-Golang>
```

2.

```
1 package main
2
3 import "fmt"
4
5 func main() {
6     var a,b,c,d,e int
7     var status string
8
9     fmt.Scan(&a, &b, &c, &d, &e)
10
11     if a > b && b > c && c > d && d > e {
12         status = "Stabil turun"
13     } else if a < b && b < c && c < d && d < e {
14         status = "Stabil naik"
15     } else {
16         status = "Tidak stabil"
17     }
18
19     fmt.Println(status)
20 }
```

```
C:\belajar\Latihan-Golang>go run latihan8.go
100 105 110 120 139
Stabil naik

C:\belajar\Latihan-Golang>go run latihan8.go
100 95 110 105 90
Tidak stabil

C:\belajar\Latihan-Golang>
```

Program analisis kestabilan
kamus
a,b,c,d,e : int
status : string
algoritma
Input(a,b,c,d,e)
IF a > b and b > c and c > d and d > e then
 status ← "stabil turun"
else if a < b and b < c and c < d and d < e then
 status ← "stabil naik"
else then
 status ← "tidak stabil"
endif
Output(status)
endprogram

3.

```

1  package main
2
3  import "fmt"
4
5  func main() {
6      var x,y,selisih float32
7      var status string
8
9      fmt.Scan(&x,&y)
10
11     if x > y{
12         status = "peningkatan sebesar"
13         selisih = x - y
14     }else if y > x{
15         status = "penurunan sebesar"
16         selisih = y - x
17     }else{
18         status = "tetap"
19         selisih = 0
20     }
21
22     fmt.Printf("%s %.2f\n",status,selisih)
23
24 }

```

```

C:\belajar\Latihan-Golang>go run latihan10.go
3.5 3.2
peningkatan sebesar 0.30

C:\belajar\Latihan-Golang>go run latihan10.go
3.0 3.4
penurunan sebesar 0.40

C:\belajar\Latihan-Golang>

```

program 1Pk
 kamus
 x,y,selisih : ~~real~~ real
 status : string
 algoritma
 Input(x,y)
 IF x > y then
 status ← "peningkatan sebesar"
 selisih ← x - y
 else if y > x then
 status ← "penurunan sebesar"
 selisih ← y - x
 else
 status ← "tetap"
 selisih ← 0
 endif
 output (status, selisih)
 endprogram