

TEAM C

PostCardBuddy

System Requirements

Authors of this document:

Emma Albertz
Caroline Brandberg
Linnéa Claesson
Billy Johansson
Johan Ju
Jacob Mejvik
Carl Rynegardh

Contents

1	Introduction	1
2	Background	1
3	Definitions and terms	1
4	System Requirements	2
4.1	Goal	2
4.2	Functional Requirements	2
4.3	Quality Requirements	13
5	Release Plan	15

1 Introduction

This document is written within the context of the course Requirements Engineering at Lund Institute of Technology, which the authors are currently enrolled in. They have been provided with a project mission from another group, specifying a product they want to see developed. This group has also acted as the key customer. The intention of this document is to specify the requirements of this product, namely PostCardBuddy.

2 Background

The process of sending postcards is time consuming and somewhat tedious. The product described in this document aims to solve this problem by providing an easy and efficient way to send personalized postcards directly from a mobile phone. Simply take a photo, choose a picture from the phone's gallery or use a template picture. The template pictures can be found in the applications standard gallery and are based on the location of the user. To complete the postcard add a greeting and recipients. When the user presses the send button in the application the postcard is sent to a printer. The postcard is then delivered to the postal service for further forwarding to the final recipient.

3 Definitions and terms

Device Mobile device on which it is possible to download and use applications.

Mobile user Person who owns a device.

Payment service A company who provides a payment solution for applications.

Payment solution A feature that makes it possible to charge costumers in the application.

Personalized postcards Postcards where the design is chosen by the person who sends the postcard.

Phone gallery User's existing image gallery on phone.

Postal service A company that delivers mail to private citizens.

Printer of postcards The company who delivers the postcards from the printer to the postal service. In this project the key customer.

Product The application described in this Requirement Specification.

Recipient The person whom a postcard is addressed to.

Standard gallery Gallery of pre-existing images in application.

Supplier of images The companies or people who supply the application with images for the standard library.

System The application described in this Requirement Specification.

4 System Requirements

4.1 Goal

The product aims to establish the key customer in the postcard sending market and shall achieve this through the following goals:

- Simplify the process of sending postcards
- Enable user to send personalized postcards
- Enable revenue generation

4.2 Functional Requirements

This section describes the functions and features of the application.

4.2.1 Domain

The domain level requirements provides information about how PostCardBuddy interacts with its surroundings.

4.2.1.1 Context Diagram

The context diagram of the product can be found in figure 1. This diagram shows the environment of the application and the stakeholders interacting with it.

There are two stakeholders that will interact directly with the application, namely the mobile user and the supplier of images. The mobile user will use the application for creating personalized postcards. For the front of the postcard the user shall be able to select an image from the application's standard gallery. These images will be delivered by a *Supplier of images*.

Some of the features of the application will require the use of functionality already present in the the device. The camera will be used to enable the user to take a picture. The GPS will provide the location of the user. The contacts will be used to select recipients. Finally the E-mail functionality in the device will be used when sending electronic postcards.

The user will be charged through a standard payment solution integrated in the application. The charge includes both the cost of the postcard and the franking.

When a user sends a postcard it will be sent to the *Printer of postcards* who delivers the postcard to the postal service. Finally the postal service delivers the physical post card to the final recipients.




Figure 1: Context diagram of product.

4.2.1.2 Stakeholders

Selected stakeholders for PostCardBuddy are presented in Table 1. For each stakeholder there is a number to visualize the prioritization. The scale is from 1-5 where 1 represent a high priority and 5 a low priority.

Stakeholder	Priority
Mobile user	1
Printer of postcards	2
Postal service	2
Developers	3
Payment service	4
The existing application <i>Riktiga Vykort</i>	4

Table 1: Stakeholder prioritization

Mobile user was given the highest priority since they will be the actual users of the product and without them there will be no market.

Printer of postcards will act as the key customer, since they placed the order of the product, and are thereby given a high priority.

Postal service was given a high priority because they are considered a possible buyer of the application in the future.

Developers are given a medium priority since they have knowledge about whether a functionality is reasonable or not from a technical perspective.

Payment service was given a low priority as the payment service will be used only to provide the application with a standardized pay-functionality and is replaceable.

The existing application *Riktiga Vykort* is a competitor to the application and is considered mainly as a benchmark and is hence given a low priority.

4.2.1.3 Tasks

Work area: Vacation

Communicating with friends and family. Usually from a remote location with unreliable internet access. Typically outdoors and overall poor working environment. Simplicity is key to capturing important moments.

Users: Average mobile phone user, used to little manual work.

Req 4.2.1.1 The system shall support tasks 1.1 and 1.2.

Task 1.1 Send a postcard.

Purpose: Take a picture. Edit the picture. Add a message. Add recipients. Send postcard.

Precondition: PostcardBuddy is running.

Sub-tasks:

1. Use the camera in the device to take a picture.
2. Allow basic editing of pictures.
3. Save pictures.
4. Add recipients from address book.
5. Save finished postcard.
6. Preview postcard.
7. Send postcard to printer.

Variants:

- 1a The user selects a picture from the personal gallery.
- 1b The user selects a picture from PostCardBuddy's standard library.
- 2a Include editing of library pictures.
- 4a Manually add address.

Task 1.2 History

Purpose: View sent cards. View recipients. View cost.

Precondition: PostcardBuddy is running.

Sub-tasks:

1. List sent postcards and recipients.
2. Search sent postcards and recipients.
3. Summary of cost.

Variants:

- 1a No postcards sent.
- 2a No postcards found for given search criteria.

4.2.1.4 Interfaces

Requirements related to the interfaces of the product.

Req 4.2.1.1 Printer The interface connecting PostCardBuddy and the printed postcards is an off-the-shelf color printer able to handle standard image formats.

Req 4.2.1.2 Images Images for the standard gallery will be provided by the supplier of images in RAW-format.

Req 4.2.1.3 Permissions When users install the application they shall be prompted to grant permission to use the device functionality specified in the context diagram.

4.2.2 Product

This section describes the functionality at the product level.

4.2.2.1 Images

Requirements related to the handling of images.

Req 4.2.2.1 Image from phone gallery It shall be possible to choose pictures from the phone gallery for the front of the postcard.

Req 4.2.2.2 Picture from camera It shall be possible to take a picture with the camera and use as image for the front of the postcard.

Req 4.2.2.3 Image from standard library It shall be possible to choose pictures from the standard library.

Req 4.2.2.4 Image and GPS position Images from the standard library shall be presented based on the user's GPS position.

Req 4.2.2.5 Image editing The system shall have a function for editing images.

Req 4.2.2.6 Image saving It shall be possible to save images.

4.2.2.2 Greetings

Requirements related to greetings.

Req 4.2.2.7 Greetings It shall be possible to write greetings within the application.

Req 4.2.2.8 Pictures of handwritten greetings It shall be possible to choose a picture of a hand-written greeting.

Req 4.2.2.9 Auto-generated greetings It shall be possible to choose a template greeting.

Req 4.2.2.10 GPS based greetings The system shall be able to generate greetings based on the GPS position.

Req 4.2.2.11 Handwritten greetings on screen It shall be possible to write a handwritten greeting directly on the screen.

Req 4.2.2.12 Saving greetings It shall be possible to save a greeting.

4.2.2.3 Recipients

Requirements related to handling of recipients.

Req 4.2.2.13 Enter recipients It shall be possible to enter recipients manually.

Req 4.2.2.14 Phone book recipients It shall be possible to choose recipients through the contacts of the device.

Req 4.2.2.15 Multiple recipients The system shall be able to handle multiple recipients for one postcard.

Req 4.2.2.16 Favourite recipients It shall be possible to save recipients as favourites.

Req 4.2.2.17 Frequent recipients The system shall show frequently used recipients as favourite recipients.

4.2.2.4 Postcard

Requirements related to functionality and handling of the postcard.

Req 4.2.2.18 Saving postcards It shall be possible to save postcards.

Req 4.2.2.19 Reuse postcards It shall be possible to reuse saved postcards.

Req 4.2.2.20 Preview postcards It shall be possible to preview postcards before sending it.

Req 4.2.2.21 Digital postcard It shall be possible to send digital postcards.

Req 4.2.2.22 Physical postcards It shall be possible to send physical postcards.

Req 4.2.2.23 Payment It shall be possible to pay for sending physical postcards.

Req 4.2.2.24 Postcard size It shall be possible to choose the size of the physical postcard.

Req 4.2.2.25 Quality of physical postcard It shall be possible to choose the print quality of physical postcards.

Req 4.2.2.26 History It shall be possible to display the history of sent postcards.

Req 4.2.2.27 Social media Feature for sharing postcards on social media.

4.2.2.5 Notifications

Requirements on how to manage notifications.

Req 4.2.2.28 Success notification The user shall be notified when an order is sent from a device.

Req 4.2.2.29 Fail notification The user shall be notified when an order fails to be sent from a device.

Req 4.2.2.30 No internet If the user places an order on a device that is not connected to the internet, the order shall be stored and sent the next time the device receives internet connection.

4.2.3 Design

This section describes the design and layout of the application and postcards sent from it.

Req 4.2.3.1 Front page The front of the postcard shall be a field containing an image.

Req 4.2.3.2 Text field The back of the postcard shall contain a text field.

Req 4.2.3.3 Address field The back of the postcard shall contain an address field.

Req 4.2.3.4 Postage field The back of the postcard shall contain a postage field.

Req 4.2.3.5 Postage print The postage shall be printed in the top right corner on the back of the postcard.

Req 4.2.3.6 Start Screen The application shall start with a screen where it is possible to choose front and back image/text, see figure 2.

Req 4.2.3.7 Get image The application shall let the user choose the image source from a menu, see figure 3.

Req 4.2.3.8 Edit image The application shall give the user a basic image editor to customize the image, see figure 4.

Req 4.2.3.9 Recipient address The application shall have an address input screen with an address-book/contacts (not in image), see figure 5.



Figure 2: Start




Figure 3: Choose image source



Figure 4: Image editor




Figure 5: Recipient information

The images in figures 2-5 are from a prototype and should be used as a guideline rather than as a design requirement.

4.2.4 Data Requirements

This section describes the data requirements of the application.

Req 4.2.4.1 Data model The system shall handle the data presented in the data model in figure 6.




Figure 6: Data model

4.2.4.1 Data dictionary

Class: Device

The device is the actual physical mobile device on which the application is running.

Examples:

1. An android device running the application.
2. An iOS device running the application

Attributes:

1. **Camera:** Image
A compressed image fetched from the devices physical camera.
 2. **GPS:** String[Latitude,longitude]
The information about current coordinates from the GPS in the device. The string is given on the format shown and the latitude and longitudes are signed floats with seven decimal places.
-

Class: Sender

This class represents the person sending the postcard. It can be the same person as the one using the device but it does not have to be.

Examples:

1. The device owner.
2. A person using the application to send a postcard.

Attributes:

1. **Name:** String
The name of the sender.
 2. **address** (Virtual—Physical): String
This attribute is always a string. If it is a virtual address it is a user name, otherwise it is a physical street address.
-

Class: Recipient

This class represents the person receiving the postcard. This class is identical to *Sender* in terms of attribute structure. The sender and recipient could be the same person.

Examples:

1. The person receiving the postcard.
 2. The same person as the one sending a postcard.
-

Class: PostCard

This class represents the postcard sent from the *Sender* to *Recipient*. It encapsulates all the information necessary to send a postcard in either virtual or physical form. An instance of this object, owning a *Sender* and a *Recipient* needs to exist to be able to send a postcard.

Examples:

1. A postcard with two images, a message and a stamp.
2. A postcard with no images, no message and a stamp.
3. A virtual post card with images, a message and no stamp.

Attributes:

1. **Front image:** Image [optional]
A compressed image that will be used as the front image of the *PostCard*.
 2. **Back image:** Image [optional]
A compressed image that will be used as the back image of the *PostCard*.
 3. **Message:** String [optional]
The message on the *PostCard*.
 4. **Stamp image:** Image
The image supplied by *Postal service* to properly send the postcard.
-

Class: Suppliers

This class collects the data from an *Supplier of images*, a *Postal service* and a *Printer of postcards*.

Examples:

1. A collection of suppliers relevant to printing and sending a specific *PostCard*.
2. Only a printing and shipping cost.

Attributes:

1. **Total cost:** Float
The combined cost of *Supplier of images/Photo cost*, a *Postal service/Shipping cost* and a *Printer of postcards/Printing cost*. The value is rounded up to two decimal places.
-

Class: Supplier of images:

This class represents a supplier of images. If a user chooses a stock photo as (for example) a *PostCard/Front image* there is a cost with using the photo that needs to be added to the total cost.

Examples:

1. A supplier of images with a photo and a cost.
2. A supplier of images with a free photo.

Attributes:

1. **Photo cost:** Float
The cost of a stock photo. The value is rounded up to two decimal places.
2. **Stock photo:** Image
The actual image that will be bought.

Class: Postal service:

This class represents a postal service. The postal service is the company that will transport the post card.

Examples:

1. A representation of what is required to send a postcard with Posten.
2. A representation of what is required to send a postcard with DHL.

Attributes:

1. **Shipping cost:** Float
The cost of shipping. The value is rounded up to two decimal places.
 2. **Stock photo:** Image
This is the image used on the postcard to indicate that shipping was payed for.
-

Class: Printer of postcards:

This class represents a printer. The printer is responsible for printing the physical postcard.

Examples:

1. A company contracted to print postcards.
2. The company supplying the application.

Attributes:

1. **Printing cost:** Float
The cost of printing. The value is rounded up to two decimal places.

4.2.4.2 Virtual windows

Virtual windows displaying data of product can be seen in figures 7-9.

Req 4.2.4.2 PostCard The input data to the *PostCard* class described in the data dictionary shall include the items specified in the virtual window in figure 7.

Req 4.2.4.3 Sender The input data to the *Sender* class described in the data dictionary shall include the items specified in the virtual window in figure 8.

Req 4.2.4.4 Recipient The input data to the *Recipient* class described in the data dictionary shall include the items specified in the virtual window in figure 9.




Figure 7: Virtual window PostCard




Figure 8: Virtual window Sender




Figure 9: Virtual window Recipient

Table 2: Quality grid

Quality factors - PostCardBuddy	Critical	Important	As usual	Unimportant	Ignore
Operation					
Integrity/Security			1		
Reliability/availability		2			
Usability	3				
Internet connection demand	4				
Efficiency			x		
Miscellaneous					
Installability		5			
Interoperability		6			

4.3 Quality Requirements

4.3.1 Quality grid

This quality grid seen in table 2 highlights quality factors for certain identified elements. Elements not in the grid can be seen as having status "As usual". Numbers in the quality grid are references to the numbers below the grid. The "x" does not have a reference.

1. PostCardBuddy has an integrated payment solution for sending physical postcards. Integrity/Security shall be as usual for an application that contains an integrated payment solution.
2. Many users may use PostCardBuddy when they are travelling. Therefore it is important the application will work in a wide geographical area while still being reliable. Users sending digital, or physical, postcards not coming through will not be pleased.
3. The standard user might just send a few postcards a year. Because of this it is critical that the application is easy to use. Users should not need to go through unnecessary menus and steps. It should be quick and easy to create a postcard and press "send".

4. Internet connection when travelling is often a problem. It is therefore critical that PostCardBuddy has a low internet demand. Many users may just use PostCardBuddy while travelling.
5. Users may install PostCardBuddy while travelling. Internet connection might be weak and users will probably want to do sightseeing, requiring them to leave internet zones.
6. PostCardBuddy saves files to the smart phone and uses features as the phone's camera and gallery. This should be a smooth operation.

4.3.2 QUPER

A quper diagram takes into consideration quality and performace. This specific quper diagram measures time to get access to a specific image, from the image library, reference figure 10.




Figure 10: Time measured from requesting access to a specific image in the image library to it being loaded in to creating a postcard, with an internet speed of 30Mbps.

(1) For larger sized images. (2) For smaller sized images. (3) The mean of how long it takes.

4.3.3 Performance

Requirements relating to performance of product.

Req 4.3.3.1 Memory usage The application shall adjust its memory usage depending on the device.

Req 4.3.3.2 Speed The user interface shall respond within 200 ms after a finished user interaction if there should be an response. This is only applied on devices faster than Nexus 5/iPhone 5 running original firmware without any other user installed applications on the phone.

Req 4.3.3.3 Picture quality The camera shall be able to take a picture in the highest hardware supported resolution.

Req 4.3.3.4 Autofocus The camera shall have an autofocus that is comparable to the Android/iOS stock camera.

4.3.4 Availability

4.3.5 Security

Security requirements of product.

Req 4.3.5.1 Store cards The photos shall be stored encrypted.

4.3.6 Maintainability/Portability

Maintainability and portability of product.

Req 4.3.6.1 Language The application shall be developed in non-native language e.g. Java for Android.

Req 4.3.6.2 Device support The application shall work on devices with operating systems Android 4.1/iOS 7.0.1 or newer.

4.3.7 Usability

Usability of product.

Req 4.3.7.1 User friendly 9 out of 10 users shall be able to use the system after a five minute instruction.

5 Release Plan