test rapport_bac à sable

Mélanie

2024-03-01

CARACTERISTIQUES STATIONS

BLBALBLBLBLBLA

QUELQUES GRAPHIQUES

You can also embed plots, for example:


```
plot(graphique3)
```

```
## `geom_smooth()` using formula = 'y ~ x'
```

```
## Warning: Removed 1 row containing non-finite outside the scale range
## ('stat_smooth()').
```

```
## Warning: Removed 1 row containing missing values or values outside the scale range
## ('geom_point()').
```

Comparaison de la moyenne des largeurs plein bord avec la largeur plein b


```
##       OPE_ID          lpb_vraie_ev
## Min.   : 122.0    Min.   :  1.017
## 1st Qu.: 798.8    1st Qu.:  8.488
## Median :1942.5    Median : 13.503
## Mean   :2019.0    Mean   : 19.316
## 3rd Qu.:3086.8    3rd Qu.: 23.400
## Max.   :4662.0    Max.   :159.400
##                   NA's   :1
```

Table 1: nombre d'opération par an

annee	n
2010	3
2011	6
2012	21
2013	8
2014	2

annee	n
2015	40
2016	29
2017	34
2018	18
2019	25
2020	15
2021	29
2022	27
2023	8

```
flextable::flextable(nb_ope)
```

```
## Warning: fonts used in 'flextable' are ignored because the 'pdflatex' engine is
## used and not 'xelatex' or 'lualatex'. You can avoid this warning by using the
## 'set_flextable_defaults(fonts_ignore=TRUE)' command or use a compatible engine
## by defining 'latex_engine: xelatex' in the YAML header of the R Markdown
## document.
```

annee	n
2,010	3
2,011	6
2,012	21
2,013	8
2,014	2
2,015	40
2,016	29
2,017	34
2,018	18
2,019	25
2,020	15
2,021	29
2,022	27
2,023	8

```
nom_station<-ma_station$SME_LB_STATION_MESURE_EAUX_SURFACE
```

Nom de la station: La Gimone à Lafitte

Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.