



Bachelor Degree Project

(Working title)

Automatic synchronization and data merging between iOS and server databases

*- Solution for easy setup of synchronized offline
capable **crud** functionality between application and
server*



Author: Mikael Melander
Supervisor: Johan Hagelbäck
Semester: ST 2018

Abstract

Keywords: iOS, crud, Linux, offline synchronization

Preface

Contents

1	Introduction	5
1.1	Background	5
1.2	Related work	5
1.3	Problem formulation	6
1.4	Motivation	6
1.5	Objectives	7
1.6	Scope/Limitation	8
1.7	Target group	8
1.8	Outline	8
2	Method	10
2.3	Reliability and Validity	10
2.4	Ethical Considerations	11
3	Implementation	12
4	Results	18
5	Analysis	19
6	Discussion	20
7	Conclusion	21
7.1	Future work	21
	References	22
A	Appendix 1	Fel! Bokmärket är inte definierat.

1 Introduction (draft)

This degree project will study and develop a solution for a iOS project with server integration to handle offline data synchronisation and data merge control.

The study aims to examine the best rules or algorithms for data merge solutions as well as data structures that can be handled within both iOS and an online server database solution.

1.1 Background

The world of mobile applications has exploded in the last couple of years. Companies increasingly adopt the functionality of mobile devices to streamline the daily workflow, what used to be done by pen and paper or only by sitting down at a computer is now possible with mobile applications.

Because a mobile phone can be taken anywhere, your work should be able to follow. But most applications demand an external database to store data across users, this intern relies upon a mobile data connection or WIFI by the device itself.

This can become a problem if you find yourself in places where your cellular reception is limited. If this happens then you won't be able to work. The solution to this is to be able to add, see and use the data that already exists within the application regardless of your cellular reception.

1.2 Related work

Research around similar solutions have been conducted and there are some big and famous companies that have created some type solutions to the problem. These are some solutions that works really well and integrates the solution that this project aims to solve. They have some drawbacks and exactly how they solve it isn't disclosed.

Firebase is Googles database service that allows you to create a mobile/web application connected to the database within a couple of steps. They have a complete framework for iOS, android, windows phone and web solutions like javascript and more. They also have a set of tools to verify data, create security, analyse usage, send push notifications and many more. But Firebase as a Google solution locks you down to their own way of thinking, you need to use it on their premises or not at all. You can only store data on their database and build your solution around them.[1]

Microsoft Azure also supports the ability for offline client sync, but as well as Firebase it relies on you using their cloud services[2]

Within this area there are a lot of different solutions that solve the problem, but they solve the problem within their particular code language and platform.

Some examples of this are solutions that work for frameworks such as Xamarin that is a cross platform .NET solution, react-native that is a cross platform JavaScript solution and Ionic that is a JavaScript cross platform solution that works with html5 instead of native as react-native does[3][4].

These solutions work with specific server platforms, and some of them only locally duplicating the database that is online, not handling the merging situations that the server needs to be able to handle. Most solutions that I found aim towards integrating an offline synchronisation solution for an already existing platform, as a layer to support the platform. What this project aims to do is to integrate the whole server and offline integration natively from the start and then build the app upon that.

1.3 Problem formulation

The goal is to find a suitable solution that is a reusable starting point for developing a mobile application within iOS that connects to a server and database backend. A project that already has the functionality of connecting all of the server, database and iOS frameworks.

The finished project should be able to query, edit and upload data locally/offline and automatically handle the upload/query to the online server database.

We need to develop and define a database structure that correctly keeps track of data versions. This will be needed because the system needs to be able to handle different data versions being received and sent by different users/devices that have manipulated data while offline.

To be able to handle these data merges we also have to develop a set of rules or algorithms to handle the merges correctly. The rules need to support multi tenant usage and should not corrupt any data.

1.4 Motivation

Today it already exists different solutions and platforms for offline data synchronisations.

Like Googles Firebase. It is a full online platform that solves creating database structure, merge rules and querying data. But using it locks you down to their backend and systems and you have little to no control over your data.

Many companies today that want a solution for mobile applications associated to their work flow would not allow that the data is stored anywhere other than in their own control. This to not give away any company information or users information to a third party.

So the creation of a ready to go server/iOS solution that runs on an environment that is able to be deployed to any server and have offline functionality already implemented would be a huge timesaver.

This as well as having a solution that can be further developed over time the more you work on similar projects.

1.5 Objectives

O1	Research and determine server platform, data structure and language
O2	Implement connection and upload/query functionality to server database
O3	Implement local storage iOS
O4	Implement methods for querying data given specific arguments that handles both local/server database
O5	Implement functionality to keep track of data versions
O6	Determine and perform experiments for data merge rules

The goal is to find a server framework that is free to use and can handle at least one of the same database language that Xcode can handle. To get the offline functionality how to keep track of data versions.

We then need to implement the functionality to connect and upload/query data to the server database. When that is done we can implement the same database structure locally on the iOS side.

When we have both a local and server database working we can implement functionality for iOS to automatically upload/query data depending on the cellular/WIFI connection.

For it all to work together the functionality to keep track of data versions and merge rules needs to be implemented to the server side.

1.6 Scope/Limitation

Within the scope of this project, the solution should allow for a as minimalistic setup that's possible, that gives you a reusable solution within Xcode that would allow you to query data and return results, either from locally saved data or from the online database depending on your internet connection.

You should be able to save new data and edit previously added data that when connected to a internet connection should be synced with the online database.

The iOS project should be written with Obj-C and because Xcode and iOS changes over time the solution should be set to work and support at least the latest 3 versions of iOS (9-11) which is the version the majority of iOS users use.

The solution that is created and the dependencies used for it has to be free.

This project will not take in to consideration the security aspects meaning that it will not have a solution for HTTPS or that it will have any users or data access lists.

The project will not support real time database.

1.7 Target group

This project can be of interest to companies, organization or persons wanting to be in control of their own data and host their own solutions that integrates with iOS in a cost efficient way.

The solution should also be considered as a open starting point to keep building upon, but that already has the important implementations for server integration and offline data support.

1.8 Outline

The next chapter will present the **methods** that is used to execute the different objectives that is presented above.

The **implementation** chapter will be a more detailed explanation of how the project will be implemented and how the solution itself works, how the merge rules will be executed and how the automatic syncing is handled.

The **result** chapter will cover what came of the project, what the resulting structure of the solution became.

The **analysis** will cover an overall analyze of the concluded results.

The **discussion** will deeper discuss the analysis and results.

Chapter seven will include **conclusions** that are based on the results as well as present future work and recommendations.

2 Method

The method used to conduct this project will be verification and validation.

The project is not created in any collaboration with a company, meaning there is not a given outline from an external source to create these requirements. So to get the requirements for this method, the defined problems for the project will be converted into functional and non-functional requirements.

This project does not build upon already existing code or will not use any existing code that will have to be collected (This does not include the frameworks and platforms that will have to be used). This means that the functionality of the project will be based upon written code for the functions that needs to be implemented, so the requirements will make sure that the implementation and functionality is correct.

By using the verification and validation method we can see if the project supports the functionality that is required by verifying and validating the requirements with different manual tests that is connected to the requirement part of the implementation.

2.3 Reliability and Validity

To be able to use the verification and validation method correctly and be sure that the results is reliable, the requirements we create needs to be measurable and objective. This means that we need to make sure that the requirements can't be subjective, if they are subjective different people can interpret the requirements in different ways. If this would happen the reliability of the results could be compromised.

The requirements created from the problem definitions will be broken down in small pieces that will be easier to understand and phrased in a way that should be easy to confirm or deny if it is fulfilled or not. For example "Is the data saved locally if no internet connection is available?", it should be fairly easy to answer yes or no. Conducting it in this way will help to ensure the reliability that the verification and validity is correct.

The verification and validation method is most often used when you want to confirm the results of a working project to a customer. But because the project is conducted by only one person the validity of the results might be questioned. Therefor there is an even bigger reason the requirements needs to be as simple and direct as possible.

This project aims to create a solution that will be continued being developed after this project. There would be no reason for the results of the verification and validity to not be correctly conducted.

2.4 Ethical Considerations

The project goal is to create an easy deployable server, iOS and offline data synchronization solution. The solution should be open sourced and has a potential to be worked on more to create extra functionality and widen the scope.

By conducting this project there should not be any reason for any ethical issues to come to light.

3 Implementation (DRAFT)

This chapter will explain how the implementation of the solution was conducted and aims to explain a bit of the technicalities.

3.1 Goal

The plan for the complete solution needs to contain a client iOS application working with the built framework.

The framework needs to be able to have full CRUD functionality with the local database, return the result to the user for faster loads. Then depending on internet access send the CRUD request to the server.

The server then validates the data version and executes the merge rules, saves the correct data to the database and sends a response back to the framework.

The framework now updates the local database if needed and sends another response back to the client.




Figure 3.1.1 Design

3.2 Relational database

Before the server framework could be determined the database language needed to be set.

The choice was set between MySQL and MongoDB[7].

MySql	Pros:
	Mature
	Support Join
	Privilege and password
	Native iOS support
	Cons:
	Stability concerns
	None community driven
MongoDB	Pros:
	Integrated storage engines
	Dynamic schemas
	Cons:
	No native iOS support
	Young solution

Figure 3.2.1 Relational database

The option that was decided to be used in this solution landed on MySQL. MySQL has been around for a long time and a lot of people are familiar with it. But the biggest reason was the native support within iOS.

3.3 Server implementation

To determine the what server framework to use, there was some restraints. The framework had to be free, and support the relational database that was decided earlier.

Below are some of the considerations and the important pros and cons for the server framework [6]:

Node js	Pros:
	Fast
	Full stack
	Lightweight
	Big open source library
	Cons:
	Unstable API
	Less fitting for CPU intensive tasks

Ruby on rails	Pros:
	Flexible
	High quality (because of set standards)
	Evolved framework with a lot of tools
	Consistent
	Cons:
	Slow
	Large stack frame
	Depends on Apache/Nginx or something similar.

Figure 3.3.1 Server framework

(DRAFT IMAGE)




Figure 3.3.2 Server framework

The concluded solution became Node js.

Node js is a free solution that is widely used across the world and uses JavaScript which include Npm. Npm is used as a collaboration community that gives you free access to re-usable code. This in term is optimal for this project since the goal is to make it open source and people can keep building upon it.

The complete server solution is built as a REST API whit full CRUD functionality, together with the MySql database. The server receives a http call with the CRUD request from the client and compares the data received with the data in the current database, if it exists. Then updates the database according to the validation and merge rules. It then sends back a response to the client framework.

3.4 iOS framework

The goal of the iOS framework is to more or less work as a middle hand that handles all the logic between the databases and the user.

It should provide a set of ready to use functions to query, save, update and delete data.

The framework should always query the local database first, to keep the query as fast as possible. When the client is served with the local database data then the framework should check the online database and return the response data to the client.

The same goes for when the framework saves data, the data is saved locally first and presented to the user. Then in the background sent to be saved to the server. If there is no connection available, the background job will be paused until a connection returns, then sent to the server.

(DRAFT IMAGE)




Figure 3.4.1 iOS framework Data query

3.5 Validation and merge rules

The validation and merge rules are the rules the server applies to decide what data is the correct one to keep in the online database.

Because several users or the same user whit different devices might manipulate, update and delete the same data while some are offline and some are online the data might exist in several versions at the same time on different devices. To decide what data is the one to keep in the database there needs to be some rules.

The rules considered and implemented follows.

Name	Description	Comment
Newest wins	The most recent data timestamp always wins.	This might become a problem because the updated time will be set on the device. It might change from different time zones
Server wins	Synching offline data to server will be disregarded	For applications wanting to use the framework without the offline update version.
Client wins	Ignores the conflict and changes are overwriting any value in the online database.	This approach might lead to the loss of important data changes
User decides	The user is told about the conflict and gets to decide	This approach was removed from consideration because the framework should work with as little effort as possible from users.

Figure 3.5.1 Validation and merge rules table

The validation and merge rules are implemented on the server side before the save occurs. But the choice of what rules to set is decided within the framework of the application.

4 Results

5 Analysis

6 Discussion

7 Conclusion

7.1 Future work

References

- [1] Firebase: Offline capabilities on iOS
<https://firebase.google.com/docs/database/ios/offline-capabilities>
Accessed: 2018-02-29
- [2] Azure: Enable offline syncing with iOS mobile apps
<https://docs.microsoft.com/en-us/azure/app-service-mobile/app-service-mobile-ios-get-started-offline-data>
2018-02-29
- [3] OpenSoure: Does your app work without and internet connection
<http://opensourceforu.com/2017/01/mobile-app-without-internet/>
2018-03-01
- [4] Github: SQLite-Sync.com version 3
<https://github.com/sqlite-sync/SQLite-sync.com>
2018-03-18
- [5] Frontmag: Offline data synchronization in Ionic
<https://frontmag.no/artikler/utvikling/offline-data-synchronization-ionic>
2018-03-18
- [6] Medium: NodeJS vs Ruby on Rails...
<https://medium.com/@TechMagic/nodejs-vs-ruby-on-rails-comparison-2017-which-is-the-best-for-web-development-9aae7a3f08bf>
2018-04-10
- [7] MongoDB vs MySQL
<https://hackernoon.com/mongodb-vs-mysql-comparison-which-database-is-better-e714b699c38b>
2018-04-09