

Mapping with Melanin — Preview Page Upgrade

Replit Implementation Spec: Animated Phone-Frame Demos

File to Edit: `web-static/preview.html`

Prepared for: Replit Agent

Version: 1.0

CONTEXT & GOAL

The "Choose Your Preview" page at `/preview` currently displays 5 cards — Safety, Business Discovery, Business Owner, Community, and Cultural Ambassadors — each containing a static phone-frame mockup. This upgrade replaces those static images with **fully animated, self-running demos** that simulate someone actually using the Mapping with Melanin app in real time.

The emotional target is this: a visitor scanning a QR code at a tour stop should watch the preview for 10 seconds and think, *"I wish I had this last week. I need it today."* Every animation choice, every piece of copy, and every transition should serve that feeling.

TECHNICAL CONSTRAINTS

Do not deviate from these constraints. They are non-negotiable.

Constraint	Requirement
File type	Standalone <code>preview.html</code> — no React, no Vue, no SPA framework
Animation engine	CSS animations + vanilla JS only. No GSAP, no Framer, no animation libraries
Mobile-first	Page is reached via QR code scan. Must be fully functional at 375px width
Performance	Total page weight must stay under 500KB (excluding fonts). No video files

Waitlist form	The form at the bottom posts to <code>/api/waitlist</code> with <code>previewChoice</code> + UTM params — do not touch it
Brand colors	Dark Brown <code>#2B1507</code> • Gold <code>#CA922B</code> • Cream <code>#F5F0E8</code>
Fonts	Headings: <code>Playfair Display</code> (Google Fonts) • Body: <code>DM Sans</code> (Google Fonts)

ARCHITECTURE OVERVIEW

Each of the 5 preview cards follows the same structural pattern:

Plain Text

```
[Card Container]
├── [Phone Frame Shell] ← static, never moves
│   └── [Phone Screen]
│       ├── [Feature Slide 1] ← animated in/out
│       ├── [Feature Slide 2] ← animated in/out
│       └── [Feature Slide 3] ← animated in/out
├── [Progress Dots] ← 3 dots indicating which slide is active
└── [Card Label + Description]
```

Cycling Logic (JavaScript):

Write a single reusable `startPreviewCycle(cardId)` function. When called on a card, it:

1. Sets all slides to `opacity: 0; pointer-events: none` .
2. Sets slide 0 to `opacity: 1` .
3. Every 3.5 seconds, fades out the current slide and fades in the next (wrapping back to 0 after slide 2).
4. Updates the active progress dot to gold (`#CA922B`); inactive dots remain cream with 40% opacity.
5. Calls itself on all 5 cards on `DOMContentLoaded` .

Transition Style: CSS `transition: opacity 0.6s ease-in-out` on each slide. Do not use `display: none` — use `opacity` and `pointer-events` toggling so transitions are smooth.

PHONE FRAME DESIGN

Build the phone frame in pure CSS (no images required). It should look like a modern smartphone bezel.

CSS

```
.phone-frame {
  width: 220px;
  height: 440px;
  border-radius: 36px;
  border: 6px solid #2B1507;
  background: #1a0e04;
  position: relative;
  overflow: hidden;
  box-shadow: 0 20px 60px rgba(43, 21, 7, 0.5), inset 0 0 0 2px #CA922B33;
  margin: 0 auto;
}

/* Notch */
.phone-frame::before {
  content: '';
  position: absolute;
  top: 0; left: 50%;
  transform: translateX(-50%);
  width: 80px; height: 24px;
  background: #2B1507;
  border-radius: 0 0 16px 16px;
  z-index: 10;
}

.phone-screen {
  width: 100%;
  height: 100%;
  background: #F5F0E8;
  position: relative;
  overflow: hidden;
}
```

PROGRESS INDICATOR

Below each phone frame, render 3 small dots:

HTML

```
<div class="preview-dots">
  <span class="dot active"></span>
  <span class="dot"></span>
  <span class="dot"></span>
</div>
```

CSS

```
.preview-dots { display: flex; gap: 8px; justify-content: center; margin-top: 10px; }
.dot { width: 8px; height: 8px; border-radius: 50%; background: #F5F0E8; opacity: 0.5; }
.dot.active { background: #CA922B; opacity: 1; transform: scale(1.3); }
```

SLIDE CONTENT SPECIFICATIONS

Each slide must be built as a self-contained `<div class="preview-slide">` inside `.phone-screen`. All slides within a card are stacked via `position: absolute; top: 0; left: 0; width: 100%; height: 100%`.

CARD 1: SAFETY PREVIEW

Card Label: "Stay Safe Everywhere You Go"

Card Subtext: "Real-time community alerts, safety-rated businesses, and route intelligence — all in one place."

Slide 1-A: Community Alert (Police/ICE Notification)

Background: A simple map-style background — use a CSS gradient that suggests a street grid (dark green `#1a2e1a` base with faint grid lines using `repeating-linear-gradient`).

Animated Element: A notification banner slides in from the **top** of the screen, 0.8 seconds after the slide becomes active.

Notification Banner HTML:

HTML

```
<div class="alert-banner slide-in-top">
  <div class="alert-icon">🚨</div>
  <div class="alert-body">
    <div class="alert-title">Community Alert</div>
    <div class="alert-text">ICE activity reported 0.3 mi away. Community-verifi
```

```
</div>
</div>
```

Notification Banner CSS:

CSS

```
.alert-banner {
  position: absolute;
  top: 32px; left: 8px; right: 8px;
  background: #2B1507;
  border-left: 4px solid #CA922B;
  border-radius: 10px;
  padding: 10px 12px;
  display: flex;
  align-items: flex-start;
  gap: 8px;
  color: #F5F0E8;
  font-family: 'DM Sans', sans-serif;
  font-size: 11px;
  box-shadow: 0 8px 24px rgba(0,0,0,0.4);
  transform: translateY(-80px);
  opacity: 0;
}
.alert-banner.slide-in-top {
  animation: slideInFromTop 0.5s ease-out 0.8s forwards;
}
.alert-title { font-weight: 700; font-size: 12px; color: #CA922B; margin-bottom
@keyframes slideInFromTop {
  to { transform: translateY(0); opacity: 1; }
}
```

Bottom of screen: A small status bar reading "12 community members verified this alert" in gold text, fading in at 1.5s delay.

Slide 1-B: Safety Intelligence (Business Redirect)

Background: Cream #F5F0E8 .

Top section (warning card):

HTML

```
<div class="business-warning-card fade-up">
  <div class="warning-header">
    <span class="warning-badge">⚠ Discrimination Reported</span>
  </div>
```

```

<div class="business-name">QuikStop Gas Station</div>
<div class="review-snippet">"Staff followed me around the entire time." – Com
<div class="review-count">3 similar reports in the last 30 days</div>
</div>

```

Arrow / divider: A downward arrow icon in gold, centered.

Bottom section (recommendation card):

HTML

```

<div class="recommendation-card fade-up" style="animation-delay: 0.4s">
  <div class="rec-label">♦ Recommended Instead</div>
  <div class="business-name">Amara's Corner Store</div>
  <div class="business-meta">Minority-owned · 0.5 mi away · ★ 4.9</div>
  <div class="rec-cta">Get Directions →</div>
</div>

```

CSS for cards:

CSS

```

.business-warning-card, .recommendation-card {
  margin: 12px 10px;
  padding: 12px;
  border-radius: 12px;
  font-family: 'DM Sans', sans-serif;
  font-size: 11px;
  opacity: 0;
}
.business-warning-card {
  background: #fff0f0;
  border: 1px solid #e57373;
  animation: fadeUp 0.5s ease-out 0.3s forwards;
}
.recommendation-card {
  background: #2b1507;
  color: #f5f0e8;
  animation: fadeUp 0.5s ease-out 0.7s forwards;
}
.warning-badge { color: #c0392b; font-weight: 700; font-size: 10px; }
.rec-label { color: #ca922b; font-weight: 700; font-size: 10px; margin-bottom: 10px; }
.rec-cta { color: #ca922b; font-weight: 700; margin-top: 6px; }
@keyframes fadeUp {
  from { opacity: 0; transform: translateY(12px); }
  to { opacity: 1; transform: translateY(0); }
}

```

Slide 1-C: Whole Journey Care (Weather/Traffic Alert)

Background: A route-style visual — a vertical dark line (the route) centered on a cream background, with two location pin dots (start and end).

Animated Element: A weather alert card slides in from the bottom at 0.8s.

Alert Card HTML:

HTML

```
<div class="route-alert slide-in-bottom">
  <div class="route-alert-icon"><img alt="Weather icon" data-bbox="428 298 448 313"/></div>
  <div class="route-alert-body">
    <div class="route-alert-title">Weather Alert on Your Route</div>
    <div class="route-alert-text">Severe thunderstorm warning between exits 14-16</div>
  </div>
  <div class="route-alert-action">Reroute</div>
</div>
```

CSS:

CSS

```
.route-alert {
  position: absolute;
  bottom: 24px; left: 8px; right: 8px;
  background: #2B1507;
  border-radius: 14px;
  padding: 12px;
  display: flex;
  align-items: center;
  gap: 10px;
  color: #F5F0E8;
  font-family: 'DM Sans', sans-serif;
  font-size: 10px;
  transform: translateY(100px);
  opacity: 0;
  animation: slideInFromBottom 0.5s ease-out 0.8s forwards;
}
.route-alert-title { font-weight: 700; font-size: 11px; color: #CA922B; }
.route-alert-action { margin-left: auto; background: #CA922B; color: #2B1507; font-weight: 700; }
@keyframes slideInFromBottom {
  to { transform: translateY(0); opacity: 1; }
}
```

Above the alert: A small label "Mapping with Melanin cares about your whole journey" in gold italic, fading in at 1.2s.

CARD 2: BUSINESS OWNER PREVIEW

Card Label: "Grow Your Business with Your Community"

Card Subtext: "Real-time insights, AI-powered tools, and a customer base that's already rooting for you."

Slide 2-A: Dashboard (Existing Stats — Animated Entrance)

Recreate the existing dashboard mockup but add entrance animations. All numbers should count up from 0 using a JavaScript counter animation triggered when the slide becomes active.

Screen Layout:

HTML

```
<div class="dashboard-screen">
  <div class="dashboard-header">
    <div class="dash-greeting">Good morning, Amara ☀</div>
    <div class="dash-date">Tuesday, Aug 4</div>
  </div>
  <div class="stats-row">
    <div class="stat-card fade-up">
      <div class="stat-number" data-target="247">0</div>
      <div class="stat-label">Profile Views</div>
    </div>
    <div class="stat-card fade-up" style="animation-delay:0.15s">
      <div class="stat-number" data-target="89">0</div>
      <div class="stat-label">Saves This Week</div>
    </div>
  </div>
  <div class="chart-area fade-up" style="animation-delay:0.3s">
    <!-- SVG line chart drawing itself in via stroke-dashoffset animation -->
    <svg viewBox="0 0 180 60" class="chart-svg">
      <polyline class="chart-line" points="0,55 30,40 60,45 90,25 120,30 150,15
    </svg>
    <div class="chart-label">Views this month ↑ 34%</div>
  </div>
  <div class="flash-deal-badge fade-up" style="animation-delay:0.5s">
    ⚡ Flash Deal Active · Ends in 2h 14m
```



```
</div>
</div>
```

Chart animation:

CSS

```
.chart-line {
  fill: none;
  stroke: #CA922B;
  stroke-width: 2.5;
  stroke-dasharray: 400;
  stroke-dashoffset: 400;
  animation: drawLine 1.2s ease-out 0.6s forwards;
}
@keyframes drawLine {
  to { stroke-dashoffset: 0; }
}
.flash-deal-badge {
  background: #CA922B;
  color: #2B1507;
  font-weight: 700;
  font-size: 10px;
  padding: 6px 12px;
  border-radius: 20px;
  text-align: center;
  margin: 8px 10px 0;
}
```

JavaScript counter (runs when slide 2-A becomes active):

JavaScript

```
function animateCounters(slideEl) {
  slideEl.querySelectorAll('[data-target]').forEach(el => {
    const target = parseInt(el.dataset.target);
    let current = 0;
    const step = Math.ceil(target / 30);
    const timer = setInterval(() => {
      current = Math.min(current + step, target);
      el.textContent = current;
      if (current >= target) clearInterval(timer);
    }, 40);
  });
}
```

Slide 2-B: Customer Drive Notification

Background: Cream #F5F0E8 with a subtle map in the background (low opacity).

Animated Element: A notification card slides in from the top at 0.6s.

HTML

```
<div class="drive-notification slide-in-top">
  <div class="notif-app-label">Mapping with Melanin</div>
  <div class="notif-title">Supporters are looking for brunch near you</div>
  <div class="notif-body">12 people searched "brunch" within 2 miles of your lo
  <div class="notif-cta">Let's create a menu →</div>
</div>
```

CSS:

CSS

```
.drive-notification {
  position: absolute;
  top: 32px; left: 8px; right: 8px;
  background: white;
  border-radius: 14px;
  padding: 14px;
  box-shadow: 0 12px 40px rgba(43,21,7,0.2);
  font-family: 'DM Sans', sans-serif;
  transform: translateY(-100px);
  opacity: 0;
  animation: slideInFromTop 0.5s ease-out 0.6s forwards;
}
.notif-app-label { font-size: 9px; color: #CA922B; font-weight: 700; text-trans
.notif-title { font-size: 12px; font-weight: 700; color: #2B1507; margin-bottom
.notif-body { font-size: 10px; color: #555; margin-bottom: 8px; }
.notif-cta { font-size: 11px; font-weight: 700; color: #CA922B; }
```

Below the notification: A small heatmap-style graphic (CSS-only, using radial gradients) showing a warm cluster near the business location, fading in at 1.4s with label "Demand near you right now."

Slide 2-C: Kinfolk AI Review Response

Background: Cream #F5F0E8 .

Top section — incoming review:

HTML

```
<div class="review-incoming fade-up">
  <div class="review-stars">★★★★☆☆</div>
  <div class="review-text">"Good food but the wait was really long. Not sure I'
  <div class="review-author">— Marcus T., 2 hours ago</div>
</div>
```

Kinfolk AI section (appears at 0.8s with typing animation):

HTML

```
<div class="kinfolk-ai-panel fade-up" style="animation-delay:0.8s">
  <div class="kinfolk-label">✦ Kinfolk AI</div>
  <div class="kinfolk-subtext">Crafting a response in your brand voice...</div>
  <div class="kinfolk-typing">
    <div class="typing-cursor">|</div>
    <div class="typing-text" id="kinfolk-text"></div>
  </div>
</div>
```

JavaScript typing animation (triggered when slide 2-C becomes active):

JavaScript

```
function typeKinfolkResponse(slideEl) {
  const el = slideEl.querySelector('#kinfolk-text');
  if (!el) return;
  const text = "Hey Marcus, we truly appreciate your honesty. We had an unusual
  let i = 0;
  el.textContent = '';
  const timer = setInterval(() => {
    if (i < text.length) {
      el.textContent += text[i];
      i++;
    } else {
      clearInterval(timer);
    }
  }, 28);
}
```

CSS:

CSS

```
.kinfolk-ai-panel {
  margin: 8px 10px 0;
  background: #2B1507;
```

```
border-radius: 12px;
padding: 12px;
color: #F5F0E8;
font-family: 'DM Sans', sans-serif;
font-size: 10px;
}
.kinfolk-label { color: #CA922B; font-weight: 700; font-size: 11px; margin-bottom: 8px; }
.kinfolk-subtext { color: #F5F0E888; font-size: 9px; margin-bottom: 8px; }
.typing-cursor { display: inline; color: #CA922B; animation: blink 0.8s step-end; }
@keyframes blink { 50% { opacity: 0; } }
```

CARD 3: FIND A BUSINESS / DISCOVERY PREVIEW

Card Label: "Discover Businesses That Get You"

Card Subtext: "Filter by vibe, not just distance. Find places that feel like home — in any city."

Slide 3-A: Intelligent Search Filters

Background: Cream #F5F0E8 .

Screen Layout:

HTML

```
<div class="search-screen">
  <div class="search-bar fade-up">
    <span class="search-icon"><img alt="search icon" data-bbox="408 595 430 610"/></span>
    <span class="search-placeholder">Find a spot...</span>
  </div>
  <div class="filter-label fade-up" style="animation-delay:0.3s">Filter by what</div>
  <div class="filter-chips fade-up" style="animation-delay:0.5s">
    <div class="chip active">Vibe: Chill ✓</div>
    <div class="chip">Upscale</div>
    <div class="chip">Family</div>
  </div>
  <div class="filter-chips fade-up" style="animation-delay:0.7s">
    <div class="chip active">$$ ✓</div>
    <div class="chip">$</div>
    <div class="chip">$$$</div>
  </div>
  <div class="filter-chips fade-up" style="animation-delay:0.9s">
    <div class="chip active">Within 5 mi ✓</div>
    <div class="chip">10 mi</div>
    <div class="chip">Any</div>
  </div>
</div>
```

```
<div class="results-preview fade-up" style="animation-delay:1.1s">
  <div class="results-count">14 businesses match your vibe</div>
</div>
</div>
```

CSS:

CSS

```
.search-bar {
  margin: 40px 10px 12px;
  background: white;
  border-radius: 24px;
  padding: 10px 14px;
  display: flex;
  align-items: center;
  gap: 8px;
  font-family: 'DM Sans', sans-serif;
  font-size: 12px;
  color: #999;
  box-shadow: 0 2px 12px rgba(0,0,0,0.1);
}
.filter-label { font-family: 'DM Sans', sans-serif; font-size: 10px; color: #88
.filter-chips { display: flex; gap: 6px; margin: 0 10px 6px; flex-wrap: wrap; }
.chip {
  background: white;
  border: 1px solid #ddd;
  border-radius: 20px;
  padding: 4px 10px;
  font-size: 10px;
  font-family: 'DM Sans', sans-serif;
  color: #2B1507;
}
.chip.active { background: #2B1507; color: #CA922B; border-color: #2B1507; font
.results-count { font-family: 'Playfair Display', serif; font-size: 12px; color
```

Slide 3-B: Community Voice Reviews

Background: Cream #F5F0E8 .

Screen Layout:

HTML

```
<div class="review-screen">
  <div class="business-header fade-up">
    <div class="biz-name">Soulful Bites Kitchen</div>
```

```

    <div class="biz-meta">Soul Food · $$ · 4.8 ★ (142 reviews)</div>
  </div>
  <div class="community-review-card fade-up" style="animation-delay:0.4s">
    <div class="community-badge">✦ Community Voice</div>
    <div class="community-quote">"Put your people on — this spot is legit. The i
    <div class="community-author">— Keisha R. · Verified Local</div>
  </div>
  <div class="community-review-card fade-up" style="animation-delay:0.8s">
    <div class="community-badge">✦ Community Voice</div>
    <div class="community-quote">"Felt like Sunday dinner at grandma's. This is
    <div class="community-author">— DeShawn M. · Verified Local</div>
  </div>
</div>

```

CSS:

CSS

```

.business-header { margin: 36px 12px 10px; }
.biz-name { font-family: 'Playfair Display', serif; font-size: 14px; color: #2B
.biz-meta { font-family: 'DM Sans', sans-serif; font-size: 10px; color: #777; m
.community-review-card {
  margin: 0 10px 8px;
  background: #2B1507;
  border-radius: 12px;
  padding: 12px;
  color: #F5F0E8;
  font-family: 'DM Sans', sans-serif;
}
.community-badge { color: #CA922B; font-size: 9px; font-weight: 700; text-trans
.community-quote { font-size: 11px; line-height: 1.5; font-style: italic; margi
.community-author { font-size: 9px; color: #F5F0E888; }

```

Slide 3-C: Travel Mode

Background: A map-style background (dark, suggesting a new city).

Animated Sequence: The screen starts with a "location changing" animation — a brief pulse on a pin icon — then reveals the new city recommendations.

HTML

```

<div class="travel-screen">
  <div class="travel-banner slide-in-top">
    <div class="travel-icon">✈️</div>
    <div class="travel-body">

```

```

    <div class="travel-title">Welcome to Atlanta</div>
    <div class="travel-sub">Here are the top spots for you</div>
  </div>
</div>
<div class="travel-card fade-up" style="animation-delay:0.8s">
  <div class="travel-biz-name">The Busy Bee Cafe</div>
  <div class="travel-biz-meta">Soul Food · Historic West End · ★ 4.9</div>
  <div class="travel-biz-tag">Landmark · Black-owned since 1947</div>
</div>
<div class="travel-card fade-up" style="animation-delay:1.1s">
  <div class="travel-biz-name">Slutty Vegan ATL</div>
  <div class="travel-biz-meta">Vegan · Old Fourth Ward · ★ 4.7</div>
  <div class="travel-biz-tag">Community Favorite · Black-owned</div>
</div>
</div>

```

CSS:

CSS

```

.travel-screen { background: #1a1a2e; height: 100%; }
.travel-banner {
  position: absolute;
  top: 32px; left: 8px; right: 8px;
  background: #CA922B;
  border-radius: 12px;
  padding: 12px 14px;
  display: flex;
  align-items: center;
  gap: 10px;
  transform: translateY(-80px);
  opacity: 0;
  animation: slideInFromTop 0.5s ease-out 0.3s forwards;
}
.travel-title { font-family: 'Playfair Display', serif; font-size: 14px; color:
.travel-sub { font-family: 'DM Sans', sans-serif; font-size: 10px; color: #2B15
.travel-card {
  margin: 90px 10px 8px;
  background: rgba(255,255,255,0.1);
  border: 1px solid rgba(202,146,43,0.3);
  border-radius: 12px;
  padding: 12px;
  color: #F5F0E8;
  font-family: 'DM Sans', sans-serif;
}
.travel-card + .travel-card { margin-top: 0; }
.travel-biz-name { font-size: 12px; font-weight: 700; margin-bottom: 2px; }

```

```
.travel-biz-meta { font-size: 10px; color: #F5F0E8aa; margin-bottom: 4px; }  
.travel-biz-tag { font-size: 9px; color: #CA922B; font-weight: 700; }
```

CARD 4: CONNECT WITH COMMUNITY PREVIEW

Card Label: "Connect with Your Culture"

Card Subtext: "Events, heritage sites, and cultural stories — the app that knows where you come from."

Slide 4-A: Events Page

Background: Cream #F5F0E8 .

Screen Layout:

HTML

```
<div class="events-screen">  
  <div class="events-header fade-up">  
    <div class="events-title">Community Events</div>  
    <div class="events-sub">Near Charlotte, NC</div>  
  </div>  
  <div class="event-card fade-up" style="animation-delay:0.3s">  
    <div class="event-date">SAT AUG 8</div>  
    <div class="event-info">  
      <div class="event-name">Black Business Brunch</div>  
      <div class="event-location">NoDa Brewing Co. · 10am</div>  
    </div>  
    <div class="event-badge">Free</div>  
  </div>  
  <div class="event-card fade-up" style="animation-delay:0.6s">  
    <div class="event-date">SUN AUG 9</div>  
    <div class="event-info">  
      <div class="event-name">Juneteenth Heritage Walk</div>  
      <div class="event-location">Romare Bearden Park · 2pm</div>  
    </div>  
    <div class="event-badge">Community</div>  
  </div>  
  <div class="event-card fade-up" style="animation-delay:0.9s">  
    <div class="event-date">FRI AUG 14</div>  
    <div class="event-info">  
      <div class="event-name">Afrobeats Night Market</div>  
      <div class="event-location">Camp North End · 6pm</div>  
    </div>  
    <div class="event-badge">Ticketed</div>  
  </div>  
</div>
```



```
</div>
</div>
```

CSS:

CSS

```
.events-header { margin: 36px 12px 12px; }
.events-title { font-family: 'Playfair Display', serif; font-size: 15px; color:
.events-sub { font-family: 'DM Sans', sans-serif; font-size: 10px; color: #888;
.event-card {
  margin: 0 10px 8px;
  background: white;
  border-radius: 12px;
  padding: 10px 12px;
  display: flex;
  align-items: center;
  gap: 10px;
  box-shadow: 0 2px 8px rgba(0,0,0,0.06);
  font-family: 'DM Sans', sans-serif;
}
.event-date { font-size: 9px; font-weight: 700; color: #CA922B; text-align: cen
.event-name { font-size: 11px; font-weight: 700; color: #2B1507; }
.event-location { font-size: 9px; color: #888; margin-top: 2px; }
.event-badge { margin-left: auto; background: #F5F0E8; color: #2B1507; font-siz
```

Slide 4-B: Heritage Sites

Background: A dark map background (#1a2e1a) with a subtle grid.

Animated Element: 3 custom heritage markers "drop" onto the map one by one, each with a bounce animation.

HTML

```
<div class="heritage-screen">
  <div class="heritage-label fade-up">Heritage Sites Near You</div>
  <div class="heritage-marker" style="top:30%; left:30%; animation-delay:0.4s">
    <div class="heritage-pin">◆</div>
    <div class="heritage-tooltip">Brooklyn Arts District</div>
  </div>
  <div class="heritage-marker" style="top:50%; left:55%; animation-delay:0.8s">
    <div class="heritage-pin">◆</div>
    <div class="heritage-tooltip">Historic Biddle University</div>
  </div>
  <div class="heritage-marker" style="top:65%; left:25%; animation-delay:1.2s">
```

```
<div class="heritage-pin">♦</div>
<div class="heritage-tooltip">Second Ward High School</div>
</div>
</div>
```

CSS:

CSS

```
.heritage-screen { background: #1a2e1a; height: 100%; position: relative; }
.heritage-label {
  position: absolute;
  top: 36px; left: 0; right: 0;
  text-align: center;
  font-family: 'Playfair Display', serif;
  font-size: 13px;
  color: #CA922B;
  font-style: italic;
}
.heritage-marker {
  position: absolute;
  transform: translateY(-20px);
  opacity: 0;
  animation: dropPin 0.5s cubic-bezier(0.34, 1.56, 0.64, 1) forwards;
}
.heritage-pin {
  width: 28px; height: 28px;
  background: #CA922B;
  border-radius: 50% 50% 50% 0;
  transform: rotate(-45deg);
  display: flex;
  align-items: center;
  justify-content: center;
  color: #2B1507;
  font-size: 12px;
}
.heritage-pin::after {
  content: '';
  transform: rotate(45deg);
}
.heritage-tooltip {
  position: absolute;
  top: -28px; left: 50%;
  transform: translateX(-50%);
  background: #2B1507;
  color: #F5F0E8;
  font-family: 'DM Sans', sans-serif;
  font-size: 9px;
```

```
padding: 3px 8px;
border-radius: 6px;
white-space: nowrap;
}
@keyframes dropPin {
  to { transform: translateY(0); opacity: 1; }
}
```

Slide 4-C: Cultural Detail Marker

Background: Cream #F5F0E8 .

Screen Layout:

HTML

```
<div class="cultural-screen">
  <div class="cultural-business-card fade-up">
    <div class="cultural-biz-name">Habesha Bakery & Cafe</div>
    <div class="cultural-biz-meta">Ethiopian Bakery · ★ 4.9 · Little Ethiopia,
  </div>
  <div class="cultural-detail-marker fade-up" style="animation-delay:0.6s">
    <div class="cultural-marker-icon">◆</div>
    <div class="cultural-marker-body">
      <div class="cultural-marker-title">Cultural Detail</div>
      <div class="cultural-marker-text">"These cookies are called <strong>dabo
    </div>
  </div>
  <div class="cultural-learn-more fade-up" style="animation-delay:1.2s">
    Learn more about Ethiopian food traditions →
  </div>
</div>
```

CSS:

CSS

```
.cultural-business-card {
  margin: 36px 12px 12px;
  font-family: 'DM Sans', sans-serif;
}
.cultural-biz-name { font-family: 'Playfair Display', serif; font-size: 14px; c
.cultural-biz-meta { font-size: 10px; color: #888; margin-top: 2px; }
.cultural-detail-marker {
  margin: 0 10px;
  background: #2B1507;
  border-radius: 14px;
```

```
padding: 14px;
display: flex;
gap: 10px;
align-items: flex-start;
color: #F5F0E8;
font-family: 'DM Sans', sans-serif;
font-size: 10px;
}
.cultural-marker-icon { color: #CA922B; font-size: 18px; flex-shrink: 0; margin
.cultural-marker-title { color: #CA922B; font-size: 9px; font-weight: 700; text
.cultural-marker-text { font-size: 11px; line-height: 1.6; }
.cultural-learn-more {
margin: 10px 12px 0;
font-family: 'DM Sans', sans-serif;
font-size: 10px;
color: #CA922B;
font-weight: 700;
}
```

CARD 5: CULTURAL AMBASSADOR PREVIEW (Coming Soon)

Card Label: "Create what your people are looking for"

Card Subtext: "Your voice. Their search. Our businesses. Kinfolk AI matches your expertise with real community demand."

Slide 5-A: Demand-Matched Opportunity

Background: Cream #F5F0E8 with a subtle map in the background.

Animated Element: A Kinfolk AI prompt notification slides in from the top at 0.6s.

HTML

```
<div class="ambassador-notification slide-in-top">
  <div class="ambassador-notif-header">
    <span class="ambassador-ai-label">♦ Kinfolk AI Intelligence</span>
  </div>
  <div class="ambassador-notif-title">High Demand Alert: Cabo San Lucas</div>
  <div class="ambassador-notif-body">1,200+ supporters are searching for luxury
  <div class="ambassador-notif-cta">Accept Mission →</div>
</div>
```

CSS:

CSS

```

.ambassador-notification {
  position: absolute;
  top: 32px; left: 8px; right: 8px;
  background: #2B1507;
  border-radius: 14px;
  padding: 14px;
  box-shadow: 0 12px 40px rgba(43,21,7,0.3);
  font-family: 'DM Sans', sans-serif;
  color: #F5F0E8;
  transform: translateY(-100px);
  opacity: 0;
  animation: slideInFromTop 0.5s ease-out 0.6s forwards;
}
.ambassador-ai-label { font-size: 9px; color: #CA922B; font-weight: 700; text-t
.ambassador-notif-title { font-size: 12px; font-weight: 700; color: #CA922B; ma
.ambassador-notif-body { font-size: 10px; color: #ddd; margin-bottom: 10px; lin
.ambassador-notif-cta { font-size: 11px; font-weight: 700; color: #2B1507; back

```

Slide 5-B: Supporter Analytics & Trip Booking

Background: Split screen (top half #1a1a2e dark blue, bottom half cream #F5F0E8).

Top Section (Analytics):

HTML

```

<div class="ambassador-analytics fade-up">
  <div class="analytics-stat-row">
    <div class="analytics-stat">
      <div class="stat-val">+340%</div>
      <div class="stat-desc">Museum Content Engagement</div>
    </div>
  </div>
</div>

```

Bottom Section (Trip Context):

HTML

```

<div class="ambassador-trip-card fade-up" style="animation-delay:0.5s">
  <div class="trip-card-label">Upcoming Trip: Atlanta</div>
  <div class="trip-card-title">LGBTQIA+ History Museum</div>
  <div class="trip-card-body">Your audience loves this content. We found a perf
  <div class="trip-card-action">Book Ticket & Add to Itinerary</div>
</div>

```

CSS:

CSS

```
.ambassador-analytics { padding: 40px 16px 20px; color: #F5F0E8; font-family: 'PL'
.stat-val { font-size: 28px; font-weight: 700; color: #CA922B; font-family: 'PL'
.stat-desc { font-size: 11px; color: #aaa; margin-top: 4px; }
.ambassador-trip-card {
  margin: 20px 12px;
  background: white;
  border-radius: 12px;
  padding: 14px;
  box-shadow: 0 4px 12px rgba(0,0,0,0.05);
  font-family: 'DM Sans', sans-serif;
}
.trip-card-label { font-size: 9px; color: #888; text-transform: uppercase; font
.trip-card-title { font-size: 13px; font-weight: 700; color: #2B1507; margin-bo
.trip-card-body { font-size: 10px; color: #555; margin-bottom: 10px; line-heigh
.trip-card-action { font-size: 10px; font-weight: 700; color: #CA922B; text-ali
```

Slide 5-C: Content Gap Alert

Background: Cream #F5F0E8 .

Animated Element: A radar-style pulsing circle in the background (CSS animation), with a demand alert card sliding up from the bottom.

HTML

```
<div class="radar-pulse"></div>
<div class="gap-alert-card slide-in-bottom">
  <div class="gap-alert-header">
    <span class="gap-icon">🔥</span>
    <span class="gap-title">Community Content Gap</span>
  </div>
  <div class="gap-alert-body">
    "Authentic cuisine" is being searched <strong>900+ times</strong> in your a
  </div>
  <div class="gap-biz-target">
    <div class="gap-biz-name">Lucy's Ethiopian Kitchen</div>
    <div class="gap-biz-meta">0.8 mi away · Highly Rated</div>
  </div>
  <div class="gap-alert-cta">Visit & Review →</div>
</div>
```

CSS:

CSS

```
.radar-pulse {
  position: absolute;
  top: 30%; left: 50%;
  transform: translate(-50%, -50%);
  width: 60px; height: 60px;
  background: rgba(202, 146, 43, 0.2);
  border-radius: 50%;
  animation: pulse 2s infinite;
}
@keyframes pulse {
  0% { transform: translate(-50%, -50%) scale(1); opacity: 1; }
  100% { transform: translate(-50%, -50%) scale(3); opacity: 0; }
}
.gap-alert-card {
  position: absolute;
  bottom: 24px; left: 10px; right: 10px;
  background: white;
  border-radius: 14px;
  padding: 14px;
  box-shadow: 0 8px 24px rgba(43, 21, 7, 0.15);
  font-family: 'DM Sans', sans-serif;
}
.gap-alert-header { display: flex; align-items: center; gap: 6px; margin-bottom: 10px; }
.gap-title { font-size: 11px; font-weight: 700; color: #c0392b; }
.gap-alert-body { font-size: 11px; color: #333; margin-bottom: 12px; line-height: 1.2; }
.gap-biz-target { background: #f5f0e8; padding: 8px; border-radius: 8px; margin-bottom: 10px; }
.gap-biz-name { font-size: 11px; font-weight: 700; color: #2b1507; }
.gap-biz-meta { font-size: 9px; color: #666; margin-top: 2px; }
.gap-alert-cta { font-size: 11px; font-weight: 700; color: #ca922b; text-align: center; }
```

JAVASCRIPT: CYCLE ENGINE

Place this script block at the bottom of `preview.html`, just before `</body>`. This is the complete cycling and animation trigger logic.

JavaScript

```
<script>
(function() {
  // Configuration
  const CYCLE_INTERVAL_MS = 3500;

  // Map of card IDs to their special animation callbacks
```

```

const onSlideActivate = {
  'card-business': {
    0: (slideEl) => animateCounters(slideEl),
    2: (slideEl) => typeKinfolkResponse(slideEl)
  },
  'card-ambassador': {
    // No specific JS animations for this card yet
  }
};

function getSlides(card) {
  return card.querySelectorAll('.preview-slide');
}

function getDots(card) {
  return card.querySelectorAll('.preview-dots .dot');
}

function activateSlide(card, index) {
  const slides = getSlides(card);
  const dots = getDots(card);
  const cardId = card.id;

  slides.forEach((slide, i) => {
    const isActive = i === index;
    slide.style.opacity = isActive ? '1' : '0';
    slide.style.pointerEvents = isActive ? 'auto' : 'none';
    if (isActive) {
      // Re-trigger CSS animations by cloning and replacing
      const clone = slide.cloneNode(true);
      slide.parentNode.replaceChild(clone, slide);
      // Run any JS animation callbacks
      if (onSlideActivate[cardId] && onSlideActivate[cardId][i]) {
        setTimeout(() => {
          const freshSlide = getSlides(card)[i];
          onSlideActivate[cardId][i](freshSlide);
        }, 100);
      }
    }
  });

  dots.forEach((dot, i) => {
    dot.classList.toggle('active', i === index);
  });
}

function startCycle(card) {
  let current = 0;

```



```

const total = getSlides(card).length;
activateSlide(card, 0);
setInterval(() => {
  current = (current + 1) % total;
  activateSlide(card, current);
}, CYCLE_INTERVAL_MS);
}

function animateCounters(slideEl) {
  slideEl.querySelectorAll('[data-target]').forEach(el => {
    const target = parseInt(el.dataset.target);
    let current = 0;
    const step = Math.ceil(target / 30);
    const timer = setInterval(() => {
      current = Math.min(current + step, target);
      el.textContent = current;
      if (current >= target) clearInterval(timer);
    }, 40);
  });
}

function typeKinfolkResponse(slideEl) {
  const el = slideEl.querySelector('#kinfolk-text');
  if (!el) return;
  const text = "Hey Marcus, we truly appreciate your honesty. We had an unusu
  let i = 0;
  el.textContent = '';
  const timer = setInterval(() => {
    if (i < text.length) {
      el.textContent += text[i];
      i++;
    } else {
      clearInterval(timer);
    }
  }, 28);
}

// Initialize all preview cards on page load
document.addEventListener('DOMContentLoaded', () => {
  document.querySelectorAll('.preview-card').forEach(card => {
    startCycle(card);
  });
});
})();
</script>

```

HTML STRUCTURE TEMPLATE

Each of the 5 cards should follow this wrapper structure. Assign the appropriate `id` to each card.

HTML

```
<div class="preview-card" id="card-safety">
  <div class="phone-frame">
    <div class="phone-screen">
      <div class="preview-slide"><!-- Slide 1 content here --></div>
      <div class="preview-slide"><!-- Slide 2 content here --></div>
      <div class="preview-slide"><!-- Slide 3 content here --></div>
    </div>
  </div>
  <div class="preview-dots">
    <span class="dot active"></span>
    <span class="dot"></span>
    <span class="dot"></span>
  </div>
  <div class="card-label">
    <h3>Stay Safe Everywhere You Go</h3>
    <p>Real-time community alerts, safety-rated businesses, and route intelligence</p>
  </div>
</div>
```

Card IDs:

- Safety: `id="card-safety"`
- Business Owner: `id="card-business"`
- Discovery: `id="card-discovery"`
- Community: `id="card-community"`
- Ambassador: `id="card-ambassador"`

SHARED CSS UTILITIES

Add these utility classes to the `<style>` block. They are referenced throughout all slides.

CSS

```
/* Slide base */
.preview-slide {
  position: absolute;
  top: 0; left: 0;
```

```

width: 100%; height: 100%;
opacity: 0;
pointer-events: none;
transition: opacity 0.6s ease-in-out;
overflow: hidden;
}

/* Reusable entrance animations */
@keyframes fadeUp {
  from { opacity: 0; transform: translateY(12px); }
  to   { opacity: 1; transform: translateY(0); }
}
@keyframes slideInFromTop {
  from { transform: translateY(-80px); opacity: 0; }
  to   { transform: translateY(0);      opacity: 1; }
}
@keyframes slideInFromBottom {
  from { transform: translateY(100px); opacity: 0; }
  to   { transform: translateY(0);      opacity: 1; }
}
@keyframes dropPin {
  from { transform: translateY(-20px); opacity: 0; }
  to   { transform: translateY(0);      opacity: 1; }
}

/* Utility classes */
.fade-up {
  opacity: 0;
  animation: fadeUp 0.5s ease-out forwards;
}
.slide-in-top {
  animation: slideInFromTop 0.5s ease-out forwards;
}
.slide-in-bottom {
  animation: slideInFromBottom 0.5s ease-out forwards;
}

```

ACCEPTANCE CRITERIA

All of the following must be true before this task is considered complete.

#	Criterion	How to Verify
---	-----------	---------------

1	All 5 preview cards auto-cycle through 3 slides each	Watch each card for 12+ seconds; all 3 slides must appear in sequence
2	Cycle interval is 3–4 seconds per slide	Use browser DevTools timer or stopwatch
3	Transitions are smooth opacity crossfades (no flash/jump)	Watch transitions; no abrupt cuts
4	Phone frame stays static; only internal content animates	Inspect: <code>.phone-frame</code> must not move
5	Notification banners slide in from the top	Verify on Slides 1-A, 2-B, 3-C
6	Business cards and content fade up	Verify on Slides 1-B, 3-B, 4-A
7	Heritage markers drop onto the map one by one	Verify Slide 4-B
8	Dashboard numbers count up from 0	Verify Slide 2-A each time it activates
9	Kinfolk AI types the response character by character	Verify Slide 2-C each time it activates
10	Progress dots update to gold on active slide	Inspect <code>.dot.active</code> background color
11	Brand colors <code>#2B1507</code> , <code>#CA922B</code> , <code>#F5F0E8</code> used throughout	Visual inspection + DevTools
12	<code>Playfair Display</code> used for all headings	Inspect computed font-family on heading elements
13	Page renders correctly at 375px viewport width	Chrome DevTools → iPhone SE emulation
14	No JavaScript errors in console	Open DevTools Console; zero errors
15	Waitlist form at bottom is unchanged	Submit a test entry; verify it posts to <code>/api/waitlist</code>
16	Page loads under 500KB total (excluding fonts)	DevTools → Network → check total transfer size

DO NOT CHANGE

The following elements must remain exactly as they are in the current `preview.html` :

- The waitlist form HTML, including all `name` attributes, hidden fields, and the `action / method` attributes.
- The UTM parameter capture logic (any existing JavaScript that reads URL params and populates hidden form fields).
- The `previewChoice` selection logic that sets which card the user selected before submitting (must be updated to include `"ambassador"` as a 5th valid option).
- The page `<head>` meta tags (title, description, OG tags).
- Any existing Google Analytics or tracking script tags.

End of Specification