

Replit Paste-Ready Brief — Progressive Input Retrofit

Source document: MWM_Input_UX_Audit.md (Sections 12–13)

Scope: Wave One only — everything below is launch-blocking before the August 15 tour

Instruction to Replit: Read this entire brief before writing code. Build Section A first. Do not modify any individual form until Section A is complete and verified.

The One-Sentence Requirement

Every contribution form in this app must be completable with **one tap**, and a one-tap submission must be stored as a **complete, published, queryable record** — not a draft, not a partial. All remaining fields move behind an optional "Want to add more?" expansion. A safety report must be submittable in **under ten seconds with zero typing**.

SECTION A — Build These Shared Primitives First

Plain Text

1. `<ChipGrid>`
 - Grid of tappable chips. Min 44pt touch target, min 16pt label font.
 - Single-select and multi-select variants.
 - A chip selection is a COMPLETE, VALID form answer on its own.
 - Chip labels come from a config file (config/chips.ts), not hardcoded, so wording can be revised without a code deploy.
2. `<ProgressiveForm>`
 - Props: `minimumFields[]`, `expansionGroups[][]`.
 - Renders ONLY `minimumFields` on first paint.
HARD RULE: never more than 3 fields visible initially.
 - Primary [Submit] button enabled as soon as `minimumFields` are valid.
 - Secondary text link below Submit: "Want to add more?"
 - Each expansion group reveals max 3 fields and has its OWN Submit.
 - FORBIDDEN: progress bars, step counters ("2 of 19"), percent complete, red asterisks, "please complete all required fields".
 - At most ONE required element per form.
3. `<VoiceTextField>`
 - Textarea + microphone button INSIDE the field. 44pt target.
Equal visual weight to the keyboard. Never behind a menu.
 - On-device speech recognition (iOS Speech framework /

Android SpeechRecognizer), server-side fallback.

- NO recording time limit (a 4-minute account must not be cut off).
- While recording: live waveform + elapsed timer + large stop button.
- Transcription lands in the textarea as fully editable text.
- On transcription failure: KEEP the audio, attach it to the record, show "We saved your recording – you can try again or submit as is."
- Auto-save draft text to local storage every 2 seconds.
- Full screen reader labels. Haptic feedback on start and stop.

4. useAutoContext()

- Returns { lat, lng, city, state, neighborhood, nearbyBusinesses[] } from GPS + reverse geocode.
- Consuming forms render this as an EDITABLE summary line: "Near Sunrise Market, Atlanta – tap to change".
- If location permission is denied: fall back to a neighborhood picker. NEVER block submission on a denied permission.

5. <PlacesAutocompleteInput>

- Tap-to-select business names. A selected result auto-populates name, address, city, state, phone, lat/lng, category.
- Used by: Unified Place Report, Nominate Business, Submit Event location, Business Insight.

6. DATABASE RULES (critical – most of this retrofit is schema work)

- A Tier 1 record (chip + auto-location, no description) MUST be stored as COMPLETE and PUBLISHED. It must immediately appear in map layers, counts, badge tallies, and scores.
- Add a PATCH endpoint per contribution table so a user can attach a description, photo, or extra fields to an EXISTING record later WITHOUT creating a duplicate row.
- DROP NOT NULL from every description, name, email, address, city, state, phone, and date column on all contribution tables.
- Add nullable columns for new chip fields; do not require values.

7. Offline submission queue

- All contribution submissions queue locally and sync on reconnect.
- Mandatory for safety forms; apply globally.

SECTION B — Wave One Forms, In This Order

B1. UNIFIED PLACE REPORT (replaces Safety Tip + Report Space + Report Safety)

Plain Text

Merges 3 forms / 36 total inputs into one form with a 1-field first paint.
Target: under 10 seconds, ZERO required typed fields.

SCREEN 1 (this is the ENTIRE required form):

Editable context line: "Near {nearestBusiness}, {city}" [tap to change]

Reassurance copy: "This is anonymous. You don't have to explain."

<ChipGrid> single-select:

This didn't feel good

Followed or watched

Refused service

Treated differently than others

Rude or dismissive to me

Called security or police on me

Slurs or hostile language

Unsafe outside the business

Something else (auto-reveals the description field)

[Submit] (enabled the instant a chip is tapped)

"Want to add more?"

ON SUBMIT FROM SCREEN 1:

- PERSIST NOW, published and live.
- Confirmation copy: "We hear you. This is recorded."
- Then softly: "Add a few words? (optional)" with <VoiceTextField> and a [Skip] of EQUAL prominence.
- Do NOT show a report ID. Do NOT say "Submission successful."

EXPANSION 1: description (<VoiceTextField>, placeholder "Only if you want to. Even a few words help."), time of day chips (Morning / Afternoon / Evening / Night), who was involved chips (Staff / Manager / Security / Another customer / Not sure)

EXPANSION 2: happened before? chips (First time / Happened before), anyone else see it? chips (Yes / No / Not sure), photo upload

DELETE ENTIRELY (do not hide – DELETE from the code):

contact name, email, and every identity field

CONVERT TYPED -> AUTO:

business name -> places autocomplete / nearest-business context

street address -> GPS reverse geocode

city -> GPS

state -> GPS

date -> defaults to today, editable via picker

ENTRY POINTS (all three required):

1. Long-press anywhere on the map -> opens at that pin
2. "Report an experience" on every business card -> business pre-filled

3. Persistent FAB on the map screen

ADD-LATER FLOW:

- New "Your Reports" screen listing the user's own submissions.
- "Add details" button PATCHes the existing record.
- Exactly ONE reminder notification 4 hours after a Tier 1 report:
"Your report is saved. Want to add anything?" Never more than one.
Never urgent language.

ACCEPTANCE TESTS:

- [] First-time user submits in under 10 seconds, timed, real device
- [] Submits with a chip only – zero typing anywhere in the flow
- [] Tier 1 record appears in the map layer and business count instantly
- [] Airplane mode: queues locally, syncs on reconnect
- [] Location denied: still submits via neighborhood picker
- [] Voice: a 3-minute recording is not truncated
- [] Add-details later PATCHes the same row – no duplicate created
- [] grep proves no contact/email/name field exists in this flow

B2. WRITE REVIEW — badge-only submission

Plain Text

SCREEN 1 (entire required form):

<ChipGrid> single-select badges:

Worth Every Visit / Grandma Approved / Felt at Home /
Great Service / Would Go Back / Mixed Feelings /
Not For Us / Something Felt Off

[Post] "Want to say more?"

RULES:

- A badge tap alone creates a COMPLETE, PUBLISHED review.
- review_text column becomes nullable; text is OPTIONAL.
- Star rating: derive from the badge or make it optional. Never require both a badge and stars.
- "Something Felt Off" or "Not For Us" -> offer a soft, non-blocking link: "Want to report this?" -> Unified Place Report.

EXPANSION 1: review text (<VoiceTextField>), photos

EXPANSION 2: what to order, best time to go, video link,
accessibility notes

BADGE TALLIES MUST SURFACE IN PRODUCT (this is how a one-tap user sees that their tap counted):

- Business cards display counts, e.g. "12 Grandma Approved"
- Badges factor into discovery ranking

ACCEPTANCE TESTS:

- [] Badge tap alone posts a review with no validation error
- [] Badge-only review is visible on the business card
- [] Badge tally increments immediately
- [] review_text is nullable in the DB

B3. NOMINATE BUSINESS — one-tap nomination

Plain Text

SCREEN 1 (entire required form):

<PlacesAutocompleteInput>: "What business should we add?"

Tapping a result auto-fills name, address, city, state, phone, lat/lng, category.

[Nominate] "Want to tell us why?"

EXPANSION 1:

- "Why does this place matter?" (<VoiceTextField>) – the most valuable optional field on this form; frame it warmly
- Ownership designation, <ChipGrid> MULTI-select, FULL list:
Black-owned, Hispanic/Latino-owned, Ethiopian-owned, Caribbean-owned, Brazilian-owned, Indigenous-owned, Asian-owned, African-owned, Immigrant-owned, Woman-owned, LGBTQ+-owned, Veteran-owned, Family-owned
(Do NOT default to a single designation.)
- Photo (optional)

EXPANSION 2 – label the whole group "If you know the owner":

contact name, contact info, email, social/website – ALL OPTIONAL
(all four were previously required)

DB: drop NOT NULL from phone, contact_name, contact_info, email, social_handle, city, state.

ACCEPTANCE TESTS:

- [] Nomination submits from one autocomplete tap
- [] No owner contact field blocks submission
- [] Nomination enters the verification queue with a null description
- [] Multiple designations can be selected and saved

B4. NEIGHBORHOOD SURVEY — one-tap welcome rating

Plain Text

SCREEN 1 (entire required form):

"How welcoming did {neighborhood} feel?" ({neighborhood} from GPS)

```
<ChipGrid> single-select:
  5 - Felt completely welcome
  4 - Mostly comfortable
  3 - Neutral, hard to say
  2 - Felt out of place
  1 - Did not feel welcome
[Submit]      "Want to add more?"
```

CRITICAL: embed this rating widget directly on the neighborhood detail card, not only on a separate survey screen. Most ratings will come from the card.

EXPANSION 1: what stood out (<ChipGrid> multi-select: People were friendly / Businesses welcomed me / Got stared at / Was followed / Heavy police presence / Nowhere to go for basics / Would bring my family here), plus "Anything you want to add?" (<VoiceTextField>)

EXPANSION 2 ("Write a guide for visitors"): description for visitors (<VoiceTextField>), food recommendations (chips + free text), business types worth visiting (chips)

EXPANSION 3: social media handle, remaining original fields

SCORING RULE — NON-NEGOTIABLE:

The welcome score is computed ONLY from community experience inputs (these ratings, chips, narratives). Do NOT ingest police crime statistics, arrest data, or census income data. All user-facing language says "welcoming", never "safe".

ACCEPTANCE TESTS:

- [] One tap submits a complete survey record
- [] Rating is available inline on the neighborhood card
- [] Welcome score updates from a rating-only submission
- [] No crime-statistics source appears anywhere in scoring code

B5. CHECK-IN — 13 inputs down to one tap

Plain Text

SCREEN 1: a single [I'm here] button.

Business and location from context. User identity from session.

DELETE: contact name, email, location text field, and every other typed field on this screen.

EXPANSION (optional, after check-in):

- Add a note (<VoiceTextField>)

- Add a photo
- Add a badge -> UPGRADES this check-in into a review IN PLACE.
Do not create a second record.

ACCEPTANCE TESTS:

- [] Check-in completes in one tap
- [] No email or name field exists anywhere in the flow
- [] Adding a badge converts the record without duplicating it

SECTION C — Global Copy Standards

Plain Text

REPLACE everywhere:

"Submission successful"	-> "We hear you. This is recorded."
"Required field"	-> (delete)
"Please complete all fields"	-> (delete)
"Complete your profile"	-> "Want to add more?"
"Step 2 of 19"	-> (delete all step counters)
"Optional"	-> "Only if you want to"
"Describe the incident"	-> "Tell us what happened"
"Safe / Unsafe"	-> "Welcoming / Not welcoming"
"Crime"	-> (never use this word)

ADD:

Above every safety chip grid: "This is anonymous. You don't have to explain."

On every Tier 1 confirmation: "Thank you – this already helps."

On every add-later prompt: "You can always add more later."

Beside every microphone: "Prefer to talk? Tap the mic."

NEVER:

- Reference a user's race, gender, or age in any prompt, recommendation, or confirmation. Reference BEHAVIOR only (e.g. "since you've been browsing salons"). One-Way Mirror Rule – it applies to form copy too.
- Use a progress bar or completion percentage on optional depth.
- Show a validation error on a safety form.

SECTION D — Safety Form Compliance Gate

No safety form ships until all nine pass.

Plain Text

- [] 1. Submittable in under 10 seconds (timed, first-time user, real device)
- [] 2. Zero required typed fields – only a chip selection is required
- [] 3. Anonymous by default, with reassurance copy above the fold
- [] 4. Location auto-detected, tap to correct, never typed
- [] 5. Date defaults to today, never typed
- [] 6. Voice input visible on the description (not in a menu)
- [] 7. "Add details later" offered and functional via PATCH
- [] 8. Works offline with a local queue (verified in airplane mode)
- [] 9. No identity fields anywhere in the flow (confirmed by grep)

SECTION E — Verification Protocol

For every work order above, deliver all five of these. Do not report completion without them.

Plain Text

1. The diff, with file paths.
2. A screen recording of the minimum path, timed, on a real device.
3. A DB query result showing a Tier 1 record persisted as complete and published – not draft.
4. A grep result proving deleted fields are absent from the codebase, not merely hidden by CSS or a feature flag.
5. Confirmation that the DEPLOYED artifact contains the change: verify against the running bundle, not just the commit SHA, and probe a live endpoint introduced by this change.

Any "cannot be done" response must be classified as one of:

technically impossible / tool limitation / requires credentials /
requires founder approval / requires legal review / possible but
unknown how / possible but unsafe

– with the fastest alternative supplied for every category except
technically impossible.

Wave Two (do not start until Wave One passes its gates)

Unified Police Encounter Report (Officer Watch + Report Police), Business Insight, Submit Event with flyer paste-and-parse, Resources with type-conditional fields, and voice input on the remaining nine narrative fields. Full specifications are in Section 13.7 through 13.10 of the audit document.