

Mapping With Melanin™ — Comprehensive Input UX Audit and Progressive Input Specification

Document type: Product specification and UX audit

Scope: All 83 screens containing text inputs

Prepared for: Founder, Mapping With Melanin™

Prepared by: Manus AI

Date: August 7, 2026

Status: Implementation-ready — Sections 12 and 13 are paste-ready for Replit

1. Executive Summary

This audit examines every user input surface in the Mapping With Melanin™ application and concludes that the app currently has a **contribution ceiling problem, not a contribution shortage problem**. The forms are well-intentioned and data-rich, but they are built around a single implicit assumption: that every contributor arrives with the time, emotional bandwidth, and typing stamina to complete a full narrative submission. That assumption excludes a large share of the community the platform exists to serve.

The founder's framing is the correct design axis for the entire product:

"My mother may want to give a huge description of discrimination at a gas station, whereas an 18-year-old may just want to say 'this didn't feel good' and not answer as many questions."

Both contributions are valid. Both must feed the ecosystem. The current architecture rewards only the first. A nineteen-field neighborhood survey and a twenty-two-field event form communicate an unintended message to a young or hurried user: *your quick truth is not welcome here*. That message is the opposite of the platform's purpose, and it is the single largest addressable risk to data volume ahead of the August 15 tour launch and the Atlanta full launch.

The audit found **83 screens with text inputs**, of which **twelve are primary contribution forms** carrying between seven and twenty-two inputs each. Six of those twelve rate a complexity score of four or five on a five-point scale, meaning they present six or more fields simultaneously with multiple required typed fields. Critically, **four safety-related forms currently exceed a ten-second completion budget**, which violates the most

important rule in this document: a frightened person must be able to report in ten seconds or they will not report at all.

The remedy is a single architectural pattern applied consistently across the app, described in this document as the **Progressive Input Principle**. Every contribution form is reduced to a one-tap or one-sentence core, with all remaining fields moved behind an explicit, optional, and warmly worded expansion ("Want to add more?"). No form ever renders more than three fields on first paint. Location, date, business identity, and city are auto-derived rather than typed. Every long-form description field gains a microphone button, because a shaking hand and a sixty-two-year-old thumb both type poorly while both speak fluently.

The measurable outcomes this specification targets are summarized below.

Metric	Current state (estimated)	Target after implementation
Median fields visible on first paint (top 12 forms)	11	2
Forms with a valid one-tap submission path	0 of 12	12 of 12
Safety report time-to-submit (minimum path)	45–90 seconds	Under 10 seconds
Required typed fields in any safety form	2–4	0
Description fields with voice input	0	All 14 narrative fields
Distinct contribution forms in the app	12 primary + ~25 secondary	7 primary + ~18 secondary
Expected submission completion rate, under-25 cohort	Low (abandonment at field 3)	3–5× improvement

This document contains a full inventory of all 83 input screens organized into five categories, a per-form specification defining Minimum Viable Input and Full Story paths, the Progressive Input Principle in implementable detail, four persona-based design contracts, special rules governing safety forms, a voice input specification, a consolidation plan identifying six forms to merge or eliminate, a three-wave implementation priority ordered around tour and Atlanta launch needs, and paste-ready engineering instructions.

2. The Core Design Thesis: Contribution Is a Spectrum, Not a Threshold

Most applications treat a submission as binary. Either the user completed the form or they did not, and incomplete submissions are discarded. This is appropriate for a tax filing and catastrophic for a community trust network.

Mapping With Melanin™ collects lived experience. Lived experience does not arrive in uniform packages. A person who was followed around a store may have four hundred words to say and a need to be heard; a person who felt subtly unwelcome may have four words and no desire to relive it. The platform's competitive advantage is that it is the only place where **both of those signals are treated as data**. A national chain's discrimination pattern is not proven by one long essay. It is proven by three hundred short taps in the same location plus a dozen detailed narratives that give those taps their meaning.

This produces a three-tier contribution model that should govern every form in the app.

Tier	User action	Time budget	What the ecosystem receives	Where it appears in-product
Tier 1 — The Signal	One tap on a chip, star, or map pin	Under 10 seconds	Geo-tagged count, trend direction, welcome score contribution, heat layer density	Map layers, neighborhood welcome scores, business badges, "Recent activity" counters
Tier 2 — The Sentence	One tap plus one short line of text or voice	15–30 seconds	A quotable human snippet plus theme and sentiment extraction	Business and neighborhood cards, "What people are saying" carousels, pattern tags
Tier 3 — The Story	Full narrative, optional evidence, optional context fields	2–15 minutes	Archival narrative, corroboration for pattern detection, advocacy and journalism source, business coaching material	Story detail pages, corporate accountability dossiers, MWM editorial and tour content, business-side insight reports

The critical engineering consequence is that **the database must accept a Tier 1 record as a complete, valid, publishable object**. Not a draft. Not a partial. A complete contribution with a null description. If a Tier 1 record is stored as an incomplete draft that never surfaces in the product, the entire philosophy collapses into theater and the young user who tapped once has been quietly told their contribution did not count.

A second consequence is that **Tier 1 records must be upgradeable**. A user who taps a chip today and returns tomorrow with words should be able to attach those words to the original record rather than create a duplicate. This "add more later" capability is what makes the ten-second safety report defensible: nothing is lost by starting small, because starting small is a beginning rather than a ceiling.

3. Complexity Rating Methodology

Each form in this audit receives a complexity rating from one to five. The rating is not a count of fields; it is a measure of how much the form asks of a person who is tired, hurried, upset, or young. The scoring model weighs five factors: the number of fields visible on first paint, the number of required fields, the volume of free-text typing demanded, the cognitive recall burden (remembering a department name, a date, a URL), and the exit cost (how much work is lost if the user abandons).

Rating	Definition	User experience	Abandonment risk
1	One tap, no typing, no recall	"That was it?"	Negligible
2	One tap plus one optional short text field	Effortless, feels voluntary	Very low
3	Three to five visible fields, at least one typed and required	Manageable but a deliberate task	Moderate
4	Six to ten visible fields, multiple required typed fields	Feels like paperwork	High, typically at field three or four
5	Eleven or more fields on one screen, multiple required typed and recall-heavy fields	Feels like an application or a police report	Severe, most users never begin

The target state for every contribution form in the app is a **first-paint complexity of 1 or 2**, with Tier 3 depth reachable but never imposed. A form may legitimately contain nineteen fields in total. It may never *show* nineteen fields at once.

4. Complete Input Screen Inventory (All 83 Screens)

The 83 screens containing text inputs fall into five functional categories. Contribution forms — the screens where community members give the platform its data — number twelve and carry the entire weight of this specification. The remaining seventy-one screens are auth, search, social, business-owner, and administrative surfaces which matter for polish but do not gate the data flywheel.

4.1 Category Distribution

Category	Screen count	Contains primary contribution forms	Priority for this audit
Safety — incident, police, space, and officer reporting	12	Yes (5 forms)	Critical — Wave 1
Business — reviews, nominations, insights, owner tools	21	Yes (4 forms)	Critical — Wave 1 and 2
Community — neighborhoods, events, resources, social	24	Yes (3 forms)	High — Wave 2
Personal — auth, profile, preferences, check-in, onboarding	18	Partial (1 form)	Medium — Wave 3
Administrative — moderation, verification, internal review	8	No	Low — Wave 3
Total	83	12 primary forms	—

4.2 Safety Category (12 screens)

#	Screen / Form	Inputs	Complexity	Type
S1	Safety Tip	13	5	Primary contribution
S2	Report Space	13	5	Primary contribution
S3	Officer Watch	16	5	Primary contribution
S4	Report Police	10	4	Primary contribution
S5	Report Safety (neighborhood)	10	4	Primary contribution
S6	Safety search / filter	3	2	Utility
S7	Incident detail — add corroboration	4	3	Secondary
S8	Incident detail — add photo caption	2	2	Secondary
S9	Report content / misinformation	4	3	Moderation
S10	Report a user	4	3	Moderation
S11	Dispute a safety report (business side)	6	4	Business response
S12	Emergency resources contact form	5	3	Utility

4.3 Business Category (21 screens)

#	Screen / Form	Inputs	Complexity	Type
B1	Business Insight (corporate	19	5	Primary contribution

	accountability)			
B2	Nominate Business	15	5	Primary contribution
B3	Write Review	7	3	Primary contribution
B4	Business endorsement / badge tap	2	1	Primary contribution (model example)
B5	Claim this business	8	4	Owner onboarding
B6	Business profile edit	12	4	Owner tool
B7	Business hours edit	7	3	Owner tool
B8	Services / menu editor	6	3	Owner tool
B9	Photo upload with caption	2	1	Owner tool
B10	Create promotion / offer	8	4	Owner tool
B11	Respond to a review	2	2	Owner tool
B12	Ownership designation tags	4	2	Owner tool
B13	Verification document upload	5	3	Owner tool
B14	Business search	2	1	Utility
B15	Business category filter	3	1	Utility
B16	Suggest an edit to a business listing	4	3	Community correction
B17	Flag closed / moved	3	2	Community correction

B18	Review photo caption	2	1	Secondary
B19	Review video link	2	2	Secondary
B20	Business insight follow-up questions	5	3	Secondary
B21	Business contact form	5	3	Utility

4.4 Community Category (24 screens)

#	Screen / Form	Inputs	Complexity	Type
C1	Submit Event	22	5	Primary contribution
C2	Neighborhood Survey	19	5	Primary contribution
C3	Resources — Jobs / Housing / Services submission	12+	5	Primary contribution
C4	Event RSVP / "I'm going"	1	1	Secondary
C5	Event comment	1	1	Social
C6	Neighborhood comment	1	1	Social
C7	Post compose	3	2	Social
C8	Comment reply	1	1	Social
C9	Direct message compose	2	1	Social
C10	Group create	6	3	Social
C11	Group join note	2	2	Social
C12	Poll create	5	3	Social

C13	Neighborhood search	2	1	Utility
C14	Event search	2	1	Utility
C15	Resource search	2	1	Utility
C16	Food recommendation quick-add	2	1	Secondary
C17	"This helped me" resource tap	1	1	Secondary
C18	Ambassador application	9	4	Program
C19	Vendor / tour partner application	10	4	Program
C20	Tour stop RSVP	4	2	Program
C21	Interview consent form	6	3	Program
C22	Share a neighborhood photo	2	1	Secondary
C23	Suggest a neighborhood	3	2	Community correction
C24	Community guidelines acknowledgment	1	1	Utility

4.5 Personal Category (18 screens)

#	Screen / Form	Inputs	Complexity	Type
P1	Check-in	13	5	Primary contribution
P2	Sign up	4	3	Auth
P3	Log in	2	1	Auth

P4	Password reset request	1	1	Auth
P5	Password reset / new password	2	2	Auth
P6	Email verification code	1	1	Auth
P7	Profile edit	8	3	Account
P8	Handle / username	1	2	Account
P9	Bio	1	1	Account
P10	Avatar upload	1	1	Account
P11	Notification preferences	6	2	Account
P12	Privacy preferences	5	2	Account
P13	Delete account confirmation	2	3	Account
P14	Waitlist signup	3	2	Onboarding
P15	Referral code entry	1	1	Onboarding
P16	Onboarding interest tags	2	1	Onboarding
P17	Home city selection	2	1	Onboarding
P18	Saved places / list name	2	1	Account

4.6 Administrative Category (8 screens)

#	Screen / Form	Inputs	Complexity	Type
A1	Moderation queue notes	3	3	Internal

A2	Business approval notes	4	3	Internal
A3	Verification review notes	4	3	Internal
A4	Data correction tool	6	3	Internal
A5	App feedback	3	2	Support
A6	Bug report	4	3	Support
A7	Contact us	4	3	Support
A8	Feature request	3	2	Support

5. Per-Form Specification: The Twelve Primary Contribution Forms

Each specification below defines the Minimum Viable Input (the absolute least a person can give while still contributing something real), the Full Story path (the complete depth available to a storyteller or documentarian), the required and optional field split, and the ecosystem contribution at each tier. Any field marked **auto** should never be typed by the user unless the automatic value is wrong.

5.1 Safety Tip — S1

Attribute	Detail
Current inputs	13
Current complexity	5
Target first-paint complexity	1
Category	Safety
Time budget	Under 10 seconds

Minimum Viable Input: A location plus one incident-type chip. Nothing typed. The user opens the form already positioned at their current location, taps a chip such as "Followed

in store" or "Refused service," and the record is submitted. Total interaction: one tap if location is auto-detected, two taps if they adjust the pin.

Full Story path: After submission, the confirmation screen offers "Want to add more?" which reveals, in order, a description field with a microphone button, an approximate time, whether staff or management was involved, whether it has happened before, and an optional photo. The documentarian can complete all of it; nobody is required to see any of it.

Field	Current	Recommended	Notes
Business name	Required typed	Auto from map/context, editable	Pre-fill from nearest business or the card the user came from
Street address	Optional typed	Auto (GPS reverse geocode)	Never ask a scared person to type an address
City	Required typed	Auto	Derived from GPS or pin
State	Required typed	Auto	Derived
Incident type	Not present	Required — tap chip	The single most valuable field; replaces typed description as the required element
Incident description	Required typed	Optional , voice-enabled	Placeholder: "Only if you want to. Even a few words help."
Date	Typed	Auto = today, editable	
Time	Typed	Optional, chip-based ("Morning / Afternoon / Evening / Night")	
Staff involved	Typed	Optional chip	Behind "Add more"
Repeat occurrence	Not present	Optional chip ("First time / Happened before")	Behind "Add more"
Photo / evidence	Typed link	Optional upload	Behind "Add more"
Contact info	Present	Remove entirely	Anonymous by default; contact fields

			in a safety form suppress reporting
Name	Present	Remove entirely	Same reason

Ecosystem contribution: A single tap contributes to the business's safety signal count, the neighborhood welcome score, the map heat layer, and — when aggregated with taps from other users at the same chain — a corporate accountability pattern. A one-line description becomes a quoted snippet on the business card. A full narrative becomes a corroborated case record usable for advocacy, press, and the Business Insight dossier for that brand.

5.2 Report Space — S2

Attribute	Detail
Current inputs	13
Current complexity	5
Target first-paint complexity	1
Category	Safety / Business boundary

Recommendation: merge this form into Safety Tip. Report Space and Safety Tip collect functionally identical data — a business, a location, and a description of a negative experience — differing only in entry point and label. Maintaining both splits the dataset, doubles moderation surface, and forces the user to choose a taxonomy before they have described anything. See Section 11.

Minimum Viable Input (pre-merge): Business name auto-filled from context plus one experience chip ("Felt unwelcome," "Watched or followed," "Poor service based on who I am," "Denied access").

Full Story path: Description with voice input, what specifically happened, whether the user would return, whether they saw others treated differently.

Field	Current	Recommended
Business name	Required typed	Auto from context, editable
Address	Required typed	Auto
City	Required typed	Auto

Experience type	Not present	Required — tap chip
Experience description	Required typed	Optional , voice-enabled
Everything else (8 fields)	Visible	Behind "Add more"

5.3 Officer Watch — S3

Attribute	Detail
Current inputs	16
Current complexity	5
Target first-paint complexity	2
Category	Safety

This form carries the highest recall burden in the app. It asks a user who has just experienced or witnessed a police encounter to produce a full name, a department, a date, and an evidence link. Most people do not have that information, and requiring it means the incident goes unrecorded entirely.

Minimum Viable Input: City (auto) plus one encounter-type chip plus an optional single line. An officer's name is **never** required. A record that says "aggressive stop, 19th and Market, Tuesday" is intelligence; a record that never gets created is nothing.

Full Story path: Officer name, badge number, department, unit, vehicle number, date, time, witness presence, evidence link, and full narrative — all optional, all behind expansion, all clearly labeled "if you know it."

Field	Current	Recommended	Notes
Full name (officer)	Required typed	Optional	Label: "Officer name, if you know it"
Badge / optional field	Typed	Optional	Behind "Add more"
Department	Required typed	Auto-suggested from city, tap-to-select	Derive candidate list from GPS city; "Minneapolis PD" should be a chip, not a typing exercise
City	Required typed	Auto	

State	Required typed	Auto	
Encounter type	Not present	Required — tap chip	"Traffic stop / Stop and question / Search / Force used / Verbal harassment / Witnessed something"
Incident description	Required typed	Optional , voice-enabled	Highest-value voice field in the app
Date	Required typed	Auto = today, editable	
Evidence link	Typed	Optional upload or link	Behind "Add more"
Witness / role	Typed	Optional chip ("It happened to me / I witnessed it / Someone told me")	

Ecosystem contribution: Tier 1 taps aggregate into department-level and neighborhood-level encounter density, which is exactly the kind of community-experience signal that MWM's welcome scoring is built on — grounded in what community members experienced, never in police-published crime statistics. Tier 3 narratives with badge numbers or evidence become the documented cases that support advocacy work.

5.4 Report Police — S4

Attribute	Detail
Current inputs	10
Current complexity	4
Target first-paint complexity	1
Category	Safety

Recommendation: merge into Officer Watch as a single flow with a "who is this about" branch. Report Police and Officer Watch both capture police-encounter data; the distinction between reporting an incident and watching an officer is an internal data-model concern, not a user-facing one.

Minimum Viable Input: City and neighborhood auto-detected plus one chip. Description optional.

Field	Current	Recommended
City	Required typed	Auto
Neighborhood	Required typed	Auto , tap-to-adjust
What you witnessed	Required typed	Optional after a required chip selection
Remaining 7 fields	Visible	Behind "Add more"

5.5 Report Safety (Neighborhood) — S5

Attribute	Detail
Current inputs	10
Current complexity	4
Target first-paint complexity	1
Category	Safety

Minimum Viable Input: Neighborhood auto-detected plus a single welcome-or-concern chip. This is the highest-frequency safety form in the app and should be reachable directly from the map with a long-press.

Full Story path: Description with voice, time of day, whether it was a one-time or recurring feeling, and what would have made it better — the last of which produces unusually actionable content for business and city partners.

Field	Current	Recommended
Neighborhood	Required typed	Auto , tap-to-adjust
Description	Required typed	Optional , voice-enabled
Concern / feeling type	Not present	Required — tap chip
Remaining 8 fields	Visible	Behind "Add more"

5.6 Business Insight — B1

Attribute	Detail
Current inputs	19
Current complexity	5
Target first-paint complexity	2
Category	Business (corporate accountability)

This form serves a distinct and strategically valuable purpose: capturing employee and customer intelligence about large corporations such as Walmart, Amazon, and Starbucks. Its value grows with volume, which makes its current nineteen-field structure especially costly. An employee submitting anonymously from a break room has perhaps ninety seconds and considerable anxiety.

Minimum Viable Input: Corporation selected from a searchable list (tap, not type) plus one insight-type chip ("Discrimination in hiring / Discrimination in promotion / Customer treatment / Unsafe conditions / Positive practice worth noting").

Full Story path: The anonymous narrative fields, role, tenure, location, whether it was reported internally, and outcome. Every one of these is optional and each should be introduced with an explicit anonymity reassurance.

Field	Current	Recommended	Notes
Business name	Required typed	Tap-to-select from corporate directory with search	Typing "Starbucks" invites 40 spelling variants and fragments the dataset
Location	Required typed	Auto or optional city-only	Precise location can identify an employee; city-level is safer by default
Insight type	Not present	Required — tap chip	
Anonymous description	Required typed	Optional , voice-enabled	
Anonymous tip	Required typed	Merge with description	Three separate anonymous text fields is a redundancy; consolidate to one

Anonymous insight	Required typed	Merge with description	
Role / relationship	Typed	Optional chip ("Employee / Former employee / Customer / Vendor / Heard about it")	
Reported internally	Not present	Optional chip	Behind "Add more"; valuable for accountability narratives
Remaining fields	Visible	Behind "Add more"	

Ecosystem contribution: Tier 1 taps produce the brand-level accountability scores and the "patterns detected at this company" surface. Tier 2 sentences populate the anonymized quote wall. Tier 3 narratives are the raw material for corporate accountability dossiers, press engagement, and the paid business-side intelligence product.

5.7 Nominate Business — B2

Attribute	Detail
Current inputs	15
Current complexity	5
Target first-paint complexity	1
Category	Business

This form is currently structured as a business-directory intake application, asking a community member for the owner's contact name, contact information, email, and phone. A person who loves their neighborhood barbershop does not have the owner's email address, and asking for it converts an act of love into administrative labor.

Minimum Viable Input: A business name — ideally tapped from a places-autocomplete result, which supplies address, city, state, and phone automatically — and nothing else. One tap from a search result should be a complete nomination.

Full Story path: Why this business matters, what to order or ask for, the ownership designation the nominator believes applies, a photo, and the owner's contact details if the

nominator happens to have them.

Field	Current	Recommended	Notes
Business name	Required typed	Tap from places autocomplete	Single most impactful change on this form
City	Required typed	Auto from autocomplete	
State	Required typed	Auto from autocomplete	
Phone	Required typed	Auto from autocomplete, optional	
Social / website	Required typed	Optional, auto where available	Behind "Add more"
Contact name	Required typed	Optional	Behind "Add more"; relabel "If you know the owner"
Contact info	Required typed	Optional	Behind "Add more"
Email	Required typed	Optional	Behind "Add more"
Why it matters	Not prominent	Optional, voice-enabled	The field most worth surfacing; it is what makes a listing feel human
Ownership designation	Typed	Optional tap chips	Must offer the full range of community designations, not a single default

Ecosystem contribution: A bare nomination enters the verification queue and immediately increases directory coverage for a tour or launch city. A nomination with a "why it matters" line ships with a human quote already attached, which materially improves the card's conversion. Designation chips feed the discovery filters that let users find businesses representing their specific community.

5.8 Write Review — B3

Attribute	Detail
-----------	--------

Current inputs	7
Current complexity	3
Target first-paint complexity	1
Category	Business

This is the closest existing form to the target pattern and should become the reference implementation for the rest of the app.

Minimum Viable Input: One tap on a sentiment badge. "Worth Every Visit," "Grandma Approved," "Felt at Home," "Would Go Back," "Not For Us." No stars to calibrate, no text to compose, no fields to skip. The badge *is* the review.

Full Story path: Written review with voice input, photos, a video link, what to order, best time to go, and accessibility notes.

Field	Current	Recommended
Sentiment badge	Partial	Required — one tap (and sufficient alone)
Star rating	Present	Optional, or derived from badge
Review text	Effectively required	Optional , voice-enabled
Video link	Optional typed	Optional, behind "Add more"
Additional context	Optional typed	Optional, behind "Add more"
Photos	Present	Optional, behind "Add more"

Ecosystem contribution: Badge taps drive the business's badge display, ranking, and discovery placement — this is the mechanism by which a business earns "Grandma Approved" status. Written reviews supply the narrative content that makes a listing worth reading, and the two are complementary rather than competing.

5.9 Neighborhood Survey — C2

Attribute	Detail
Current inputs	19
Current complexity	5

Target first-paint complexity	1
Category	Community

The neighborhood survey is the backbone of the welcome-score system and therefore the form whose volume matters most. Nineteen fields is a research instrument; the product needs a one-tap sensor.

Minimum Viable Input: A single tap on a one-to-five "How welcoming did this neighborhood feel?" scale, with the neighborhood auto-detected from GPS. This must be reachable from the neighborhood card itself, not only from a separate survey screen.

Full Story path: The full nineteen fields remain available for the resident who wants to write a neighborhood guide — description for visitors, food recommendations, what to know, where to park, which businesses to support, social handles to follow. This person exists and is enormously valuable; they simply must not be the only person the form is built for.

Field	Current	Recommended	Notes
Welcome rating (1–5)	Buried or absent	Required — one tap , sufficient alone	The core sensor
Search city / zip	Required typed	Auto from GPS, search as fallback	
Neighborhood name	Required typed	Auto , tap-to-confirm	
Description for visitors	Required typed	Optional , voice-enabled	Behind "Add more"
Food recommendations	Required typed	Optional quick-add chips plus free text	Behind "Add more"
Business type	Required typed	Optional tap chips	Behind "Add more"
Social media handle	Required typed	Optional	Behind "Add more"
Remaining fields	Visible	Behind "Add more" or removed	

Ecosystem contribution: Ratings aggregate into the neighborhood welcome score and map layer — the community-experience metric that distinguishes MWM from crime-statistics-based competitors. Descriptions and recommendations become neighborhood guide content and feed the tour city pages.

5.10 Submit Event — C1

Attribute	Detail
Current inputs	22
Current complexity	5
Target first-paint complexity	2
Category	Community

At twenty-two inputs this is the most demanding form in the application. Events are also the most time-sensitive content type, which means friction here has a compounding cost: an event not submitted this week is worthless next week.

Minimum Viable Input: Event name, a date chip, and a location. Three fields, two of which can be tapped rather than typed. A viable alternative worth building is a paste-and-parse input: the user pastes a flyer image or an Instagram caption, and the app extracts name, date, time, and location for confirmation. This single feature would likely triple event submissions, since community events overwhelmingly circulate as flyer images.

Full Story path: Description, organizer, price, ticket link, age policy, accessibility notes, parking, dress code, recurring schedule, and images.

Field	Current	Recommended	Notes
Event name	Required typed	Required typed (unavoidable)	
Date	Typed	Required — tap (Today / Tomorrow / This weekend / date picker)	
Time	Typed	Optional chip or picker	
Location	Required typed	Tap from places autocomplete , or auto if current	
Description	Required typed	Optional , voice- enabled	Behind "Add more"
Organizer	Required typed	Auto = submitting user, editable	Behind "Add more"

Price	Required typed	Optional chips ("Free / Under \$20 / \$20+ / Varies")	Behind "Add more"
Remaining ~15 fields	Visible	Behind "Add more"	
Flyer paste-and-parse	Not present	Add	Highest-leverage new capability on this form

5.11 Resources (Jobs / Housing / Services) — C3

Attribute	Detail
Current inputs	12+
Current complexity	5
Target first-paint complexity	2
Category	Community

This form's central defect is that it is three different forms wearing one coat. Pay range and application link belong to jobs; rent, bedrooms, and lease length belong to housing; neither belongs to a service listing. Presenting all of them simultaneously guarantees that every user sees a majority of fields that do not apply to them, which is among the most reliable predictors of abandonment.

Minimum Viable Input: Resource type chip (Job / Housing / Service / Program), a title, and a city (auto). Everything else is type-conditional and optional.

Full Story path: All type-specific detail fields plus the submitter's personal note, which is the field that turns a listing into a recommendation and should be preserved and celebrated.

Field	Current	Recommended
Resource type	Implicit	Required — first tap , drives conditional fields
Title	Required typed	Required typed
Organization	Required typed	Optional
City / State	Required typed	Auto

Pay range	Always visible	Jobs only, optional chips
Rent	Always visible	Housing only, optional
Bedrooms	Always visible	Housing only, tap chips
Lease length	Always visible	Housing only, tap chips
Description	Required typed	Optional , voice-enabled
Application link	Required typed	Optional
Submitter role	Required typed	Optional chip
Personal note	Required typed	Optional, voice-enabled — keep and encourage

5.12 Check-in — P1

Attribute	Detail
Current inputs	13
Current complexity	5
Target first-paint complexity	1
Category	Personal / Community

A check-in is definitionally a one-tap gesture. Thirteen fields — including contact name and email — indicates this screen has absorbed responsibilities belonging elsewhere, most likely lead capture. It should be reduced to a single tap and the contact-capture behavior moved to the waitlist and account flows where it belongs.

Minimum Viable Input: Tap "I'm here." Location auto-detected, business auto-identified from context, user identity from the session.

Full Story path: Add a note, a photo, a sentiment badge (which converts the check-in into a review), and who they were with.

Field	Current	Recommended
Location	Typed	Auto
Contact name	Required typed	Remove — from session

Email	Required typed	Remove — from session
Additional details	Required typed	Optional , voice-enabled
Remaining fields	Visible	Removed or behind "Add more"

5.13 Summary Table — All Twelve Primary Forms

Form	Category	Inputs now	Complexity now	First paint target	Complexity target
Submit Event	Community	22	5	3 fields	2
Business Insight	Business	19	5	2 fields	2
Neighborhood Survey	Community	19	5	1 field	1
Officer Watch	Safety	16	5	2 fields	2
Nominate Business	Business	15	5	1 field	1
Safety Tip	Safety	13	5	1 field	1
Report Space	Safety	13	5	1 field	1
Check-in	Personal	13	5	1 field	1
Resources	Community	12+	5	2 fields	2
Report Police	Safety	10	4	1 field	1
Report Safety	Safety	10	4	1 field	1

Write Review	Business	7	3	1 field	1

6. The Progressive Input Principle

The Progressive Input Principle is the single architectural rule that resolves the founder's insight into shippable code. It states that **a form begins as the smallest possible gesture and grows only when the user chooses to grow it**. Depth is available on demand and never on arrival.

6.1 The Five Rules

Rule One — Start with one tap or one sentence. Every contribution form opens with either a set of tappable chips or a single short field. The first screen of any form must be completable in under ten seconds by a person who has never used the app before. If the first screen cannot be submitted as-is, the form violates this principle.

Rule Two — Offer expansion, never impose it. After the minimum is satisfied, the interface presents a single warm invitation: "Want to add more?" The wording matters enormously. "Complete your profile," "Required for verification," and progress bars showing 20% all communicate deficiency. "Want to add more?" communicates invitation. A user who declines has still contributed, and the interface must confirm that explicitly: "Thank you — this already helps."

Rule Three — Never show all fields at once. No screen in the application renders more than three input fields on first paint. Additional fields appear in expandable sections, revealed one group at a time, each with its own submit-and-stop opportunity. A nineteen-field form becomes six screens of which the user may see only the first.

Rule Four — Pre-fill everything derivable. Any value the app can determine, it determines. Location and city come from GPS. Neighborhood comes from reverse geocoding. Business name and address come from the card the user navigated from or from places autocomplete. Date defaults to today. Organizer, submitter, and contact details come from the session. Department candidates are derived from the city. Every auto-filled value is visibly editable, because being wrong about someone's location is worse than asking — but asking first, every time, is worse still.

Rule Five — Offer voice on every narrative field. Any field expecting more than a few words displays a microphone button of equal visual weight to the keyboard. This is detailed in Section 9.

6.2 The Standard Flow

Every contribution form should follow this state machine.

Step	Screen content	User options	Data state
1	Auto-detected context shown as an editable summary line ("Near Sunrise Market, Atlanta") plus a grid of type chips	Tap a chip	Nothing yet
2	Chip selected; large primary button reads "Submit" ; secondary link reads "Want to add more?"	Submit and exit, or expand	Tier 1 record ready
3	On submit: warm confirmation, contribution framed as valuable, single soft prompt "Add a few words? (optional)" with mic and keyboard	Add words, or exit	Tier 1 record persisted and published
4	Description entered; "Submit" and "A few more details?"	Submit, or expand	Tier 2 record
5	Grouped optional sections, three fields at a time, each with its own submit	Continue or stop at any point	Tier 3 record
6	Final confirmation with "You can always add more later" and a link back to the record	Exit	Record complete, remains upgradeable

The essential detail is that **persistence happens at step three, not step six**. The record is saved and live the moment the minimum is met. Everything after that is enrichment of an already-successful contribution. This is what makes it honest to tell a user that one tap is enough.

6.3 Anti-Patterns to Remove

Anti-pattern	Why it fails	Replacement
Long scrolling form with all fields visible	Users scan the length and abandon before starting	Chip-first single screen with expansion
Progress bar showing "2 of 19"	Quantifies how far the user is from being enough	No progress indicator on optional depth
Red asterisks on many fields	Signals that most of the form is a hurdle	At most one required element per form
"Please complete all required fields" error	Punishes the attempt at the moment of exit	Nothing is required beyond the first chip
Typed city and state	High-effort, error-prone, fragments the dataset	GPS auto-fill, tap to correct
Typed business name	Creates duplicate and misspelled records	Places autocomplete, tap to select
Contact name and email inside a safety form	Directly suppresses reporting	Anonymous by default, no identity fields
Three separate free-text fields for the same subject	Users cannot tell what belongs where and write nothing	One field, one clear prompt

7. Persona-Based Input Design

The four personas below are design contracts. Each one specifies what the app must guarantee for that person, and each of the twelve primary forms should be tested against all four before release.

7.1 Zaria, 18 — The Teenager

Zaria has a short attention budget and a strong sense of when an app is wasting her time. She will tap; she will occasionally type one line; she will not type a paragraph. She abandons at the third field, and she does not come back to a form that has already annoyed her. Her contributions, however, arrive frequently and in volume, and volume is what makes the map real.

Her guarantee is that **every form is complete after one tap**. Chips are large, plainly worded, and emotionally honest — "This didn't feel good" is a chip, not a paraphrase she

has to invent. The confirmation tells her the tap mattered. She is never shown a field she did not ask for, and she is never told she is 20% complete.

7.2 Marcus, 34 — The Busy Professional

Marcus contributes between meetings, one-handed, often while walking. He has fifteen seconds and genuine goodwill. He will rate, badge, and check in; he will not compose.

His guarantee is **one-handed, thumb-reachable, fifteen-second completion**. Primary actions sit in the lower third of the screen. Everything derivable is pre-filled. Submission is instant and optimistic, with no blocking spinner. Nothing he starts is lost if a call interrupts him — drafts persist automatically.

7.3 Ms. Denise, 62 — The Storyteller

Ms. Denise has something to say and a need to be heard. She was treated badly at a gas station and she wants the full account recorded — what was said, how it felt, what she did, who was watching. She types slowly and dislikes small text. Her contributions are the ones that give the platform its moral weight and its journalistic value.

Her guarantee is that **depth is always available, generously supported, and visibly honored**. Description fields expand without limit and never truncate her mid-thought. The microphone is prominent, because she speaks far more fluently than she types, and after transcription she can edit freely. Text is large and high-contrast. Her draft saves continuously so a long entry can never be lost. When she submits, the confirmation reflects the weight of what she gave — not the same three-word toast Zaria receives. She is offered the chance to be contacted about her story for editorial or advocacy use, and that offer is always opt-in.

7.4 Andre, 41 — The Reporter

Andre documents deliberately. He is a community organizer, a legal observer, or a member who has decided to keep records. He wants every field the schema supports: badge numbers, departments, timestamps, witnesses, evidence links, and the ability to file multiple related reports.

His guarantee is that **the full field set remains reachable and efficient**. A persistent "Detailed mode" toggle in settings opens forms pre-expanded for users like him. Evidence attachment is first-class. He can add corroboration to an existing record rather than duplicating it, and he can revisit and extend his own submissions indefinitely.

7.5 Persona Coverage Matrix

Form	Zaria (tap only)	Marcus (15 sec)	Ms. Denise (voice + depth)	Andre (full fields)
Safety Tip	Incident chip	Chip + auto-location	Voice narrative, unlimited	All 13 fields + evidence
Report Space	Experience chip	Chip from business card	Voice narrative	Full detail + photos
Officer Watch	Encounter chip	Chip + auto-city	Voice narrative	Badge, dept, evidence, witnesses
Report Police	Encounter chip	Chip + auto-location	Voice narrative	Full detail
Report Safety	Concern chip	Chip + auto-neighborhood	Voice narrative	Full detail
Business Insight	Company + insight chip	Two taps	Voice narrative, anonymous	Role, tenure, internal report status
Nominate Business	Autocomplete tap	One tap	"Why it matters" narrative	Owner contact, designations
Write Review	Badge tap	Badge tap	Long review + voice	Photos, video, order tips
Neighborhood Survey	Welcome rating tap	Rating tap	Full neighborhood guide	All 19 fields
Submit Event	RSVP / flyer paste	Flyer paste	Full description	All 22 fields
Resources	Type chip + title	Type + title	Personal note narrative	All type-specific fields
Check-in	"I'm here"	"I'm here"	Note + photo	Note, companions, badge

8. Safety Form Special Rules

Safety forms operate under different law than the rest of the application. A person filling out an event form is planning; a person filling out a safety form may be frightened,

humiliated, angry, or physically unsafe. Every design decision must assume the worst moment, not the calmest one.

8.1 The Ten-Second Rule

A safety report must be submittable in under ten seconds from the moment the user decides to report. This is a hard constraint, not an aspiration, and it should be measured on a real device with a real person during testing. Ten seconds accommodates opening the report surface, confirming an auto-detected location, tapping an incident chip, and submitting. It does not accommodate typing a business name, a city, or a description.

The corollary is that **the entry point must also be fast.** A safety report should be reachable in one gesture from the map (long-press to report at that point), one tap from any business card, and one tap from a persistent floating action button. A ten-second form behind a four-tap navigation path is a forty-second experience.

8.2 Anonymous by Default

Safety forms collect no identity. No name field, no email field, no phone field, no visible profile attribution. Where a session identifier is retained internally for abuse prevention, the interface must state plainly and prominently that the report is anonymous and that identity is not attached to the public record. The current presence of contact name and email fields in Safety Tip and Check-in is the highest-priority removal in this document.

Attribution may be offered as a deliberate opt-in at the very end of the Full Story path, phrased as a choice rather than a default: "Would you like your name on this? Most people don't, and that's completely fine."

8.3 Add More Later

Because a frightened person cannot write well and a calm person can, the safety flow must explicitly separate the act of reporting from the act of describing. After a Tier 1 submission, the app tells the user: "This is recorded. You can add details anytime — we'll keep it for you." That report then appears in a private "Your reports" area with a clear "Add details" affordance, and the app may send one gentle notification some hours later — never more than one, never urgent in tone.

This capability is what makes the ten-second report defensible to the documentarian persona. Nothing is lost by reporting fast; the record remains open.

8.4 Emotional Safety in Copy and Interaction

Requirement	Implementation
-------------	----------------

No validation shaming	Never show "required field" errors in a safety form; nothing beyond the chip is required
No detail interrogation	Never ask "are you sure?" or request confirmation of the incident type
Panic exit	A clearly visible close control that discards nothing already submitted and saves any draft silently
Offline capability	Reports must queue locally and sync later; a person in a parking garage still needs to report
Draft persistence	Any typed or spoken text saves continuously, surviving app backgrounding and calls
Neutral, warm tone	"We hear you. This is recorded." Not "Submission successful." Not "Report #4471 filed."
No crime framing	Language describes experience and welcome, never criminality; consistent with MWM's community-experience scoring model
Support resources	After a report involving harm, offer relevant community support resources without insisting

8.5 What Safety Forms Must Never Require

Never required	Reason	Replacement
User's real name	Suppresses reporting outright	Anonymous
Email or phone	Same	Session-based, no capture
Typed street address	Cannot be typed by a shaking hand	GPS
Typed city or state	Unnecessary friction	GPS
Date	Recall burden	Defaults to today
Officer name or badge number	Usually unknown, blocks the report	Optional, "if you know it"

Business's legal name	Usually unknown	Places autocomplete, auto from context
Written description	The core barrier for young and distressed users	Optional; chip carries the required signal
Evidence or photo	Most incidents have none	Optional

8.6 Safety Form Compliance Checklist

Every safety form must pass all nine of these before shipping.

#	Check	Pass condition
1	Submittable in under 10 seconds	Timed on device with a first-time user
2	Zero required typed fields	Only a chip selection is required
3	Anonymous by default with visible reassurance	Copy present above the fold
4	Location auto-detected, tap to correct	No typing required
5	Date defaults to today	No typing required
6	Voice input available on the description	Microphone visible, not hidden in a menu
7	"Add details later" offered and functional	Record is upgradeable, appears in Your Reports
8	Works offline with local queue	Verified in airplane mode
9	No identity fields present anywhere in the flow	Code-level confirmation

9. Voice Input Specification

Voice input is not a convenience feature in this application; it is an accessibility and equity feature. Typing capability correlates with age, education, dexterity, and emotional state — precisely the dimensions along which the platform must not filter its contributors. A sixty-

two-year-old woman describing discrimination speaks with detail and force she would never reach on a phone keyboard, and a person whose hands are shaking cannot type at all.

9.1 Where Voice Is Required

Voice input must be available on all fourteen narrative fields across the application.

Form	Voice-enabled field	Priority
Safety Tip	Incident description	Critical
Report Space	Experience description	Critical
Officer Watch	Incident description	Critical
Report Police	What you witnessed	Critical
Report Safety	Concern description	Critical
Business Insight	Anonymous description	High
Write Review	Review text	High
Neighborhood Survey	Description for visitors	High
Neighborhood Survey	Food recommendations	Medium
Nominate Business	Why it matters	High
Submit Event	Event description	Medium
Resources	Description	Medium
Resources	Personal note	Medium
Check-in	Note	Low

9.2 Interaction Design

The microphone must sit inside or immediately adjacent to the text field, at a minimum touch target of forty-four points, with equal visual prominence to the keyboard. It is not acceptable to place it behind a menu or a secondary screen, because the users who need it most are the least likely to hunt for it.

The prompt copy should be conversational and specific to the form: "Tell us what happened" for safety, "Tell us why you love this place" for a nomination, "Tell us about your neighborhood" for the survey. During recording, the interface shows a live waveform, an

elapsed timer, and a large stop control. There is no time limit — Ms. Denise may speak for four minutes and must not be cut off.

Transcription appears in the text field as fully editable text. The user always reviews and can correct before submitting. If transcription fails or produces low-confidence output, the audio is retained and attached to the record so the contribution is never lost to a technical failure; a human moderator or a later transcription pass can recover it.

9.3 Technical Requirements

Requirement	Specification
Engine	On-device speech recognition where available (iOS Speech framework, Android SpeechRecognizer) with server-side fallback
Offline behavior	Record audio locally, queue for transcription on reconnect, never block submission
Language support	English at launch; the architecture must not preclude Spanish, Haitian Creole, Amharic, or Portuguese, given the communities the platform serves
Privacy	Audio for safety reports is processed and, once transcribed and confirmed, discarded unless the user opts to retain it; state this in the interface
Permissions	Requested in context at first microphone tap, with a plain explanation, never during onboarding
Failure handling	Retain audio, show "We saved your recording — you can try again or submit as is"
Accessibility	Full screen reader labeling; visible transcription state; haptic confirmation on start and stop

10. The One-Tap Philosophy: Complete Chip Catalog

Every contribution form needs a defined one-tap vocabulary. These chips are the app's actual data model for sentiment, and their wording is a product decision of the first order:

the words must be the words community members already use, not sanitized categories invented for a database.

10.1 Review Badges — Write Review

Badge	Meaning	Signal generated
Worth Every Visit	Strong positive, would return	Positive, high confidence
Grandma Approved	Trusted, welcoming, family-safe	Positive, trust-weighted, drives badge display
Felt at Home	Cultural comfort and belonging	Positive, belonging dimension
Great Service	Staff treated me well	Positive, service dimension
Would Go Back	Mild positive	Positive, low intensity
Mixed Feelings	Ambivalent	Neutral, flags for narrative follow-up
Not For Us	Negative without incident	Negative, non-safety
Something Felt Off	Negative, subtle	Negative, prompts optional safety path

10.2 Safety Incident Chips — Safety Tip and Report Space

Chip	Notes
This didn't feel good	Deliberately included verbatim from the founder's framing; the lowest-barrier honest option
Followed or watched	
Refused service	
Treated differently than others	
Rude or dismissive to me	
Called security or police on me	
Slurs or hostile language	
Unsafe outside the business	

Something else	Reveals the optional description field automatically
----------------	--

10.3 Police Encounter Chips — Officer Watch and Report Police

Chip	Notes
Traffic stop	
Stopped and questioned	
Searched	
Force used	Should surface support resources after submission
Verbal harassment	
Heavy presence in the area	Captures atmosphere without an incident
I witnessed something	Third-party observation
Positive interaction	Important for credibility and balance

10.4 Neighborhood Chips — Report Safety and Neighborhood Survey

The primary neighborhood input is a one-to-five welcoming scale, framed entirely in terms of welcome rather than safety, consistent with MWM's methodology of measuring community experience instead of policing data.

Scale point	Label
5	Felt completely welcome
4	Mostly comfortable
3	Neutral, hard to say
2	Felt out of place
1	Did not feel welcome

Optional secondary chips: "People were friendly," "Businesses welcomed me," "Got stared at," "Was followed," "Heavy police presence," "Nowhere to go for basics," "Would bring my

family here."

10.5 Business Insight Chips — Business Insight

Chip
Discrimination in hiring
Discrimination in promotion
Unequal discipline
Customer treated unfairly
Unsafe or unfair conditions
Retaliation for speaking up
Positive practice worth noting
Something else

10.6 Endorsement and Designation Chips — Nominate Business

Ownership designation chips must genuinely represent the range of communities the platform serves rather than defaulting to a single category with secondary tags appended. The list below is illustrative and should be finalized with founder input.

Group	Chips
Endorsement	Grandma Approved, Hidden Gem, Community Anchor, Best in the Neighborhood
Ownership designation	Black-owned, Hispanic/Latino-owned, Ethiopian-owned, Caribbean-owned, Brazilian-owned, Indigenous-owned, Asian-owned, African-owned, Immigrant-owned, Woman-owned, LGBTQ+-owned, Veteran-owned, Family-owned

10.7 One-Tap Coverage by Form

Form	One-tap action	Sufficient alone	Data produced
------	----------------	------------------	---------------

Write Review	Tap a badge	Yes	Badge count, business score, discovery ranking
Safety Tip	Tap incident chip at auto-location	Yes	Incident count, map heat, business signal, chain pattern
Report Space	Tap experience chip	Yes	Same as above
Officer Watch	Tap encounter chip	Yes	Encounter density by area and department
Report Police	Tap encounter chip	Yes	Same as above
Report Safety	Tap welcome rating	Yes	Neighborhood welcome score
Neighborhood Survey	Tap welcome rating	Yes	Welcome score, map layer
Nominate Business	Tap autocomplete result	Yes	Directory coverage, verification queue
Business Insight	Tap company + insight chip	Yes	Corporate accountability score
Check-in	Tap "I'm here"	Yes	Foot traffic signal, business activity, streaks
Submit Event	Paste flyer or tap "I'm going"	Partially	Event draft for review, attendance signal
Resources	Tap "This helped me"	Yes	Resource usefulness score

11. Forms to Merge, Simplify, or Eliminate

The current form inventory contains substantial redundancy. Multiple forms collect the same underlying object — a negative experience at a place — differing only in entry point and label. Every duplicate form fragments the dataset, multiplies moderation work, doubles the engineering surface for the progressive-input retrofit, and forces users to categorize their experience before describing it.

11.1 Merge Recommendations

Merge	Forms combined	Rationale	Implementation
M1 — Unified Place Report	Safety Tip (13) + Report Space (13) + Report Safety (10)	All three capture a negative or notable experience at a location. The difference is a data-model concern, not a user concern.	One form, one chip grid. The chip selected determines the record subtype internally. Preserves all three entry points and all existing data fields. Reduces 36 inputs to one 2-field first paint.
M2 — Unified Police Encounter Report	Officer Watch (16) + Report Police (10)	Both capture police interactions. Officer-identifying fields are simply the optional depth of the same record.	One form. First screen is an encounter chip. Officer identity fields live in the "Add more" tier. Reduces 26 inputs to one 2-field first paint.
M3 — Typed Resource Submission	Resources (12+) as three conditional flows	Jobs, housing, and services share only a title and a city.	Keep one form; make the type chip the first input and render only type-relevant fields thereafter.
M4 — Check-in absorbed into Review	Check-in (13) + Write Review (7)	A check-in is a review with no opinion attached.	"I'm here" is the check-in; adding a badge upgrades it to a review in place. Removes an entire redundant form.
M5 — Business correction forms	Suggest an edit (4) + Flag closed/moved (3)	Both are corrections to a listing.	One "Suggest a correction" sheet with a reason chip.
M6 — Support forms	App feedback (3) + Bug report (4) + Contact us (4) + Feature request (3)	Four forms asking the same three questions.	One "Tell us" form with a topic chip.

Executing M1 through M6 reduces the primary contribution form count from twelve to seven and the total input-bearing screens from 83 to approximately 74, while removing zero data fields from the schema.

11.2 Fields to Eliminate Outright

Field	Location	Reason for removal
Contact name	Safety Tip, Check-in	Identity has no place in a safety or presence record; actively suppresses reporting
Email	Safety Tip, Check-in	Same; available from session where legitimately needed
Typed city	All forms	GPS-derivable; typing fragments the dataset with misspellings
Typed state	All forms	Derivable from city
Typed street address	Safety forms	GPS-derivable; unreasonable ask under stress
"Anonymous tip" and "anonymous insight"	Business Insight	Redundant with "anonymous description"; three fields for one thought produces empty fields and confusion
"Optional field" (unlabeled)	Officer Watch	An unlabeled field cannot be answered; either name it or delete it
Organizer	Submit Event	Defaults to the submitting user
Submitter role	Resources	Optional chip at most

11.3 Forms Requiring No Change

Log in, password reset, email verification, referral code entry, avatar upload, bio, comment and reply composers, and the search inputs are already at appropriate complexity and should be left alone. Engineering attention spent on them is attention taken from the twelve forms that gate the data flywheel.

12. Implementation Priority

Priority is determined by a single question: which forms will testers and early users actually touch during the tour and the Atlanta launch? A perfectly designed event form is worthless if the safety report that a tester tries first still demands a typed address.

12.1 Wave One — Ship Before the Tour Begins

These are the forms a first-time user encounters within their first two minutes, plus the safety forms that carry ethical urgency. Wave One is the minimum viable version of this specification and should be treated as launch-blocking.

Order	Form	Change required	Why now
1	Unified Place Report (Safety Tip + Report Space + Report Safety)	Full progressive rebuild, chip-first, GPS auto-fill, identity fields removed, voice on description	Safety forms cannot ship in a state that discourages reporting. Highest ethical priority.
2	Write Review	Badge-tap-only submission path; text becomes optional	Highest-frequency action in the app; the reference implementation for every other form
3	Nominate Business	Places autocomplete as the single required input; owner contact fields moved to optional	Directory coverage is the tour's primary data goal; every tour city needs volume
4	Neighborhood Survey	One-tap welcome rating reachable from the neighborhood card; 18 fields moved behind expansion	Welcome scores are the core differentiator and need volume from day one
5	Check-in	Reduce to one tap; remove name and email	Trivially small change with an outsized credibility payoff
6	Voice input infrastructure	Shared component, deployed to the five safety description fields first	Unblocks the storyteller persona across the app

12.2 Wave Two — During the Tour, Before Atlanta Full Launch

Order	Form	Change required	Why then
-------	------	-----------------	----------

7	Unified Police Encounter Report (Officer Watch + Report Police)	Merge, chip-first, officer identity optional	Ethically urgent but lower volume than place reports; merge work is larger
8	Business Insight	Corporate tap-to-select, three text fields consolidated to one, chip-first	Strategically valuable, but adoption follows directory maturity
9	Submit Event	Three-field first paint plus flyer paste-and-parse	Events matter for Atlanta launch density
10	Resources	Type chip drives conditional fields	Valuable, moderate volume
11	Voice input on remaining nine narrative fields	Extend the shared component	Completes the accessibility commitment

12.3 Wave Three — Post-Launch

Order	Item	Change required
12	Business owner suite (claim, profile, hours, promos)	Progressive treatment; lower urgency since owners are motivated users
13	Support form consolidation (M6)	Merge four forms into one
14	Business correction consolidation (M5)	Merge two forms into one
15	Ambassador and vendor applications	Progressive treatment
16	Administrative and moderation screens	Internal users tolerate density; optimize last
17	Profile and preferences	Minor polish

12.4 Which Forms Need Quick vs. Detailed Mode First

A global "Detailed mode" preference serves the documentarian persona, but it should not be built before the quick paths exist — the quick path is the product, and detailed mode is the escape hatch.

Form	Needs explicit Quick/Detailed toggle	Rationale
Unified Place Report	Yes — first	Andre files repeatedly and should not re-expand every time
Unified Police Encounter Report	Yes — first	Same, and the field set is the largest
Business Insight	Yes — second	Employees submitting detailed accounts benefit from pre-expansion
Submit Event	Yes — second	Recurring organizers use most fields every time
Neighborhood Survey	Yes — third	Neighborhood guide authors want the full instrument
Write Review, Check-in, Nominate Business, Resources	No	Progressive expansion alone is sufficient

13. Paste-Ready Instructions for Replit

The following sections are written to be copied directly into Replit as work orders. Each is scoped, testable, and independently shippable. Verify each against the live build after deployment rather than accepting a completion claim.

13.1 Global Work Order — Progressive Input Architecture

Plain Text

GLOBAL WORK ORDER: PROGRESSIVE INPUT ARCHITECTURE

Build these shared primitives FIRST. Do not modify individual forms until these exist, because every form change depends on them.

1. <ChipGrid> component

- Renders a grid of large tappable chips (min 44pt touch target,

min 16pt font).

- Single-select and multi-select variants.
- Selecting a chip is a complete, valid form answer.
- Chip label text comes from a config file, NOT hardcoded, so wording can be revised without a deploy.

2. <ProgressiveForm> wrapper

- Accepts: `minimumFields[]`, `expansionGroups[][]`.
- Renders ONLY `minimumFields` on first paint. Hard rule: never more than 3 fields visible initially.
- Shows primary "Submit" button as soon as `minimumFields` are valid.
- Shows secondary text link "Want to add more?" below Submit.
- Each expansion group reveals at most 3 fields and has its own Submit button.
- NO progress bar. NO step counter. NO percent complete.
- NO red asterisks. At most ONE required element per form.

3. <VoiceTextField> component

- Textarea + microphone button inside the field, 44pt target, equal visual weight to the keyboard.
- Uses on-device speech recognition (iOS Speech framework / Android SpeechRecognizer) with server fallback.
- No recording time limit.
- Shows live waveform + elapsed timer + large stop button.
- Transcription lands in the textarea as editable text.
- If transcription fails: keep the audio file, attach it to the record, show "We saved your recording – you can try again or submit as is."
- Auto-saves draft text every 2 seconds to local storage.

4. `useAutoContext()` hook

- Returns { `lat`, `lng`, `city`, `state`, `neighborhood`, `nearbyBusinesses[]` } from GPS + reverse geocode.
- Every consuming form displays these as an editable summary line, e.g. "Near Sunrise Market, Atlanta – tap to change".
- Falls back gracefully to a search input if location is denied. NEVER blocks submission on a location permission denial.

5. Places autocomplete input

- Tap-to-select business names. Selecting a result auto-populates name, address, city, state, phone, lat/lng.
- Applies to: Nominate Business, Unified Place Report, Submit Event location, Business Insight.

6. Database rule (CRITICAL)

- A Tier 1 record (chip + location, no description) MUST be stored as a COMPLETE, PUBLISHED, QUERYABLE record. Not a draft. Not a partial. It must appear in map layers, counts, and scores

immediately.

- Every record must be UPGRADEABLE: add a PATCH endpoint so a user can attach a description, photo, or extra fields to an EXISTING record later without creating a duplicate.
- Add nullable columns rather than requiring values. Do not add NOT NULL constraints to any description, name, email, address, city, state, or date column on contribution tables.

7. Offline queue

- All contribution submissions queue locally and sync on reconnect.
- Required for safety forms, applied to all forms.

13.2 Work Order — Unified Place Report (Wave One, Priority 1)

Plain Text

WORK ORDER: UNIFIED PLACE REPORT

Replaces: Safety Tip (13 inputs), Report Space (13 inputs),
Report Safety (10 inputs)

Target: submittable in under 10 seconds, ZERO required typed fields

SCREEN 1 (first paint – this is the ENTIRE required form):

Line 1: Auto-detected context, editable:

"Near {nearestBusiness}, {city}" [tap to change]

Line 2: Copy: "This is anonymous. You don't have to explain."

Then: <ChipGrid> single-select, these chips:

- This didn't feel good
- Followed or watched
- Refused service
- Treated differently than others
- Rude or dismissive to me
- Called security or police on me
- Slurs or hostile language
- Unsafe outside the business
- Something else

Button: [Submit] (enabled as soon as a chip is tapped)

Link: "Want to add more?"

ON SUBMIT (from screen 1):

- PERSIST THE RECORD NOW. Published and live. Not a draft.
- Confirmation screen copy: "We hear you. This is recorded."
Then, soft and optional: "Add a few words? (optional)"
with <VoiceTextField> and a [Skip] option of equal prominence.
- Do NOT show a report ID. Do NOT say "Submission successful."

EXPANSION GROUP 1 (only if user taps "Want to add more?"):

- Description (<VoiceTextField>, placeholder: "Only if you want to.

Even a few words help.")

- Time of day (chips: Morning / Afternoon / Evening / Night)
- Who was involved (chips: Staff / Manager / Security / Another customer / Not sure)

EXPANSION GROUP 2:

- Has this happened before? (chips: First time / Happened before)
- Did anyone else see it? (chips: Yes / No / Not sure)
- Photo or screenshot (optional upload)

FIELDS TO DELETE FROM THESE FORMS ENTIRELY:

- Contact name (DELETE – do not hide, DELETE)
- Email (DELETE)
- Any name/identity field (DELETE)

FIELDS TO CONVERT FROM TYPED TO AUTO:

- Business name -> places autocomplete / nearest-business context
- Street address -> GPS reverse geocode
- City -> GPS
- State -> GPS
- Date -> defaults to today, editable via picker

ENTRY POINTS (all three must work):

1. Long-press anywhere on the map -> opens at that pin
2. "Report an experience" button on every business card
-> opens with that business pre-filled
3. Persistent FAB on the map screen

ADD-LATER FLOW:

- New "Your Reports" screen listing the user's own submissions.
- Each has an "Add details" button that PATCHes the existing record.
- Send exactly ONE gentle reminder notification 4 hours after a Tier 1 report: "Your report is saved. Want to add anything?"
Never more than one. Never urgent language.

ACCEPTANCE TESTS:

- [] First-time user submits a report in under 10 seconds (timed, real device)
- [] Form submits with a chip only – no text, no typing, anywhere
- [] Record appears in map layer and business signal count immediately after Tier 1 submit
- [] Airplane mode: report queues locally, syncs on reconnect
- [] Location permission denied: form still submits via manual neighborhood picker
- [] Voice input: 3-minute recording is not truncated
- [] Add-details later attaches to the SAME record, no duplicate row
- [] grep the codebase: no contact/email/name field exists in this flow

13.3 Work Order — Write Review (Wave One, Priority 2)

Plain Text

WORK ORDER: WRITE REVIEW — BADGE-ONLY SUBMISSION

Current: 7 inputs, text effectively required

Target: one tap = a complete, published review

SCREEN 1 (entire required form):

<ChipGrid> single-select badges:

- Worth Every Visit
- Grandma Approved
- Felt at Home
- Great Service
- Would Go Back
- Mixed Feelings
- Not For Us
- Something Felt Off

Button: [Post] Link: "Want to say more?"

RULES:

- A badge tap alone creates a COMPLETE, PUBLISHED review record.
- Review text becomes OPTIONAL (nullable column).
- Star rating: either derive from badge or make optional. Do not require both a badge and stars.
- If "Something Felt Off" or "Not For Us" is tapped, offer a soft, non-blocking link: "Want to report this?" -> Unified Place Report.

EXPANSION GROUP 1: Review text (<VoiceTextField>), photos

EXPANSION GROUP 2: What to order, best time to go, video link, accessibility notes

BADGE COUNTS MUST SURFACE IN PRODUCT:

- Business cards show badge tallies (e.g. "12 Grandma Approved").
- Badges factor into discovery ranking.
- This is what proves to a one-tap user that their tap counted.

ACCEPTANCE TESTS:

- [] Badge tap alone posts a review, no validation error
- [] Badge-only review is visible on the business card
- [] Badge tally increments immediately
- [] Review text column is nullable in the DB

13.4 Work Order — Nominate Business (Wave One, Priority 3)

Plain Text

WORK ORDER: NOMINATE BUSINESS – ONE-TAP NOMINATION

Current: 15 inputs, 8 required typed (including owner's email)

Target: one autocomplete tap = a complete nomination

SCREEN 1 (entire required form):

- Single places-autocomplete search field:
"What business should we add?"
- Tapping a result auto-fills name, address, city, state, phone, lat/lng, category.
- Button: [Nominate] Link: "Want to tell us why?"

EXPANSION GROUP 1:

- "Why does this place matter?" (<VoiceTextField>) – the most valuable optional field on this form; give it warm framing
- Ownership designation (<ChipGrid> MULTI-select). Use the FULL designation list from the config file – Black-owned, Hispanic/Latino-owned, Ethiopian-owned, Caribbean-owned, Brazilian-owned, Indigenous-owned, Asian-owned, African-owned, Immigrant-owned, Woman-owned, LGBTQ+-owned, Veteran-owned, Family-owned. Do NOT default to a single designation.
- Photo (optional)

EXPANSION GROUP 2 (relabel this whole group "If you know the owner"):

- Contact name (OPTIONAL – was required)
- Contact info (OPTIONAL – was required)
- Email (OPTIONAL – was required)
- Social / website (OPTIONAL – was required)

DB CHANGES:

- Drop NOT NULL from: phone, contact_name, contact_info, email, social_handle, city, state.

ACCEPTANCE TESTS:

- [] Nomination submits from one autocomplete tap
- [] No owner contact field blocks submission
- [] Nomination enters the verification queue with a null description
- [] Multi-select designations save correctly, more than one allowed

13.5 Work Order — Neighborhood Survey (Wave One, Priority 4)

Plain Text

WORK ORDER: NEIGHBORHOOD SURVEY – ONE-TAP WELCOME RATING

Current: 19 inputs, all visible

Target: one tap on a 1-5 welcoming scale = a complete submission

SCREEN 1 (entire required form):

Header: "How welcoming did {neighborhood} feel?"
({neighborhood} auto-detected from GPS)

<ChipGrid> single-select, 5 options:

- 5 - Felt completely welcome
- 4 - Mostly comfortable
- 3 - Neutral, hard to say
- 2 - Felt out of place
- 1 - Did not feel welcome

Button: [Submit] Link: "Want to add more?"

CRITICAL: This rating widget must ALSO be embedded directly on the neighborhood detail card, not only on a separate survey screen. Most ratings will come from the card.

EXPANSION GROUP 1:

- What stood out? (<ChipGrid> multi-select: People were friendly / Businesses welcomed me / Got stared at / Was followed / Heavy police presence / Nowhere to go for basics / Would bring my family here)
- Anything you want to add? (<VoiceTextField>)

EXPANSION GROUP 2 ("Write a guide for visitors"):

- Description for visitors (<VoiceTextField>)
- Food recommendations (quick-add chips + free text)
- Business types worth visiting (chips)

EXPANSION GROUP 3:

- Social media handle, plus remaining original fields

SCORING RULE — NON-NEGOTIABLE:

The neighborhood welcome score is computed ONLY from community experience inputs (these ratings, chips, and narratives). Do NOT ingest police crime statistics, arrest data, or census income data into this score. All user-facing language says "welcoming", never "safe".

ACCEPTANCE TESTS:

- [] One tap submits a complete survey record
- [] Rating is available inline on the neighborhood card
- [] Welcome score updates from a rating-only submission
- [] No crime-statistics source is referenced anywhere in the scoring code

13.6 Work Order — Check-in (Wave One, Priority 5)

Plain Text

WORK ORDER: CHECK-IN — REDUCE 13 INPUTS TO ONE TAP

Current: 13 inputs including contact name and email

Target: one tap

SCREEN 1: A single [I'm here] button. Business and location come from context; user identity comes from the session.

DELETE: contact name field, email field, location text field, and all remaining typed fields.

EXPANSION (optional, after check-in):

- Add a note (<VoiceTextField>)
- Add a photo
- Add a badge -> UPGRADES this check-in into a review in place (see M4 merge). Do not create a second record.

ACCEPTANCE TESTS:

- [] Check-in completes in one tap
- [] No email or name field exists anywhere in the flow
- [] Adding a badge converts the record to a review without duplicating it

13.7 Work Order — Unified Police Encounter Report (Wave Two)

Plain Text

WORK ORDER: UNIFIED POLICE ENCOUNTER REPORT

Replaces: Officer Watch (16 inputs), Report Police (10 inputs)

Target: chip-first, officer identity NEVER required

SCREEN 1 (entire required form):

Line 1: "{neighborhood}, {city}" auto-detected, editable

Line 2: "This is anonymous."

<ChipGrid> single-select:

- Traffic stop
- Stopped and questioned
- Searched
- Force used
- Verbal harassment
- Heavy presence in the area
- I witnessed something
- Positive interaction

Button: [Submit] Link: "Want to add more?"

If "Force used" is selected, after submit show community support resources — offered, never insisted upon.

EXPANSION GROUP 1:

- What happened? (<VoiceTextField>) – this is the single highest-value voice field in the app; make the mic prominent
- Your role (chips: It happened to me / I witnessed it / Someone told me)
- When (defaults to today; chips: Today / Yesterday / This week / Pick a date)

EXPANSION GROUP 2 – label it "If you know these details":

- Department: tap-to-select, candidates DERIVED FROM GPS CITY.
Example: GPS says Minneapolis -> chip "Minneapolis PD" appears.
Do not make the user type a department name.
- Officer name (OPTIONAL – was required)
- Badge number (OPTIONAL)
- Vehicle / unit number (OPTIONAL)

EXPANSION GROUP 3:

- Evidence upload or link (OPTIONAL)
- Were there witnesses? (chips)

DELETE: the unlabeled "optional field" currently in Officer Watch.
Either give it a real label or remove it – an unlabeled field cannot be answered.

DB CHANGES: drop NOT NULL from officer_name, department, city, state, incident_date, description.

ACCEPTANCE TESTS:

- [] Report submits with a chip only, no officer name
- [] Department chips are derived from the detected city
- [] Under 10 seconds to submit, timed on device
- [] Support resources appear after a "Force used" report

13.8 Work Order — Business Insight (Wave Two)

Plain Text

WORK ORDER: BUSINESS INSIGHT — CORPORATE ACCOUNTABILITY
Current: 19 inputs, THREE separate anonymous text fields
Target: two taps

SCREEN 1:

- Corporate tap-to-select with search (Walmart, Amazon, Starbucks, etc.) from a curated corporate directory. NOT a free-text field – free text fragments the dataset across spelling variants.
- <ChipGrid> single-select:

Discrimination in hiring / Discrimination in promotion /
Unequal discipline / Customer treated unfairly / Unsafe or
unfair conditions / Retaliation for speaking up / Positive
practice worth noting / Something else

- Prominent copy: "Anonymous. We never store your identity with this."
- Button: [Submit] Link: "Want to add more?"

CONSOLIDATE THREE FIELDS INTO ONE:

Current "anonymous description" + "anonymous tip" + "anonymous insight" all collect the same thing. Merge into ONE optional `<VoiceTextField>`. Migrate existing data by concatenation.

EXPANSION GROUP 1:

- What happened? (`<VoiceTextField>`)
- Your relationship (chips: Employee / Former employee / Customer / Vendor / Heard about it)

EXPANSION GROUP 2:

- Location: CITY ONLY by default (a precise store location can identify an employee). Precise location is opt-in.
- Did you report it internally? (chips: Yes / No / Tried to)
- What happened after? (`<VoiceTextField>`)

ACCEPTANCE TESTS:

- [] Two taps produce a complete published insight record
- [] Company selection is tap-only, no free text
- [] Only one narrative field exists in the flow
- [] Location defaults to city granularity, not store address

13.9 Work Order — Submit Event (Wave Two)

Plain Text

WORK ORDER: SUBMIT EVENT — 22 INPUTS DOWN TO 3

Target: 3-field first paint, plus flyer paste-and-parse

SCREEN 1 (only these three):

- Event name (typed — unavoidable)
- When (chips: Today / Tomorrow / This weekend / Pick a date)
- Where (places autocomplete tap, or "use my location")

Button: [Submit] Link: "Want to add more?"

HIGH-LEVERAGE FEATURE — FLYER PASTE-AND-PARSE:

Add "Have a flyer? Paste it here" at the top of screen 1. Accept a pasted image or pasted text (e.g. an Instagram caption). Extract event name, date, time, location, price via OCR + LLM parse, then

show the parsed values for the user to confirm or correct.
Community events circulate as flyer images – this is likely the single largest unlock for event volume in the app.

EXPANSION GROUP 1: time, description (<VoiceTextField>), price chips
(Free / Under \$20 / \$20+ / Varies)

EXPANSION GROUP 2: ticket link, age policy, accessibility notes

EXPANSION GROUP 3: parking, dress code, recurring schedule, images

AUTO-FILL: organizer defaults to the submitting user.

ACCEPTANCE TESTS:

- [] Event submits with name + date chip + location tap
- [] Pasted flyer image populates at least name and date correctly
- [] No more than 3 fields visible on first paint

13.10 Work Order — Resources (Wave Two)

Plain Text

WORK ORDER: RESOURCES – CONDITIONAL FIELDS BY TYPE

Problem: job fields, housing fields, and service fields are all shown to everyone, so most users see mostly irrelevant fields.

SCREEN 1:

- FIRST input is a type <ChipGrid>: Job / Housing / Service / Program
- Then: Title (typed)
- City: auto from GPS
- Button: [Submit] Link: "Want to add more?"

CONDITIONAL EXPANSION – render ONLY fields for the selected type:

- Job -> pay range (chips), organization, application link, description
- Housing -> rent, bedrooms (chips), lease length (chips), address
- Service -> organization, who it serves, how to access
- Program -> organization, eligibility, how to apply

ALL TYPES (optional):

- Description (<VoiceTextField>)
- "Why are you sharing this?" personal note (<VoiceTextField>) – KEEP this field and encourage it; it is what turns a listing into a recommendation
- Submitter role (optional chip, was required typed)

ADD a one-tap "This helped me" button on every resource detail card, feeding a usefulness score.

ACCEPTANCE TESTS:

- [] Housing fields never render for a Job submission
- [] Submission succeeds with type + title only
- [] "This helped me" tap records a usefulness signal

13.11 Global Copy Standards

Plain Text

COPY STANDARDS – apply to every form in the app

REPLACE these strings everywhere:

- | | |
|------------------------------|--|
| "Submission successful" | -> "We hear you. This is recorded." |
| "Required field" | -> (delete; nothing is required beyond the chip) |
| "Please complete all fields" | -> (delete) |
| "Complete your profile" | -> "Want to add more?" |
| "Step 2 of 19" | -> (delete all step counters) |
| "Optional" | -> "Only if you want to" |
| "Describe the incident" | -> "Tell us what happened" |
| "Safe / Unsafe" | -> "Welcoming / Not welcoming" |
| "Crime" | -> (never use this word) |

ADD these strings:

- Above every safety chip grid:
 - "This is anonymous. You don't have to explain."
- On every Tier 1 confirmation:
 - "Thank you – this already helps."
- On every add-later prompt:
 - "You can always add more later."
- Next to every microphone:
 - "Prefer to talk? Tap the mic."

NEVER:

- Reference a user's race, gender, or age in any prompt, recommendation, or confirmation. Reference BEHAVIOR only (e.g. "since you've been browsing salons"). This is the One-Way Mirror Rule and it applies to form copy too.
- Use a progress bar or completion percentage on optional depth.
- Show a validation error on a safety form.

13.12 Verification Protocol

Plain Text

VERIFICATION PROTOCOL – do not accept a completion claim without this

For each work order, provide:

1. The diff, with file paths.
2. A screen recording of the minimum path, timed, on a real device.
3. A DB query showing a Tier 1 record persisted as complete and published (not draft).
4. A grep result proving deleted fields are actually absent from the codebase, not merely hidden by CSS.
5. Confirmation that the deployed bundle contains the change – verify against the running artifact, not just the commit SHA, and probe a live endpoint introduced by the change.

Any claim of "cannot be done" must be classified as: technically impossible / tool limitation / requires credentials / requires founder approval / requires legal review / possible but unknown how / possible but unsafe – with the fastest alternative supplied for every category except technically impossible.

14. Success Metrics

The following instrumentation should be in place before the tour so that the effect of these changes is measurable rather than anecdotal.

Metric	Definition	Target
Tier 1 submission share	Percentage of contributions that are chip-only	Above 50 percent — a high number is a success, not a failure
Time to submit, minimum path	Median seconds from form open to submit	Under 10 seconds for all safety forms
Form abandonment rate	Opened but never submitted	Below 20 percent, down from an estimated 60 to 80 percent
Under-25 contribution share	Contributions from users under 25	Rising quarter over quarter; this cohort is the proof the design worked
Voice input adoption	Share of narrative fields completed by voice	Above 25 percent overall, above 40 percent among users 55 and older
Upgrade rate	Tier 1 records later enriched with detail	Above 15 percent

Fields visible on first paint	Audited per form	Never above 3
Storyteller depth	Median word count among Tier 3 submissions	Should not decline; simplification must not cost depth

The most important interpretive note is that **a high proportion of one-tap submissions is the intended outcome**. If half the contributions in the database are chips with no words attached, the design is working exactly as specified. Those chips are the map.

15. Closing Note on the Founder's Insight

The founder's observation about her mother and the eighteen-year-old is not a usability detail. It is the product's thesis stated in one sentence, and it identifies something most platforms get wrong: they assume a single contribution format and then wonder why their data skews toward whoever tolerates forms.

Mapping With Melanin™ has the opportunity to be the platform where a four-hundred-word account of what happened at a gas station and a single tap on "This didn't feel good" sit in the same database, carry the same legitimacy, and reinforce each other. The mother's paragraph gives the eighteen-year-old's tap its meaning. The eighteen-year-old's tap, multiplied three hundred times, gives the mother's paragraph its proof.

Building that requires accepting one uncomfortable engineering constraint: **the null description must be a first-class citizen**. Every schema, every validation rule, every card layout, and every score calculation must work correctly when the words are missing. That is the whole specification, reduced to its foundation.

The rest of this document is implementation detail.

Prepared by Manus AI. Sections 12 and 13 are structured for direct hand-off to Replit. Verify all claimed implementations against the deployed artifact rather than the commit history.