NikeStoreApi 1.0 OAS 3.0

http://localhost:5190/swagger/v1/swagger.json

Admin

GET /api/admin/balanco

Clientes

GET /api/Clientes

POST /api/Clientes

GET /api/Clientes/{id}

PUT /api/Clientes/{id}

DELETE /api/Clientes/{id}

Pedidos

POST /api/Pedidos

GET /api/Pedidos

Produtos

GET /api/Produtos

POST /api/Produtos

Curl

```
curl -X 'POST' \
  'http://localhost:5190/api/Produtos' \
  -H 'accept: text/plain' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 0,
  "nome": "Tenis de Basquete",
  "modelo": "Sport",
  "preco": 800,
  "quantidadeEstoque": 33
}'
```

Request URL

```
http://localhost:5190/api/Produtos
```

Server response

Code	Details
201 *Undocumented*	Response body

```
{
  "id": 1,
  "nome": "Tenis de Basquete",
  "modelo": "Sport",
  "preco": 800,
  "quantidadeEstoque": 33
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri,10 Apr 2026 12:55:42 GMT
location: http://localhost:5190/api/Produtos?id=1
server: Kestrel
transfer-encoding: chunked
```

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5190/api/Produtos' \
  -H 'accept: text/plain'
```

Request URL

```
http://localhost:5190/api/Produtos
```

Server response

Code	Details
200	Response body


```
[
  {
    "id": 1,
    "nome": "Tenis de Basquete",
    "modelo": "Sport",
    "preco": 800,
    "quantidadeEstoque": 33
  }
]
```


Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri,10 Apr 2026 12:56:24 GMT
server: Kestrel
transfer-encoding: chunked
```

Code	Details
201 *Undocumented*	**Response body**

```
{
  "id": 1,
  "nomeCompleto": "Melk Campos",
  "email": "melkcampos@gmail.com",
  "cpf": "123.456.789-10"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri,10 Apr 2026 13:16:13 GMT
location: http://localhost:5190/api/Clientes/1
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	*No links*

Media type

text/plain

Controls `Accept` header.

Example Value | Schema

```
{
  "id": 0,
  "nomeCompleto": "string",
  "email": "string",
  "cpf": "string"
}
```

Curl

```
curl -X 'GET' \
  'http://localhost:5190/api/Clientes' \
  -H 'accept: text/plain'
```

Request URL

```
http://localhost:5190/api/Clientes
```

Server response

Code	Details
200	

Response body


```
[
  {
    "id": 1,
    "nomeCompleto": "Melk Campos",
    "email": "melkcampos@gmail.com",
    "cpf": "123.456.789-10"
  }
]
```


Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri,10 Apr 2026 13:16:57 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK Media type text/plain Controls Accept header.	*No links*

Edit Value | Schema

```
{
  "produtoId": 0,
  "clienteId": 0,
  "quantidadeItens": 2
}
```

Execute

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:5190/api/Pedidos' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "produtoId": 0,
  "clienteId": 0,
  "quantidadeItens": 2
}'
```

Request URL

Admin

GET /api/admin/balanco

Parameters

No parameters

Execute

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5190/api/admin/balanco' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:5190/api/admin/balanco
```

Server response

Code	Details
200	Response body


```
{
  "faturamentoTotal": 0,
  "produtosComEstoqueZerado": 0,
```

GET /api/Clientes/{id}

Parameters

Name	Description
id * required integer($int32) (path)	1

Execute

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5190/api/Clientes/1' \
  -H 'accept: text/plain'
```

Request URL

```
http://localhost:5190/api/Clientes/1
```

Server response

Code	Details
200	Response body