

INDEX

—A—

A23–A0 3-3, 3-4
 Acknowledgment Of Mastership 5-15
 Address Bus 3-3
 Address Error 6-8, 6-19
 Address Register 2-5, 2-6
 Address Space 6-2
 Address Strobe ($\overline{AS}$) 3-4, 3-8, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8, 5-9, 5-15, 5-16, 5-32, 5-34, 5-36, 5-37
 Addressing Modes 2-4
 Alternate Function Code Registers 2-2
 ANDI to SR 6-3
 $\overline{AS}$ 3-4, 3-8, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8, 5-9, 5-15, 5-16, 5-32, 5-34, 5-36, 5-37
 Asynchronous Bus Arbitration 5-15
 Asynchronous Operation 5-32, 5-33
 Auto Vector (AVEC) 5-10, 5-32, 6-13
 AVEC 5-10, 5-32, 6-13

—B—

$\overline{BERR}$ 3-7, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8, 5-9, 5-11, 5-24, 5-26, 5-27, 5-30, 5-31, 5-32, 5-37, 5-35, 5-38, 5-39, 6-13
 $\overline{BG}$ 3-5, 3-6, 5-14, 5-15, 5-16
 $\overline{BGACK}$ 1-2, 3-5, 3-6, 5-15, 5-16
 Bit Manipulation Instruction Execution Times 7-7, 8-7, 9-9
 $\overline{BR}$ 3-5, 3-6, 5-14, 5-16
 Breakpoint Acknowledge Cycle 5-11
 Breakpoint Acknowledge Cycle Timing Diagram 5-11
 Bus Arbitration, 2-Wire 5-11
 Bus Arbitration 2-Wire Cycle Flowchart 5-13
 Bus Arbitration 2-Wire Timing Diagram 5-14, 5-23
 Bus Arbitration, 3-5, 5-11
 Bus Arbitration, 3-wire 5-11
 Bus Arbitration 3-Wire Cycle Flowchart 5-12
 Bus Arbitration 3-Wire Timing Diagram 15-3, 5-18
 Bus Arbitration Control 5-15, 5-16
 Bus Arbitration Unit State Diagrams 5-17
 Bus Cycle 5-27, 6-11, 6-18, 6-19
 Bus Cycle Retry 5-26

Bus Error ($\overline{BERR}$) 3-7, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8, 5-9, 5-11, 5-24, 5-26, 5-27, 5-30, 5-31, 5-32, 5-37, 5-35, 5-38, 5-39, 6-13
 Bus Error Operation 5-23, 5-26, 5-24, 6-8, 6-13, 6-16, 6-17
 Bus Grant ($\overline{BG}$) 3-5, 3-6, 5-14, 5-15, 5-16
 Bus Grant Acknowledge ($\overline{BGACK}$) 1-2, 3-5, 3-6, 5-15, 5-16

Bus Operations

16-Bit Mode 3-4, 3-7
 2-wire Bus Arbitration 5-11
 3-wire Bus Arbitration 5-11
 8-bit Data Bus 1-2
 8-bit Mode 3-4, 3-7
 Bus Arbitration 3-5, 5-11
 Bus Arbitration Control 5-15, 5-16
 Bus Cycle Retry 5-26
 Delayed Bus Error 5-25
 Double Bus Fault 5-28
 Halted Processing State 6-1
 Interrupt Acknowledge Bus Cycle 6-4
 Interrupt Request 6-12
 STOP Instruction 6-2
 Bus Request ($\overline{BR}$) 3-5, 3-6, 5-14, 5-16
 Byte Read-Cycle Flowchart 5-2
 Byte Write-Cycle Flowchart 5-5

—C—

CHK 6-6
 Clear Instruction Execution Times 9-7
 CLOCK (CLK) 3-9
 Condition Codes 2-3
 Conditional Instruction Execution Times 7-7, 8-7, 9-10
 CPU Space 4-1, 6-3
 CPU Space Address Encoding 5-9
 CPU Space Cycle 5-9

—D—

Data Bus 3-4, 4-1, 3-4, 6-4
 Data Bus 8-bit 1-2
 Data Organization in Memory 2-6
 Data Registers 2-5
 Data Strobe ($\overline{DS}$) 3-5, 4-3, 4-5, 4-7, 4-8, 5-4, 5-32, 5-36, 5-37



Data Transfer Acknowledge (DTACK) 3-5, 4-3,
4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8, 5-9, 5-10, 5-11,
5-15, 5-24, 5-30, 5-31, 5-33, 5-34, 5-36, 5-37,
5-38, 5-39, 6-13
Data Transfer Operations 4-1, 5-1
Data Types 2-3, 2-6
Debugging 6-15
Delayed Bus Error 5-25
DIV 6-6
DIVS 6-14
DIVU 6-14
Double Bus Fault 5-28
DS 3-5, 4-3, 4-5, 4-7, 4-8, 5-4, 5-32, 5-36, 5-37
DTACK 3-5, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8,
5-9, 5-10, 5-11, 5-15, 5-24, 5-30, 5-31, 5-33,
5-34, 5-36, 5-37, 5-38, 5-39, 6-13

-E-

Effective Address Calculation Times 9-2
Enable (E) 3-8
EORI to SR 6-3
Execution Times, 8-Bit
Bit Manipulation Instruction 7-7
Conditional Instruction 7-7
Exception Processing 7-10
Immediate Instruction 7-4
JMP 7-8
JMP, JSR, LEA, PEA, AND Instruction 7-8
JSR 7-8
LEA 7-8
Miscellaneous Instruction 7-9
Move Byte Instruction 7-2
Move Instruction 7-2
Move Long Instruction 7-3
Move Word Instruction 7-3
MOVEM 7-8
Multiprecision Instruction 7-8
Operand Effective Address Calculation Times
7-1
PEA 7-8
Shift/Rotate Instruction 7-6
Single Operand Instruction 7-5
Standard Instruction 7-4
Execution, 16-Bit
Bit Manipulation Instruction 8-7
Conditional Instruction 8-7
Exception Processing 8-11

Immediate Instruction 8-5
JMP 8-8
JMP, JSR, LEA, PEA, and MOVEM Instruction
8-8
JSR 8-8
LEA 8-8
Miscellaneous Instruction 8-10
Move Byte and Word Instruction 8-2
Move Instruction 8-2
Move Long Instruction 8-3
Move Peripheral Instruction 8-10
MOVEM 8-8, 8-9
Operand Effective Address Calculation Times
8-1
PEA 8-8
Shift/Rotate Instruction 8-6
Single Operand Instruction 8-6
Standard Instruction 8-3
Exception Processing 6-1, 6-11, 6-14, 6-15, 6-16
Exception Processing
Address Error 6-8, 6-19
Address Space 6-2
ANDI to SR 6-3
AVEC 6-13
BERR 6-13
Bus Cycle 6-11, 6-18, 6-19
Bus Error 6-8, 6-13, 6-16, 6-17
CHK 6-6
CPU space 6-3
D7-D0. 6-4
Debugging 6-15
DIV 6-6
DIVS 6-14
DIVU 6-14
DTACK 6-13
EORI to SR 6-3
Exception Processing 6-1, 6-11, 6-14, 6-15,
6-16
Exception Processing Sequence 6-11
Exception Stack Frame 6-9
Exception Stack Frames 6-9
Exception Type 6-4
Exception Vector 6-4
Function Code 6-3
Halted Processing State 6-1
Illegal and Unimplemented Instructions 6-14
Illegal instruction 6-14

Exception Processing Execution Times 7-10,
8-11, 9-13
Exception Processing Sequence 6-11
Exception Stack Frame 6-9
Exception Type 6-4
Exception Vector 6-4
External Asynchronous Signal Synchronization
5-16

—F—

FC2–FC0 3-6, 3-8, 5-4, 5-6, 5-9

Flowcharts

2-Wire Bus Arbitration Cycle Flowchart 5-13
3-Wire Bus Arbitration Cycle Flowchart 5-12
Breakpoint Acknowledge Cycle Timing
Diagram 5-11
Byte Read-Cycle Flowchart 5-2
Byte Write-Cycle Flowchart 5-5
Read-Modify-Write Cycle Flowchart 5-7
Word Write-Cycle Flowchart 5-5
Function Code Signal 3-6, 5-4, 5-6, 5-9, 6-3

—G—

General-Purpose Registers 2-1
GND 3-9

—H—

Halt ($\overline{\text{HALT}}$) 3-7, 5-24, 5-26, 5-27, 5-28, 5-29,
5-30, 5-31, 5-32
 $\overline{\text{HALT}}$ 3-7, 5-24, 5-26, 5-27, 5-28, 5-29, 5-30,
5-31, 5-32

—I—

Illegal and Unimplemented Instructions 6-14
Illegal Instruction 6-14
Immediate Instruction Execution Times 7-4, 8-5,
9-6
Input Synchronizers 5-38

Instructions

ANDI to SR 6-3
CHK 6-6
DIV 6-6
DIVS 6-14
DIVU 6-14
MOVE to SR 6-3

RESET 6-2
RTE 6-20
STOP 6-2
TRAP 6-6
TRAP 6-13, 6-15
TRAPV 6-6

Instruction Set 2-8
Interrupt Acknowledge Bus Cycle 6-4
interrupt acknowledge cycle 5-10
Interrupt Acknowledge Cycle Timing Diagram
5-10
INTERRUPT CONTROL 3-6
Interrupt Request 6-12
IPL0, IPL1, IPL2 3-6

—J—

JMP 7-8, 8-8, 9-10
JMP, JSR, LEA, PEA, AND MOVEM Instruction
Execution Times 7-8, 8-8, 9-10
JSR 7-8, 8-8, 9-10

—K—

Kinds of Exceptions, 6-5

—L—

$\overline{\text{LDS}}$ 3-4, 4-1, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6—5-9,
5-32, 5-36, 5-37
LEA 7-8, 8-8, 9-10
Levels of Interrupt 6-12

—M—

MC68008 Address Bus 3-4
Miscellaneous Instruction Execution Times 7-9,
8-10, 9-12
Mode (MODE) 3-7
Mode, 8-Bit 3-4, 3-7
Mode, 16-Bit 3-4, 3-7
Move Byte and Word Instruction Execution Times
8-2, 9-3
Move Byte and Word Instruction Loop Mode
Execution Times 9-3
Move Byte Instruction Execution Times 7-2
Move Instruction Execution Times 7-2, 8-2
Move Long Instruction Execution Times 7-3, 8-3,
9-4



Move Long Instruction Loop Mode Execution Times 9-4
 Move Peripheral Instruction Execution Times 8-10
 MOVE to SR 6-3
 Move Word Instruction Execution Times 7-3
 MOVEM 7-8, 8-8, 9-10
 Multiple Exceptions 6-8
 Multiprecision Instruction Execution Times 7-8, 9-11

-O-

Operand Effective Address Calculation Times 7-1, 8-1

-P-

PEA 7-8, 8-8, 9-10
 Privilege Mode 6-1, 6-2
 Privileged Instructions 6-15
 Processor Function Codes (FC0, FC1, FC2) 3-8
 Program Counter 6-16, 6-18
 Programmer's Model 2-1

-Q-

Queue, 3-14, 3-18

-R-

R/W 3-4, 3-5, 4-3, 4-5, 4-8, 5-4, 5-6, 5-8, 5-9, 5-34, 5-37
 Read and Write-Cycle Timing Diagram 5-3
 Read Cycle 4-1, 5-1
 Read-Cycle Flowchart 5-1
 Read-Modify-Write Cycle 4-1, 4-5, 5-7, 6-19
 Read-Modify-Write Cycle Flowchart 5-7
 Read-Modify-Write Cycle Timing Diagram 5-8
 Read/Write (R/W) 3-4, 3-5, 4-3, 4-5, 4-8, 5-4, 5-6, 5-8, 5-9, 5-34, 5-37
 Receiving The Bus Grant 5-15
 Reduced Power 1-3

Registers

Address Register 2-5, 2-6
 Alternate Function Code Registers 2-2
 General-Purpose Registers 2-1
 Program Counter 6-16, 6-18
 SFC and DFC registers 2-3

SR 2-2, 2-3, 6-2, 6-3, 6-11, 6-12, 6-13, 6-15, 6-19
 SSP 6-1, 6-12
 Stack Pointer 2-6
 Supervisor Stack Pointer 6-1, 6-12
 System Stack Pointer 6-2
 User Stack Pointer 6-1, 6-2
 VBR 1-2, 2-2, 6-12

Requesting The Bus 5-5-14
 Reset (RESET) 3-7
 Reset 5-29, 6-11, 6-12, 6-17, 6-19
 RESET Instruction 6-2
 Retry Operation 5-28
 Return From Exception 6-20
 RTE instruction 6-20

-S-

SFC and DFC registers 2-3
 Shift/Rotate Instruction Execution Times 7-6, 8-6, 9-8
 Shift/Rotate Instruction Loop Mode Execution Times 9-9

Signals

A23-A0 3-3, 3-4
 A23-A1 3-3
 AS 3-4, 3-8, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8, 5-9, 5-15, 5-16, 5-32, 5-34, 5-36, 5-37
 BERR 3-7, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8, 5-9, 5-11, 5-24, 5-26, 5-27, 5-30, 5-31, 5-32, 5-37, 5-35, 5-38, 5-39, 6-13
 BG 3-5, 3-6, 5-14, 5-15, 5-16
 BGACK 1-2, 5-15, 5-16
 BR 3-5, 3-6, 5-14, 5-16
 CHK 6-6
 D0-D15 3-4, 4-1, 3-4, 6-4
 DS 3-5, 4-3, 4-5, 4-7, 4-8, 5-4, 5-32, 5-36, 5-37
 DTACK 3-5, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8, 5-9, 5-10, 5-11, 5-15, 5-24, 5-30, 5-31, 5-33, 5-34, 5-36, 5-37, 5-38, 5-39, 6-13
 FC2-FC0 3-6, 3-8, 5-4, 5-6, 5-9
 HALT 3-7, 5-24, 5-26, 5-27, 5-28, 5-29, 5-30, 5-31, 5-32
 IPL0, IPL1, IPL2 3-6
 LDS 3-4, 4-1, 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-7, 5-8, 5-9, 5-32, 5-36, 5-37
 R/W 3-4, 3-5, 4-3, 4-5, 4-8, 5-4, 5-6, 5-8, 5-9, 5-34, 5-37

UDS 3-4, 4-1, 5-4, 5-6, 5-7, 5-8, 5-9, 5-32,
 5-36, 5-37
 VCC 3-9
 VPA 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-10, 5-11,
 6-13
 Signal Summary 3-10
 Single Operand Instruction Execution Times 7-5,
 8-6, 9-7
 Single Operand Instruction Loop Mode Execution
 Times 9-8
 SR 2-2, 2-3, 6-2, 6-3, 6-11, 6-12, 6-13, 6-15, 6-19
 SSP 6-1, 6-12
 Stack Pointer 2-6
 Standard Instruction Execution Times 7-4, 8-3,
 9-5
 Standard Instruction Loop Mode Execution Times
 9-5
 Status Register (SR) 2-2, 2-3, 6-2, 6-3, 6-11,
 6-12, 6-13, 6-15, 6-19
 Status Register 2-2, 2-3
 STOP instruction 6-2
 Supervisor Mode 6-2
 Supervisor Programmer's Model 2-2
 Supervisor Stack Pointer 6-1, 6-12
 Synchronous Operation 5-35
 Synchronous Read Cycle 5-37
 Synchronous Write Cycle 5-38
 System Control 3-7
 System Stack Pointer 6-2

-T-

TAS instruction 4-5
Timing Diagrams
 Breakpoint Acknowledge Cycle 5-11
 Interrupt Acknowledge Cycle 5-10
 Read and Write-Cycle 5-3
 Word and Byte Read-Cycle 5-3
 Word and Byte Write-Cycle 5-6
 Tracing 6-15
 TRAP 6-6, 6-13, 6-15
 TRAP Instruction 6-6, 6-13, 6-15
 TRAPV 6-6

-U-

UDS 3-4, 4-1, 5-4, 5-6, 5-7, 5-8, 5-9, 5-32, 5-36,
 5-37
 Uninitialized Interrupt 6-13
 Upper And Lower Data Strobes 3-4, 4-1, 5-4, 5-6,
 5-7, 5-8, 5-9, 5-32, 5-36, 5-37
 User Mode 6-2
 User Stack Pointer 6-1, 6-2
 USP 6-1, 6-2

-V-

Valid Memory Address ($\overline{VMA}$) 3-8
 Valid Peripheral Address ($\overline{VPA}$) 3-8
 VBR 1-2, 2-2, 6-12
 VCC 3-9
 Vector Base Register 1-2, 2-2, 6-12
 Vector Number 6-11, 6-12
 VPA 4-3, 4-5, 4-7, 4-8, 5-4, 5-6, 5-10, 5-11, 6-13

-W-

Word and Byte Read-Cycle Timing Diagram 5-3
 Word and Byte Write-Cycle Timing Diagram 5-6
 Word Write-Cycle Flowchart 5-5
 Write Cycle 4-3, 4-5, 5-4, 5-5, 5-34



