DOM & Events

A click goes down, then back up

1 **Capture** down: window to parent ▸ 2 **Target** the node that was hit ▸ 3 **Bubble** up: parent to window

	preventDefault	stopPropagation	stopImmediate
Cancels default	✓ yes	✗ no	✗ no
Stops parents	✗ no	✓ yes	✓ yes
Stops same node	✗ no	✗ no	✓ yes

stopImmediate = stopImmediatePropagation. **Same node**: its other listeners.

1 Delegation

```
ul.onclick = (e) =>
  e.target.closest("li")
    ?.classList.add("on");
```

2 Options

```
b.addEventListener("click", f, {
  once: true, passive: true,
});
```

TRAP What happens here?

```
// click c, a child of p
p.addEventListener("click", A);
p.addEventListener("click", B, true);
c.addEventListener("click", C);
```

B, C, A

Capture first, then the target, then bubble.

KEY TAKEAWAY

`capture` Top down

`bubble` Bottom up

`closest` Delegate with it

? Follow-up questions to expect

- **target or currentTarget?** → Node hit vs node whose handler is running.
- **Which events do not bubble?** → focus and blur. Use focusin and focusout.
- **How do you remove a listener?** → Same function, same capture flag.
- **What is `passive` for?** → A promise not to call preventDefault.