

DEBIAN_TRAINING_DMZ-2 [En fonction] - Oracle VirtualBox

Fichier Machine Écran Entrée Périphériques Aide

```
# This file describes the network interfaces available on your system
# and how to activate them. For more information, see interfaces(5).

source /etc/network/interfaces.d/*

# The loopback network interface
auto lo
iface lo inet loopback

# The primary network interface
allow-hotplug enp0s3
iface enp0s3 inet static
address 192.168.200.52/24
gateway 192.168.200.254
dns-nameservers 192.168.100.10
```

DEBIAN_TRAINING_DMZ (implicit deny) [En fonction] - Oracle VirtualBox

Fichier Machine Écran Entrée Périphériques Aide

```
# and how to activate them. For more information, see interfaces(5).

source /etc/network/interfaces.d/*

# The loopback network interface
auto lo
iface lo inet loopback

# The primary network interface
allow-hotplug enp0s3
iface enp0s3 inet static
address 192.168.200.51/24
gateway 192.168.200.254
dns-nameservers 192.168.100.10
```

```

root@www:~#
root@www:~# systemctl restart networking
root@www:~# nslookup google.com
Server:      192.168.100.10
Address:     192.168.100.10#53

Non-authoritative answer:
Name:   google.com
Address: 172.217.20.206
Name:   google.com
Address: 2a00:1450:4007:810::200e

root@www:~# ping 192.168.200.52
PING 192.168.200.52 (192.168.200.52) 56(84) bytes of data.
64 bytes from 192.168.200.52: icmp_seq=1 ttl=64 time=0.904 ms
64 bytes from 192.168.200.52: icmp_seq=2 ttl=64 time=0.285 ms
64 bytes from 192.168.200.52: icmp_seq=3 ttl=64 time=0.228 ms
^C
--- 192.168.200.52 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2014ms
rtt min/avg/max/mdev = 0.228/0.472/0.904/0.306 ms
root@www:~# date
mer. 24 sept. 2025 14:10:51 CEST
root@www:~#

```

```


root@www:~# nslookup youtube.com
Server:      192.168.100.10
Address:     192.168.100.10#53

Non-authoritative answer:
Name:   youtube.com
Address: 142.250.74.238
Name:   youtube.com
Address: 2a00:1450:4007:818::200e

root@www:~# ping 192.168.200.50
PING 192.168.200.50 (192.168.200.50) 56(84) bytes of data.
^C
--- 192.168.200.50 ping statistics ---
3 packets transmitted, 0 received, 100% packet loss, time 2054ms

root@www:~# ping 192.168.200.51
PING 192.168.200.51 (192.168.200.51) 56(84) bytes of data.
64 bytes from 192.168.200.51: icmp_seq=1 ttl=64 time=0.286 ms
64 bytes from 192.168.200.51: icmp_seq=2 ttl=64 time=0.359 ms
64 bytes from 192.168.200.51: icmp_seq=3 ttl=64 time=0.261 ms
^C
--- 192.168.200.51 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2056ms
rtt min/avg/max/mdev = 0.261/0.302/0.359/0.041 ms
root@www:~# date

```



stop1

```
DEBIAN_TRAINING_DMZ (srv-web) [En fonction] - Oracle VirtualBox
Fichier Machine Écran Entrée Périphériques Aide

GNU nano 7.2 /etc/ha.d/haresources *
Monib IPaddr::192.168.200.5 apache2
```

```
DEBIAN_TRAINING_DMZ (srv-web) [En fonction] - Oracle VirtualBox
Fichier Machine Écran Entrée Périphériques Aide

GNU nano 7.2 /etc/ha.d/ha.cf
#configuration du cluster
bcast enp0s3
deadtime 5
keepalive 1
node Monib MONIB
```

```
DEBIAN_TRAINING_DMZ (srv-web) [En fonction] - Oracle VirtualBox
Fichier Machine Écran Entrée Périphériques Aide

GNU nano 7.2 /etc/ha.d/authkey *
auth 1
1 md5 root_
```

```
root@srv-web-bis-MONIB:~# scp test@192.168.200.51:/etc/ha.d/haresources /etc/ha.d
test@192.168.200.51's password:
haresources
root@srv-web-bis-MONIB:~# scp test@192.168.200.51:/etc/ha.d/ha.cf /etc/ha.d
test@192.168.200.51's password:
ha.cf
root@srv-web-bis-MONIB:~#
```

```
Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Fri Sep 26 16:11:59 CEST 2025 on tty1
root@srv-web-Monib:~# ifconfig
enp0s3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.200.5 netmask 255.255.255.0 broadcast 192.168.200.255
    inet6 fe80::a00:27ff:fe82:45f0 prefixlen 64 scopeid 0x20<link>
    ether 08:00:27:82:45:f0 txqueuelen 1000 (Ethernet)
    RX packets 7 bytes 912 (912.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 14 bytes 1117 (1.0 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Boucle locale)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

root@srv-web-Monib:~#
```