

MellowYak Phase 11M

macOS Native Hardening and Acceptance

22 synthetic product screens · Intel macOS · 2026-08-25

No private project or user data.

macOS diagnostics



MellowYak
Protect what already works.

[Home](#) [Projects](#) [Alerts](#) [Settings](#)

Passive by default. Active when it matters. Language

English

VERIFIED LOCAL FACTS

Refresh

Diagnostics

Versions, storage, privacy, runtime, updater, and recovery facts from this installation.

Local API

● Ready

127.0.0.1:<ephemeral>

Database

● Ready

0009_technical_preview_readiness

Storage

● Ready

1482752

Browser runtime

● Available

true

Runtime adapter

● Available

true

Updater

● Not run

NOT_RUN

Signing

● Not run

NOT_SIGNED

Stored records

Projects	Snapshot objects	Incomplete transactions
2	48	0
Recovery required		
0		

Privacy facts

Bearer token exposed	Outbound product network	Cloud connected
false	false	false
Copy redacted		
true		

Known limits

SIGNING_NOT_VERIFIED WINDOWS_LINUX_ARM_RUNTIME_NOT_VERIFIED

Self Test


Support Bundle

Copy Redacted

Inspect local engine, schema, package, self-test, and bounded operational facts.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Acceptance Lab ready



A synthetic disposable local lab is ready; it is not a private project.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Known-good evidence



MellowYak
Protect what already works.

[Home](#) [Projects](#) [Alerts](#) [Settings](#)

Passive by default. Active when it matters. Language

English

PROTECTED BEHAVIOR EVIDENCE

Behaviors known good

A deterministic synthetic view of the same operational product surface.

Known-good verification

The accepted baseline and the latest executed check remain distinct and reviewable.

● Verified

Identity

● Verified

Evidence

● Verified

Result

demo-behavior-181

Complete

Complete

Complete

Files

- src/checkout.ts
- tests/checkout.test.ts

Safety

- Every operation is bound to the recorded source identity.
- Validation does not claim that unexecuted live behavior works.
- Apply and rollback require explicit user action.

Technical

Open behavior evidence

Review passing evidence before accepting a known-good milestone.

Data: deterministic synthetic fixture. **Source write:** none during capture.

WATCH



MellowYak
Protect what already works.

[Home](#) [Projects](#) [Alerts](#) [Settings](#)

Passive by default. Active when it matters. Language English

CHANGE EPISODE

What changed and what was checked

Recorded at Aug 25, 2026, 11:42 AM

Watching

Changed paths

Added

- src/checkout/discount.ts

Modified

- src/checkout/checkout.ts
- tests/checkout.test.ts

Dependencies

- package-lock.json

Behaviors that may be affected

Relationship evidence selects checks; it does not prove root cause.

Checkout

Selection evidence: STATIC_RELATION · TEST_RELATION

Checks that ran

Passed

Checkout check

Checkout

1 attempts
842 ms

Evidence

Relevant checks that did not run

- Profile updateNOT_RELATED_TO_CHANGE

Recorded result

Watching

A change was recorded without a confirmed regression.

Known limits

ROOT_CAUSE_NOT_PROVEN

Technical details

A harmless change remains WATCH and is not labeled as a regression.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Confirmed regression



MellowYak
Protect what already works.

[Home](#) [Projects](#) [Alerts](#) [Settings](#)

Passive by default. Active when it matters. [Language](#)

English

CONFIRMED LOCAL EVIDENCE

Regression detail

Checkout

Confirmed regression

Last known good

Checkout known good

Prior result: Unknown

→

Current check

Failed

2 attempts

Expected behavior

Order confirmation appears after payment

Observed result

```
{
  "outcome": "Payment request returned 500"
}
```

Changed paths in this episode

- src/checkout/checkout.ts
- src/checkout/discount.ts

Why this behavior was selected

Checkout is explicitly linked to the changed route and has an accepted baseline.

Evidence timeline

Accepted baseline, current attempts, source identity, and episode facts.

Aug 25, 2026, 11:41 AM

CHECK COMPLETED

Recorded local event

Failed

Aug 25, 2026, 11:42 AM

EPISODE STABILIZED

4 changed paths

Confirmed regression

Known limits

ROOT_CAUSE_NOT_PROVEN BLAST_RADIUS_MAY_BE_INCOMPLETE

Run Again

Review Change

Create Repair

Mark Reviewed


Dismiss Reason

Technical details

Comparable prior pass and reproducible current failure establish the bounded regression.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Repair Workspace



Work remains isolated from live source until a candidate is validated.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Candidate validated



MellowYak
Protect what already works.

[Home](#) [Projects](#) [Alerts](#) [Settings](#)

Passive by default. Active when it matters. Language English ▼

BOUNDED REPAIR CANDIDATE

● Verified

Candidate validated

A deterministic synthetic view of the same operational product surface.

Candidate validation

Manifest, exact diff, runtime checks, behavior checks, and freshness are evaluated before Apply can be offered.

demo-candidate-181

● Verified	Manifest	Complete
● Verified	Diff	Complete
● Verified	Runtime	Complete
● Verified	Checks	Complete
● Verified	Freshness	Complete

Files

- src/checkout.ts
- tests/checkout.test.ts

Safety

- Every operation is bound to the recorded source identity.
- Validation does not claim that unexecuted live behavior works.
- Apply and rollback require explicit user action.

Technical

Review validation evidence

The candidate passed only in its isolated workspace.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Apply confirmation



MellowYak
Protect what already works.

[Home](#)[Projects](#)[Alerts](#)[Settings](#)

Passive by default. Active when it matters.

LanguageEnglish

SOURCE-SAFE TRANSACTION

Ready

Apply confirmation

A deterministic synthetic view of the same operational product surface.

Apply transaction

Preflight, Safety Snapshot, journal, file operations, and live verification are recorded step by step.

demo-apply-181

Verified	Preflight	Complete
Verified	Safety	Complete
Verified	Journal	Complete
Verified	Prepare	Complete
Verified	Apply	Complete
Verified	Capture	Complete
Verified	Verify	Complete
Verified	Commit	Complete

Files

- src/checkout.ts
- tests/checkout.test.ts

Safety

- Every operation is bound to the recorded source identity.
- Validation does not claim that unexecuted live behavior works.
- Apply and rollback require explicit user action.

Technical

Continue with explicit confirmation

Review the source-bound transaction and explicitly confirm before any write.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Applied and verified



MellowYak
Protect what already works.

[Home](#)[Projects](#)[Alerts](#)[Settings](#)

Passive by default. Active when it matters. Language

English

SOURCE-SAFE TRANSACTION

Verified

Applied and verified

A deterministic synthetic view of the same operational product surface.

Apply transaction

Preflight, Safety Snapshot, journal, file operations, and live verification are recorded step by step.

demo-apply-181

Verified Preflight

Complete

Verified Safety

Complete

Verified Journal

Complete

Verified Prepare

Complete

Verified Apply

Complete

Verified Capture

Complete

Verified Verify

Complete

Verified Commit

Complete

Files

- src/checkout.ts
- tests/checkout.test.ts

Safety

- Every operation is bound to the recorded source identity.
- Validation does not claim that unexecuted live behavior works.
- Apply and rollback require explicit user action.

Technical

Continue with explicit confirmation

Fresh live verification completed after the transaction.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Rolled back safely



MellowYak
Protect what already works.

[Home](#)[Projects](#)[Alerts](#)[Settings](#)

Passive by default. Active when it matters. Language

English

PROJECT IDENTITY

Rolled back safely

Rolled back safely

A deterministic synthetic view of the same operational product surface.

Location evidence

Retained and selected source identities are compared before reconnecting.

demo-location-181

Verified

Identity

Complete

Verified

Evidence

Complete

Verified

Result

Complete

Files

src/checkout.ts

tests/checkout.test.ts

Safety

Every operation is bound to the recorded source identity.

Validation does not claim that unexecuted live behavior works.

Apply and rollback require explicit user action.


Technical

Review selected location

A failed post-check restored affected bytes and preserved unrelated files.

Data: deterministic synthetic fixture. **Source write:** none during capture.


Native tray — TEST-ONLY PREVIEW



Production-component preview only; it is not evidence of a physical native click.

Data: deterministic synthetic fixture. **Source write:** none during capture.


Notification destination



The validated in-app entity destination opened after activation.

Data: deterministic synthetic fixture. **Source write:** none during capture.


Start at Login



Configure persisted background behavior and the native login item.

Data: deterministic synthetic fixture. **Source write:** none during capture.


Update available



Visual reference for the production Update Status surface.

Data: deterministic synthetic fixture. **Source write:** none during capture.


Update downloading



Visual reference; exact complete-download evidence is in MACOS_UPDATER_E2E.json.

Data: deterministic synthetic fixture. **Source write:** none during capture.


Update signature rejected



Visual reference; tampered and wrong-key rejection is machine-recorded.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Update completed



Visual reference; the disposable higher-version install is machine-recorded.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Package status



MellowYak
Protect what already works.

Home

Projects

Alerts

Settings

Passive by default. Active when it matters. Language

English

VERIFIED LOCAL FACTS

Refresh

Diagnostics

Versions, storage, privacy, runtime, updater, and recovery facts from this installation.

Local API

● Ready

127.0.0.1:<ephemeral>

Database

● Ready

0009_technical_preview_readiness

Storage

● Ready

1482752

Browser runtime

● Available

true

Runtime adapter

● Available

true

Updater

● Not run

NOT_RUN

Signing

● Not run

NOT_SIGNED

Stored records

Projects	Snapshot objects	Incomplete transactions
2	48	0
Recovery required		
0		

Privacy facts

Bearer token exposed	Outbound product network	Cloud connected
false	false	false
Copy redacted		
true		

Known limits

SIGNING_NOT_VERIFIED WINDOWS_LINUX_ARM_RUNTIME_NOT_VERIFIED

Self Test

Support Bundle

Copy Redacted

Diagnostics reference; exact app, engine, browser and DMG identities are in PACKAGE_INVENTORY.md.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Signing status



MellowYak
Protect what already works.

[Home](#)[Projects](#)[Alerts](#)[Settings](#)

Passive by default. Active when it matters. Language

English

VERIFIED LOCAL FACTS

Refresh

Diagnostics

Versions, storage, privacy, runtime, updater, and recovery facts from this installation.

Local API

● Ready

127.0.0.1:<ephemeral>

Database

● Ready

0009_technical_preview_readiness

Storage

● Ready

1482752

Browser runtime

● Available

true

Runtime adapter

● Available

true

Updater

● Not run

NOT_RUN

Signing

● Not run

NOT_SIGNED

Stored records

Projects	Snapshot objects	Incomplete transactions
2	48	0
Recovery required		
0		

Privacy facts

Bearer token exposed	Outbound product network	Cloud connected
false	false	false
Copy redacted		
true		

Known limits

SIGNING_NOT_VERIFIED WINDOWS_LINUX_ARM_RUNTIME_NOT_VERIFIED

Self Test

Support Bundle

Copy Redacted

Diagnostics reference; only ad-hoc structural signing is verified.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Performance



MellowYak
Protect what already works.

HomeProjectsAlertsSettings

Passive by default. Active when it matters. LanguageEnglish

VERIFIED LOCAL FACTS

Refresh

Diagnostics

Versions, storage, privacy, runtime, updater, and recovery facts from this installation.

Local API

● Ready

127.0.0.1:<ephemeral>

Database

● Ready

0009_technical_preview_readiness

Storage

● Ready

1482752

Browser runtime

● Available

true

Runtime adapter

● Available

true

Updater

● Not run

NOT_RUN

Signing

● Not run

NOT_SIGNED

Stored records

Projects	Snapshot objects	Incomplete transactions
2	48	0
Recovery required		
0		

Privacy facts

Bearer token exposed	Outbound product network	Cloud connected
false	false	false
Copy redacted		
true		

Known limits

SIGNING_NOT_VERIFIED WINDOWS_LINUX_ARM_RUNTIME_NOT_VERIFIED

Self Test

Support Bundle

Copy Redacted

Diagnostics reference; exact local measurements are in MACOS_PERFORMANCE.json.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Hebrew RTL diagnostics

פסיבי כברירת מחדל. פעיל כשהחשבון שפה. עברית

הגדרותתראותפריקיםבית

MellowYakשומרים על מה שכבר עובד.

רענון

עובדות מקומיות מאומתות

אבחון

גרסאות, אחסון, פרטיות, סביבת הרצה, עדכון ושחזור מהתקנה זו.

סביבת דפדפן

זמין

true

אחסון

מוכן

1482752

מסד נתונים

מוכן

technical_preview_readiness_0009

API מקומי

מוכן

127.0.0.1:<ephemeral>

חתימת חבילה

לא הופעל

NOT_SIGNED

מנגנון עדכון

לא הופעל

NOT_RUN

מתאם סביבת ריצה

זמין

true

עובדות פרטיות

חשיפת אסימון גישהfalse

תקשורת מוצר יוצאתfalse

חיבור לענןfalse

עותק מצוננרtrue

רשומות שנשמרו

פריקים2

אובייקטים של תמונות מצב48

עסקאות שלא הושלמו0

נדרש שחזור0

מגבלות ידועות

WINDOWS_LINUX_ARM_RUNTIME_NOT_VERIFIED

SIGNING_NOT_VERIFIED

העתקת עובדות מצוננרות


יצירת חבילת תמיכה

בדיקה עצמית

The equivalent diagnostics surface uses Hebrew RTL and translation keys.

Data: deterministic synthetic fixture. **Source write:** none during capture.

Hebrew RTL destination



Hebrew RTL product destination; updater transition evidence remains machine-readable.

Data: deterministic synthetic fixture. **Source write:** none during capture.