


MellowYak Phase 8

Validated Repair, Safe Apply, Rollback, and Demo Lab

Deterministic synthetic delivery catalog · English base + Hebrew RTL · 2026-08-25


No private source, user path, credential, prompt, provider data, or live evidence is included.

1. Repair Workspace ready




Purpose	Review an isolated working copy before edits.
Displayed state	Workspace is materialized from the exact failing source identity.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Open, inspect, refresh, export, or abandon the working copy.
Known facts	Workspace and base manifest identities are known.
Unknowns	No repair has been validated.
Next step	Edit only the isolated working copy.
Live source modified	No.

2. Workspace changes



Purpose	Review detected changes without touching live source.
Displayed state	Three deterministic synthetic file changes are detected.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Refresh, inspect files, restore a workspace file, or create a candidate.
Known facts	Paths, operations, sizes, and workspace identity are known.
Unknowns	Behavioral correctness is not yet known.
Next step	Create and review a bounded candidate repair.
Live source modified	No.


3. Candidate patch preview



Purpose
Displayed state
Source
Actions
Known facts
Unknowns
Next step
Live source modified

Summarize the bounded candidate manifest.
One add and two modifications form candidate revision R3.
Deterministic synthetic Phase 8 fixture rendered locally.
View files/diffs, export, exclude, validate, or abandon.
Exact candidate and expected live digests are bound.
Live success is not implied.
Review warnings and start workspace validation.
No.


4. Candidate diff



- Purpose
- Displayed state
- Source
- Actions
- Known facts
- Unknowns
- Next step
- Live source modified


Inspect a bounded text diff.
A synthetic checkout repair diff is visible.
Deterministic synthetic Phase 8 fixture rendered locally.
Review the diff or return to the candidate summary.
The preview is candidate-bound and size-bounded.
Binary content and omitted lines are not inferred.
Validate the exact candidate revision.
No.

5. Candidate validation plan



Purpose	Show required checks before execution.
Displayed state	Original failed probe is ordered first, followed by impacted and runtime checks.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Start validation or inspect technical bindings.
Known facts	Required order, runtime identity, and policy are known.
Unknowns	Unsupported external state may still require review.
Next step	Run validation in the isolated workspace.
Live source modified	No.


6. Candidate validating



- Purpose
- Displayed state
- Source
- Actions
- Known facts
- Unknowns
- Next step
- Live source modified

Show bounded workspace verification in progress.
Required checks are running against the candidate-bound working copy.
Deterministic synthetic Phase 8 fixture rendered locally.
Inspect progress or cancel validation.
Workspace processes and exact candidate identity are tracked.
Final validation outcome is not known yet.
Wait for all required checks to finish.
No.

7. Validation failed



- Purpose
- Displayed state
- Source
- Actions
- Known facts
- Unknowns
- Next step
- Live source modified

Block Apply when any required check fails.

The original protected-behavior probe failed in the working copy.

Deterministic synthetic Phase 8 fixture rendered locally.

Inspect evidence, edit the workspace, refresh, or export.


Failure is preserved and Apply is disabled.

Root cause is not claimed.

Make a smaller relevant edit and validate a new revision.

No.


8. Candidate validated



- Purpose
- Displayed state
- Source
- Actions
- Known facts
- Unknowns
- Next step
- Live source modified


Present a candidate that passed every required workspace check.
Candidate R3 is validated against exact workspace/runtime identities.
Deterministic synthetic Phase 8 fixture rendered locally.
Prepare Apply, export, or inspect technical evidence.
All required workspace checks passed.
The live project has not yet been verified.
Prepare a fresh live-source preflight.
No.

9. Apply blocked — live project changed




Purpose	Prevent writes when live source no longer matches.
Displayed state	Preflight found a stale live source identity.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Recreate the workspace, export the candidate, or cancel.
Known facts	No live path was written.
Unknowns	No automatic merge is attempted.
Next step	Start again from the latest live source.
Live source modified	No.

10. Apply confirmation




Purpose	Require deliberate confirmation for one exact validated candidate.
Displayed state	Candidate, source identity, safety point, checks, and rollback behavior are shown.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Confirm once, inspect details, export, or cancel.
Known facts	Nonce is candidate/project/source-bound and short-lived.
Unknowns	Cross-platform atomicity is not claimed.
Next step	Confirm only after reviewing affected paths.
Live source modified	No.

11. Safety snapshot created




Purpose	Show the fresh pinned pre-apply safety point.
Displayed state	Safety snapshot and durable transaction journal exist before writes.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Inspect journal or continue the confirmed transaction.
Known facts	Exact affected-path digests are captured.
Unknowns	Post-apply success is not yet known.
Next step	Proceed with hash-preconditioned writes.
Live source modified	No.

12. Applying changes



Purpose	Show bounded journaled writes in progress.
Displayed state	Prepared temporary files and atomic replacements are being journaled.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Inspect technical progress.
Known facts	The transaction is bound to the confirmed candidate.
Unknowns	A final live verification has not run.
Next step	Complete writes, then run fresh live verification.
Live source modified	Yes — synthetic transaction only.


13. Post-apply verification



- Purpose
- Displayed state
- Source
- Actions
- Known facts
- Unknowns
- Next step
- Live source modified


Separate workspace PASS from fresh live verification.
A new live source identity and fresh required checks are running.
Deterministic synthetic Phase 8 fixture rendered locally.
Inspect checks and transaction evidence.
Workspace evidence is not reused as live evidence.
Commit outcome remains pending.
Commit only if the live Completion Gate passes.
Yes — synthetic transaction only.

14. Applied and verified




Purpose	Show a committed repair after fresh live verification.
Displayed state	Required live checks passed and the transaction committed.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Inspect evidence or optionally create a new known-good milestone.
Known facts	Original failure, candidate validation, and live evidence remain distinct.
Unknowns	No milestone was created automatically.
Next step	Decide whether to save a new known-good milestone.
Live source modified	Yes — synthetic transaction only.

15. Post-apply verification failed




Purpose	Explain why a written candidate cannot remain applied.
Displayed state	A required live check failed after Apply.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Inspect evidence while automatic rollback begins.
Known facts	The failure is transaction-bound and preserved.
Unknowns	Repair success is not claimed.
Next step	Wait for byte-verified rollback.
Live source modified	Yes — synthetic transaction only.

16. Rolled back safely



Purpose	Confirm byte-identical transaction rollback.
Displayed state	Only paths changed by this Apply were restored from its safety snapshot.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Inspect rollback evidence or keep/export the candidate.
Known facts	Affected bytes match the pre-apply safety point.
Unknowns	The original regression remains unresolved.
Next step	Revise the candidate in an isolated workspace.
Live source modified	No.


17. Recovery required



- Purpose
- Displayed state
- Source
- Actions
- Known facts
- Unknowns
- Next step
- Live source modified


Stop writes when recovery safety cannot be proven.
An incomplete transaction needs manual recovery.
Deterministic synthetic Phase 8 fixture rendered locally.
Create/open a Recovery Bundle or inspect exact unresolved paths.
Further writes are blocked and a critical local state is raised.
Automatic recovery success is not claimed.
Follow the Recovery Bundle instructions.
No.

18. Portable Repair Package




Purpose	Export bounded local context for a human or external tool.
Displayed state	Selected files, evidence references, validation plan, and unknowns are ready.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Review the manifest and export locally.
Known facts	Secrets, absolute paths, provider data, and full-project dumps are excluded.
Unknowns	The package may not be independently runnable.
Next step	Return edits to the isolated Repair Workspace.
Live source modified	No.

19. Demo Lab




Purpose	Create a disposable synthetic project for guided review.
Displayed state	The local-only demo is ready to be created in a selected folder.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Create, reset, inject scenarios, or run the self-test.
Known facts	The fixture is offline, dependency-light, and explicitly synthetic.
Unknowns	No real project is selected or mutated.
Next step	Create the disposable demo project.
Live source modified	No.

20. Demo confirmed regression




Purpose	Demonstrate deterministic prior-pass/current-fail confirmation.
Displayed state	The synthetic checkout behavior fails reproducibly.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Create bad/valid candidates, inspect evidence, or reset.
Known facts	The regression is synthetic and source-bound.
Unknowns	Root cause is not inferred by AI.
Next step	Create an isolated demo Repair Workspace.
Live source modified	No.

21. Demo valid repair



Purpose	Demonstrate a candidate that passed workspace validation.
Displayed state	The synthetic good candidate is eligible for Apply preparation.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Prepare Apply, simulate stale source, or reset.
Known facts	All required workspace checks passed.
Unknowns	Live verification has not yet run.
Next step	Confirm a disposable demo Apply.
Live source modified	No.


22. Product Self-Test running



Purpose
Displayed state
Source
Actions
Known facts
Unknowns
Next step
Live source modified


Exercise the product loop only in disposable storage.
Deterministic self-test steps are running locally.
Deterministic synthetic Phase 8 fixture rendered locally.
Inspect step progress or wait for completion.
Real projects and external network are excluded.
Final status is not known until every executed step finishes.
Wait for PASS, PARTIAL, or FAILED.
No.

23. Product Self-Test passed




Purpose	Show completed disposable end-to-end evidence.
Displayed state	All executed deterministic self-test steps passed.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Export the report or open local diagnostics.
Known facts	Apply, rollback, journal, hash, cleanup, and no-network checks ran.
Unknowns	This does not certify every operating system.
Next step	Use the morning guide for manual product acceptance.
Live source modified	No.

24. Hebrew RTL — validated candidate



Purpose	Verify the validated-candidate surface in Hebrew RTL.
Displayed state	The same deterministic candidate is displayed with mirrored layout.
Source	Deterministic synthetic Phase 8 fixture rendered locally.
Actions	Prepare Apply, export, or inspect evidence.
Known facts	Translation-key-only UI and technical LTR identifiers coexist.
Unknowns	Live success remains unverified.
Next step	Continue to deliberate confirmation.
Live source modified	No.


25. Hebrew RTL — Apply confirmation



Purpose
Displayed state
Source
Actions
Known facts
Unknowns
Next step
Live source modified

Verify deliberate confirmation in Hebrew RTL.
Safety, rollback, and affected-path copy is translated and mirrored.
Deterministic synthetic Phase 8 fixture rendered locally.
Confirm once, inspect, export, or cancel.
The confirmation remains candidate/source bound.
Cross-platform guarantees remain limited.
Confirm only after path review.
No.

26. Hebrew RTL — rolled back safely



Purpose
Displayed state
Source
Actions
Known facts
Unknowns
Next step
Live source modified

Verify the safe rollback result in Hebrew RTL.
Affected demo bytes were restored to the safety point.
Deterministic synthetic Phase 8 fixture rendered locally.
Inspect evidence or revise the candidate.
Only transaction paths were restored.
The original regression remains unresolved.
Return to the isolated workspace.
No.