

MellowYak Phase 16M — Visual Manual and Human Checklist

How to use this manual

This English manual explains every represented page and state in the Phase 16M evidence set. Product GUI text is translation-key driven; English is the base catalog and Hebrew has matching RTL translations. Documentation is intentionally captured in English only.

Each image is followed by what the page represents, what the operator can do, what to expect, and its evidence class. Images marked deterministic describe the product UI but do not prove a human physical macOS action.

Core operator flow

- Open MellowYak from Applications or the menu-bar icon.
- Home summarizes connected projects and the current local monitoring state.
- Projects adds, reconnects, pauses, disconnects, archives, or opens a project.
- Alerts is the durable inbox for regressions, warnings, blocked gates, verification results, and project errors.
- Settings controls native notifications, Quiet Mode, close-to-tray, Start at Login, activity mode, schedules, and privacy detail.
- Project pages provide overview, activity, protected behaviors, regressions, repair workspace, Apply confirmation, rollback, diagnostics, and update status.

Safety expectations

- MellowYak observes locally and does not silently apply source changes.
- Git is optional.
- Native banners are a convenience; Alerts is the durable record.
- Quiet Mode suppresses eligible native delivery but does not delete in-app evidence.
- Reconnect must prove project identity before retaining history.
- Gatekeeper rejection of an ad-hoc build is expected until public distribution is signed and notarized.

Evidence catalog

1. Gatekeeper Quarantined Adhoc Build




Gatekeeper Quarantined Adhoc Build

Blocked distribution example. Gatekeeper correctly rejects the quarantined ad-hoc technical-preview build. This is a release-boundary result, not a troubleshooting instruction.

Evidence class: `BLOCKED_DISTRIBUTION_BOUNDARY` .

2. First Run Welcome




First Run Welcome

Deterministic product view for first run welcome. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

3. First Run Choice Unselected




First Run Choice Unselected

Deterministic product view for first run choice unselected. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

4. First Run Demo Selected




First Run Demo Selected

Deterministic product view for first run demo selected. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

5. First Run Background Settings




First Run Background Settings

Deterministic product view for first run background settings. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

6. First Run Complete Demo




First Run Complete Demo

Deterministic product view for first run complete demo. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

7. Home No Confirmed Issue




Home No Confirmed Issue

Deterministic product view for home no confirmed issue. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

8. Home Needs Attention




Home Needs Attention

Deterministic product view for home needs attention. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

9. Project Overview Healthy




Project Overview Healthy

Deterministic product view for project overview healthy. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

10. Project Overview Ready With Limits




Project Overview Ready With Limits

Deterministic product view for project overview ready with limits. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

11. Project Activity Timeline




Project Activity Timeline

Deterministic product view for project activity timeline. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

12. Episode Detail




Episode Detail

Deterministic product view for episode detail. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

13. Check Passed No Regression




Check Passed No Regression

Deterministic product view for check passed no regression. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

14. Behaviors Known Good




Behaviors Known Good

Deterministic product view for behaviors known good. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

15. Regression Friendly




Regression Friendly

Deterministic product view for regression friendly. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

16. Regression Technical




Regression Technical

Deterministic product view for regression technical. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

17. Repair Workspace Operational




Repair Workspace Operational

Deterministic product view for repair workspace operational. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

18. Candidate Validation Progress




Candidate Validation Progress

Deterministic product view for candidate validation progress. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

19. Candidate Validated




Candidate Validated

Deterministic product view for candidate validated. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

20. Apply Confirmation




Apply Confirmation

Deterministic product view for apply confirmation. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

21. Apply Transaction Progress




Apply Transaction Progress

Deterministic product view for apply transaction progress. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

22. Applied And Verified




Applied And Verified

Deterministic product view for applied and verified. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

23. Rolled Back Safely




Rolled Back Safely

Deterministic product view for rolled back safely. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

24. Disconnected Projects




Disconnected Projects

Deterministic product view for disconnected projects. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

25. Reconnect Identity Preview




Reconnect Identity Preview

Deterministic product view for reconnect identity preview. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

26. Project Mismatch Alert



Project Mismatch Alert

Deterministic product view for project mismatch alert. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

27. Diagnostics Real Data



MellowYak
Protect what already works.

[Home](#) [Projects](#) [Alerts](#) [Settings](#)

Passive by default. Active when it matters.

Language

English

VERIFIED LOCAL FACTS

Diagnostics

Versions, storage, privacy, runtime, updater, and recovery facts from this installation.

Refresh

Local API

● Ready

127.0.0.1:<ephemeral>

Database

● Ready

0009_technical_preview_readiness

Storage

● Ready

1482752

Browser runtime

● Available

true

Runtime adapter

● Available

true

Updater

● Not run

NOT_RUN

Signing

● Not run

NOT_SIGNED

Stored records

Projects

2

Snapshot objects

48

Incomplete transactions

0

Recovery required

0

Privacy facts

Bearer token exposed

false

Outbound product network

false

Cloud connected

false

Copy redacted

true

Known limits

SIGNING_NOT_VERIFIED WINDOWS_LINUX_ARM_RUNTIME_NOT_VERIFIED

Self Test

Support Bundle


Copy Redacted

Diagnostics Real Data

Deterministic product view for diagnostics real data. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

28. Self Test Running




Self Test Running

Deterministic product view for self test running. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

29. Self Test Passed




Self Test Passed

Deterministic product view for self test passed. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

30. Support Bundle Manifest




Support Bundle Manifest

Deterministic product view for support bundle manifest. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

31. Update Status




Update Status

Deterministic product view for update status. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

32. Activity Mode Settings




Activity Mode Settings

Deterministic product view for activity mode settings. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

33. Native Tray Preview




Native Tray Preview

Deterministic product view for native tray preview. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

34. Hebrew Home




Hebrew Home

Deterministic product view for hebrew home. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

35. Hebrew Project Overview



Hebrew Project Overview

Deterministic product view for hebrew project overview. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

36. Hebrew Regression

פסיכוכרמיה מודול, פעיל כשהוא חשבוני. שפה: עברית

הגדרותהתראותפרויקטיםבית

MellowYak
שומרים על מה שכבר עובד.

ראיות פקומיות מאומתות

פרטי רגרסיה
Checkout

בדיקה מכוחית
נכשלה
2 ניסיונות

מצב תקין אחרון
Checkout known good
תוצאה קודמת: לא ידוע

נתיבים שהשתנו בפרק הזה

- src/checkout/checkout.ts
- src/checkout/discount.ts

מדוע ההתנהגות נבחרה

Checkout is explicitly linked to the changed route and has an accepted .baseline

התנהגות צפויה

Order confirmation appears after payment

תוצאה שנצפתה

```
{ "outcome": "Payment request returned 500" }
```

ציר הראיות

קו בסיס שהתקבל, ניסיונות נכחים, זהות מקור ועובדות הפרק.

נכשלה

בדיקה הושלמה
אירוע מקומי שנשמר
11:41, 2026 באוג

פרק שינוי התייצב
4 נתיבים השתנו
11:42, 2026 באוג

מגבלות ידועות

BLAST_RADIUS_MAY_BE_INCOMPLETE ROOT_CAUSE_NOT_PROVEN

הרצה חוזרת

בדיקה השינוי

יצירת סביבת תיקון

סימון כנבדק

דחיה עם סיבה


4 פרטים נכחים

Hebrew Regression

Deterministic product view for hebrew regression. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

37. Hebrew Diagnostics




Hebrew Diagnostics

Deterministic product view for hebrew diagnostics. Use this page to understand the represented product state and available controls. This image is not human physical evidence.

Evidence class: DETERMINISTIC_PRODUCT_VIEW — NOT HUMAN PHYSICAL EVIDENCE .

38. Native Tray Part 01




Native Tray Part 01

Native menu-bar control surface. Use it to open MellowYak, inspect monitoring truth, enter or end Quiet Mode, pause/resume monitoring, and Quit completely.

Evidence class: `NATIVE_VISUAL_EVIDENCE`.

39. Notification Permission Enabled Privacy Crop




Notification Permission Enabled Privacy Crop

Privacy-safe macOS Notifications pane with MellowYak enabled. The crop intentionally excludes account and unrelated sidebar details.

Evidence class: `NATIVE_VISUAL_EVIDENCE` .

40. Notification Permission Disabled Privacy Crop




Notification Permission Disabled Privacy Crop

Privacy-safe macOS Notifications pane with MellowYak disabled. In-app alerts remain durable even when native delivery is unavailable.

Evidence class: `NATIVE_VISUAL_EVIDENCE` .

41. Finder Alias Canonical Resolution




Finder Alias Canonical Resolution

Native Finder Alias selection and canonical project resolution evidence. Reconnect must retain the existing identity rather than create a duplicate.

Evidence class: `NATIVE_VISUAL_EVIDENCE` .

42. 01 Information




01 Information

Native informational notification. It communicates a low-risk local event and opens safe product context.

Evidence class: `GENUINE_NATIVE_NOTIFICATION_VISUAL`.

43. 02 Warning




02 Warning

Native warning notification. It calls attention to a condition that should be reviewed without claiming a critical failure.

Evidence class: `GENUINE_NATIVE_NOTIFICATION_VISUAL`.

44. 03 High Priority




03 High Priority

Native high-priority notification. It represents an actionable local finding with stronger prominence.

Evidence class: `GENUINE_NATIVE_NOTIFICATION_VISUAL`.

45. 04 Critical Regression




04 Critical Regression

Native critical regression notification. It is reserved for a confirmed protected-behavior regression.

Evidence class: `GENUINE_NATIVE_NOTIFICATION_VISUAL`.

46. 05 Critical Recovery




05 Critical Recovery

Native critical recovery-required notification. It means complete restoration could not be proven and local recovery or manual review is required. It does not claim recovery already succeeded and does not imply that MellowYak silently changed source.

Evidence class: `GENUINE_NATIVE_NOTIFICATION_VISUAL` .

47. 06 Engine Error




06 Engine Error

Native engine-error notification. The in-app alert remains the durable source of detail and recovery actions.

Evidence class: `GENUINE_NATIVE_NOTIFICATION_VISUAL`.

48. 07 Regression Resolved




07 Regression Resolved

Native resolution notification. It means the protected behavior passed again with current evidence. The original incident remains in history, and the state does not imply that MellowYak silently changed source.

Evidence class: `GENUINE_NATIVE_NOTIFICATION_VISUAL` .

49. Notification Click Routes Alerts




Notification Click Routes Alerts

Installed product Alerts destination after notification activation. The destination is revalidated at click time and stale routes fall back here safely.

Evidence class: `INSTALLED_PRODUCT_VISUAL`.

50. Installed Projects Actions



Installed Projects Actions

Installed Projects page with the project actions menu. The acceptance project is disposable; this screenshot demonstrates available project controls without customer source.

Evidence class: `INSTALLED_PRODUCT_VISUAL`.

Human completion checklist

The following actions still require a person at the exact Intel Mac:

- Perform logout/login with Start at Login enabled, then restore it disabled and repeat.
- Perform lock/unlock and confirm one coherent app/engine.
- Perform idle sleep/wake and controlled queued-work sleep/wake.
- Restart macOS and verify the documented startup policy.
- Disconnect AC power for a genuine battery transition, then restore the original power state.
- Activate a delivered notification only after making its destination stale and confirm safe Alerts fallback.
- Compare a real eligible native banner before, during, and after Quiet Mode.

Record each result on its independent evidence axes. Do not convert a deterministic screenshot or Accessibility action into human physical PASS.

Closure verdict

Product: `INTEL_MAC_TECHNICAL_PREVIEW_ACCEPTED_WITH_LIMITS`. Human physical acceptance: `HUMAN_PHYSICAL_ACCEPTANCE_PENDING`. Public macOS distribution: `PUBLIC_MAC_DISTRIBUTION_BLOCKED`. Phase 17 is not authorized by this manual.

Complete human workbook status matrix

Write future physical confirmation only after performing the stated real action. The authoritative expected/actual/action text is in `PHASE_16M_PHYSICAL_ACCEPTANCE.md`.

Test ID	Native automation	Human physical	Visual	Functional	Cleanup
P15-PHYS-101	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	PASS
P15-PHYS-102	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS

P15-PHYS-103	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NO_VISUAL_EVIDENCE_REQUIRED	PASS	PASS
P15-PHYS-104	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-105	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-106	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-107	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-108	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	PASS
P15-PHYS-109	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	PASS
P15-PHYS-110	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	PASS
P15-PHYS-111	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	PASS
P15-PHYS-112	BLOCKED	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-113	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-114	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	PASS
P15-PHYS-115	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-115B	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	PASS
P15-PHYS-116	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	PASS
P15-PHYS-117	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	PASS
P15-PHYS-118	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	PASS
P15-PHYS-119	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	PASS
P15-PHYS-120	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	PASS
P15-PHYS-121	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-122	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-123	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-124	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-125	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	PASS
P15-PHYS-126	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	PASS
P15-PHYS-127	BLOCKED	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	PASS
P15-PHYS-128	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	PASS

Expected, actual, evidence, cleanup, and remaining action

+| Test ID | Native automation | Human physical | Visual | Functional | Expected | Actual | Evidence | Cleanup | Remaining human action |

P15-PHYS-101	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	One translated menu and truthful counters	Native menu inspected; one app/engine	Native tray capture and lifecycle log	P,
P15-PHYS-102	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Existing window focuses safely	Same window/process restored	Installed lifecycle log	P,
P15-PHYS-103	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NO_VISUAL_EVIDENCE_REQUIRED	PASS	No duplicate app or engine	Second instance exited; one app/engine	Lifecycle validator	P,
P15-PHYS-104	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Window hides; monitoring continues	Existing identity remained active	Lifecycle validator	P,
P15-PHYS-105	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Close follows explicit exit policy	Policy matched and setting restored	Lifecycle validator	P,
P15-PHYS-106	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	All owned processes exit	Desktop, engine and children exited	Process evidence	P,
P15-PHYS-107	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Cmd+Q/menu Quit cleans all children	Shutdown defect fixed; cleanup passed	Process evidence	P,
P15-PHYS-108	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	OS and product permission agree	MellowYak permission enabled	Privacy-safe Settings crop	P,
P15-PHYS-109	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	In-app evidence persists; no false claim	Denied state observed and restored	Privacy-safe Settings crop	P,
P15-PHYS-110	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	Exactly one redacted native banner	Seven genuine banner scenarios captured	Native notification images	P,

P15-PHYS-111	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	Existing app opens safe destination	Alerts destination opened without duplicate	Installed product capture	P,
P15-PHYS-112	BLOCKED	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Revalidate and fall back to Alerts	Click-time code/test passes; real stale delivered-banner activation not completed	Source test and build commit	P,
P15-PHYS-113	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Exactly one valid registration	One LaunchAgent registered	LaunchAgent inspection	P,
P15-PHYS-114	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	One app/tray/engine after login	Real login boundary not performed	None	P,
P15-PHYS-115	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Registration removed	LaunchAgent removed and setting restored	LaunchAgent inspection	P,
P15-PHYS-115B	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	No automatic process after login	Real login boundary not performed	None	P,
P15-PHYS-116	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	One coherent process set after unlock	Authentication boundary not performed	None	P,
P15-PHYS-117	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	Watcher resumes without duplicate	Physical sleep cycle not performed	None	P,
P15-PHYS-118	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	Queued work resumes or invalidates safely	Controlled sleep cycle not performed	None	P,
P15-PHYS-119	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	Alias resolves to canonical project root	Native chooser resolved disposable Alias	Canonical-resolution capture	P,
P15-PHYS-120	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	Same identity/history; mismatch rejected	Same ID retained; one record; foreign fixture rejected; valid source restored	Installed AX, database evidence, canonical/deterministic images	P,
P15-PHYS-121	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Exact app installs from read-only DMG	Mounted, verified, installed and detached	Phase 11M validator	P,
P15-PHYS-122	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Cold launch produces one app/engine	Installed hashes matched; lifecycle passed	Hash and process evidence	P,
P15-PHYS-123	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	No duplicate identity or process	Reinstall passed with one app/engine	Package/lifecycle evidence	P,
P15-PHYS-124	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	No processes/startup item/source mutation	App removal preserved isolated data	Package evidence	P,
P15-PHYS-125	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Retained data opens without corruption	Reinstall passed; one process set	Package evidence	P,
P15-PHYS-126	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	Documented startup; no duplicate recovery	Real restart not performed	None	P,
P15-PHYS-127	BLOCKED	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	In-app alert persists; native delivery suppressed, then resumes	Real alert persisted while quiet and state restored; post-quiet native banner was not physically observed	Installed DB/UI evidence plus deterministic Settings view	P,
P15-PHYS-128	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	Optional work defers on real battery state	Host remained on AC; no simulation claimed	Power-state observation	P,