


MellowYak Phase 9

Technical Preview Readiness

Deterministic synthetic delivery catalog · English base + Hebrew RTL · 2026-08-25


No real project or private user data is included.

00. First-run welcome




Purpose	Introduce the local-first Technical Preview.
State	A fresh isolated installation has not completed onboarding.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Continue to project choice.
Known	No account, model, Docker, or cloud is required.
Unknowns	No project has been selected.
Next	Review the choices.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

01. Choose project or Demo Lab




Purpose	Offer a real local folder or a synthetic disposable demo.
State	No selection is persisted yet.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Select a real project or Demo Lab.
Known	Both choices remain local.
Unknowns	A real project is intentionally not used in this capture.
Next	Choose Demo Lab for safe evaluation.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

02. Background and privacy




Purpose	Explain close-to-tray and optional local notifications.
State	Background behavior awaits confirmation.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Continue after reviewing privacy behavior.
Known	Routes contain identifiers, not source or paths.
Unknowns	OS notification permission is not granted by this screenshot.
Next	Continue to summary.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

03. First-run complete




Purpose	Confirm saved first-run choices.
State	Synthetic Demo Lab is selected.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Finish setup.
Known	The choice persists and can be replayed from Settings.
Unknowns	No real project is attached.
Next	Open the disposable Demo Lab.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

04. Disconnected projects




Purpose	Review retained MellowYak history for unavailable source folders.
State	A synthetic project is disconnected.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Reconnect, locate, review history, or delete MellowYak data.
Known	Source is not moved or copied.
Unknowns	The correct replacement folder is not yet selected.
Next	Locate the original project identity.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

05. Reconnect project




Purpose	Reconnect after exact identity validation.
State	The prior project remains retained locally.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Choose a candidate source folder.
Known	History remains project-bound.
Unknowns	Identity has not yet been accepted.
Next	Validate the folder.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

06. Relocate project




Purpose	Attach retained history to the same project at a new path.
State	A safe relocation is being reviewed.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Locate the matching folder.
Known	MellowYak never moves or deletes source.
Unknowns	The final identity decision is not shown.
Next	Complete identity comparison.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

07. Relocation mismatch




Purpose	Stop cross-project evidence attachment.
State	Selected folder does not match retained project identity.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Choose another folder or create a new project.
Known	Old evidence remains untouched.
Unknowns	The user may still explicitly add the folder as new.
Next	Return to folder selection.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

08. Tray monitoring




Purpose	Show privacy-safe global monitoring status.
State	Two active projects, one paused, no alerts.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Open MellowYak, alerts, or project actions.
Known	No full paths or source content are shown.
Unknowns	Native menu rendering differs by OS.
Next	Continue monitoring.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

09. Tray attention




Purpose	Surface critical local attention without private detail.
State	Three unread alerts include one critical alert.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Open Alerts for exact local context.
Known	Only counts and severity are exposed.
Unknowns	The root cause is not claimed.
Next	Review the local alert.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

10. Tray project menu




Purpose	Expose bounded per-project controls.
State	Synthetic project submenu is open.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Open, pause/resume, or mute/unmute.
Known	The menu uses project identity only.
Unknowns	Native submenu appearance is platform-specific.
Next	Choose a project action.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

11. Notification context




Purpose	Show safe routing to exact local context.
State	A validated project-bound route opened in the existing instance.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Review the destination or return to Alerts.
Known	No token, source, or full path is in the route.
Unknowns	A real macOS click still requires OS permission.
Next	Review the local state.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

12. Diagnostics Center




Purpose	Inspect safe desktop, engine, storage, and platform health.
State	Local diagnostics are available.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Run Self-Test, storage integrity, support export, or copy safe data.
Known	Bearer token and data-root path are redacted.
Unknowns	External platform signing is not inferred.
Next	Run a chosen diagnostic.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

13. Redacted support bundle




Purpose	Export bounded local diagnostics.
State	A redacted bundle is ready.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Export or inspect the manifest.
Known	Source, evidence bytes, secrets, and absolute paths are excluded.
Unknowns	The bundle does not diagnose every OS issue.
Next	Share only after reviewing the manifest.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

14. Product Self-Test




Purpose	Run the synthetic core acceptance loop.
State	Disposable local validation is available.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Run and export the result.
Known	Executed steps are reported truthfully.
Unknowns	It does not certify untested platforms.
Next	Run the packaged test.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

15. Update check




Purpose	Show the signed updater status surface.
State	A local check can be requested.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Check for an update.
Known	Production public-key verification remains configured.
Unknowns	No public higher release is available in this run.
Next	Use the local signed fixture.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

16. Update signature rejected




Purpose	Explain a cryptographic rejection safely.
State	Tampered or wrongly signed fixture is blocked.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Return to current version or retry later.
Known	Current application and data are preserved.
Unknowns	Production update remains untested without a real release.
Next	Keep the installed version.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

17. Package acceptance




Purpose	Summarize current packaged validation.
State	Package checks have deterministic local evidence.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Inspect the evidence report.
Known	Phase 8 repair safety is rerun against the package.
Unknowns	Unsupported platforms remain unverified.
Next	Review exact statuses.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

18. Battery saver




Purpose	Reduce optional activity without weakening core snapshot correctness.
State	Battery saver is selected.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Return to Normal or Reduced activity.
Known	File observation, snapshots, and critical alerts remain active.
Unknowns	Deep runtime work may be deferred.
Next	Review listed limitations.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

19. Technical Preview readiness




Purpose	Show release-readiness boundaries.
State	Current-platform evidence is assembled.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Review checklist and known limitations.
Known	No public release or push occurred.
Unknowns	Signing and other platforms remain externally dependent.
Next	Follow the real-project guide later.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

20. Hebrew RTL first run




Purpose	Verify first-run copy and layout in Hebrew RTL.
State	Synthetic onboarding is shown in Hebrew.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Continue through the same local flow.
Known	Translation keys drive the visible text.
Unknowns	No native OS permission is implied.
Next	Continue in RTL.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

21. Hebrew RTL disconnected projects




Purpose	Verify retained-project controls in Hebrew RTL.
State	A synthetic disconnected project is shown.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Reconnect or locate the folder.
Known	Technical identifiers remain LTR.
Unknowns	Identity is not silently assumed.
Next	Validate the selected folder.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

22. Hebrew RTL diagnostics



Purpose	Verify safe diagnostics in Hebrew RTL.
State	Synthetic diagnostic readiness is shown.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Run local diagnostic actions.
Known	Visible copy comes from Hebrew translation keys.
Unknowns	Signing cannot be inferred from UI.
Next	Review the evidence.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.

23. Hebrew RTL notification context



Purpose	Verify safe activation context in Hebrew RTL.
State	A synthetic validated route is shown.
Data source	Deterministic synthetic Phase 9 capture fixture.
Actions	Open the local destination.
Known	Identifiers remain bounded and LTR.
Unknowns	A real OS click is not visually automated.
Next	Review the destination.
Privacy	No private source, evidence bytes, secrets, provider data, or absolute user paths.
Source modified	No.