

MellowYak Phase 16M — Execution and Evidence Report

1. Scope

This is the consolidated English technical report for Phase 16M-C closure on Intel macOS. It records implementation, validation, evidence provenance, limitations, cleanup, and final verdicts. It does not begin Phase 17 and does not convert automated work into human physical evidence.

2. Candidate identity

Field	Value
Version	0.5.0-preview.3
Branch	product/intel-mac-product-lock
Final build commit	a24d9f7e252c71f4d389493988ffd38075783807
Database schema	0011_baseline_lock_and_local_proof
Installed location	/Applications/MellowYak.app
Platform	Intel macOS, x86_64
Default window	1220 × 820

3. Final artifact identity

Artifact	SHA-256
Desktop executable	2f798f787be42df85072812b33daf860b26789d5885f8f3bfd5f4d4adf168159
Embedded engine	ea492adad0b4239b6e4ba5c7ed998d55c4e0dd883d484511202b0b1f49cb8e2e
Browser launcher	97136324f0a487d9fef8eee50341a1b433a05bc4228daae5b1ac19d18ff068fb
Signed DMG	ada29bfe1c9887256f057279ee7e201cad0ea6db3a379bb980a6466ffe3ce7dd
Deterministic OpenAPI	608ced66dbc65676ab44abae5ed97f070b1ee41af7fc7db127fa35623a66949f

The built and installed desktop/engine hashes matched exactly. The DMG path is apps/desktop/src-tauri/target/release/bundle/dmg/MellowYak_0.5.0-preview.3_x64.dmg .

4. Phase implementation

Notification activation was corrected to revalidate a notification route at activation time. If its project, alert, behavior, change, regression, or gate destination has become stale, the installed UI opens the safe Alerts route. A React regression test proves the fallback and prevents the former stale-context navigation behavior.

Native close-policy automation exposed a second shipping defect: disabling “Keep monitoring when the window closes” destroyed the window but left the tray application and engine running. Commit a24d9f7e252c71f4d389493988ffd38075783807 now maps the disabled policy to an explicit application exit and

owned-engine cleanup. A Rust regression test covers all three decisions: hide to tray, quit application, and allow an already-explicit quit. The desktop and DMG were rebuilt from that commit; the repaired installed application closed to zero desktop and zero engine processes when the setting was disabled.

Version metadata was synchronized across the desktop package, Tauri configuration, Rust lockfile, Python engine metadata, OpenAPI metadata, and packaged validators. The final candidate was rebuilt from the exact recorded commit.

5. Finder Alias relocation and reconnect

A disposable project was relocated outside the repository. Through the installed application and native folder chooser:

1. The project was disconnected.
2. Reconnect selected a genuine Finder Alias.
3. Canonical resolution found the relocated directory.
4. The original project ID `082d9fa2-95aa-43c3-9178-21ef9a71ba37` and its history were preserved.
5. The database contained exactly one project record.
6. A foreign fixture was then selected and was rejected with: "Project identity does not match. Existing history was not attached and no source was changed."
7. The valid Alias was selected again and the project returned to Connected.

This closes the automatable and functional axes for P15-PHYS-120 without claiming a human physical click.

6. Quiet Mode

Quiet Mode was enabled for one hour in the installed application. A real, eligible warning alert was inserted into the isolated acceptance database. The alert remained visible and actionable inside Alerts while native delivery was suppressed. Quiet Mode was ended, its persisted state returned to inactive, and a second fresh eligible alert exercised the post-quiet path.

macOS Screen Recording permission was unavailable, so no new full-screen capture is presented as physical evidence. The functional axis passes; the human-observed native before/after banner sequence remains pending. Quiet Mode was restored to off and the synthetic alerts were removed during cleanup.

7. Source verification matrix

Check	Result
Python tests	PASS — 211 passed
React/Vitest	PASS — 30 passed
TypeScript	PASS
Vite production build	PASS
GUI translation-key-only check	PASS
English/Hebrew catalog parity	PASS
Hebrew RTL behavior	PASS
Ruff check and format	PASS

Check	Result
Cargo format and check	PASS
Migration matrix, empty and 0001–0010 inputs to 0011	PASS
OpenAPI export repeated byte-identically	PASS

The single Python warning was a third-party Starlette deprecation warning and did not change the result.

8. Packaged verification matrix

Validator	Result
Phase 8 packaged validation	Completed; evidence output retained locally
Phase 9 packaged validation	Completed; evidence output retained locally
Phase 10 product-truth/self-test	VERIFIED_WORKING
Phase 11M macOS package	VERIFIED_WORKING after outer DMG signing correction
Phase 12 safe apply	VERIFIED_WORKING
Phase 13 orchestration	VERIFIED_WORKING
Phase 14 public-project corpus and package	VERIFIED_WORKING
Phase 15 product lock	VERIFIED_WORKING
Native lifecycle	VERIFIED_WORKING
Updater E2E	VERIFIED_WORKING with ephemeral acceptance keys
External product network	None observed

Phase 12 included a successful apply, a forced post-check failure, byte-identical rollback, and stale-source rejection. Native lifecycle included clean launch, single-instance focus, one engine, supervised engine restart, explicit exit, and owned-child cleanup. Updater E2E rejected tampered, wrong-key, incomplete, and downgrade packages while preserving durable data and project identity.

9. DMG correction

The first `0.5.0-preview.3` DMG run exposed `dmg_codesign_structure_valid=false`. The outer DMG was then ad-hoc signed and the Phase 11M validator was rerun. The corrected final DMG passed signature structure, read-only mount, exact bundle contents, and clean detach. Only the corrected final hash is listed as the candidate artifact.

10. Evidence model

All reports use schema `mellowyak.phase16m.acceptance-evidence.v2` with five independent axes:

- `native_automation_status`
- `human_physical_status`
- `visual_status`
- `functional_status`
- `cleanup_status`

The authoritative per-test matrix is in `PHASE_16M_PHYSICAL_ACCEPTANCE.md` and the machine-readable equivalent is in `PHASE_16M_EVIDENCE_MANIFEST.json`.

11. Visual evidence rules

- Files under `images/native` and `images/product` are canonical captures from the installed acceptance work.
- Files under `images/native/notifications` are genuine Notification Center banner captures.
- Files under `images/deterministic` are labeled `DETERMINISTIC_PRODUCT_VIEW – NOT HUMAN PHYSICAL EVIDENCE`.
- The same canonical image may appear in both PDFs.
- Unchanged canonical images reused in this closure retain their original per-image capture commit and app hash. Those values preserve honest capture provenance; the candidate table and top-level manifest identity remain authoritative for the rebuilt final candidate.
- Accessibility automation is evidence for native automation only.
- No screenshot is promoted to a stronger evidence class than its origin supports.

12. Privacy remediation

Two original System Settings screenshots exposed unrelated account/sidebar context. They were moved outside the repository and replaced with canonical crops containing only the MellowYak notification controls. The crop operation used local macOS image tooling and did not synthesize UI. The delivery directory was checked to exclude customer source, credentials, databases, browser profiles, support bundles, private full-desktop captures, and normal product data.

13. Localization

All GUI copy remains translation-key driven. English is the base catalog; Hebrew contains matching keys and uses RTL. Source checks and React tests passed. The documentation screenshots are English-only by design; localization completeness is verified in code so future catalogs such as Russian can be added without hardcoded component text.

14. Human-only boundary

The following remain `HUMAN_PHYSICAL_NOT_RUN` where a real physical boundary is required:

- logout/login with startup enabled and disabled;
- lock/unlock;
- idle and queued sleep/wake;
- complete macOS restart;
- real battery-power transition;
- physical delivered-notification activation for the stale-destination scenario;
- human-observed native banner comparison across Quiet Mode.

These are intentionally not replaced by Accessibility automation or deterministic images.

Human-only OS-transition acceptance was deliberately deferred by the operator. This does not change the automated or functional evidence and does not imply public Mac distribution readiness.

15. Distribution boundary

The app and DMG are ad-hoc signed local technical-preview artifacts. Developer ID signing, notarization, stapling, trusted public distribution, and production updater trust are not configured. Gatekeeper correctly rejected a quarantined ad-hoc build; no bypass is documented.

16. Cleanup and restoration

The acceptance configuration is restored to Start at Login off, close-to-tray on, Quiet Mode off, and Activity Mode normal. Acceptance-lab environment variables are unset. Disposable alerts, aliases, test roots, previous installer backup, and isolated acceptance data are removed only after evidence generation. Normal user data is untouched. No app, engine, helper, or mounted DMG is intentionally left after final closure cleanup.

17. Git boundary

The verified shipping build commit is `a24d9f7e252c71f4d389493988ffd38075783807` and is an ancestor of the final documentation closure. Generated app bundles, DMGs, runtime data, build manifests, Finder Alias artifacts, databases, and private acceptance state remain excluded. The honest shared-source checkpoint is the annotated tag `phase-16m-intel-mac-technical-preview-accepted-with-limits-2026-08-28`; no `physical-accepted` tag is used.

18. Final verdicts

- Product: `INTEL_MAC_TECHNICAL_PREVIEW_ACCEPTED_WITH_LIMITS` .
- Automated/functional Mac closure: `CLOSED` .
- Human physical: `DEFERRED_POST_PREVIEW` .
- Distribution: `PUBLIC_MAC_DISTRIBUTION_BLOCKED` .
- Windows x64 port: `AUTHORIZED` .
- Linux x64 and Apple Silicon: `NOT_YET_NATIVELY_ACCEPTED` .
- Exact next authorized work: native Windows x64 implementation from the frozen shared-source checkpoint. Phase 17 was not started on this Mac.

19. Complete test-axis matrix

Expected and actual details for every row are maintained in `PHASE_16M_PHYSICAL_ACCEPTANCE.md` ; the same machine-readable axes and evidence paths are in the v2 manifest.

Test ID	Native automation	Human physical	Visual	Functiona l	Cleanu p
P15-PHYS-101	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	VISUAL_PASS	PASS	PASS
P15-PHYS-102	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS

Test ID	Native automation	Human physical	Visual	Functiona l	Cleanu p
P15-PHYS-103	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NO_VISUAL_EVIDENCE_REQUIRE D	PASS	PASS
P15-PHYS-104	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-105	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-106	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-107	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-108	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	VISUAL_PASS	PASS	PASS
P15-PHYS-109	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	VISUAL_PASS	PASS	PASS
P15-PHYS-110	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	VISUAL_PASS	PASS	PASS
P15-PHYS-111	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	VISUAL_PASS	PASS	PASS
P15-PHYS-112	BLOCKED	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-113	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-114	NOT_RUN	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	NOT_RUN	PASS
P15-PHYS-115	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS- 115B	NOT_RUN	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	NOT_RUN	PASS
P15-PHYS-116	NOT_RUN	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	NOT_RUN	PASS
P15-PHYS-117	NOT_RUN	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	NOT_RUN	PASS
P15-PHYS-118	NOT_RUN	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	NOT_RUN	PASS
P15-PHYS-119	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	VISUAL_PASS	PASS	PASS
P15-PHYS-120	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	VISUAL_PASS	PASS	PASS
P15-PHYS-121	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-122	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-123	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-124	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-125	NATIVE_AUTOMATION_PAS S	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	PASS	PASS
P15-PHYS-126	NOT_RUN	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	NOT_RUN	PASS
P15-PHYS-127	BLOCKED	HUMAN_PHYSICAL_NOT_RU N	VISUAL_PASS	PASS	PASS

Test ID	Native automation	Human physical	Visual	Functiona l	Cleanu p
P15-PHYS-128	NOT_RUN	HUMAN_PHYSICAL_NOT_RU N	NOT_RUN	NOT_RUN	PASS

Expected, actual, evidence, cleanup, and remaining action

Test ID	Native automation	Human physical	Visual	Functional	Expected	Actual	Evidence	Cleanup	Remaining human action
P15-PHYS-101	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	VISUAL_PASS	PASS	One translated menu and truthful counters	Native menu inspected; one app/engine	Native tray capture and lifecycle log	PASS	Physically open and confirm
P15-PHYS-102	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	NOT_RUN	PASS	Existing window focuses safely	Same window/process restored	Installed lifecycle log	PASS	Physically select Open
P15-PHYS-103	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	NO_VISUAL_EVIDEN CE_REQUIRED	PASS	No duplicate app or engine	Second instance exited; one app/engine	Lifecycle validator	PASS	Launch from Finder/Spotlight
P15-PHYS-104	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	NOT_RUN	PASS	Window hides; monitoring continues	Existing identity remained active	Lifecycle validator	PASS	Physically click red close
P15-PHYS-105	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	NOT_RUN	PASS	Disabled close-to-tray exits app and engine	Defect reproduced, fixed, rebuilt; installed retest ended at 0 desktop and 0 engine	Accessibility run, Rust regression, process inspection	PASS	Physically repeat with setting off
P15-PHYS-106	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	NOT_RUN	PASS	All owned processes exit	Desktop, engine and children exited	Process evidence	PASS	Physically choose tray Quit
P15-PHYS-107	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	NOT_RUN	PASS	Cmd+Q/menu Quit cleans all children	Shutdown defect fixed; cleanup passed	Process evidence	PASS	Physically use application-menu Quit
P15-PHYS-108	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	VISUAL_PASS	PASS	OS and product permission agree	MellowYak permission enabled	Privacy-safe Settings crop	PASS	None
P15-PHYS-109	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	VISUAL_PASS	PASS	In-app evidence persists; no false claim	Denied state observed and restored	Privacy-safe Settings crop	PASS	None
P15-PHYS-110	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	VISUAL_PASS	PASS	Exactly one redacted native banner	Seven genuine banner scenarios captured	Native notification images	PASS	Trigger and observe a fresh banner
P15-PHYS-111	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	VISUAL_PASS	PASS	Existing app opens safe destination	Alerts destination opened without duplicate	Installed product capture	PASS	Physically click delivered banner
P15-PHYS-112	BLOCKED	HUMAN_PHYSICAL_ NOT_RUN	NOT_RUN	PASS	Revalidate and fall back to Alerts	Click-time code/test passes; real stale delivered-banner activation not completed	Source test and build commit	PASS	Perform exact stale delivered-banner click
P15-PHYS-113	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	NOT_RUN	PASS	Exactly one valid registration	One LaunchAgent registered	LaunchAgent inspection	PASS	Enable physically
P15-PHYS-114	NOT_RUN	HUMAN_PHYSICAL_ NOT_RUN	NOT_RUN	NOT_RUN	One app/tray/engine after login	Real login boundary not performed	None	PASS	Logout/login with startup enabled
P15-PHYS-115	NATIVE_AUTOMATIO N_PASS	HUMAN_PHYSICAL_ NOT_RUN	NOT_RUN	PASS	Registration removed	LaunchAgent removed and setting restored	LaunchAgent inspection	PASS	Disable physically

Test ID	Native automation	Human physical	Visual	Functional	Expected	Actual	Evidence	Cleanup	Remaining human action
P15-PHYS-115B	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	No automatic process after login	Real login boundary not performed	None	PASS	Logout/login with startup disabled
P15-PHYS-116	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	One coherent process set after unlock	Authentication boundary not performed	None	PASS	Lock 30 seconds and unlock
P15-PHYS-117	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	Watcher resumes without duplicate	Physical sleep cycle not performed	None	PASS	Perform real idle sleep/wake
P15-PHYS-118	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	Queued work resumes or invalidates safely	Controlled sleep cycle not performed	None	PASS	Sleep/wake with approved queued check
P15-PHYS-119	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	Alias resolves to canonical project root	Native chooser resolved disposable Alias	Canonical-resolution capture	PASS	Physically repeat selection
P15-PHYS-120	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	Same identity/history; mismatch rejected	Same ID retained; one record; foreign fixture rejected; valid source restored	Installed AX, database evidence, canonical/deterministic images	PASS	Physically repeat both choices
P15-PHYS-121	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Exact app installs from read-only DMG	Mounted, verified, installed and detached	Phase 11M validator	PASS	Physically drag app to Applications
P15-PHYS-122	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Cold launch produces one app/engine	Installed hashes matched; lifecycle passed	Hash and process evidence	PASS	Physically launch from Finder
P15-PHYS-123	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	No duplicate identity or process	Reinstall passed with one app/engine	Package/lifecycle evidence	PASS	Physically reinstall same DMG
P15-PHYS-124	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	No processes/startup item/source mutation	App removal preserved isolated data	Package evidence	PASS	Physically move app to Trash
P15-PHYS-125	NATIVE_AUTOMATION_PASS	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	PASS	Retained data opens without corruption	Reinstall passed; one process set	Package evidence	PASS	Physically reinstall and open
P15-PHYS-126	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	Documented startup; no duplicate recovery	Real restart not performed	None	PASS	Restart the Intel Mac
P15-PHYS-127	BLOCKED	HUMAN_PHYSICAL_NOT_RUN	VISUAL_PASS	PASS	In-app alert persists; native delivery suppressed, then resumes	Real alert persisted while quiet and state restored; post-quiet native banner was not physically observed	Installed DB/UI evidence plus deterministic Settings view	PASS	Observe before/during/after native banners
P15-PHYS-128	NOT_RUN	HUMAN_PHYSICAL_NOT_RUN	NOT_RUN	NOT_RUN	Optional work defers on real battery state	Host remained on AC; no simulation claimed	Power-state observation	PASS	Disconnect AC and restore it