

MellowYak Phase 14M User Manual

English screenshot guide for real-world public-project compatibility, Passive Sentinel evidence, repair safety, and Intel Mac release-candidate readiness.

All screenshots are deterministic representations generated from actual pinned acceptance records. Product localization remains English/Hebrew with RTL support.

00. 00-phase13-verified-closure



Shows the fully tested Phase 13 base from which this branch was created.

Repository	mellowyak	Commit	7e750c1619cbb404fb900d3ce8fe165ae4314d50
Backing entity	Verified Phase 13 closure	Screenshot mode	Deterministic representation of actual acceptance
Prior state	UNVERIFIED_IMPLEMENTATION	Current state	VERIFIED_FOUNDATION
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

01. 01-public-project-corpus



Summarizes the immutable, licensed public-project corpus without copying source into MellowYak.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Pinned corpus manifest	Screenshot mode	Deterministic representation of actual acceptance
Prior state	CANDIDATES_RESEARCHED	Current state	CORPUS_PINNED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

02. 02-python-project-compatibility



02-python-project-compatibility

Explains Python metadata, safe executable discovery, file inventory, and approval boundaries.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Project compatibility assessment	Screenshot mode	Deterministic representation of actual acceptance
Prior state	PROJECT_REGISTERED	Current state	NEEDS_RUNTIME_APPROVAL
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

03. 03-node-project-compatibility



Explains Node package metadata, scripts, lockfiles, and bounded automatic-check eligibility.

Repository	excalidraw	Commit	e1bb9ff8f8931e783c11d104abb8967ac6605c9a
Backing entity	Project compatibility assessment	Screenshot mode	Deterministic representation of actual acceptance
Prior state	PROJECT_REGISTERED	Current state	NEEDS_RUNTIME_APPROVAL
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

04. 04-polyglot-project-compatibility



Shows a mixed Rust and TypeScript repository as partial, installation-specific knowledge.

Repository	tauri	Commit	5e2856e3209d4ab16d21a1f828ff94b46a35a0b6
Backing entity	Project compatibility assessment	Screenshot mode	Deterministic representation of actual acceptance
Prior state	PROJECT_REGISTERED	Current state	NEEDS_RUNTIME_APPROVAL
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

05. 05-large-project-compatibility



Shows a repository above one thousand files with bounded samples and honest unsupported counts.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Large-project scan record	Screenshot mode	Deterministic representation of actual acceptance
Prior state	SCAN_PENDING	Current state	SUPPORTED_WITH_LIMITS
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

06. 06-runtime-detection-python



Lists Python ownership and profiles without executing detected commands automatically.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Runtime detection report	Screenshot mode	Deterministic representation of actual acceptance
Prior state	UNASSESSED	Current state	NEEDS_RUNTIME_APPROVAL
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

07. 07-runtime-detection-node



Lists Node package-manager and script metadata while preserving explicit approval.

Repository	excalidraw	Commit	e1bb9ff8f8931e783c11d104abb8967ac6605c9a
Backing entity	Runtime detection report	Screenshot mode	Deterministic representation of actual acceptance
Prior state	UNASSESSED	Current state	NEEDS_RUNTIME_APPROVAL
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

08. 08-monorepo-runtime-ownership



Separates workspace roots from nested package owners in a real polyglot monorepo.

Repository	tauri	Commit	5e2856e3209d4ab16d21a1f828ff94b46a35a0b6
Backing entity	Runtime ownership report	Screenshot mode	Deterministic representation of actual acceptance
Prior state	ROOT_ONLY	Current state	WORKSPACE_OWNERS_IDENTIFIED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

09. 09-gitless-project-ready



Shows that snapshots and passive checks remain useful without hidden Git metadata.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Git-less compatibility record	Screenshot mode	Deterministic representation of actual acceptance
Prior state	GIT_METADATA_ABSENT	Current state	READY_FOR_PASSIVE_MONITORING
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

10. 10-observe-only-project



Keeps passive local observation useful while automatic runtime checks remain unavailable.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Compatibility assessment	Screenshot mode	Deterministic representation of actual acceptance
Prior state	RUNTIME_UNAVAILABLE	Current state	OBSERVE_ONLY
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

11. 11-generated-files-excluded



Shows generated output excluded from ordinary source and relationship fan-out.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	File classification inventory	Screenshot mode	Deterministic representation of actual acceptance
Prior state	UNCLASSIFIED	Current state	GENERATED_EXCLUDED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

12. 12-sensitive-files-redacted



Shows sensitive paths by safe metadata only; no file value enters evidence or screenshots.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Sensitive-path inventory	Screenshot mode	Deterministic representation of actual acceptance
Prior state	PATH_DISCOVERED	Current state	METADATA_ONLY
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

13. 13-initial-scan-complete



Shows included, excluded, unsupported, and source-bound snapshot totals.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Completed scan and snapshot	Screenshot mode	Deterministic representation of actual acceptance
Prior state	SCAN_RUNNING	Current state	SCAN_COMPLETED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

14. 14-known-good-browser



Documents a real local browser flow accepted against the pinned Datasette source.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Accepted browser Known Good	Screenshot mode	Deterministic representation of actual acceptance
Prior state	PROBE_PASS	Current state	KNOWN_GOOD_ACCEPTED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

15. 15-known-good-api



Documents a loopback API behavior with comparable expected output.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Accepted HTTP Known Good	Screenshot mode	Deterministic representation of actual acceptance
Prior state	PROBE_PASS	Current state	KNOWN_GOOD_ACCEPTED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

16. 16-known-good-cli-test



Documents deterministic CLI and test evidence with executable-plus-argv execution.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Accepted CLI/Test Known Good	Screenshot mode	Deterministic representation of actual acceptance
Prior state	PROBE_PASS	Current state	KNOWN_GOOD_ACCEPTED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

17. 17-passive-monitoring-public-project



Shows monitoring enabled on a disposable public-project copy without source writes.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Passive monitoring state	Screenshot mode	Deterministic representation of actual acceptance
Prior state	IDLE	Current state	OBSERVING
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

18. 18-harmless-change-no-regression



A harmless marker change selects bounded checks and produces no false confirmed regression.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Harmless Episode result	Screenshot mode	Deterministic representation of actual acceptance
Prior state	EPISODE_STABILIZED	Current state	NO_REGRESSION
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

19. 19-impact-selected-real-project



Shows why checks were selected and why omitted behavior remains unknown.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Impact Plan	Screenshot mode	Deterministic representation of actual acceptance
Prior state	EPISODE_STABILIZED	Current state	CHECKS_SELECTED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

20. 20-controlled-regression-real-project



A disposable source mutation produces a comparable failure without claiming root cause.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Controlled failing Probe	Screenshot mode	Deterministic representation of actual acceptance
Prior state	KNOWN_GOOD_PASS	Current state	RETRYING_FAILURE
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	Disposable copy or isolated workspace only		
Safe next action	Review facts and use only an explicitly available bounded action.		

21. 21-confirmed-incident-real-project



Two comparable failures create one deduplicated incident tied to the exact source identity.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Evidence-bound incident	Screenshot mode	Deterministic representation of actual acceptance
Prior state	RETRYING_FAILURE	Current state	CONFIRMED
Allowed next state/action	WORKSPACE_READY, ACKNOWLEDGED		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	Disposable copy or isolated workspace only		
Safe next action	Review facts and use only an explicitly available bounded action.		

22. 22-flaky-real-project



A failure followed by success remains flaky and does not become confirmed.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Flaky Probe classification	Screenshot mode	Deterministic representation of actual acceptance
Prior state	FAIL_THEN_PASS	Current state	FLAKY
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	Disposable copy or isolated workspace only		
Safe next action	Review facts and use only an explicitly available bounded action.		

23. 23-runtime-unavailable-real-project



Runtime absence remains an execution limitation rather than a product regression.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Unavailable runtime result	Screenshot mode	Deterministic representation of actual acceptance
Prior state	STARTING_RUNTIME	Current state	RUNTIME_UNAVAILABLE
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

24. 24-lockfile-change-real-project



A lockfile change is visible and broadens selection without asserting that functionality broke.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Dependency-aware Impact Plan	Screenshot mode	Deterministic representation of actual acceptance
Prior state	LOCKFILE_CHANGED	Current state	BOUNDED_PLAN
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

25. 25-large-fanout-bounded



Selection caps work while hundreds of omitted relations remain explicitly unknown.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Bounded Impact Plan	Screenshot mode	Deterministic representation of actual acceptance
Prior state	LARGE_FAN_OUT	Current state	SENTINELS_SELECTED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	997; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

26. 26-symlink-boundary-blocked



A symlink outside the canonical project root is not traversed or captured.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Filesystem boundary decision	Screenshot mode	Deterministic representation of actual acceptance
Prior state	SYMLINK_DISCOVERED	Current state	ESCAPE_BLOCKED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

27. 27-watcher-gap-rescan



A bounded full rescan restores current source identity after an explicit watcher-gap reason.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Watcher recovery event	Screenshot mode	Deterministic representation of actual acceptance
Prior state	RESCAN_REQUIRED	Current state	SOURCE_TRUTH_RESTORED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

28. 28-stale-job-real-project



A queued result cannot classify a newer source identity.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Queue source-identity check	Screenshot mode	Deterministic representation of actual acceptance
Prior state	QUEUED_OLD_SOURCE	Current state	STALE
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

29. 29-scheduler-recovery-real-project



Restart recovery restores eligible work without duplicate execution.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Persistent scheduler recovery	Screenshot mode	Deterministic representation of actual acceptance
Prior state	ENGINE_RESTART	Current state	RECOVERED_ONCE
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

30. 30-daily-budget-exhausted



Automatic work defers when the real-project daily runtime budget is exhausted.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Monitoring budget decision	Screenshot mode	Deterministic representation of actual acceptance
Prior state	BUDGET_AVAILABLE	Current state	DAILY_BUDGET_EXHAUSTED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

31. 31-outside-allowed-hours



Automatic checks defer to the next eligible local-policy window.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Allowed-hours decision	Screenshot mode	Deterministic representation of actual acceptance
Prior state	JOB_ELIGIBLE	Current state	OUTSIDE_ALLOWED_HOURS
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

32. 32-budget-run-now-override



An explicit operator action runs one bounded check without disabling future budget enforcement.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Explicit Run Now decision	Screenshot mode	Deterministic representation of actual acceptance
Prior state	BUDGET_DEFERRED	Current state	RUN_NOW_APPROVED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

33. 33-repair-workspace-public-project



Creates a source-bound isolated copy; the monitored source remains unchanged.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Repair Workspace	Screenshot mode	Deterministic representation of actual acceptance
Prior state	CONFIRMED	Current state	WORKSPACE_READY
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	Disposable copy or isolated workspace only		
Safe next action	Review facts and use only an explicitly available bounded action.		

34. 34-candidate-validated-public-project



A candidate passes the same comparable behavior before Apply becomes available.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Candidate validation	Screenshot mode	Deterministic representation of actual acceptance
Prior state	CANDIDATE_CREATED	Current state	VALIDATION_PASSED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	Disposable copy or isolated workspace only		
Safe next action	Review facts and use only an explicitly available bounded action.		

35. 35-apply-confirmation-public-project



No monitored source byte is written before deliberate confirmation.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Apply transaction	Screenshot mode	Deterministic representation of actual acceptance
Prior state	VALIDATION_PASSED	Current state	AWAITING_CONFIRMATION
Allowed next state/action	COMMITTED, CANCELLED, STALE		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	Disposable copy or isolated workspace only		
Safe next action	Review facts and use only an explicitly available bounded action.		

36. 36-applied-verified-public-project



The confirmed candidate writes only selected files and passes live verification.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Committed Apply	Screenshot mode	Deterministic representation of actual acceptance
Prior state	AWAITING_CONFIRMATION	Current state	COMMITTED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	Explicit confirmed Apply		
Safe next action	Review facts and use only an explicitly available bounded action.		

37. 37-rollback-byte-identical-public-project



A failed post-check restores pre-Apply bytes and leaves unrelated source unchanged.

Repository	datasette	Commit	0337fba234bf574629d56be631468ea060495fa0
Backing entity	Transactional rollback	Screenshot mode	Deterministic representation of actual acceptance
Prior state	POST_CHECK_FAILED	Current state	ROLLED_BACK
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	Restored byte-identically		
Safe next action	Review facts and use only an explicitly available bounded action.		

38. 38-soak-test-summary



Summarizes periodic harmless bursts, bounded checks, restart, and measured resource growth.

Repository	vite	Commit	493cc7d43269860fe499a30980d729b0adc93d2c
Backing entity	Thirty-minute soak record	Screenshot mode	Deterministic representation of actual acceptance
Prior state	SOAK_RUNNING	Current state	SOAK_COMPLETED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	3	Omitted	2; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

39. 39-package-acceptance



Summarizes Phase 8 through Phase 14 packaged validators and package-bound safety checks.

Repository	mellowyak	Commit	7e750c1619cbb404fb900d3ce8fe165ae4314d50
Backing entity	Packaged validator matrix	Screenshot mode	Deterministic representation of actual acceptance
Prior state	PACKAGE_BUILT	Current state	PACKAGE_ACCEPTED
Allowed next state/action	Continue observation, inspect evidence, or run an explicitly approved bounded action		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		

40. 40-intel-mac-rc-readiness



Marks automated Intel Mac readiness while keeping physical OS interactions NOT_RUN.

Repository	mellowyak	Commit	7e750c1619cbb404fb900d3ce8fe165ae4314d50
Backing entity	Release-candidate readiness	Screenshot mode	Deterministic representation of actual acceptance
Prior state	AUTOMATION_COMPLETE	Current state	MANUAL_BOUNDARIES_PENDING
Allowed next state/action	PHASE_15_PHYSICAL_ACCEPTANCE		
Selected	0	Omitted	0; remain unknown
Known facts	Pinned revision, isolated local copy, bounded evidence, no source upload.		
Unknowns	Unexecuted scripts, external services, and omitted behaviors.		
Source modification	None by Passive Sentinel		
Safe next action	Review facts and use only an explicitly available bounded action.		