

```
import React, { useState } from 'react'; import { Check, X, Video, Calendar,
MessageCircle, FileText, Award } from 'lucide-react'; import { Card, CardContent } from
'../ui/card'; import { Badge } from '../ui/badge'; import { Button } from '../ui/button';
import { Switch } from '../ui/switch';
```

```
export function PricingPage() { const [isAnnual, setIsAnnual] = useState(false);
```

```
const subscriptionPlans = [ { name: 'Essential Box', description: 'Perfect for getting
started', monthlyPrice: 19.99, annualPrice: 199.99, features: [ { text: '5-7 curated
products monthly', included: true }, { text: 'Monthly nutritional guide', included: true },
{ text: 'Community forum access', included: true }, { text: 'Free standard delivery',
included: true }, { text: 'Personalized selection', included: false }, { text: 'Expert
consultations', included: false }, ], color: 'from-[#C4B5A7] to-[#A8998A]', }, { name:
'Deluxe Box', description: 'Most popular choice', monthlyPrice: 34.99, annualPrice:
349.99, features: [ { text: '10-12 curated products monthly', included: true }, { text:
'Monthly nutritional guide', included: true }, { text: 'Community forum access', included:
true }, { text: 'Free standard delivery', included: true }, { text: 'Personalized selection',
included: true }, { text: '1 expert consultation/month', included: true }, ], color: 'from-
[#D4A574] to-[#B88A57]', popular: true, }, { name: 'Premium Box', description: 'Ultimate
experience', monthlyPrice: 49.99, annualPrice: 499.99, features: [ { text: '15-18 curated
products monthly', included: true }, { text: 'Monthly nutritional guide', included: true },
{ text: 'Community forum access', included: true }, { text: 'Free express delivery',
included: true }, { text: 'Personalized selection', included: true }, { text: 'Unlimited expert
consultations', included: true }, ], color: 'from-[#8C7A6B] to-[#6D5A48]', }, ],
```

```
const expertSessions = [ { name: 'Single Consultation', price: 45, duration: '30 minutes',
description: 'One-on-one video session with a diabetes educator or nutritionist',
features: [ 'Personalized advice', 'Written follow-up summary', 'Resource
recommendations', ], }, { name: 'Consultation Pack (5)', price: 199, duration: '30 mins
each', description: 'Save £26 with a pack of 5 consultations', features: [ 'Everything in
single session', 'Track progress over time', 'Priority booking', 'Email support between
sessions', ], popular: true, }, { name: 'Monthly Support Plan', price: 149, duration:
'Unlimited', description: 'Ongoing support for comprehensive diabetes management',
features: [ 'Unlimited 30-min consultations', 'Custom meal planning', '24/7 email
support', 'Quarterly health reviews', 'Exclusive webinar access', ], }, ],
```

```
const webinarAccess = [ { name: 'Free Tier', price: 0, features: [ { text: 'Access to
recorded webinars', included: true }, { text: 'Community forum', included: true }, { text:
'Live webinars', included: false }, { text: 'Q&A sessions', included: false }, { text:
'Downloadable resources', included: false }, ], }, { name: 'Pro Access', price: 14.99,
period: 'month', features: [ { text: 'Access to recorded webinars', included: true }, { text:
```

```
'Community forum', included: true }, { text: 'Live webinars', included: true }, { text: 'Q&A sessions', included: true }, { text: 'Downloadable resources', included: true }, ], popular: true, }, ];
```

```
return (
```

```
  { /* Hero Section */
```

```
  Pricing Plans
```

Choose Your Plan

Flexible pricing for every need. Cancel anytime, no commitments.

```
  { /* Subscription Boxes */
    <section className="py-20">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
          <h2 className="text-[#5C4A3A] mb-4">Subscription Boxes</h2>
          <p className="text-[#8C7A6B] mb-6 max-w-2xl mx-auto">
            Monthly delivery of diabetic-friendly products to your
door
          </p>
          <div className="inline-flex items-center gap-3 p-1 bg-white
rounded-full border border-[#E5DFD7]">
            <span className={`px-4 py-2 ${!isAnnual ? 'text-
[#5C4A3A]' : 'text-[#8C7A6B]'} `}>
              Monthly
            </span>
            <Switch checked={isAnnual} onCheckedChange={setIsAnnual}
/>
            <span className={`px-4 py-2 ${isAnnual ? 'text-
[#5C4A3A]' : 'text-[#8C7A6B]'} `}>
              Annual
            </span>
            {isAnnual && (
              <Badge className="bg-[#D4A574] text-white mr-2">Save
15%</Badge>
            )}
          </div>
        </div>
      </div>
      <div className="grid md:grid-cols-3 gap-8">
        {subscriptionPlans.map((plan, index) => (
```

```

<Card
  key={index}
  className={`border-[#E5DFD7] overflow-hidden ${
    plan.popular ? 'ring-2 ring-[#D4A574] shadow-xl scale-
105' : ''
  }}
  >
    {plan.popular && (
      <div className="bg-gradient-to-r from-[#D4A574] to-
[#B88A57] text-white text-center py-2">
        Most Popular
      </div>
    )}
    <CardContent className="p-6">
      <h3 className="text-[#5C4A3A] mb-2">{plan.name}</h3>
      <p className="text-sm text-[#8C7A6B] mb-
4">{plan.description}</p>
      <div className="mb-6">
        <div className="flex items-baseline gap-1">
          <span className="text-[#5C4A3A]">
            £{isAnnual ? plan.annualPrice :
plan.monthlyPrice}
          </span>
          <span className="text-[#8C7A6B]">/{isAnnual ?
'year' : 'month'}</span>
        </div>
        {isAnnual && (
          <p className="text-sm text-[#D4A574] mt-1">
            £{(plan.annualPrice / 12).toFixed(2)}/month
          </p>
        )}
      </div>
      <div className="space-y-3 mb-6">
        {plan.features.map((feature, idx) => (
          <div key={idx} className="flex items-start gap-2">
            {feature.included ? (
              <Check className="w-5 h-5 text-[#D4A574]
shrink-0 mt-0.5" />
            ) : (
              <X className="w-5 h-5 text-[#C4B5A7] shrink-0
mt-0.5" />
            )}
          </div>
        ))}
      </div>
    </CardContent>
  </Card>

```

```

        <p className={`text-sm ${feature.included ?
'text-[#8C7A6B]' : 'text-[#C4B5A7]'}`} >
            {feature.text}
        </p>
    </div>
    )})
</div>
<Button
    className={`w-full ${
        plan.popular
        ? 'bg-gradient-to-r from-[#D4A574] to-[#B88A57]
text-white'
        : 'bg-white border border-[#D4A574] text-
[#D4A574] hover:bg-[#D4A574] hover:text-white'
    }`}
    size="lg"
    >
        Get Started
    </Button>
</CardContent>
</Card>
    )})
</div>
</div>
</section>

{/* Expert Consultations */}
<section className="py-20 bg-white">
    <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div className="text-center mb-12">
            <h2 className="text-[#5C4A3A] mb-4">Expert
Consultations</h2>
            <p className="text-[#8C7A6B] max-w-2xl mx-auto">
                One-on-one sessions with certified diabetes educators and
nutritionists
            </p>
        </div>
        <div className="grid md:grid-cols-3 gap-8">
            {expertSessions.map((session, index) => (
                <Card
                    key={index}
                    className={`border-[#E5DFD7] ${session.popular ? 'ring-2

```

```

ring-[#D4A574]' : ''}`}
    >
    {session.popular && (
      <div className="bg-gradient-to-r from-[#D4A574] to-
[#B88A57] text-white text-center py-2">
        Best Value
      </div>
    )}
    <CardContent className="p-6">
      <div className="flex items-center gap-3 mb-4">
        <div className="p-3 rounded-xl bg-gradient-to-br
from-[#D4A574] to-[#B88A57]">
          <Video className="w-6 h-6 text-white" />
        </div>
        <div>
          <h3 className="text-[#5C4A3A]">{session.name}</h3>
          <p className="text-sm text-
[#8C7A6B]">{session.duration}</p>
        </div>
      </div>
      <div className="mb-4">
        <div className="flex items-baseline gap-1">
          <span className="text-
[#5C4A3A]">₹{session.price}</span>
        </div>
        <p className="text-sm text-[#8C7A6B] mt-
2">{session.description}</p>
      </div>
      <div className="space-y-2 mb-6">
        {session.features.map((feature, idx) => (
          <div key={idx} className="flex items-start gap-2">
            <Check className="w-4 h-4 text-[#D4A574] shrink-
0 mt-0.5" />
            <p className="text-sm text-
[#8C7A6B]">{feature}</p>
          </div>
        ))}
      </div>
      <Button
        className={`w-full ${
          session.popular
            ? 'bg-gradient-to-r from-[#D4A574] to-[#B88A57]

```

```

text-white'
                : 'bg-white border border-[#D4A574] text-
[#D4A574] hover:bg-[#D4A574] hover:text-white'
            }` }
        >
        Book Consultation
      </Button>
    </CardContent>
  </Card>
  )})
</div>
</div>
</section>

{/* Webinar Access */}
<section className="py-20 bg-[#F8F5F1]">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-[#5C4A3A] mb-4">Webinar Access</h2>
      <p className="text-[#8C7A6B] max-w-2xl mx-auto">
        Learn from expert-led masterclasses and educational
content
      </p>
    </div>
    <div className="grid md:grid-cols-2 gap-8 max-w-4xl mx-auto">
      {webinarAccess.map((tier, index) => (
        <Card
          key={index}
          className={`border-[#E5DFD7] ${tier.popular ? 'ring-2
ring-[#D4A574]' : ''}` }
        >
          {tier.popular && (
            <div className="bg-gradient-to-r from-[#D4A574] to-
[#B88A57] text-white text-center py-2">
              Recommended
            </div>
          )}
        <CardContent className="p-6">
          <h3 className="text-[#5C4A3A] mb-2">{tier.name}</h3>
          <div className="mb-6">
            <div className="flex items-baseline gap-1">
              <span className="text-[#5C4A3A]">

```

```

        {tier.price === 0 ? 'Free' : `£${tier.price}`}
      </span>
      {tier.period && <span className="text-
[#8C7A6B]">/{tier.period}</span>}
    </div>
  </div>
  <div className="space-y-3 mb-6">
    {tier.features.map((feature, idx) => (
      <div key={idx} className="flex items-start gap-2">
        {feature.included ? (
          <Check className="w-5 h-5 text-[#D4A574]
shrink-0 mt-0.5" />
        ) : (
          <X className="w-5 h-5 text-[#C4B5A7] shrink-0
mt-0.5" />
        )}
        <p className={`text-sm ${feature.included ?
'text-[#8C7A6B]' : 'text-[#C4B5A7]'} `}>
          {feature.text}
        </p>
      </div>
    ))}
  </div>
  <Button
    className={`w-full ${
      tier.popular
        ? 'bg-gradient-to-r from-[#D4A574] to-[#B88A57]
text-white'
        : 'bg-white border border-[#D4A574] text-
[#D4A574] hover:bg-[#D4A574] hover:text-white'
    } `}
    >
    {tier.price === 0 ? 'Sign Up Free' : 'Subscribe
Now'}
  </Button>
</CardContent>
</Card>
  )})
</div>
</div>
</section>

```

```

{ /* FAQ Section */
<section className="py-20 bg-white">
  <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-12">
      <h2 className="text-[#5C4A3A] mb-4">Frequently Asked
Questions</h2>
    </div>
    <div className="space-y-4">
      {[
        {
          q: 'Can I cancel my subscription anytime?',
          a: 'Yes, all subscriptions are flexible with no long-
term commitments. You can cancel, pause, or modify your subscription
at any time.',
        },
        {
          q: 'Do you offer refunds?',
          a: 'We offer a 100% satisfaction guarantee. If you\'re
not happy with your first box, we\'ll refund you in full.',
        },
        {
          q: 'Can I combine different plans?',
          a: 'Absolutely! You can subscribe to a box plan and add
expert consultations or webinar access separately.',
        },
        {
          q: 'Are there any hidden fees?',
          a: 'No hidden fees. All prices include VAT. Delivery is
free on all subscription boxes.',
        },
      ]}.map((faq, index) => (
        <Card key={index} className="border-[#E5DFD7]">
          <CardContent className="p-6">
            <h3 className="text-[#5C4A3A] mb-2">{faq.q}</h3>
            <p className="text-[#8C7A6B]">{faq.a}</p>
          </CardContent>
        </Card>
      )))
    </div>
  </div>
</section>

```


</div>

); }