


The McLaren F1 Road Car

- [Heritage](#)
- [Function](#)
- [Form](#)
- [Racing](#)
- [Specifications](#)
- [News](#)

Specifications



McLaren F1: Testing and Evaluation

The F1 is a technological tour-de-force and a real triumph in terms of packaging and design. Whether endurance racing or on road, it is supremely fast, agile and yet comfortable. Its styling is enduring and will never fade. I enjoy driving mine more today than ever before because I find its technical purity highly satisfying; the F1 remains one of McLaren's proudest achievements.

— Ron Dennis | McLaren Automotive

Performance

The F1 remains one of the fastest production cars ever made; as of July 2013 it is succeeded by very few cars, including the Koenigsegg Agera R, the Bugatti Veyron, the SSC Ultimate Aero TT, the Hennessey Venom GT and the Bugatti Veyron Super Sport. However, all of the higher top speed machines use forced induction to reach their respective top speeds, whereas the McLaren F1 is naturally aspirated.

Acceleration

- 0-30 mph (48 km/h): 1.7 seconds
- 0-60 mph (97 km/h): 3.2 seconds
- 0-100 mph (160 km/h): 6.3 seconds
- 0-124.28 mph (200.01 km/h): 9.4 seconds
- 0-150 mph (240 km/h): 12.8 seconds
- 0-200 mph (320 km/h): 28 seconds
- 30 mph (48 km/h)-50 mph (80 km/h): 1.8 seconds, using 3rd/4th gear
- 30 mph (48 km/h)-70 mph (110 km/h): 2.1 seconds, using 3rd/4th gear
- 40 mph (64 km/h)-60 mph (97 km/h): 2.3 seconds, using 4th/5th gear
- 50 mph (80 km/h)-70 mph (110 km/h): 2.8 seconds, using 5th gear
- 180 mph (290 km/h)-200 mph (320 km/h): 7.6 seconds, using 6th gear
- 0-400 m (0.25 mi): 11.1 seconds at 138 mph (222 km/h)
- 0-1,000 m (0.62 mi): 19.6 seconds at 177 mph (285 km/h)

Track Tests

Tsukuba Circuit, time trial: 1:04.62 on a hot lap.

Millbrook Proving Ground in Bedfordshire, 2-mile (3.2 km) banked circuit, top speed test: An average speed of 195.3 mph (314.3 km/h), with a maximum speed of 200.8 mph (323.2 km/h) (driven by Tiff Needell using the XP5 prototype).

MIRA, 2.82-mile (4.54 km) banked circuit, top speed test: An average speed of 168 mph (270 km/h), with a maximum speed of 196.2 mph (315.8 km/h) (driven by Peter Taylor).

Record Claims

The title of “world’s fastest production road car” is constantly in contention, especially because the term “production car” is not well-defined.

The McLaren F1 has a top speed of 240 mph (386 km/h),[34] restricted by the rev limiter at 7500 rpm. The true top speed of the McLaren F1 was reached in April 1998 by the five-year-old XP5 prototype. Andy Wallace (racer) piloted it down the 9 km (5.6 mi) straight at Volkswagen’s test track in Ehra-Lessien, Germany, setting a new world record of 243 mph (391 km/h) at 8300 rpm.[8] As Mario Andretti noted in a comparison test, the F1 is fully capable of pulling a seventh gear, thus with a higher gear ratio or a seventh gear the McLaren F1 would probably be able to reach an even greater top speed—something which can also be observed by noticing that the top speed was reached at 7800 rpm while the peak power is reached at 7400 rpm.

Technical specifications of each McLaren F1 derivative

Model	F1 Road Car	F1 GTR Race Car	F1 LM Road Car
Year of production	1993-98	1995	1996
Examples built	64	9	5
Engine	BMW V12	BMW V12	BMW V12
Cubic Capacity	6064 cc	6064cc	6064cc

Engine Management	TAG 3.12 Ignition/Injection	TAG 3.12 Ignition/Injection	TAG 3.12 Ignition/Injection
Power output (bhp)	627	600	680
Transmission	Transverse 6-speed Limited Slip Differential	Aluminium case transverse 6-speed, LSD	Transverse 6-speed Racing Unit, LSD
Chassis	Carbon fibre reinforced composite monocoque	Carbon fibre reinforced composite monocoque	Carbon fibre reinforced composite monocoque
Body	Carbon fibre composite panels	Carbon fibre composite panels	Carbon fibre composite panels
Front Suspension	Double wishbones, Ground Plane Sheer centre sub-frame light alloy damper/co-axial coil spring, anti-roll bar	Double wishbones, light alloy damper/co-axial coil spring, anti-roll bar	Double wishbones, light alloy damper/co-axial coil spring, anti-roll bar
Rear suspension	Double wishbones, Inclined Axis Sheer mounting, light	Double wishbones, light alloy damper/coaxle coil spring	Double wishbones, light alloy damper/coaxle coil spring

	alloy damper/coaxle coil spring, toe-in/toe-out control links		
Brakes F/R	Outboard 13/12in ventilated discs	Outboard 15/14in ventilated carbon discs	Outboard 13/12in ventilated discs
Wheels: Diameter x Width F/R	17×9/17×11.5in	18×10.85/18x13 in	18×10.85/18x13 in
Tyres F/R	Goodyear F1, Michelin SX- MXX3	Michelin	Michelin SX- MXX3
Length	169in/4292mm	169in/4292mm	171.8in/4365mm
Width	71.6in/1820mm	71.6in/1820mm	71.6in/1820mm
Height	44.8in/1140mm	44.8in/1140mm	44.1in/1120mm
Wheelbase	107in/2718mm	107in/2718mm	107in/2718mm
Track F/R	61.7/58in / 1568/1472mm	61.3/58.6in /1558/1488mm	61.8/57.6in /1570/1464mm
Weight	2502lb/1140kg	2315lb/1050kg	2341lb/1062kg

Model	F1 GTR Race Car	F1 GT Road Car	F1 GTR Race Car
Year of production	1996	1997	1997
Examples built	9	3	10
Engine	BMW V12	BMW V12	BMW V12
Cubic Capacity	6064 cc	6064cc	5990cc
Engine Manageme nt	TAG 3.12 Ignition/Injectio n	TAG 3.12 Ignition/Injectio n	TAG 3.12 Ignition/Injectio n
Power output (bhp)	600	627	600
Transmissi on	Magnesium case transverse 6-speed Limited Slip Differential	Transverse 6- speed, Limited Slip Differential	Magnesium case transverse 6-speed
Chassis	Carbon fibre reinforced composite monocoque	Carbon fibre reinforced composite monocoque	Carbon fibre reinforced composite monocoque
Body	Carbon fibre composite panels	Carbon fibre composite panels	Carbon fibre composite panels

Front Suspension	Double wishbones, light alloy damper/coaxle coil spring, anti-roll bar	Double wishbones, Ground Plane Sheer centre sub-frame light alloy damper/co-axial coil spring, anti-roll bar	Double wishbones, light alloy damper/co-axial coil spring, anti-roll bar
Rear suspension	Double wishbones, light alloy damper/co-axial coil spring	Double wishbones, Inclined Axis Sheer mounting, light alloy damper/co-axial coil spring, toe-in/toe-out control links	Double wishbones, light alloy damper/co-axial coil spring
Brakes F/R	Outboard 15/14in ventilated carbon discs	Outboard 13/12in ventilated discs	Outboard 15/14in ventilated carbon discs
Wheels: Diameter x Width F/R	18×10.85/18x1 3in	18×10.85/18x1 3in	18×10.85/18x1 3in
Tyres F/R	Michelin	Michelin	Michelin
Length	172in/4367mm	194in/4928mm	194.2in/4933mm
Width	74.8in/1900mm	76.4in/1940mm	75.6in/1920mm
Height	42.9in/1090mm	47.2in/1200mm	47.2in/1200mm

Wheelbase	107in/2718mm	107in/2718mm	107.2in/2723mm
Track F/R	61.3/58.6in 1558/1488mm	63.3/62.3in 1620/1582mm	63.7/62.3in 1617/1582mm
Weight	2231lb/1012kg	2469lb/1120kg	2017lb/915kg

Share this:

- [Email](#)
- [Facebook](#)
- [Twitter](#)
- [Pinterest](#)
- [Google](#)
-

SEARCH

ABOUT US

F1roadcar.com is an independent enthusiast website dedicated to the McLaren F1 road car built by McLaren Automotive and is in no way affiliated with, or endorsed by, McLaren. McLaren and any related logotypes, devices, names and slogans are registered trademarks of McLaren Automotive and are used here for identification purposes only. Every effort has been made to give proper and prominent credit to original sources.

-
-
-
-

-
-
-

Copyright © MMXVI [F1 Road Car](#) | A tribute to the McLaren F1 Road Car.

[Intelligent Art](#)

-