

K-Vecinos más Cercanos

Melissa Ortega Galarza

2022-05-18

Instalamos las Paqueterias

```
install.packages("MASS")
```

```
library(MASS)
```

Cargar los datos iris

```
Z<-as.data.frame(iris)  
colnames(Z)
```

```
## [1] "Sepal.Length" "Sepal.Width" "Petal.Length" "Petal.Width" "Species"
```

Definir la matriz de datos

la variable respuesta con las clasificaciones

```
x<-Z[,1:4]  
y<-Z[,5]
```

Se definen las variables y observaciones

```
n<-nrow(x)  
p<-ncol(x)
```

Grafico scatter plot

Creación de un vector de colores

y


```
## [1] setosa      setosa      setosa      setosa      setosa      setosa
## [7] setosa      setosa      setosa      setosa      setosa      setosa
## [13] setosa      setosa      setosa      setosa      setosa      setosa
## [19] setosa      setosa      setosa      setosa      setosa      setosa
## [25] setosa      setosa      setosa      setosa      setosa      setosa
## [31] setosa      setosa      setosa      setosa      setosa      setosa
## [37] setosa      setosa      setosa      setosa      setosa      setosa
## [43] setosa      setosa      setosa      setosa      setosa      setosa
## [49] setosa      setosa      versicolor versicolor versicolor versicolor
## [55] versicolor versicolor versicolor versicolor versicolor versicolor
## [61] versicolor versicolor versicolor versicolor versicolor versicolor
## [67] versicolor versicolor versicolor versicolor versicolor versicolor
## [73] versicolor versicolor versicolor versicolor versicolor versicolor
## [79] versicolor versicolor versicolor versicolor versicolor versicolor
## [85] versicolor versicolor versicolor versicolor versicolor versicolor
## [91] versicolor versicolor versicolor versicolor versicolor versicolor
## [97] versicolor versicolor versicolor versicolor virginica virginica
## [103] virginica virginica virginica virginica virginica virginica
## [109] virginica virginica virginica virginica virginica virginica
## [115] virginica virginica virginica virginica virginica virginica
## [121] virginica virginica virginica virginica virginica virginica
## [127] virginica virginica virginica virginica virginica virginica
## [133] virginica virginica virginica virginica virginica virginica
## [139] virginica virginica virginica virginica virginica virginica
## [145] virginica virginica virginica virginica virginica virginica
## Levels: setosa versicolor virginica
```

```
col.iris<-c("blue","green","orange")[y]
col.iris
```

```
## [1] "blue" "blue" "blue" "blue" "blue" "blue" "blue" "blue"
## [9] "blue" "blue" "blue" "blue" "blue" "blue" "blue" "blue"
## [17] "blue" "blue" "blue" "blue" "blue" "blue" "blue" "blue"
## [25] "blue" "blue" "blue" "blue" "blue" "blue" "blue" "blue"
## [33] "blue" "blue" "blue" "blue" "blue" "blue" "blue" "blue"
## [41] "blue" "blue" "blue" "blue" "blue" "blue" "blue" "blue"
## [49] "blue" "blue" "green" "green" "green" "green" "green" "green"
## [57] "green" "green" "green" "green" "green" "green" "green" "green"
## [65] "green" "green" "green" "green" "green" "green" "green" "green"
## [73] "green" "green" "green" "green" "green" "green" "green" "green"
## [81] "green" "green" "green" "green" "green" "green" "green" "green"
## [89] "green" "green" "green" "green" "green" "green" "green" "green"
## [97] "green" "green" "green" "green" "orange" "orange" "orange" "orange"
## [105] "orange" "orange" "orange" "orange" "orange" "orange" "orange" "orange"
## [113] "orange" "orange" "orange" "orange" "orange" "orange" "orange" "orange"
## [121] "orange" "orange" "orange" "orange" "orange" "orange" "orange" "orange"
## [129] "orange" "orange" "orange" "orange" "orange" "orange" "orange" "orange"
## [137] "orange" "orange" "orange" "orange" "orange" "orange" "orange" "orange"
## [145] "orange" "orange" "orange" "orange" "orange" "orange" "orange" "orange"
```

```
pairs(x, main="Data set Iris, Setosa (azul),Versicolor (verde), Virginica (naranja)",
      pch=19,col=col.iris)
```

Data set Iris, Setosa (azul),Versicolor (verde), Virginica (naranja)



kNN

Cargamos e instalamos paqueterias

```
install.packages("class")
```

```
library(class)
```

Se fija una “semilla” para tener valores iguales

```
set.seed(1000)
```

Creación de los ciclos

Para k=1 hasta k=20

Selecciona el valor de k que tenga el error mas bajo.

Inicializacion de una lista vacia de tamaño 20

```
knn.class<-vector(mode="list",length=20)  
knn.tables<-vector(mode="list", length=20)
```

Clasificaciones erroneas

```
knn.mis<-matrix(NA, nrow=20, ncol=1)  
knn.mis
```

```
##      [,1]  
## [1,] NA  
## [2,] NA  
## [3,] NA  
## [4,] NA  
## [5,] NA  
## [6,] NA  
## [7,] NA  
## [8,] NA  
## [9,] NA  
## [10,] NA  
## [11,] NA  
## [12,] NA  
## [13,] NA  
## [14,] NA  
## [15,] NA  
## [16,] NA  
## [17,] NA  
## [18,] NA  
## [19,] NA  
## [20,] NA
```

```

for(k in 1:20){
  knn.class[[k]]<-knn.cv(x,y,k=k)
  knn.tables[[k]]<-table(y,knn.class[[k]])
  # la suma de las clasificaciones menos las correctas
  knn.mis[k]<- n-sum(y==knn.class[[k]])
}

```

```
knn.mis
```

```

##      [,1]
## [1,]    6
## [2,]    7
## [3,]    6
## [4,]    6
## [5,]    5
## [6,]    4
## [7,]    5
## [8,]    5
## [9,]    4
## [10,]   5
## [11,]   4
## [12,]   6
## [13,]   5
## [14,]   3
## [15,]   4
## [16,]   5
## [17,]   4
## [18,]   3
## [19,]   3
## [20,]   4

```

Numero optimo de k-vecinos

```
which(knn.mis==min(knn.mis))
```

```
## [1] 14 18 19
```

```
knn.tables[[14]]
```

```
##  
## y          setosa versicolor virginica  
## setosa      50         0         0  
## versicolor  0         48         2  
## virginica   0         1         49
```

```
knn.tables[[18]]
```

```
##  
## y          setosa versicolor virginica  
## setosa      50         0         0  
## versicolor  0         48         2  
## virginica   0         1         49
```

```
knn.tables[[19]]
```

```
##  
## y          setosa versicolor virginica  
## setosa      50         0         0  
## versicolor  0         48         2  
## virginica   0         1         49
```

El mas eficiente es k=14

Se señala el k mas eficiente

```
k.opt<-14
```

```
knn.cv.opt<-knn.class[[k.opt]]
```

```
knn.cv.opt
```

```
##      [1] setosa      setosa      setosa      setosa      setosa      setosa
##      [7] setosa      setosa      setosa      setosa      setosa      setosa
##     [13] setosa      setosa      setosa      setosa      setosa      setosa
##     [19] setosa      setosa      setosa      setosa      setosa      setosa
##     [25] setosa      setosa      setosa      setosa      setosa      setosa
##     [31] setosa      setosa      setosa      setosa      setosa      setosa
##     [37] setosa      setosa      setosa      setosa      setosa      setosa
##     [43] setosa      setosa      setosa      setosa      setosa      setosa
##     [49] setosa      setosa      versicolor versicolor versicolor versicolor
##     [55] versicolor versicolor versicolor versicolor versicolor versicolor
##     [61] versicolor versicolor versicolor versicolor versicolor versicolor
##     [67] versicolor versicolor versicolor versicolor virginica versicolor
##     [73] versicolor versicolor versicolor versicolor versicolor versicolor
##     [79] versicolor versicolor versicolor versicolor versicolor virginica
##     [85] versicolor versicolor versicolor versicolor versicolor versicolor
##     [91] versicolor versicolor versicolor versicolor versicolor versicolor
##     [97] versicolor versicolor versicolor versicolor virginica virginica
##    [103] virginica virginica virginica virginica versicolor virginica
##    [109] virginica virginica virginica virginica virginica virginica
##    [115] virginica virginica virginica virginica virginica virginica
##    [121] virginica virginica virginica virginica virginica virginica
##    [127] virginica virginica virginica virginica virginica virginica
##    [133] virginica virginica virginica virginica virginica virginica
##    [139] virginica virginica virginica virginica virginica virginica
##    [145] virginica virginica virginica virginica virginica virginica
## Levels: setosa versicolor virginica
```

Tabla de contingencia con las clasificaciones buenas y malas

```
knn.tables[[k.opt]]
```

```
##
## y          setosa versicolor virginica
## setosa      50         0         0
## versicolor   0        48         2
## virginica    0         1        49
```

Cantidad de observaciones mal clasificadas

```
knn.mis[k.opt]
```

```
## [1] 3
```

Error de clasificacion (MR)

```
knn.mis[k.opt]/n
```

```
## [1] 0.02
```

Grafico de clasificaciones correctas y erroneas

```
col.knn.iris<-c("indianred1", "black")[1*(y==knn.cv.opt)+1]  
pairs(x, main="Clasificacion kNN de Iris",  
      pch=19, col=col.knn.iris)
```

