

MultiBiplot

Melissa Ortega

2022-05-12

Instalacion de Paquetes

```
install.packages("MultiBiplotR")
```

```
library("MultiBiplotR")
```

Reconocimiento de la matriz de datos

```
load("/cloud/project/Vinos.rda")
```

```
BD<-Vinos
```

Exploracion de Matriz

```
dim(BD)
```

```
## [1] 45 21
```

```
str(BD)
```

```
## 'data.frame': 45 obs. of 21 variables:
## $ a_o : Factor w/ 2 levels "1986","1987": 1 1 1 1 1 1 1 1 1 1 ...
## $ denomina: Factor w/ 2 levels "RIBERA","TORO": 1 1 1 1 1 1 1 1 1 1 ...
## $ grupo : Factor w/ 4 levels "RD86","RD87",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ grado : num 12.8 12.8 12.5 11.9 12.5 12.1 12.2 12.6 13 12.4 ...
## $ avol : num 1.2 0.75 1 0.7 0.95 0.5 0.8 0.4 0.4 0.35 ...
## $ atot : num 6.7 6.9 7.2 7.7 7.7 5.8 5.9 5.4 4.6 5.5 ...
## $ acfi : num 5.2 6 6 6.8 6.3 5.2 4.9 4.9 4.1 5 ...
## $ ph : num 3.7 3.5 3.6 3.3 3.6 3.2 3.4 3.3 3.6 3.3 ...
## $ folin : num 2827 1818 1459 2054 2930 ...
## $ somers : num 50.8 37.8 35.1 32.1 49.6 30.6 35.6 30.6 41.7 30 ...
## $ srv : num 811 968 866 978 1128 ...
## $ procian : num 3794 1736 2306 3420 3158 ...
## $ acrg : num 386 144 225 204 214 167 252 315 293 152 ...
## $ acse : num 287 141 132 110 148 95 160 124 170 67 ...
## $ achplc : num 181 69 78 84 75 74 101 101 137 56 ...
## $ ic : num 7.81 4.88 5.52 4.64 6.99 3.98 7.6 6.15 6.6 5.49 ...
## $ ic2 : num 8.95 5.55 6.35 5.15 7.87 4.36 8.84 7.11 7.85 6.23 ...
## $ tono : num 0.72 0.755 0.456 0.675 0.672 0.716 0.716 0.74 0.93 0.75 ...
## $ iim : num 18.4 23.6 36.8 36.4 34.2 38.1 28.5 27.7 21.6 30.3 ...
## $ eq1 : num 0.489 0.48 0.598 0.42 0.45 0.434 0.501 0.566 0.557 0.689 ...
## $ vla : num 0.21 0.56 0.38 0.29 0.36 0.3 0.24 0.4 0.28 0.26 ...
## - attr(*, "variable.labels")= Named chr [1:21] "A\x840" "DENOMINACION" "" "" ...
## ..- attr(*, "names")= chr [1:21] "a_o" "denomina" "grupo" "grado" ...
## - attr(*, "codepage")= int 28605
```


```
colnames(BD)
```

```
## [1] "a_o"      "denomina" "grupo"     "grado"     "avol"      "atot"
## [7] "acfi"     "ph"        "folin"     "somers"    "srv"       "procian"
## [13] "acrg"     "acse"      "achplc"    "ic"        "ic2"       "tono"
## [19] "iim"      "eq1"       "vla"
```

Graficos de Exploracion

```
BX1<-BoxPlotPanel(BD[,4:9], nrow=2, groups=BD$denomina)
```

```
## [1] 2
```




```
BX1
```

```
## $mfrow
## [1] 2 3
```

```
BX2<-BoxPlotPanel(BD[,4:9], nrow=2, groups=BD$grupo)
```

```
## [1] 2
```



```
BX2
```

```
## $mfrow
## [1] 2 3
```


Filtrado de Variables

1.- Selecccion de variables numericas


```
X<-BD[,4:21]
```

2.- Generacion Plot

```
PL1<-plot(X[,1:9])
```



```
PL2<-plot(X[,10:18])
```



Reduccion de la Dimensionalidad

1.- ACP Scaling= 1: datos originales, 2: Resta la media global del conjunto de los datos, 3: Doble centrado (agricultura / interaccion de residuales) 4: Centrado por columnas (variables con misma escala) 5: Estandarizado por columnas

```
acpvino<-PCA.Analysis(X,Scaling = 5)
summary(acpvino)
```

```
## ##### Principal Components Analysis #####
##
## Transformation of the raw data:
## [1] "Standardize columns"
##
## Eigenvalues & Explained Variance (Inertia)
##      Eigenvalue Exp. Var Cumulative
## [1,]  277.12688   34.991    34.991
## [2,]  199.36534   25.172    60.163
## [3,]   85.42317   10.786    70.949
##
##
## STRUCTURE OF THE PRINCIPAL COMPONENTS
##      Dim 1  Dim 2  Dim 3
## grado   -0.676 -0.142  0.188
## avol     -0.450  0.204 -0.519
## atot     -0.225  0.738 -0.526
## acfi     -0.063  0.797 -0.397
## ph        0.191 -0.593 -0.193
## folin    -0.910 -0.094 -0.072
## somers   -0.920 -0.154 -0.090
## srv      -0.798 -0.088  0.277
## procian  -0.873 -0.102  0.036
## acrg      -0.301 -0.726 -0.441
## acse      -0.213 -0.856 -0.372
## achplc    0.119 -0.830 -0.355
## ic       -0.926  0.117 -0.074
## ic2      -0.932  0.095 -0.048
## tono     -0.351 -0.290  0.612
## iim       0.021  0.810 -0.179
## eq1      -0.688  0.416  0.255
## vla       0.006  0.071  0.368
```

Presentacion de tablas (markdown)

```
summary(acpvino, latex=TRUE)
```

```
## ##### Principal Components Analysis #####
##
## Transformation of the raw data:
## [1] "Standardize columns"
##
## Eigenvalues & Explained Variance (Inertia)
##      Eigenvalue Exp. Var Cumulative
## [1,] 277.12688  34.991    34.991
## [2,] 199.36534  25.172    60.163
## [3,]  85.42317  10.786    70.949
##
##
## STRUCTURE OF THE PRINCIPAL COMPONENTS
##      Dim 1 Dim 2 Dim 3
## grado  -0.676 -0.142  0.188
## avol    -0.450  0.204 -0.519
## atot    -0.225  0.738 -0.526
## acfi    -0.063  0.797 -0.397
## ph       0.191 -0.593 -0.193
## folin   -0.910 -0.094 -0.072
## somers  -0.920 -0.154 -0.090
## srv     -0.798 -0.088  0.277
## procian -0.873 -0.102  0.036
## acrg    -0.301 -0.726 -0.441
## acse    -0.213 -0.856 -0.372
## achplc   0.119 -0.830 -0.355
## ic      -0.926  0.117 -0.074
## ic2     -0.932  0.095 -0.048
## tono    -0.351 -0.290  0.612
## iim      0.021  0.810 -0.179
## eq1     -0.688  0.416  0.255
## vla      0.006  0.071  0.368
## % latex table generated in R 4.2.0 by xtable 1.8-4 package
## % Thu May 12 05:35:29 2022
## \begin{table}[ht]
## \centering
## \begin{tabular}{rrrr}
## \hline
## & Eigenvalue & Exp. Var & Cumulative \\
## \hline
## 1 & 277.13 & 34.99 & 34.99 \\
## 2 & 199.37 & 25.17 & 60.16 \\
## 3 & 85.42 & 10.79 & 70.95 \\
## \hline
## \end{tabular}
## \caption{Explained Variance}
## \end{table}
## % latex table generated in R 4.2.0 by xtable 1.8-4 package
## % Thu May 12 05:35:29 2022
## \begin{table}[ht]
## \centering
```

```

## \begin{tabular}{rrrr}
##   \hline
##   & Dim 1 & Dim 2 & Dim 3 \\
##   \hline
## grado & -0.68 & -0.14 & 0.19 \\
## avol & -0.45 & 0.20 & -0.52 \\
## atot & -0.23 & 0.74 & -0.53 \\
## acfi & -0.06 & 0.80 & -0.40 \\
## ph & 0.19 & -0.59 & -0.19 \\
## folin & -0.91 & -0.09 & -0.07 \\
## somers & -0.92 & -0.15 & -0.09 \\
## srv & -0.80 & -0.09 & 0.28 \\
## procian & -0.87 & -0.10 & 0.04 \\
## acrg & -0.30 & -0.73 & -0.44 \\
## acse & -0.21 & -0.86 & -0.37 \\
## achplc & 0.12 & -0.83 & -0.35 \\
## ic & -0.93 & 0.12 & -0.07 \\
## ic2 & -0.93 & 0.10 & -0.05 \\
## tono & -0.35 & -0.29 & 0.61 \\
## iim & 0.02 & 0.81 & -0.18 \\
## eq1 & -0.69 & 0.42 & 0.26 \\
## vla & 0.01 & 0.07 & 0.37 \\
##   \hline
## \end{tabular}
## \caption{Correlations with the Principal Components}
## \end{table}

```


.- Contenido del objeto acpvino


```
names(acpvino)
```

```
## [1] "Title" "Type" "call"
## [4] "Non_Scaled_Data" "alpha" "Dimension"
## [7] "Means" "Medians" "Deviations"
## [10] "Minima" "Maxima" "P25"
## [13] "P75" "GMean" "Initial_Transformation"
## [16] "Scaled_Data" "nrows" "ncols"
## [19] "nrowsSup" "ncolsSup" "dim"
## [22] "EigenValues" "Inertia" "CumInertia"
## [25] "EV" "Structure" "RowCoordinates"
## [28] "ColCoordinates" "RowContributions" "ColContributions"
## [31] "Scale_Factor" "ClusterType" "Clusters"
## [34] "ClusterColors" "ClusterNames"
```

3.- Generacion del Grafico

```
acp1<-plot(acpvino, ShowBox=FALSE)
```

Principal Components Analysis (Dim 1 (35 %)- 2 (25.2 %))



Screeplot con barras

```
acp2<-princomp(X, cor=TRUE, score=TRUE)  
plot(acp2)
```





Grafico circular de correlacion

```
acp3<-plot(acpvino, CorrelationCircle=TRUE,  
           ShowAxis=TRUE, CexInd=1.5)
```

Principa

Principal Components Analysis (Dim 1 (35 %)– 2 (25.2 %))



Agregar grupos al biplot definido por usuario

```
acpvino1<-AddCluster2Biplot(acpvino, ClusterType="us",  
                             Groups = BD$grupo)
```

Grafico con poligonos # CexInd= tamaño de los argumentos

```
acp4<-plot(acpvino1, PlotClus=TRUE,  
           ClustCenters=TRUE, margin=0.05,  
           CexInd=0.7, ShowBox=TRUE)
```

Principal Components Analysis (Dim 1 (35 %)- 2 (25.2 %))




Grafico con Elipses

```
acp5<-plot(acpvino1, PlotClus=TRUE, ClustCenters=TRUE,  
           margin=0.05, CexInd=0.7, TypeClus="el",  
           ShowBox=F)
```

Principal Components Analysis (Dim 1 (35 %)- 2 (25.2 %))





Grafico con Estrellas

```
acp6<-plot(acpvino1, PlotClus=TRUE, ClustCenters=TRUE,  
margin=0.05, CexInd=0.7, TypeClus="st",  
ShowBox=TRUE)
```

Principal Components Analysis (Dim 1 (35 %)– 2 (25.2 %))



Biplot

alpha=

0:GH

1:JK

2:HJ

Predeterminado JK

```
bipvino<-PCA.Biplot(X, Scaling = 5)
summary(bipvino)
```

```
## ##### Biplot for Principal Components Analysis #####
##
## Call
## PCA.Biplot(X = X, Scaling = 5)
## Type of coordinates:
## Transformation of the raw data:
## [1] "Standardize columns"
## Type of Biplot
## [1] "PCA"
##
## Eigenvalues & Explained Variance (Inertia)
##      Eigenvalue Exp. Var Cumulative
## [1,]  277.12688   34.991    34.991
## [2,]  199.36534   25.172    60.163
## [3,]   85.42317   10.786    70.949
##
##
## RELATIVE CONTRIBUTIONS OF THE FACTOR TO THE ELEMENT
##
## Row Contributions
##      Dim 1 Dim 2 Dim 3
## I1  42.04  6.63 44.06
## I2   0.03 32.75  2.51
## I3   0.07 57.27 18.53
## I4   0.28 70.89  8.84
## I5  29.69 38.53 12.87
## I6   2.64 67.95  1.86
## I7  23.63 27.17  9.95
## I8  15.06 20.09  8.55
## I9  60.32  7.05 10.79
## I10  1.55 61.24 11.60
## I11  0.12 74.78 12.48
## I12  0.09 35.48 28.14
## I13  1.68 57.21 29.79
## I14  2.95 15.65 39.81
## I15 64.41  9.27  3.81
## I16 35.26 17.46  4.85
```

```

## I17 63.73 0.99 14.28
## I18 51.05 25.08 0.12
## I19 75.88 7.45 9.01
## I20 77.10 5.13 0.77
## I21 24.48 9.79 18.31
## I22 30.80 25.95 0.05
## I23 2.08 2.45 0.20
## I24 71.22 15.56 0.82
## I25 72.83 12.08 2.23
## I26 32.34 43.51 1.52
## I27 35.29 35.58 11.66
## I28 63.06 11.10 3.65
## I29 16.99 16.98 27.32
## I30 17.97 32.85 0.25
## I31 9.13 1.41 35.53
## I32 55.95 4.40 3.60
## I33 28.58 7.60 26.59
## I34 67.06 0.00 4.97
## I35 7.12 13.24 1.64
## I36 41.97 12.56 27.66
## I37 4.81 4.11 20.46
## I38 83.21 0.21 0.95
## I39 88.41 3.71 2.38
## I40 0.08 13.31 0.69
## I41 42.39 34.59 1.36
## I42 9.24 2.75 29.92
## I43 23.86 2.26 7.75
## I44 29.74 44.90 6.03
## I45 56.52 23.65 1.05
##
## Column Contributions
##      Dim 1 Dim 2 Dim 3
## grado 45.71 2.02 3.54
## avol 20.23 4.14 26.96
## atot 5.06 54.44 27.69
## acfi 0.40 63.45 15.73
## ph 3.63 35.20 3.72
## folin 82.89 0.89 0.52
## somers 84.58 2.36 0.81
## srv 63.74 0.78 7.65
## procian 76.19 1.04 0.13
## acrg 9.08 52.64 19.41
## acse 4.54 73.25 13.87
## achplc 1.41 68.84 12.61
## ic 85.75 1.37 0.54
## ic2 86.89 0.91 0.23
## tono 12.30 8.43 37.44
## iim 0.04 65.55 3.20
## eq1 47.38 17.28 6.51
## vla 0.00 0.51 13.58
##
##
##
## Qualities of representation of the rows (Cummulative contributions)

```

```

##      Dim 1 Dim 2 Dim 3
## I1  42.04 48.67 92.73
## I2   0.03 32.78 35.29
## I3   0.07 57.34 75.87
## I4   0.28 71.17 80.01
## I5  29.69 68.22 81.09
## I6   2.64 70.59 72.45
## I7  23.63 50.80 60.75
## I8  15.06 35.15 43.70
## I9  60.32 67.37 78.16
## I10  1.55 62.79 74.39
## I11  0.12 74.90 87.38
## I12  0.09 35.57 63.71
## I13  1.68 58.89 88.68
## I14  2.95 18.60 58.41
## I15 64.41 73.68 77.49
## I16 35.26 52.72 57.57
## I17 63.73 64.72 79.00
## I18 51.05 76.13 76.25
## I19 75.88 83.33 92.34
## I20 77.10 82.23 83.00
## I21 24.48 34.27 52.58
## I22 30.80 56.75 56.80
## I23  2.08  4.53  4.73
## I24 71.22 86.78 87.60
## I25 72.83 84.91 87.14
## I26 32.34 75.85 77.37
## I27 35.29 70.87 82.53
## I28 63.06 74.16 77.81
## I29 16.99 33.97 61.29
## I30 17.97 50.82 51.07
## I31  9.13 10.54 46.07
## I32 55.95 60.35 63.95
## I33 28.58 36.18 62.77
## I34 67.06 67.06 72.03
## I35  7.12 20.36 22.00
## I36 41.97 54.53 82.19
## I37  4.81  8.92 29.38
## I38 83.21 83.42 84.37
## I39 88.41 92.12 94.50
## I40  0.08 13.39 14.08
## I41 42.39 76.98 78.34
## I42  9.24 11.99 41.91
## I43 23.86 26.12 33.87
## I44 29.74 74.64 80.67
## I45 56.52 80.17 81.22
##
##
##
## Qualities of representation of the columns (Cumulative contributions)
##      Dim 1 Dim 2 Dim 3
## grado  45.71 47.73 51.27
## avol   20.23 24.37 51.33
## atot    5.06 59.50 87.19

```



```
## acfi      0.40 63.85 79.58
## ph        3.63 38.83 42.55
## folin     82.89 83.78 84.30
## somers    84.58 86.94 87.75
## srv       63.74 64.52 72.17
## procian   76.19 77.23 77.36
## acrg       9.08 61.72 81.13
## acse       4.54 77.79 91.66
## achplc     1.41 70.25 82.86
## ic        85.75 87.12 87.66
## ic2       86.89 87.80 88.03
## tono      12.30 20.73 58.17
## iim        0.04 65.59 68.79
## eq1       47.38 64.66 71.17
## vla        0.00  0.51 14.09
```


Valores propios

```
bipvino$EigenValues
```

```
## [1] 277.12687550 199.36534193 85.42316719 61.02361652 54.61472549
## [6] 33.21950770 23.10087611 18.20271969 12.93567822 8.99721387
## [11] 7.17039349 5.14634483 2.46693118 1.76863760 1.12884586
## [16] 0.26153511 0.02966717 0.01792254
```

Screeplot

```
SC<-barplot(bipvino$EigenValues)
```



Vectores propios

bipvino\$EV

##		[,1]	[,2]	[,3]
##	[1,]	-0.269400471	-0.06678758	0.13502664
##	[2,]	-0.179235894	0.09563188	-0.37266607
##	[3,]	-0.089642289	0.34663991	-0.37767939
##	[4,]	-0.025075364	0.37420670	-0.28461188
##	[5,]	0.075921760	-0.27872944	-0.13842752
##	[6,]	-0.362771201	-0.04421297	-0.05176113
##	[7,]	-0.366464498	-0.07220257	-0.06472232
##	[8,]	-0.318130606	-0.04157401	0.19854164
##	[9,]	-0.347804576	-0.04785685	0.02584725
##	[10,]	-0.120049408	-0.34086254	-0.31617278
##	[11,]	-0.084888000	-0.40207820	-0.26728099
##	[12,]	0.047378644	-0.38977456	-0.25488092
##	[13,]	-0.368971746	0.05491570	-0.05287232
##	[14,]	-0.371435455	0.04476039	-0.03421019
##	[15,]	-0.139772430	-0.13640832	0.43913353
##	[16,]	0.008178563	0.38035721	-0.12838425
##	[17,]	-0.274261123	0.19527349	0.18313281
##	[18,]	0.002361018	0.03345360	0.26444673

Tabla de inercias

```
Inercias<-data.frame(paste("Eje",1:length(bipvino$EigenValues)),
                     bipvino$EigenValues, bipvino$Inertia,
                     bipvino$CumInertia)

colnames(Inercias)<-c("Eje", "Valor Propio",
                     "Inercia", "Inercia acumulada")

install.packages("knitr")

library(knitr)

kable(Inercias)
```

Eje	Valor Propio	Inercia	Inercia acumulada
Eje 1	277.1268755	34.991	34.991
Eje 2	199.3653419	25.172	60.163
Eje 3	85.4231672	10.786	70.949
Eje 4	61.0236165	7.705	78.654
Eje 5	54.6147255	6.896	85.550
Eje 6	33.2195077	4.194	89.744
Eje 7	23.1008761	2.917	92.661
Eje 8	18.2027197	2.298	94.959
Eje 9	12.9356782	1.633	96.592
Eje 10	8.9972139	1.136	97.728
Eje 11	7.1703935	0.905	98.633
Eje 12	5.1463448	0.650	99.283
Eje 13	2.4669312	0.311	99.594
Eje 14	1.7686376	0.223	99.817
Eje 15	1.1288459	0.143	99.960
Eje 16	0.2615351	0.033	99.993
Eje 17	0.0296672	0.004	99.997
Eje 18	0.0179225	0.002	99.999

Tabla Contribucion de Columnas


```
kable(bipvino$ColContributions)
```

	Dim 1	Dim 2	Dim 3
grado	45.71	2.02	3.54
avol	20.23	4.14	26.96
atot	5.06	54.44	27.69
acfi	0.40	63.45	15.73
ph	3.63	35.20	3.72
folin	82.89	0.89	0.52
somers	84.58	2.36	0.81
srv	63.74	0.78	7.65
procian	76.19	1.04	0.13
acrg	9.08	52.64	19.41
acse	4.54	73.25	13.87
achplc	1.41	68.84	12.61
ic	85.75	1.37	0.54
ic2	86.89	0.91	0.23
tono	12.30	8.43	37.44
iim	0.04	65.55	3.20
eq1	47.38	17.28	6.51
vla	0.00	0.51	13.58

Grafico

```
plot(bipvino, ShowBox=TRUE)
```

PCA Biplot (Dim 1 (35 %)– 2 (25.2 %))



```
BP1<-plot(bipvino, mode="s",
          margin=0.1, ShowBox=TRUE)
```




Grafico circular correlaciones

```
GC<-CorrelationCircle(bipvino)
```

PCA Biplot – Correlation Circle





Grafico contribuciones de los vectores Calidad de representacion eje 1, 2 y 1+2

```
ColContributionPlot(bipvino, AddSigns2Labs = FALSE)
```


PCA Biplot – Contribution Plot



Proyeccion individuos sobre una variable dp= selecciona la variable

```
BP3<-plot(bipvino, dp=2, mode="s",
  ColorVar=c("blue", rep("grey",17)),
  ShowBox=TRUE)
```

PCA Biplot (Dim 1 (35 %)- 2 (25.2 %))




Agregar cluster Jerarquico con datos originales Metodo ward.D

```
bipvino=AddCluster2Biplot(bipvino, NGroups=4,
                           ClusterType="hi",
                           method="ward.D",
                           Original=TRUE)
```

Cluster aplicado al biplot

```
clusBP<-plot(bipvino, PlotClus=TRUE,ShowAxis=TRUE)
```

PCA Biplot (Dim 1 (35 %)- 2 (25.2 %))



clusBP

NULL