### apigee

## Response Codes and Pagination

Response codes should communicate only what the developer consuming an API needs.



#### Scenario

GET /users/U124

404 Not Found



#### Scenario

GET /users/U124

404 Not Found

GET /users/U123

403 Forbidden



#### Seven Minimal Status Codes

- 200 OK
- 201 Created
- 304 Not Modified
- 400 Bad Request
- 401 Unauthorized
- 404 Not Found
- 500 Server Error



```
200 OK
{ "400":"Bad Request" }
```



```
200 OK
{ "400":"Bad Request" }

500 Internal Server Error
{ "500":"Internal Error",
"message":"Failure in querying
MySQL database on 10.3.4.33"}
```



```
400 Bad Request

{ "errorCode":"400.01",
 "errorMessage":"Missing required
parameters in payload.",
 "docksLink":"http://docs/api/the
-resource" }
```



```
400 Bad Request
{ "errorCode": "400.01",
"errorMessage": "Missing required
parameters in payload.",
"docksLink": "http://docs/api/the
-resource" }
500 Internal Server Frron
{ "errorCode": "500.01",
"errorMessage":"Internal server
error occurred.",
"message": "Report error by
e-mailing errors@mycorp.com",
  "correlationId": "C4444-23"}
```



#### When should pagination be used?

- An unknown number of results.
- Results are of the same resource type.



#### When not to use pagination?

- When the payload is not a list of objects.
- Small, known number of results never to exceed a handful (e.g. 5-10)



#### Best Practices for Pagination (1)

```
{
    "pagination": {
        "page": 4,
        "pageSize": 10,
        "items": 10
    },
    "items": []
}
```



#### Best Practices for Pagination (2)

```
{
  "pagination": {
    "page": 4,
    "pageSize": 10,
    "items": 10,
    "next":
  "https://.../resource?page=5&pageSize=10",
    "prev":
  "https://.../resource?page=3&pageSize=10"
  },
  "items": []
}
```



#### Best Practices for Pagination (3)

```
"pagination": {
  "page": 4,
  "pageSize": 10,
  "items": 10,
  "next": "https://.../resource?page=5&pageSize=10",
  "prev": "https://.../resource?page=3&pageSize=10"
 "items": [
  { "id": "fjones123", "first name": "Fred",
"last name": "Jones",
    "href": "https://.../people/fjones123" },
 {...},{...},...
```



# apigee Thank You