

to_do_list - main.dart [to_do_list]

Pixel 3a API 33 x86 64 (mobile)

main.dart

Visual layout of bidirectional text can depend on the base direction (View | Bidi Text Base Direction)

Choose direction Hide notification Don't show a

Pubspec has been edited

Get dependencies Upgrade dependencies Ignore

task 2 -Dialogs [to_do_list]

C:\Users\HP\Docum

lib

main.dart

pubspec.yaml

task 2 -Dialogs [to_do_list]

C:\Users\HP\Docum

android [to_do_list_android]

analysis_options.yaml

pubspec.lock

pubspec.yaml

README.md

to_do_list.iml

External Libraries

Scratches and Consoles

173

insetPadding: EdgeInsets.all(2),

174

title: Text("Delete"),|

175

content: Text("Are you sure you want to delete this item?",

176

style: TextStyle(fontWeight: FontWeight.w400,

177

color: Colors.grey[600]),), // TextStyle, Text

178

//shape: RoundedRectangleBorder(borderRadius: BorderRadius.circular(12)),

179

//actionsOverflowButtonSpacing: 2,

180

actions:<Widget> [

181

182

TextButton(

183

onPressed: ()=>Navigator.pop(context),

184

child: Text("Cancel",style: TextStyle(color: Colors.grey[700],fontSize: 18,fontWeight: FontWeight

185

TextButton(

186

onPressed: ()=>Navigator.pop(context),

187

child: Text("Yes",style: TextStyle(color: Colors.red,fontSize: 18,fontWeight: FontWeight.w400)),

188

), // TextButton

189

], // <Widget>[]

190

), // AlertDialog

191

192

),

193

194

icon: Icon(Icons.delete_outline_outlined),iconSize: 28,

195

alignment: Alignment.topRight

196

), // IconButton

197

textColor: Colors.white,

198

iconColor: Colors.white,

199

contentPadding: EdgeInsets.all(1),

main.dart (Pixel 3a API 33 x86 64)

Run Debug TODO Problems Terminal Services Dart Analysis

174:59 (59 chars, 1 line break) CRLF UTF-8 2 sp

2:43 AM 14-Sep-23

to_do_list - main.dart [to_do_list]

Pixel 3a API 33 x86 64 (mobile)main.dart

libmain.dart

Project

task 2 -Dialogs [to_do_list] C:\Users\HP\Docum

Visual layout of bidirectional text can depend on the base direction (View | Bidi Text Base Direction)

Choose directionHide notificationDon't show a

Pubspec has been edited

Get dependenciesUpgrade dependenciesIgnore

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

iconColor: Colors.white,

contentPadding: EdgeInsets.all(1),

horizontalTitleGap: 20,

), // ListTile

ListTile(

title:Text("Flutter Task",style: TextStyle(fontWeight: FontWeight.w800,fontSize: 18)) ,

subtitle:Text("4:00 PM",style:TextStyle(height: 2,)),

trailing: IconButton(

onPressed: ()=>

showDialog(context: context, builder: (BuildContext context)=>

AlertDialog(

insetPadding: EdgeInsets.all(2),

title: Text("Delete"),

content: Text("Are you sure you want to delete this item?",style: TextStyle(fontWeight: FontWeight.w

color: Colors.grey[600])),), // TextStyle, Text

actions:<Widget> [

TextButton(

onPressed: ()=>Navigator.pop(context),

child:Text("Cancel",style: TextStyle(color: Colors.grey[700],fontSize: 18,fontWeight: FontWeight

TextButton(

onPressed: ()=>Navigator.pop(context),

child:Text("Yes",style: TextStyle(color: Colors.red,fontSize: 18,fontWeight: FontWeight.w400)),

), // TextButton

], // <Widget>[]

main.dart (Pixel 3a API 33 x86 64)

RunDebugTODOProblemsTerminalServicesDart Analysis

Type here to search

2:43 AM14-Sep-23

to_do_list - main.dart [to_do_list]

Pixel 3a API 33 x86 64 (mobile)main.dart

Visual layout of bidirectional text can depend on the base direction (View | Bidi Text Base Direction)

Pubspec has been edited

task 2 -Dialogs [to_do_list] C:\Users\HP\Docum

.dart_tool

.idea

android [to_do_list_android]

assets

build

ios

lib

linux

macos

test

web

windows

.gitignore

.metadata

analysis_options.yaml

pubspec.lock

pubspec.yaml

README.md

to_do_list.iml

External Libraries

Scratches and Consoles

main.dart

222

child:Text("Yes", style: TextStyle(color: Colors.red, fontSize: 18, fontWeight: FontWeight

223

), // TextButton

224

], // <Widget>[]

225

), // AlertDialog

226

227

),

228

229

icon: Icon(Icons.delete_outline_outlined), iconSize: 28,

230

alignment: Alignment.topRight

231

), // IconButton

232

textColor: Colors.white,

233

iconColor: Colors.white,

234

contentPadding: EdgeInsets.all(1),

235

horizontalTitleGap: 20,

236

), // ListTile

237

238

ListTile(

239

title:Text("Flutter Task برده", style: TextStyle(fontWeight: FontWeight.w800, fontSize: 18, fontFamily: "assets/fonts

240

subtitle:Text("6:00 PM", style: TextStyle(height: 2.)),

241

242

trailing: IconButton(

243

onPressed: ()=>

244

showDialog(context: context, builder: (BuildContext context)=>

245

AlertDialog(

246

insetPadding: EdgeInsets.all(2),

247

title: Text("Delete"),

248

content: Text("Are you sure you want to delete this item?", style: TextStyle(fontWeight: FontWeight.w

main.dart (Pixel 3a API 33 x86 64)

Run

Debug

TODO

Problems

Terminal

Services

Dart Analysis

223:41 (41 chars, 1 line break) CRLF UTF-8 2 sp

2:43 AM 14-Sep-23

to_do_list - main.dart [to_do_list]

Pixel 3a API 33 x86 64 (mobile)main.dart

libmain.dart

Project

task 2 -Dialogs [to_do_list] C:\Users\HP\Docum

Visual layout of bidirectional text can depend on the base direction (View | Bidi Text Base Direction)

Choose directionHide notificationDon't show a

Pubspec has been edited

Get dependenciesUpgrade dependenciesIgnore

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

insetPadding: EdgeInsets.all(2),

title: Text("Delete"),

content: Text("Are you sure you want to delete this item?",
style: TextStyle(fontWeight: FontWeight.w400,
color: Colors.grey[600])), // TextStyle, Text

actions:<Widget> [

 TextButton(
 onPressed: ()=>Navigator.pop(context),
 child:Text("Cancel",style: TextStyle(color: Colors.grey[700],fontSize: 18,fontWeight: FontWeight.w400))),
 TextButton(
 onPressed: ()=>Navigator.pop(context),
 child:const Text("Yes",
 style: TextStyle(color: Colors.red,fontSize: 18,fontWeight: FontWeight.w400)), // Text
), // TextButton
], // <Widget>[]
) , // AlertDialog

) ,

icon: const Icon(Icons.delete_outline_outlined),iconSize: 28,
alignment: Alignment.topRight
) , // IconButton
textColor: Colors.white,
iconColor: Colors.white,
contentPadding: const EdgeInsets.all(1),

main.dart (Pixel 3a API 33 x86 64)

RunDebugTODOProblemsTerminalServicesDart Analysis

247:59 (59 chars, 1 line break) CRLF UTF-8 2 sp

2:44 AM 14-Sep-23

to_do_list - main.dart [to_do_list]

Pixel 3a API 33 x86 64 (mobile)main.dart

Visual layout of bidirectional text can depend on the base direction (View | Bidi Text Base Direction)

task 2 -Dialogs [to_do_list] C:\Users\HP\Docum

Project

lib

main.dart

task 2 -Dialogs [to_do_list]

android [to_do_list_android]

assets

build

ios

lib

linux

macos

test

web

windows

.gitignore

.metadata

analysis_options.yaml

pubspec.lock

pubspec.yaml

README.md

to_do_list.iml

External Libraries

Scratches and Consoles

main.dart

pubspec.yaml

Pubspec has been edited

Get dependencies

Upgrade dependencies

Ignore

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

), // IconButton

], // <Widget>[]

), // AlertDialog

),

icon: const Icon(Icons.delete_outline_outlined),iconSize: 28,

alignment: Alignment.topRight

), // IconButton

textColor: Colors.white,

iconColor: Colors.white,

contentPadding: const EdgeInsets.all(1),

horizontalTitleGap: 20,

), // ListTile

],), // ListView

), // Container

],

), // Column

), // Container

// Scaffold

// MaterialApp

main.dart (Pixel 3a API 33 x86 64)

Run

Debug

TODO

Problems

Terminal

Services

Dart Analysis

271:47 (47 chars, 1 line break)

CRLF

UTF-8

2 sp

25°C

2:44 AM

14-Sep-23

to_do_list - main.dart [to_do_list]

Pixel 3a API 33 x86 64 (mobile)main.dart

Dialogslibmain.dart

Projecttask 2 -Dialogs [to_do_list]C:\Users\HP\Docum

Visual layout of bidirectional text can depend on the direction of the text.

Pubspec has been edited

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

icon:

align

), // Ic

textColor

iconColor

contentPa

horizontal

), // List

],), // ListVi

), // Container

1,

), // Column

, // Container

// Scaffold

/ MaterialApp

Reload

Choose direction

Hide notification

Don't show a

Get dependencies

Upgrade dependencies

Ignor

61

1

Size: 28,

1:44

Todo List

Communication System Quiz

10:00 AM

OS Report

11:00 AM

Buy some stuff

1:00 PM

Go to the Gym

2:00 PM

Flutter Task

4:00 PM

Flutter Task بردو

6:00 PM

Run

Debug

TODO

Problems

Terminal

Services

Dart Analysis

Layout Insp


CRLF

UTF-8

2 sp

2:44 AM

14-Sep-23



Pubspec has been edited

⚠ 61 ✓ 1

to_do_list - main.dart [to_do_list]

Pixel 3a API 33 x86 64 (mobile)main.dart

libmain.dart

Project

task 2 -Dialogs [to_do_list] C:\Users\HP\Docum

Visual layout of bidirectional text can depend on the base direction (View | Bidi Text Base Direction)

Choose directionHide notificationDon't show a

Pubspec has been edited

Get dependenciesUpgrade dependenciesIgnor

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

onPressed: ()=>

showDialog(context: context, builder: (BuildContext context)=>

AlertDialog(

insetPadding: EdgeInsets.all(2),

actionsPadding: EdgeInsets.only(top: 10),

title: Text("Delete"),

content: Text("Are you sure you want to delete this item?",

style: TextStyle(fontWeight: FontWeight.w400,

color: Colors.grey[600]),), // TextStyle, Text

//shape: RoundedRectangleBorder(borderRadius: BorderRadius.circular(12)),

//actionsOverflowButtonSpacing: 2,

actions:<Widget> [

TextButton(

onPressed: ()=>Navigator.pop(context),

child:Text("Cancel",style: TextStyle(color: Colors.grey[700],fontSize: 18,fontWeight: FontWeight.w400))

TextButton(

onPressed: ()=>Navigator.pop(context),

child:Text("Yes",style: TextStyle(color: Colors.red,fontSize: 18,fontWeight: FontWeight.w400)),

), // TextButton

], // <Widget>[]

), // AlertDialog

),

icon: Icon(Icons.delete_outline_outlined),iconSize: 28,

main.dart (Pixel 3a API 33 x86 64)

version ControlRunDebugTODOProblemsTerminalServicesDart Analysis

Type here to search

51:43 (87 chars, 1 line break)CRLFUTF-82 sp

2:42 AM14-Sep-23

to_do_list - main.dart [to_do_list]

Pixel 3a API 33 x86 64 (mobile)main.dart

libmain.dart

task 2 -Dialogs [to_do_list] C:\Users\HP\Docum

Project

.dart_tool

.idea

android [to_do_list_android]

assets

build

ios

lib

linux

macos

test

web

windows

.gitignore

.metadata

analysis_options.yaml

pubspec.lock

pubspec.yaml

README.md

to_do_list.iml

External Libraries

Scratches and Consoles

Visual layout of bidirectional text can depend on the base direction (View | Bidi Text Base Direction)

Pubspec has been edited

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

AlertDialog(
 insetPadding: EdgeInsets.all(2),

 title: Text("Delete"),
 content: Text("Are you sure you want to delete this item?",style: TextStyle(fontWeight: FontWeight.w
 color: Colors.grey[600]),maxLines: 2), // TextStyle, Text
 //shape: RoundedRectangleBorder(borderRadius: BorderRadius.circular(12)),
 //actionsOverflowButtonSpacing: 2,
 actions:<Widget> [

 TextButton(
 onPressed: ()=>Navigator.pop(context),
 child:Text("Cancel",style: TextStyle(color: Colors.grey[700],fontSize: 18,fontWeight: FontWeight
 TextButton(
 onPressed: ()=>Navigator.pop(context),
 child:Text("Yes",style: TextStyle(color: Colors.red,fontSize: 18,fontWeight: FontWeight.w400),),
), // TextButton
], // <Widget>[]
), // AlertDialog

),

 icon: Icon(Icons.delete_outline_outlined),iconSize: 28,
 alignment: Alignment.topRight
), // IconButton
 textColor: Colors.white,
 iconColor: Colors.white.

main.dart (Pixel 3a API 33 x86 64)

RunDebugTODOProblemsTerminalServicesDart Analysis

99:69 (69 chars, 1 line break) CRLF UTF-8 2 sp

2:43 AM 14-Sep-23

to_do_list - main.dart [to_do_list]

Pixel 3a API 33 x86 64 (mobile)main.dart

libmain.dart

Project

task 2 -Dialogs [to_do_list] C:\Users\HP\Docum

Visual layout of bidirectional text can depend on the base direction (View | Bidi Text Base Direction)

Pubspec has been edited

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

contentPadding: EdgeInsets.all(1),

horizontalTitleGap: 20,

), // ListTile

ListTile(
title:Text("Buy some stuff", style: TextStyle(fontWeight: FontWeight.w800, fontSize: 18)) ,
subtitle:Text("1:00 PM", style: TextStyle(height: 2,)),
trailing: IconButton(
onPressed: ()=>
showDialog(context: context, builder: (BuildContext context)=>
AlertDialog(
insetPadding: EdgeInsets.all(2),
title: Text("Delete"),
content: Text("Are you sure you want to delete this item?",
style: TextStyle(fontWeight: FontWeight.w400,
color: Colors.grey[600]),), // TextStyle, Text
actions:<Widget> [
TextButton(
onPressed: ()=>Navigator.pop(context),
child:Text("Cancel", style: TextStyle(color: Colors.grey[700], fontSize: 18, fontWeight: FontWeight
TextButton(
onPressed: ()=>Navigator.pop(context),
child:Text("Yes", style: TextStyle(color: Colors.red, fontSize: 18, fontWeight: FontWeight.w400),),
), // TextButton
], // <Widget>[]

61

1

main.dart (Pixel 3a API 33 x86 64)

RunDebugTODOProblemsTerminalServicesDart Analysis

Type here to search

126:46 (46 chars, 1 line break) CRLF UTF-8 2 sp

2:43 AM 14-Sep-23