ASSIGNMENT-3
SQL QUERY PRACTICE

NAME: MENAGA K.G

REGISTER NO: 732924CSR093

CLASS: 24CS4B

COURSE NAME: Database Management System

COURSE CODE :22CST41

1.Display all records from the Employee table.

Query1: create table Employee (EMP_id int (10), Emp_name varchar(20), Department varchar (30), Salary int (30), City varchar(30));

```
create table Employee(EMP_id int(10),Emp_name varchar(20),Department varchar(30),Salary int(30),City varchar(30));
insert into  employee (EMP_id,Emp_name,Department,Salary,City) values (101,'MENAGA','IT',300000,'ERODE');
insert into  employee (EMP_id,Emp_name,Department,Salary,City) values (102,'KAVITHA','IT',200000,'CHENNAI');
insert into  employee (EMP_id,Emp_name,Department,Salary,City) values (103,'VARSHA','CSE',55000,'COIMBATORE');
insert into  employee (EMP_id,Emp_name,Department,Salary,City) values (104,'NEHA','EEE',45000,'SALEM');
insert into  employee (EMP_id,Emp_name,Department,Salary,City) values (105,'ABIRAMI','ECE',100000,NULL);
select * from employee;
```

Output

EMP_id	Emp_name	Department	Salary	City
101	MENAGA	IT	300000	ERODE
102	KAVITHA	IT	200000	CHENNAI
103	VARSHA	CSE	55000	COIMBATORE
104	NEHA	EEE	45000	SALEM
105	ABIRAMI	ECE	100000	

2. Display only the Name and Salary of employees.

Query2: select Emp_name, Salary from Employee;

```
SELECT Emp_name,Salary from Employee;
```

Output

Emp_name	Salary
MENAGA	300000
KAVITHA	200000
VARSHA	55000
NEHA	45000
ABIRAMI	100000

3. Display employees whose salary is greater than 50,000.

Query 3: select * from Employee where Salary >50000;

```
SELECT * from Employee where Salary>50000;
```

Output

EMP_id	Emp_name	Department	Salary	City
101	MENAGA	IT	300000	ERODE
102	KAVITHA	IT	200000	CHENNAI
103	VARSHA	CSE	55000	COIMBATORE
105	ABIRAMI	ECE	100000	

4. Display employees who belong to the IT department.

Query 4: select * from Employee where Department= ‘IT’;

```
SELECT * from Employee where Department ='IT';
```

Output

EMP_id	Emp_name	Department	Salary	City
101	MENAGA	IT	300000	ERODE
102	KAVITHA	IT	200000	CHENNAI

5. Display employees whose city is Chennai.

Query 5: select * from Employee where City =’CHENNAI’;

```
SELECT * from Employee where City ='CHENNAI';
```

Output

EMP_id	Emp_name	Department	Salary	City
102	KAVITHA	IT	200000	CHENNAI

6. Display employees whose salary is between 40,000 and 60,000.

Query 6: select * from Employee where salary between 40000 and 60000;

```
SELECT * from Employee where Salary between 40000 and 60000;
```

Output

EMP_id	Emp_name	Department	Salary	City
103	VARSHA	CSE	55000	COIMBATORE
104	NEHA	EEE	45000	SALEM

7. Display employee names that start with the letter 'A' using the LIKE operator

Query 7: select Emp_name from Employee where Emp_name like “A%”;

```
SELECT Emp_name from Employee where Emp_name like "A%";
```

Output

Emp_name
ABIRAMI

8. Display distinct departments from the Employee table

Query 8: select distinct Department from Employee;

```
SELECT Distinct Department from Employee;
```

Output

Department
IT
CSE
EEE
ECE

9. Display employees whose City value is NULL.

Query 9: select * from Employee where city is null;

```
SELECT * from Employee where City is null;
```

Output

EMP_id	Emp_name	Department	Salary	City
105	ABIRAMI	ECE	100000	

10. Find the total salary paid to all employees.

Query 10: select sum(Salary) as Total_salary from Employee;

```
SELECT sum(Salary) as Total_salary from Employee;
```

Output

Total_salary
700000

11. Find the average salary of employees in the IT department.

Query 11: select avg (Salary) as Average_salary from Employee where Department ='IT';

```
SELECT avg(Salary) as Average_salary from Employee where Department='IT';
```

Output

Average_salary
250000

12. Count the number of employees in each department using GROUP BY.

Query 12: select Department, count (*) as Employee_count from Employee group by Department;

```
SELECT Department,count(*) as Employee_count from Employee group by Department;
```

Output

Department	Employee_count
CSE	1
ECE	1
EEE	1
IT	2

13. Display employees whose salary is greater than the average salary (nested subquery).

Query 13: select *from Employee where salary > (select avg(salary)from Employee);

```
SELECT * from  Employee where Salary > (select avg(Salary) from Employee);
```

Output

EMP_id	Emp_name	Department	Salary	City
101	MENAGA	IT	300000	ERODE
102	KAVITHA	IT	200000	CHENNAI

14. Write an SQL statement to insert a new employee record

Query 14: insert into Employee (Emp_id, Emp_name, Department, salary, city) values (106,'DIVYA','CSE',50000,'VELLORE');

```
insert into  employee (EMP_id,Emp_name,Department,Salary,City) values (106,'DIVYA','CSE',50000,'VELLORE');
select * from Employee;
```

Output

EMP_id	Emp_name	Department	Salary	City
101	MENAGA	IT	300000	ERODE
102	KAVITHA	IT	200000	CHENNAI
103	VARSHA	CSE	55000	COIMBATORE
104	NEHA	EEE	45000	SALEM
105	ABIRAMI	ECE	100000	
106	DIVYA	CSE	50000	VELLORE

15. Write an SQL query to update the salary of employee with Emp_id = 105 to 48000

Query 15: update Employee set salary=48000 where Emp_id=105;

```
update  employee set Salary =48000 where Emp_id=105;
select * from Employee;
```

Output

EMP_id	Emp_name	Department	Salary	City
101	MENAGA	IT	300000	ERODE
102	KAVITHA	IT	200000	CHENNAI
103	VARSHA	CSE	55000	COIMBATORE
104	NEHA	EEE	45000	SALEM
105	ABIRAMI	ECE	48000	
106	DIVYA	CSE	50000	VELLORE