

SQL QUERIES:

clear scr;

create table emp1(ename varchar2(15),city varchar2(15));

insert into emp1 values('senthil','cbe');

commit;

insert into emp1 values('&ename','&city'); // Run time values insert

select * from emp1;

delete from emp1;

commit;

update emp1 set city='&city' where ename='&ename';

commit;

create table employee(eid number(4),ename varchar2(15),salary number(6),city
varchar2(15),state varchar2(15));

insert into employee values(1,'hari',50000,'cbe','tn');

insert into employee values(2,'ramu',64000,'trichy','tn');

insert into employee values(3,'siva',70000,'cbe','tn');

insert into employee values(4,'guru',68000,'salem','tn');

insert into employee values(5,'ravi',85000,'che','tn');

commit;

delete from employee;

commit;

insert into employee values(&eid,&ename,&salary,&city,&state);

/

select * from employee;

select * from employee where eid = 1;

select * from employee where city = 'cbe';

```
select * from employee where salary > 65000;

update employee set city='banglore' where eid=1;

update employee set city='&city' where eid=&eid;

delete from employee where eid=&eid;

delete from employee where salary > &salary;

delete from employee;

select * from employee where city = 'cbe';

select * from employee where city != 'cbe';

select * from employee where city <> 'cbe';

select * from employee where city in ('cbe');

select * from employee where city in ('cbe','che','salem');

select * from employee where state='kn' and city in ('cbe','che','bang');

select * from employee where city not in ('cbe');

select * from employee where eid between 1 and 5;

select * from employee where eid not between 4 and 7;

select * from employee where eid > 3 and eid < 7 ;

select * from employee where eid > 2 or eid < 4 ;

select * from employee where eid >= 3 and eid <= 7 ;

select * from employee where eid >= 3 or eid <= 7 ;

select * from employee where ename = 'hari' and (city='cbe' or city='che' or city='salem');

select * from employee where ename = 'hari' and (city='cbe' or city='che');

select * from employee where ename = 'hari' and (city='cbe' and state='tn');

select * from employee where ename = 'hari' and ((city='cbe' and state='tn') or city = 'salem' );
select count(city) ,city ,state from employee group by city,state;

select count(city) ,city from employee group by city;
```

=====

MENATI VASUDEVA REDDY,
19TUCS124,
SRI KRISHNA COLLEGE OF TECHNOLOGY.

```
{
```

```
}
```

```
void test()
```

```
{
```

```
}
```

```
int test()
```

```
{
```

```
}
```