

Nama: Muhammad Djidzan Naufal Nugraha

NIM: 2311102189

Kelas: IF-11-03

Laporan Praktikum Pertemuan 10

Implementasi Local Notification pada Aplikasi Flutter

1. Konfigurasi Code

pubspec.yaml

Tambahkan dependency berikut pada file pubspec.yaml:

```
dependencies:  
  flutter:  
    sdk: flutter  
  flutter_local_notifications: ^17.0.0 # Gunakan versi terbaru
```

AndroidManifest.xml

Tambahkan permission berikut pada file AndroidManifest.xml:

```
<uses-permission  
  android:name="android.permission.POST_NOTIFICATIONS"/>  
<uses-permission android:name="android.permission.VIBRATE"/>
```

build.gradle.kts

Tambahkan konfigurasi berikut pada file build.gradle.kts:

```
compileOptions {  
  sourceCompatibility = JavaVersion.VERSION_1_8  
  targetCompatibility = JavaVersion.VERSION_1_8  
  isCoreLibraryDesugaringEnabled = true  
}  
  
dependencies {  
  coreLibraryDesugaring("com.android.tools:desugar_jdk_libs:2.0.4")  
}
```

2. Implementasi Code

main.dart

Berikut adalah kode lengkap implementasi local notification pada file main.dart:

```
import 'package:flutter/material.dart';  
import 'package:flutter_local_notifications/flutter_local_notifications.dart';  
  
final FlutterLocalNotificationsPlugin flutterLocalNotificationsPlugin =  
  FlutterLocalNotificationsPlugin();
```

```

void main() async {
  WidgetsFlutterBinding.ensureInitialized();
  await flutterLocalNotificationsPlugin.initialize(
    const InitializationSettings(
      android: AndroidInitializationSettings('@mipmap/ic_launcher'),
    ),
  );
  runApp(const MyApp());
}

class MyApp extends StatelessWidget {
  const MyApp({super.key});
  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      home: const ScreenNotification(),
    );
  }
}

class ScreenNotification extends StatefulWidget {
  const ScreenNotification({super.key});
  @override
  State<ScreenNotification> createState() => _ScreenNotificationState();
}

class _ScreenNotificationState extends State<ScreenNotification> {
  @override
  void initState() {
    super.initState();
    _requestPermission();
  }

  Future<void> _requestPermission() async {
    await flutterLocalNotificationsPlugin
      .resolvePlatformSpecificImplementation<
        AndroidFlutterLocalNotificationsPlugin>()
      ?.requestNotificationsPermission();
  }

  Future<void> _showNotification() async {
    const AndroidNotificationDetails androidDetails =
      AndroidNotificationDetails(
        'channel_utama',
        'Channel Name',
        channelDescription: 'ini adalah kanal flutter',
        importance: Importance.max,
        priority: Priority.high,
      );
    await flutterLocalNotificationsPlugin.show(
      0,
      'Halo',
      'Ini adalah contoh notifikasi',
      const NotificationDetails(android: androidDetails),
    );
  }

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(title: const Text('Contoh Notifikasi')),
      body: Center(
        child: ElevatedButton(
          onPressed: _showNotification,

```

```
child: const Text('Tampilkan Notifikasi'),
),
),
);
}
```

3. Screenshot Hasil

