Notes on the book: $Ash, Probability and Measure Theory, \\ 2nd edition$

Meng-Gen Tsai plover@gmail.com

August 8, 2022

Contents

	er 1: Fundame															
1.1.	Introduction										 					
	Problem 1.1.1.										 					
	Problem 1.1.2.										 					
	Problem 1.1.5.										 					
	Problem 1.1.6.										 					
1.2.	Fields, σ -Fields,	and	l N	Лe	as	ure	s.				 					
	Problem 1.2.5.		_								 					

Chapter 1: Fundamentals of Measure and Integration Theory

1.1. Introduction

Problem 1.1.1.

Establish formulas (1)-(5).

Formulas.

- (1) If $A_n \uparrow A$, then $A_n^c \downarrow A^c$; If $A_n \downarrow A$, then $A_n^c \uparrow A^c$.
- (2)

$$\bigcup_{i=1}^{n} A_i = A_1 \cup (A_1^c \cap A_2) \cup (A_1^c \cap A_2^c \cap A_3)$$
$$\cup \dots \cup (A_1^c \cap \dots \cap A_{n-1}^c \cap A_n).$$

(3) Furthermore,

$$\bigcup_{n=1}^{\infty} A_n = \bigcup_{n=1}^{\infty} \left(A_1^c \cap \dots \cap A_{n-1}^c \cap A_n \right).$$

(4) If the A_n form an increasing sequence, then

$$\bigcup_{i=1}^{n} A_{i} = A_{1} \cup (A_{2} - A_{1}) \cup \cdots \cup (A_{n} - A_{n-1}).$$

(5) If the A_n form an increasing sequence, then

$$\bigcup_{n=1}^{\infty} A_n = \bigcup_{n=1}^{\infty} (A_n - A_{n-1})$$

(take A_0 as the empty set).

Proof of Formula (1).

(1) Suppose that $A_n \uparrow A$ is an increasing sequence of sets with limit A. Then $A_1 \subset A_2 \subset \cdots$ and $\bigcup_{n=1}^{\infty} A_n = A$. So $A_1^c \supset A_2^c \supset \cdots$ and

$$\bigcap_{n} A_n^c = \left(\bigcup_{n} A_n\right)^c = A^c$$

by the De Morgan laws. Hence $A_n \uparrow A$ implies that $A_n^c \downarrow A^c$.

(2) Conversely, suppose that $A_n \downarrow A$ is an decreasing sequence of sets with limit A. Then $A_1 \supset A_2 \supset \cdots$ and $\bigcap_{n=1}^{\infty} A_n = A$. So $A_1^c \subset A_2^c \subset \cdots$ and

$$\bigcup_{n} A_{n}^{c} = \left(\bigcap_{n} A_{n}\right)^{c} = A^{c}$$

by the De Morgan laws. Hence $A_n \downarrow A$ implies that $A_n^c \uparrow A^c$.

Proof of Formula (2).

(1) Set

$$B_i = A_1^c \cap \dots \cap A_{i-1}^c \cap A_i$$

for $i = 1, \dots, n$. Observe that $B_1 = A_1$. So it is equivalent to show that

$$\bigcup_{i=1}^{n} A_i = \bigcup_{i=1}^{n} B_i.$$

- (2) Since each B_i is a subset of A_i , $\bigcup_{i=1}^n A_i \supset \bigcup_{i=1}^n B_i$.
- (3) Conversely, given any $x \in \bigcup_{i=1}^n A_i$. $x \in A_j$ for some j. Now take the minimal value of j such that $x \in A_j$. The minimality of j implies that $x \notin A_1, A_2, \dots, A_{j-1}$. Hence

$$x \in A_1^c \cap \cdots \cap A_{j-1}^c \cap A_j = B_j \subset \bigcup_{i=1}^n B_i.$$

Therefore, $\bigcup_{i=1}^n A_i \subset \bigcup_{i=1}^n B_i$.

(4) By (2)(3), $\bigcup_{i=1}^{n} A_i$ and $\bigcup_{i=1}^{n} B_i$ are equal.

Proof of Formula (3). Same as the proof of formula (2) since the minimality of j described in part (3) exists. \square

Proof of Formula (4).

(1) As A_n form an increasing sequence, $A_1 \subset A_2 \subset \cdots$ or $A_1^c \supset A_2^c \supset \cdots$. Hence

$$A_1^c \cap \cdots \cap A_{i-1}^c = A_{i-1}^c$$
.

Therefore, B_i is reduced to

$$B_i = A_1^c \cap \cdots \cap A_{i-1}^c \cap A_i = A_{i-1}^c \cap A_i = A_i - A_{i-1}.$$

(2) Now formula (2) becomes

$$\bigcup_{i=1}^{n} A_i = \bigcup_{i=1}^{n} B_i = \bigcup_{i=1}^{n} (A_i - A_{i-1}).$$

Proof of Formula (5). Note that $B_n = A_n - A_{n-1}$ in the proof of formula (4). Formula (3) becomes $\bigcup_{n=1}^{\infty} A_n = \bigcup_{n=1}^{\infty} (A_n - A_{n-1})$. \square

Problem 1.1.2.

Define sets of real numbers as follows. Let $A_n = (-\frac{1}{n}, 1]$ if n is odd, and $A_n = (-1, \frac{1}{n}]$ if n is even. Find $\limsup_n A_n$ and $\liminf_n A_n$.

Proof.

(1) Write

$$\bigcup_{k=n}^{\infty} A_k = \left(\bigcup_{k=\lfloor \frac{n}{2} \rfloor}^{\infty} A_{2k+1}\right) \cup \left(\bigcup_{k=\lfloor \frac{n+1}{2} \rfloor}^{\infty} A_{2k}\right)$$

$$= \left(\bigcup_{k=\lfloor \frac{n}{2} \rfloor}^{\infty} \left(-\frac{1}{2k+1}, 1\right]\right) \cup \left(\bigcup_{k=\lfloor \frac{n+1}{2} \rfloor}^{\infty} \left(-1, \frac{1}{2k}\right]\right)$$

$$= \left(-\frac{1}{2\lfloor \frac{n}{2} \rfloor + 1}, 1\right] \cup \left(-1, \frac{1}{2\lfloor \frac{n+1}{2} \rfloor}\right)$$

$$= (-1, 1]$$

for each k. Hence

$$\limsup_{n} A_{n} = \bigcap_{n=1}^{\infty} \bigcup_{k=n}^{\infty} A_{k} = \bigcap_{n=1}^{\infty} (-1, 1] = (-1, 1].$$

(2) Similarly, for each k we have

$$\bigcap_{k=n}^{\infty} A_k = \left(\bigcap_{k=\lfloor \frac{n}{2} \rfloor}^{\infty} A_{2k+1}\right) \cap \left(\bigcap_{k=\lfloor \frac{n+1}{2} \rfloor}^{\infty} A_{2k}\right)$$

$$= \left(\bigcap_{k=\lfloor \frac{n}{2} \rfloor}^{\infty} \left(-\frac{1}{2k+1}, 1\right]\right) \cap \left(\bigcap_{k=\lfloor \frac{n+1}{2} \rfloor}^{\infty} \left(-1, \frac{1}{2k}\right]\right)$$

$$= [0, 1] \cup (-1, 0]$$

$$= \{0\}.$$

Hence

$$\liminf_{n} A_{n} = \bigcup_{n=1}^{\infty} \bigcap_{k=n}^{\infty} A_{k} = \bigcup_{n=1}^{\infty} \{0\} = \{0\}.$$

Problem 1.1.5.

Establish formulas (10)-(13).

Formulas.

(10)
$$\left(\limsup_{n} A_{n}\right)^{c} = \liminf_{n} A_{n}^{c}.$$

(11)
$$\left(\liminf_{n} A_{n}\right)^{c} = \limsup_{n} A_{n}^{c}.$$

(12)
$$\liminf_{n} A_{n} \subset \limsup_{n} A_{n}.$$

(13) If $A_n \uparrow A$ or $A_n \downarrow A$, then $\liminf_n A_n = \limsup_n A_n = A$.

Proof of Formula (10). The De Morgan laws shows that

$$\left(\limsup_{n} A_{n}\right)^{c} = \left(\bigcap_{n=1}^{\infty} \bigcup_{k=n}^{\infty} A_{k}\right)^{c}$$

$$= \bigcup_{n=1}^{\infty} \left(\bigcup_{k=n}^{\infty} A_{k}\right)^{c}$$

$$= \bigcup_{n=1}^{\infty} \bigcap_{k=n}^{\infty} A_{k}^{c}$$

$$= \limsup_{n} A_{n}^{c}.$$

Proof of Formula (11). Similar to the proof of formula (10).

$$\left(\liminf_{n} A_{n}\right)^{c} = \left(\bigcup_{n=1}^{\infty} \bigcap_{k=n}^{\infty} A_{k}\right)^{c}$$

$$= \bigcap_{n=1}^{\infty} \left(\bigcap_{k=n}^{\infty} A_{k}\right)^{c}$$

$$= \bigcap_{n=1}^{\infty} \bigcup_{k=n}^{\infty} A_{k}^{c}$$

$$= \limsup_{n} A_{n}^{c}.$$

Proof of Formula (12). Formulas (7) and (9) give all. \square

Proof of Formula (13).

(1) If $A_n \uparrow A$, then

$$\limsup_{n} A_{n} = \bigcap_{n=1}^{\infty} \bigcup_{k=n}^{\infty} A_{k} = \bigcap_{n=1}^{\infty} A = A$$

and

$$\liminf_{n} A_n = \bigcup_{n=1}^{\infty} \bigcap_{k=n}^{\infty} A_k = \bigcup_{n=1}^{\infty} A_n = A.$$

(2) If $A_n \downarrow A$, then

$$\limsup_{n} A_{n} = \bigcap_{n=1}^{\infty} \bigcup_{k=n}^{\infty} A_{k} = \bigcap_{n=1}^{\infty} A_{n} = A$$

and

$$\liminf_{n} A_n = \bigcup_{n=1}^{\infty} \bigcap_{k=n}^{\infty} A_k = \bigcup_{n=1}^{\infty} A = A.$$

Problem 1.1.6.

Let A = (a, b) and B = (c, d) be disjoint open intervals of \mathbb{R} , and let $C_n = A$ if n is odd, $C_n = B$ if n is even. Find $\limsup_n C_n$ and $\liminf_n C_n$.

Proof.

(1)
$$\limsup_{n} C_{n} = \bigcap_{n=1}^{\infty} \bigcup_{k=n}^{\infty} C_{k} = \bigcap_{n=1}^{\infty} (A \cup B) = A \cup B.$$

(2)
$$\liminf_{n} C_{n} = \bigcup_{n=1}^{\infty} \bigcap_{k=n}^{\infty} C_{k} = \bigcup_{n=1}^{\infty} \emptyset = \emptyset.$$

1.2. Fields, σ -Fields, and Measures

Problem 1.2.5.

Let μ be a nonnegative, finitely additive set function on the field \mathscr{F} . If A_1, A_2, \ldots are disjoint sets in \mathscr{F} and $\bigcup_{n=1}^{\infty} A_n \in \mathscr{F}$, show that

$$\mu\left(\bigcup_{n=1}^{\infty} A_n\right) \ge \sum_{n=1}^{\infty} \mu(A_n).$$

Proof.

(1) Note that μ is a nonnegative, finitely additive set function on \mathscr{F} . Hence,

$$\mu\left(\bigcup_{n=1}^{\infty} A_n\right) \ge \mu\left(\bigcup_{n=1}^{m} A_n\right)$$
 (Theorem 1.2.5)
$$= \sum_{n=1}^{m} \mu(A_n)$$

for every m.

(2) Since $\sum_{n=1}^{m} \mu(A_n)$ is bounded by $\mu(\bigcup_{n=1}^{\infty} A_n)$ and μ is nonnegative, the result is established as letting $m \to \infty$.