

Лист защиты магистерской диссертации
硕士论文答辩速查

Architecture / Архитектура

- Browser UI (Russian default, Chinese switch) -> FastAPI role API -> SQLAlchemy -> PostgreSQL 17.
- Offline synthetic data -> temporal graph -> minimal GCN-BiLSTM TGNN -> ONNX Runtime -> policy -> hash-linked audit events.
- Локальный контур: два контейнера на 127.0.0.1:8010; PostgreSQL является проверяемым журналом, а не блокчейном.
- 本地双容器架构: 俄中双语页面、FastAPI、PostgreSQL 17, 以及离线训练后发布的 ONNX 模型。

Five-role order / Пять ролей / 五角色顺序

1. Поставщик supplier.demo: create and submit / 供应商创建并提交申请.
2. Якорная компания core.demo: confirm trade / 核心企业确认交易.
3. Финансист financier.demo: assess and decide / 融资方评估并决策.
4. Риск-менеджер risk.demo: record control / 风险经理设置控制措施.
5. Аудитор auditor.demo: verify and close audit / 审计员核验并完成审计.

Each account receives an independent server session. API authorization and version checks enforce every handoff.

Financing lifecycle / Финансовый цикл

- After approval and audit: initiate disbursement -> confirm disbursement -> submit two repayments -> confirm each repayment -> close at zero balance.
- This is a controlled financing lifecycle simulation. It does not execute a real bank transfer.
- Это имитация: нет процентов, комиссий, FX, бухгалтерских проводок, внешнего расчёта или сверки.
- 这是受控融资模拟: 不执行真实资金划转, 也不包含利息、费用、汇兑、会计或外部结算。

Research evidence / Исследовательские данные

- Provenance: 2026_EXPLORATORY_SENSITIVITY; synthetic five-seed rerun only.
- TGNN ROC-AUC mean $\pm$ sample SD: 0.5469 $\pm$ 0.0855; PR-AUC mean 0.1211; high seed variability and near chance.
- XGBoost ROC-AUC mean $\pm$ sample SD: 0.5889 $\pm$ 0.0202; PR-AUC mean 0.1467; slightly steadier but still weak.
- At threshold 0.50, XGBoost positive recall is 0.022 (FN 716, TP 16). Fixed-bin calibration gaps: TGNN 0.387, XGBoost 0.265.
- Values are mean $\pm$ sample SD across $n=5$ seeds. They are descriptive, not significance tests; the fixed threshold grid does not select an optimum.

Exact non-claims / Точные ограничения / 精确边界

- The package does not reproduce the original thesis and does not generalize to real enterprises.
- The default demo is not a production bank, a production Fabric network, PoA+, or an automatic retraining system.
- PostgreSQL provides a tamper-evident hash chain, not distributed consensus. The minimal TGNN is smaller than the thesis architecture.
- Данные синтетические; исходные данные, код и метрики диссертации недоступны.
- 数据为合成数据; 不声称复现论文指标、真实企业效果、显著性或生产级安全性。

Preflight, reset, fallback / Подготовка / 备用

- Start: start-demo.cmd; read-only check: `.\.venv\Scripts\python.exe scripts/defense_preflight.py`.
- Clean reset only when intended: reset-defense-demo.cmd, then type exactly RESET DEMO.
- If the browser fails, open docs/defense-one-page.pdf and docs/research-brief-en.pdf.
- Visual evidence: output/five-role-acceptance.png; optional video: output/defense-video/*.webm.
- Research evidence: output/research/sensitivity-pack/; verify with `python -m research.cli verify-multiseed --path output/research/sensitivity-pack`.
- 无网络时系统仍可本地运行; 页面不可用时使用上述 PDF、截图和已验证科研证据包。