Decentralized Finance

CS194/294-177 DeFi Logistics

Instructors: Dan Boneh, Arthur Gervais, Andrew Miller, Christine Parlour, Dawn Song







Stanford University

UCL

UNIVERSITY OF ILLINOIS URBANA-CHAMPAIGN

Berkeley UNIVERSITY OF CALIFORNIA

Course Syllabus (subject to change)

Date	Quiz (Due by *Date*)	Asynchronous Lecture Video (Watch by *Date*)	Synchronous Lecture (At 10:30 AM on *Date*)
09/01	None	No class (Labor Day)	None
09/08	None	Introduction and Overview of DeFi • Reading: CeFi vs. DeFi • Reading: DeFi SoK • Reading: Schär, F., 2021	Arther Gervais (UCL): DeFi Overview
09/15	TBA	Introduction to Blockchain Technology	TBD
09/22	TBA	Introduction to Traditional Finance	[IN-PERSON] Christine Parlour: Introduction to Traditional Finance
09/29	TBA	Introduction to Smart Contracts	[ONLINE] Kaihua Qin (Yale)
10/06	TBA	DEX	TBD
10/13	TBA	Oracles	Ruizhe Jia (Stanford)
10/20	TBA	Decentralized Lending	Rod Garratt (UCSB)
10/27	TBA	Stablecoins	Darrell Duffie (Stanford): Stablecoin risks and opportunities
11/03	TBA	Privacy on the Blockchain	Hart Montgomery (Linux Foundation)
11/10	TBA	DeFi Security I	TBD
11/17	TBA	DeFi Security II	TBD
11/24	TBA	Decentralized Identities	TBD

Grading

1 unit

Participation	25%
Quizzes	25%
Assignments	15%
Article	35%

2 units

Participation	25%
Quizzes	25%
Assignments	15%
Labs	35%

3 units

Participation	10%
Quizzes	10%
Assignments	5%
Labs	15%
Project Proposal	5%
... Milestone	15%
... Presentation	15%
... Report	25%

4 units

Participation	10%
Quizzes	10%
Assignments	5%
Labs	15%
Project Proposal	5%
... Milestone	10%
... Presentation	10%
... Report	20%
... Implementation	15%

Quizzes — All Students

- Quizzes released in 1 week before with the corresponding lecture
- Due midnight the Sunday before the corresponding lecture
- Graded on completion; potential rewards for performance
- Multiple-choice questions; usually at most 5 per quiz

Assignments — All Students

In this course, we'll have two written assignments to solidify your knowledge of the economics and finance aspects of DeFi.

Assignment	Released	Deadline
Assignment 1	10/13	10/19
Assignment 2	10/20	10/26

Article — All 1 Unit Student

All 1 unit students will need to complete article about the topic of a lecture (at least 2 pages).

Assignment	Released	Deadline
Article (1 unit)	11/24	12/8

Labs — All 2+ Unit Students

All students will need to complete two programming labs to improve their understanding of smart contracts.

Assignment	Released	Deadline
Lab 1	11/3	11/9
Lab 2	11/10	11/23

Project — All 3+ Unit Students

- Open-ended research project culminating in a paper & presentation
- Project groups of **4~5** students
- 3-credit and 4-credit students should not be in the same group
- You can use the Edstem thread to find more group members


Class Project Categories


- Agentic AI evaluation in DeFi
  - Extra bonus for integration with AgentBeats
  - NobelEra prizes for top projects
  - More details will be posted on Ed
- Measurement/empirical study
- New design and implementation


Introduction to AgentBeats

LLM Agent are evolving fast

- Many **agentic libraries**, packages, and products
- Open agent standards such as **MCP** for tool use, and **A2A** for task comm
- Many proposed evaluations: AgentBench, WebArena, AgentDojo, …








AI & Agent Evaluation is Important

- AI's evolution is upper-bounded by eval
  - You can only improve what you can measure



ImagNet
(for visual recognition)

MEASURING MASSIVE MULTITASK LANGUAGE UNDERSTANDING

Dan Hendrycks UC Berkeley
Collin Burns Columbia University
Steven Basart UChicago
Andy Zou UC Berkeley
Mantas Mazeika UIUC
Dawn Song UC Berkeley
Jacob Steinhardt UC Berkeley

MMLU
(for language understanding)

Measuring Mathematical Problem Solving With the MATH Dataset

Dan Hendrycks UC Berkeley
Collin Burns UC Berkeley
Saurav Kadavath UC Berkeley
Akul Arora UC Berkeley
Steven Basart UChicago
Eric Tang UC Berkeley
Dawn Song UC Berkeley
Jacob Steinhardt UC Berkeley

MATH
(for math problem solving)


- Eval serves as goalpost for the community for AI advancement

Problem: Open Agent Evaluation are Challenging

- 📏 **Lack of Standardization**
  - Agents aren’t served like LLM APIs (e.g. OpenAI Assistants still beta, limited tools)
  - Agents need manual tweaks to run on each benchmark.
  - Inconsistent workflows block fair comparisons.
- 🔒 **Limited Openness**
  - No public access to agents or environments.
  - Unlike LLM benchmarks, there’s no clear leaderboard or transparency.
- ♻️ **Low Reproducibility**
  - Without shared hosting or open setups, reproducing results is painful—often not even possible.

AgentBeats: An Open Platform for Agent Evaluation and Risk Assessment


- 📏 **Standardization** ⟶ Unified SDK + A2A/MCP + consistent workflows
- 🔓 **Openness** ⟶ Public agents, benchmarks, and hosted environments
- ♻️ **Reproducibility** ⟶ Auto-reset + hosted runs + automatic multi-level trace logging
- 🪄 **Easy-to-use** ⟶ One-file instantiation with CLI + on-platform & self-hosted options
- 🧩 **Rich integration** ⟶ Web agents / coding agent / prompt injection scenario / jailbreaking…



AgentBeats: Use Cases


📊**Evaluate**	Run agents on popular benchmarks easily
🏆**Compete**	Rank your agent in public or private challenges
🤝**Contribute**	Share new environments or benchmarks
👥**Collaborate**	Let others test and improve with your agent
📈**Improve**	Get detailed insights for agent improvement

Supported Evaluation Mode



Benchmark Mode with Single-Agent

🏆 Best for scoring & ranking agents with absolute metrics



Arena Mode with Multi-Agent

🧠 Best for adversarial multi-agent evaluation & competitions

Concept Walkthrough

- **AgentBeats Agents**
  - Any service with A2A interface that supports task fulfilling, tool using, memory, etc.
- **Agent Types**
  - In AgentBeats, “Benchmarks” are managed by hosting agents named **green agents**
  - Agents participating in benchmarks or adversarial evaluations are named **white agents**
  - E.g. for a chess game between a GPT-4o agent and a GPT-5 agent
    - Green agent: chess match judge that maintains the board status and ask white agents to submit when their turn comes (with A2A)
    - White agents: GPT-4o and GPT-5 based game agents
- **Assessment**
  - An assessment is a multi-agent procedure between one green agent and many white agents
  - Each assessment reflects one or more metrics of the participating white agents
  - Green agent is responsible for reporting the assessment result in the end

What does AgentBeats provide?

- **Basic features (for completing the assessment)**
  - Agent Registry for discovery
  - Agent Controller for state management
  - Assessment kickoff and management, metrics tracing
- **Extended use**
  - Assessment tracing & recording
  - Leaderboard for each green agent
  - MCP proxy and access control
  - Agent hosting & auto-scaling
  - Environment container hosting (via MCP)
  - SDK for config-based a2a agent scaffolding
  - Templates for fast development
- **For more information, please refer to the project documentation (which will be released soon)**

AgentBeats: DeFi Operations (3/4 Units)

Design and build an environment to evaluate if an agent can conduct on-chain operations, either via tool-call or by generating code.

Reference operations to be included:

- Send ERC20 tokens
- Swap (Uniswap)
- DAO voting
- Lending (1inch)
- Bridging (rollups, ..)


You should create a benchmark that could ask agents to perform a category of DeFi operations and can check if operations are successful.

AgentBeats: Smart Contract Exploit (3/4 units)

https://arxiv.org/pdf/2507.05558

Design and build an environment to evaluate if an agent can discover and exploit on-chain smart contract vulnerabilities, either via tool-call or by generating code.

You should create a benchmark that could setup vulnerable smart contracts, ask agents to exploit/harden the target smart contract, and check if the smart contract is successfully exploited or hardened.



AgentBeats: Smart Contract Decompile (3/4 units)

https://arxiv.org/pdf/2506.19624

- Smart contracts are deployed in bytecode, not human-readable code.
- 99+% contracts on Ethereum are unverified (no source code published).
- Developers, auditors, and researchers need tools to analyze and understand these contracts

Design and build a benchmark to evaluate if an agent can translates low-level bytecode back into high-level code (e.g., Solidity-like).

Some examples of metrics:

- Output Conformance: Checks whether the decompiler generates complete code that follows the required format.
- Recompilation Verification: Verifies whether the decompiled code can be successfully recompiled.
- ABI Recovery Accuracy: Measures how closely the recovered Application Binary Interfaces (ABIs) match the original contract's ABI after recompilation.
- Semantic Equivalence Testing: Executes identical transactions on both the original and decompiled contracts to confirm that outputs and state changes are consistent.

AgentBeats: Topic of your choice (3/4 units)

Design and implement a benchmark of a topic of your choice (should be related to DeFi).

Topics must be approved by course staff during project proposal.

More project topics and important details will be posted on Ed soon.

Measurement/Empirical Study — 3/4 units

Goal:

- Quantitatively understand a type of decentralized system-based application (e.g., cross-chain bridge, yield aggregator) or a type of decentralized system activity (e.g., some aspects of payments in Ethereum, like MEV)
- Study different aspects:
  - Incentive structures, risks, stabilities, etc. from a finance perspective
  - Throughput, latency, security, etc. from a systems perspective

Measurement/Empirical Study — 3/4 units

Methodology:

- Gather data
- Identify key metrics and questions for measurement
- Analyze data
- Extract insights

Measurement/Empirical Study — 3/4 units

Project evaluation:

- What are the key metrics and questions for measurement?
- Is the data sufficient to measure the key metrics & answer the questions?
- What are the insights?
- Is the analysis repeatable?

Measurement/Empirical Study — 3/4 units

Sample project ideas (focused on decentralized finance):
Measurement on

- Yield aggregators
- DEX aggregators
- Synthetic assets
- Asset management
- NFT
- Algorithmic stablecoins

New Design and Implementation — 4 units

Goal:

- Propose a new approach/solution to a problem in decentralized systems
- Implement the approach/solution
- Conduct simulation or experiments to evaluate the solution

New Design and Implementation — 4 units

Project evaluation:

- Is the problem clearly defined?
- What is the new approach/solution?
- Do the experiments properly evaluate the solution? How well does the solution improve over previous solutions?
- Would this project be a good workshop or (possibly with some additional work) conference paper?

New Design and Implementation — 4 units

Sample project ideas:

- New approach for decentralized identity
- New design for privacy-preserving financial services
- New interoperability solutions
- New zero-knowledge proof applications
- Innovative decentralized systems like new execution environments etc.

RDI Certificate in Decentralization Technologies & Web3

- DeFi/Digital Finance Track
- Web3 Technology Track
- Web3 Fellows Track
- Web3 Entrepreneurship Track
- Web3 Track




(image only for demonstration purposes)

Visit rdi.berkeley.edu/academics/RDI-certificate for more information!

CeFi vs. DeFi

Introducing Decentralized Finance through
a comparison to Centralized Finance

Instructor: Prof. Arthur Gervais



(a) Period I: January 1, 2021 - May 4, 2021

https://warwick.ac.uk/fac/soc/wbs/subjects/finance/gillmore/annualconference2024agenda/huang_dexs_for_near_money_assets.pdf


FEDERAL RESERVE NOTE
THE UNITED STATES OF AMERICA
THIS NOTE IS LEGAL TENDER
FOR ALL DEBTS, PUBLIC AND PRIVATE
D 05202986 G
WASHINGTON, D.C.
ONE
FW C 209
SERIES 2006
WASHINGTON
ONE DOLLAR
Treasurer of the United States
Secretary of the Treasury



FEDERAL RESERVE NOTE
THE UNITED STATES OF AMERICA
THIS NOTE IS LEGAL TENDER
FOR ALL DEBTS, PUBLIC AND PRIVATE
D 05202986 G
WASHINGTON, D.C.
ONE
SERIES 2006
WASHINGTON
ONE DOLLAR


THE UNITED STATES OF AMERICA
F 68113328 M
ONE DOLLAR










Transaction 1 Transaction 2



Transaction 1 Transaction 2

(Non) Fungible Tokens

- Fungible Tokens
  - ERC20


Methods

Show all | Copy


```
1   function name() public view returns (string)
2   function symbol() public view returns (string)
3   function decimals() public view returns (uint8)
4   function totalSupply() public view returns (uint256)
5   function balanceOf(address _owner) public view returns (uint256 balance)
6   function transfer(address _to, uint256 _value) public returns (bool success
7   function transferFrom(address _from, address _to, uint256 _value) public re
8   function approve(address _spender, uint256 _value) public returns (bool suc
9   function allowance(address _owner, address _spender) public view returns (u
10
```

- Non-Fungible Tokens
  - ERC721


DeFi Stack


Asset Standards
Native Coin
Fungible Token
Non-Fungible Token
DeFi Services with Atomic Composability
Exchange/Swap
Stablecoin/
Pegged Assets
Lending/Borrowing
Derivatives
Flash Loan
Privacy Mixer
Market Making
Portfolio Manager
Market Mechanisms
Arbitrage
Liquidation
Governance
Security Deposit
External
Database(s)
Centralised Exchanges,
other blockchains, real-world
event, data source
Non-Atomic
Settlement
Price Oracles/
Cross Chain
Bridges
Distributed Database with Atomic Settlement
Application
Logic State
Blockchain
Consensus
Layer
Block i
Block i+1
Block i+2
Block i+3
time
Network
P2P Layer
Market Manipulations
Front-Running
Back-Running
Pump & Dump
Wash Trading
Market Cornering
Bear Raiding

High-Level Service Architecture of CeFi, DeFi



What is Decentralized Finance?






CeFi vs. DeFi Exchanges


Financial Instrument Listing

- CeFi asset listings are well regulated
  - Financial audits
  - Earnings report
  - Minimum working capital
- DeFi listing is currently unregulated
  - No binding legal requirements
  - Arbitrary accept/refuse from centralized EX
  - DEX listing can be permissionless Uniswap




Liquidity Pool

Idea: Let a smart contract do the market making.



smart contract pool

Liquidity Provider (LP) Token



LP Tokens:

- Accounting
- Fungible or NFT
  - Sellable on 2^{ndary} markets
- Reuse in other contracts
- Staking

AMM – Automated Market Maker

Idea: Let a smart contract do the market making.

$$x \times y = k$$

Asset X quantity


Asset Y quantity

constant


Properties:

- Instant liquidity, irrespective of the trade size
- Purchase of asset X increases price of X and decreases the price of Y
- Ratio of asset X and Y sets the price
- Known as Constant Product (CP) AMM

AMM Example



Amount y of asset Y
in the pool
State Before
$x_0 = 10$
$y_0 = 30$
$k = x_0 \cdot y_0 = 300$
30
$xy = 300$
10
Amount x of asset X
in the pool

AMM Example



Amount y of asset Y
in the pool
State Before
$x_0 = 10$
$y_0 = 30$
$k = x_0 \cdot y_0 = 300$
30
20
State After
$x_1 = 15$
$y_1 = 20$
$k = x_1 \cdot y_1 = 300$
$xy = 300$
10 15
Amount x of asset X
in the pool

Expected Slippage


The expected increase or decrease in price based on the trading volume and available liquidity.



Unexpected Slippage □ Worse Execution Price




Unexpected Slippage □ Better Execution Price




Slippage Protection


Configures a slippage protection threshold to prevent unacceptable slippage



Slippage Protection

A transaction **fails** when crossing the slippage limit.





CeFi vs. DeFi Lending/Borrowing

Lending & Borrowing

- Lending is critical in both CeFi and DeFi
  - CeFi measures credit "worthiness"
  - DeFi does not grant credits
- DeFi's over-collateralization
  - *Deposit/Collateralize* more than you borrow
  - Provides < 2x leverage (MakerDAO, Aave)
- DeFi's under-collateralization
  - Borrow for a specific purpose only, leverage >2x
  - Enforced by smart contracts (e.g., Alpha Homora)





DeFi Liquidations

- Collateral == Security guarantee
- If (price(collateral) < 110%):
  - Collateral may become available for liquidation

- Liquidation == Selling collateral at a discount
  - Goal: secure the debt

Liquidation Statistics







CeFi vs. DeFi Flash Loans

Flash Loans

- Blockchains enable *atomic* transactions
  - The actions within a transaction are *executed entirely in sequence*, or *fail collectively*
- Pools lend assets within one transaction
  - Under the condition that the assets
    - are paid back by the end of the transaction
    - plus interests on the lent amounts
  - Can grow to Billions of USD
    - without upfront costs (only transaction fees)
- Does not exist in CeFi!



Flash Loans




1. Take flash loan

2. go-Wild(loan);

3. Repay loan + interest

Flash Loan Example






CeFi vs. DeFi Stablecoins

Why Stablecoins?



What is “stable”?

- Stability:
  - ..is a relative metric
  - Volatility, standard deviation of returns
  - Worst drop over a timeframe
  - Fiat, e.g. EUR, GBP have a volatility of 6-12%



  - Volatility alone does not capture the range of prices

Stable and Pegged coins



USDC USDT DAI


USD derivatives



WBTC renBTC sETH stETH

Pegged coins


- Stablecoin Types
  - Reserve-based 

  - Collateral-based 
  - Algorithmic 

MakerDAO


Stablecoin

Step 1




ETH deposited to open CDP
150% collateral mints 100% debt

Step 2




Draw DAI

Step 3



Pay back DAI to unlock ETH

Stable?


USDT
$1.01
$1.00
$0.99
USDC
$1.00
$0.99
DAI
$1.05
$1.00
Price (USD)
AMPL
$3.00
$2.00
$1.00
ESD
$13.00
$9.00
$5.00
$1.00
2020-01
2020-03
2020-05
2020-07
2020-09
2020-11
2021-01
2021-03
2021-05
YYYY-MM



CeFi vs. DeFi Market Manipulation


Censoring Example: Stablecoins


- USDT and USDC have built-in code to:
  - Blacklist addresses
  - Destroy coins
- USDT blacklisted 449 accounts, destroyed nearly 44M USDT!
- USDC blacklisted 8 accounts

```
1  function transfer(address _to, uint _value) public
       whenNotPaused {
2    require(!isBlackListed[msg.sender]);
3    if (deprecated) {
4      return UpgradedStandardToken(upgradedAddress).
           transferByLegacy(msg.sender, _to, _value);
5    } else {
6      return super.transfer(_to, _value);
7    }
8  }
9  function addBlackList (address _evilUser) public
       onlyOwner {
10   isBlackListed[_evilUser] = true;
11   AddedBlackList(_evilUser);
12 }
13 function destroyBlackFunds (address _blackListedUser)
       public onlyOwner {
14   require(isBlackListed[_blackListedUser]);
15   uint dirtyFunds = balanceOf(_blackListedUser);
16   balances[_blackListedUser] = 0;
17   _totalSupply -= dirtyFunds;
18   DestroyedBlackFunds(_blackListedUser, dirtyFunds);
19 }
```

Front-running and Sandwich Attacks

1. Adversary (**A**) observes a transaction T on the blockchain P2P network
2. **A** creates a transaction T2 that pays a higher transaction fee (gas)
3. Miners mine transactions based on their paid fee, execute T2 before T
4. Same technique can be used to back-run a transaction
   - Sandwich attacks 🥪






CeFi vs. DeFi Synergies

DeFi Price Collapses

- Multiple significant price declines in cryptocurrencies
  - -30% on the 12th of March 2020
  - -40% on the 19th of May 2021
- CeFi exchange services collapsed (e.g., Robinhood, Coinbase)
- Stock markets have circuit breakers to stop losses

- Yet, DeFi seems to “operate well”
- Transaction prices on blockchains spiked, a regular coin transfer costed over 100 USD



DeFi: An Innovative Addition to CeFi

- DeFi copies many concepts from CeFi
- But, DeFi also innovates
  - Automated Market Maker Exchanges instead of limit order books
  - Flash Loans
  - Over-collateralized Loans
  - Liquidation Mechanisms
  - Atomic Composability of DeFi
  - Liquidity Mining
- Hopefully this innovation feeds back to CeFi

DeFi Security - Issues on all Layers

- Network attacks
  - Eclipse/Dos attacks
- Consensus attacks
  - 51% attacks/Double-spending/Selfish mining
- Smart Contract code bugs
  - Reentracy/Authorization/etc
- DeFi Protocol Composability attacks
  - MEV, arbitrage between pools, flash loans



DeFi and CeFi strengthen each other!

