Assignment 1

- **Released date: 2024/09/10.**
- **Due: 2024/09/22.**
- Late submission is **NOT** acceptable.
- Please submit your assignment as a PDF file titled "student ID + HW1".

Question 1. In each of the following systems, interpret each equation as a line in the plane. For each system, graph the lines and determine geometrically the number of solutions.

(a)

$$\begin{aligned} x_1 + x_2 &= 4 \\ x_1 - x_2 &= 2 \end{aligned}$$

(b)

$$\begin{aligned} x_1 + 2x_2 &= 4 \\ -2x_1 - 4x_2 &= 4 \end{aligned}$$

(c)

$$\begin{aligned} 2x_1 - x_2 &= 3 \\ -4x_1 + 2x_2 &= -6 \end{aligned}$$

(d)

$$\begin{aligned} x_1 + x_2 &= 1 \\ x_1 - x_2 &= 1 \\ -x_1 + 3x_2 &= 3 \end{aligned}$$

Question 2. Write an augmented matrix for each of the systems in Question 1.

Question 3. The two systems

$$\begin{aligned} 2x_1 + x_2 &= 3 \qquad \text{and} \quad 2x_1 + x_2 = -1 \\ 4x_1 + 3x_2 &= 5 \qquad \text{and} \quad 4x_1 + 3x_2 = 1 \end{aligned}$$

have the same coefficient matrix but different righthand sides. Solve both systems simultaneously by eliminating the first entry in the second row of the augmented matrix

$$\left(\begin{array}{cc|cc} 2 & 1 & 3 & -1 \\ 4 & 3 & 5 & 1 \end{array}\right)$$

and then performing back substitutions for each of the columns corresponding to the right-hand sides.

Question 4. Given a system of the form

$$\begin{aligned} -m_1 x_1 + x_2 &= b_1 \\ -m_2 x_1 + x_2 &= b_2 \end{aligned} \tag{1}$$

where m_1, m_2, b_1, and b_2 are constants:

(a) Show that the system will have a unique solution if $m_1 \neq m_2$.

(b) Show that if $m_1 = m_2$, then the system will be consistent only if $b_1 = b_2$.

(c) Give a geometric interpretation of parts (a) and (b).

Question 5. Consider a system of the form

$$\begin{aligned} a_{11} x_1 + a_{12} x_2 &= 0 \\ a_{21} x_1 + a_{22} x_2 &= 0 \end{aligned}$$

where a_{11}, a_{12}, a_{21}, and a_{22} are constants. Explain why a system of this form must be consistent.

Question 6. Which of the matrices that follow are in the row echelon form? Which are in the reduced row echelon form?

(a)

$$\begin{pmatrix} 1 & 2 & 3 & 4 \\ 0 & 0 & 1 & 2 \end{pmatrix}$$

(b)

$$\begin{pmatrix} 1 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

(c)

$$\begin{pmatrix} 1 & 3 & 0 \\ 0 & 0 & 1 \\ 0 & 0 & 0 \end{pmatrix}$$

(d)

$$\begin{pmatrix} 0 & 1 \\ 0 & 0 \\ 0 & 0 \end{pmatrix}$$

(e)

$$\begin{pmatrix} 1 & 1 & 1 \\ 0 & 1 & 2 \\ 0 & 0 & 3 \end{pmatrix}$$

(f)

$$\begin{pmatrix} 1 & 4 & 6 \\ 0 & 0 & 1 \\ 0 & 1 & 3 \end{pmatrix}$$

(g)

$$\begin{pmatrix} 1 & 0 & 0 & 1 & 2 \\ 0 & 1 & 0 & 2 & 4 \\ 0 & 0 & 1 & 3 & 6 \end{pmatrix}$$

(h)

$$\begin{pmatrix} 0 & 1 & 3 & 4 \\ 0 & 0 & 1 & 3 \\ 0 & 0 & 0 & 0 \end{pmatrix}$$

Question 7. Use Gauss–Jordan reduction to solve each of the following systems.

(a)

$$\begin{aligned} x_1 + x_2 &= -1 \\ 4x_1 - 3x_2 &= 3 \end{aligned}$$

(b)

$$\begin{aligned} x_1 + 3x_2 + x_3 + x_4 &= 3 \\ 2x_1 - 2x_2 + x_3 + 2x_4 &= 8 \\ 3x_1 + x_2 + 2x_3 - x_4 &= -1 \end{aligned}$$

(c)

$$\begin{aligned} x_1 + x_2 + x_3 &= 0 \\ x_1 - x_2 - x_3 &= 0 \end{aligned}$$

(d)

$$\begin{aligned} x_1 + x_2 + x_3 + x_4 &= 0 \\ 2x_1 + x_2 - x_3 + 3x_4 &= 0 \\ x_1 - 2x_2 + x_3 + x_4 &= 0 \end{aligned}$$

Question 8. Consider a linear system whose augmented matrix is of the form

$$\left(\begin{array}{ccc|c} 1 & 2 & 1 & 1 \\ -1 & 4 & 3 & 2 \\ 2 & -2 & a & 3 \end{array}\right)$$

For what values of a will the system have a unique solution?

Question 9. Consider a linear system whose augmented matrix is of the form

$$\left[\begin{array}{ccc|c} 1 & 1 & 3 & 1 \\ 1 & 2 & 4 & 3 \\ 1 & 3 & a & b \end{array}\right]$$

(a) For what values of a and b will the system have infinitely many solutions?

(b) For what values of a and b will the system be inconsistent?

Question 10. Given a homogeneous system of linear equations, if the system is overdetermined, what are the possibilities as to the number of solutions? Explain.

Question 11. If

$$A = \begin{bmatrix} 3 & 1 & 4 \\ -2 & 0 & 1 \\ 1 & 2 & 2 \end{bmatrix} \text{ and } B = \begin{bmatrix} 1 & 0 & 2 \\ -3 & 1 & 1 \\ 2 & -4 & 1 \end{bmatrix}$$

compute

(a) $2A$

(b) $A + B$

(c) $2A - 3B$

(d) AB

Question 12. For each of the pairs of matrices that follow, determine whether it is possible to multiply the first matrix times the second. If it is possible, perform the multiplication.

(a) $\begin{bmatrix} 3 & 5 & 1 \\ -2 & 0 & 2 \end{bmatrix} \begin{bmatrix} 2 & 1 \\ 1 & 3 \\ 4 & 1 \end{bmatrix}$

(b) $\begin{bmatrix} 4 & -2 \\ 6 & -4 \\ 8 & -6 \end{bmatrix} \begin{bmatrix} 1 & 2 & 3 \end{bmatrix}$

(c) $\begin{bmatrix} 1 & 4 & 3 \\ 0 & 1 & 4 \\ 0 & 0 & 2 \end{bmatrix} \begin{bmatrix} 3 & 2 \\ 1 & 1 \\ 4 & 5 \end{bmatrix}$

(d) $\begin{bmatrix} 4 & 6 \\ 2 & 1 \end{bmatrix} \begin{bmatrix} 3 & 1 & 5 \\ 4 & 1 & 6 \end{bmatrix}$

(e) $\begin{bmatrix} 4 & 6 & 1 \\ 2 & 1 & 1 \end{bmatrix} \begin{bmatrix} 3 & 1 & 5 \\ 4 & 1 & 6 \end{bmatrix}$

(f) $\begin{bmatrix} 2 \\ -1 \\ 3 \end{bmatrix} \begin{bmatrix} 3 & 2 & 4 & 5 \end{bmatrix}$

Question 13. Let A be a 5×3 matrix. If

$$\mathbf{b} = \mathbf{a_1} + \mathbf{a_2} = \mathbf{a_2} + \mathbf{a_3}$$

then what can you conclude about the number of solutions of the linear system $A\mathbf{x} = \mathbf{b}$? Explain.

Question 14. Let A be a 3×4 matrix. If

$$\mathbf{b} = \mathbf{a_1} + \mathbf{a_2} + \mathbf{a_3} + \mathbf{a_4}$$

then what can you conclude about the number of solutions of the linear system $A\mathbf{x} = \mathbf{b}$? Explain.

Question 15. Let $A\mathbf{x} = \mathbf{b}$ be a linear system whose augmented matrix $(A|\mathbf{b})$ has reduced row echelon form

$$\left[\begin{array}{ccccc|c} 1 & 2 & 0 & 3 & 1 & -2 \\ 0 & 0 & 1 & 2 & 4 & 5 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{array}\right]$$

(a) Find all solutions to the system.

(b) If $\mathbf{a_1} = \begin{bmatrix} 1 \\ 1 \\ 3 \\ 4 \end{bmatrix}$ and $\mathbf{a_3} = \begin{bmatrix} 2 \\ -1 \\ 1 \\ 3 \end{bmatrix}$, determine $\mathbf{b}$.

Question 16. Let A be a 2×2 matrix with $a_{11} \neq 0$ and let $\alpha = a_{21}/a_{11}$. Show that A can be factored into a product of the form

$$\begin{bmatrix} 1 & 0 \\ \alpha & 1 \end{bmatrix} \begin{bmatrix} a_{11} & a_{12} \\ 0 & b \end{bmatrix}$$

What is the value of b?