# **Video Sharing Database Management System**

**YouTube** is the most popular video sharing site in the world. It consists of millions of videos to watch, share and enjoy. But have you ever thought about the database that holds so much of data that handles about 4 billion views a day, and its architectural design. It requires intricate links between the tables to get any database working without any hassle or glitches. My database would be a redesign of the YouTube's database.


## Relations in this database:

- 1. Member: It consists of the details of every user such as Firstname, Lastname, email, etc.
- 2. MemberAuth: Authentication details of the member like username and password
- 3. **Video:** It consists of the details of every video uploaded such as its, name, description, the user who uploaded it, uploaded time, etc.
- 4. Entitylike: Details of every reaction of every user on every video
- 5. **Download:** Consists of details of downloads of every video
- 6. Videoview: Information of every view on every video
- 7. **Comment:** It consists of details related to comments on a video and the replies associated with it. It consists of a self referencing relationship where every reply is connected to its parent comment
- 8. **Channel:** Details related to a channel such as its name, owner of the channel and the videos in the channel etc.
- 9. ChannelVideo: Details of videos in particular channels
- 10. Subscriber: Details of the subscriber such as name, the channel to which they have subscribed
- 11. Thumbnailimage: Every video would have a thumbnail image whose details are stored in this table
- 12. Playlist: The information related to a playlist created by a user and the video list is stored in this table
- 13. PlaylistVideo: Details related to the videos and their sequence in a specific playlist
- 14. Offline Video: Offline videos of every user is stored in this table
- 15. WatchHistory: The history of videos watched by every user is stored in this table
- 16. WatchLaterVideo: Consists of the list of videos a user has marked to be watched later
- 17. SearchHistory: Keeps a record of the content the user has searched in the past
- 18. **Notification:** The details of the notifications that need to be sent to the user is stored in this table
- 19. **AccountSettings:** Every member has a record of account settings where options to show restricted videos, language, country, etc are maintained

20. **VideoSpecCount:** This table is populated by multiple triggers on various other tables to keep track of the count of every activity on a video, such as the number of downloads, views, likes, dislikes on every video

# **ER Diagram:**


The following is the ER Diagram:



## **TRIGGERS:**

## 1. To populate the count of downloads for every download of a video:

Before inserting a new download:




After inserting a new row into the download table:

```
CREATE TRIGGER `videosharingdb`.`Download_AFTER_INSERT`
  769 •
  770
          AFTER INSERT ON `videosharingdb`.`download`
 771
          FOR EACH ROW
 772
        ■ BEGIN
  773
              IF (SELECT COUNT(*) FROM VideoSpecCount WHERE VideoID = NEW. VideoID) = 1
 774
              THEN
                  UPDATE VideoSpecCount
  775
 776
                  SET VideoDownloadCount = (VideoDownloadCount + 1)
                  WHERE VideoSpecCount. VideoID = NEW. VideoID;
 777
 778
              ELSE
                  INSERT INTO VideoSpecCount(VideoDownloadCount, VideoID) VALUES(1, NEW.VideoID);
 779
 780
              END IF;
         END$$
 781
 782
          delimiter //
  783
          INSERT INTO download(DownloadID, UserID, VideoID, CreateTime, ModifiedTime) VALUES
 784
          (11111, 12610, 30321, '1970-01-01 01:32:26', '1971-10-18 14:02:42.221561'),
 785
          (12222, 14712, 30321, '1982-03-02 09:48:53', '1983-09-16 20:27:23.010686');
 786
 787
          -- after inserting a new download entry
 788
          select videospeccountid, videoid, videodownloadcount
 789
          from videospeccount
  790
  791
          where videoid = 30321;
  792
                        ш
Result Grid | | No. | Filter Rows:
                                          Export: Wrap Cell Content: IA
   videospeccountid
                 videoid videodownloadcount
                 30321
                        3
```

## 2. To populate the count of likes and dislikes for every reaction on a video:

Before inserting a new entitylike entry



**Trigger Definition:** 

```
CREATE TRIGGER 'videosharingdb'.'EntityLike AFTER INSERT'
        AFTER INSERT ON `videosharingdb`.`entitylike`
805
806
        FOR EACH ROW
      ■ BEGIN
807
            IF (SELECT COUNT(*) FROM VideoSpecCount WHERE VideoID = NEW.VideoID) = 1
808
809
                IF (NEW.isDislike = 0)
810
      白
                THEN
811
                     UPDATE VideoSpecCount
812
813
                     SET videolikecount = (videolikecount + 1)
                    WHERE VideoSpecCount.videoid = new.VideoID;
814
815
                ELSE
816
                    UPDATE VideoSpecCount
817
                     SET VideoDislikeCount = (VideoDislikeCount + 1)
                    WHERE VideoSpecCount.videoid = new.VideoID;
818
819
                END IF;
            ELSE
820
                IF(NEW.isDislike = 0)
821
822
                THEN
                     INSERT INTO VideoSpecCount(VideoLikeCount, VideoID)
823
824
                    VALUES (1, NEW.VideoID);
825
                     INSERT INTO VideoSpecCount(VideoDislikeCount , VideoID)
826
                     VALUES (1, NEW. VideoID);
827
828
                END IF;
829
            END IF;
        END$$
830
```

FIRST NAME: MENITA LAST NAME: KOONANI NUID: 001883043

After inserting new values into entitylike table

```
832
                 -- Inserting data into table entitylike
                  INSERT INTO entitylike(EntityLikeID, isDislike, UserID, CreateTime, ModifiedTime, VideoID, CommentID) VALUES
   833
                 (30000, 1, 27922, '1989-05-10 11:21:23', '1989-05-13 07:45:10.002898', 30321, 30386), (30001, 0, 14711, '1974-10-01 18:48:58', '1974-10-06 05:10:19.256766', 30321, 22825), (30002, 1, 27922, '1977-06-24 16:19:28', '1979-12-12 15:35:45.130409', 30321, 12322), (30003, 0, 30723, '1990-11-09 06:40:30', '1990-11-09 06:42:02.10913', 30321, 10044), (30004, 1, 30726, '1970-01-01 00:02:12', '1970-01-01 00:11:48.594106', 30321, 30388);
   834
   835
   836
   837
   838
   839
   840
                 select * from videospeccount where videoid = 30321;
   841
   2/12
                                                                      Edit: 🚣 📆 🖶 Export/Import: 📳 💍 Wrap Cell Content: 🏗
Result Grid
                       Filter Rows:
     VideoSpecCountID
                               VideoID
                                             VideoViewCount
                                                                    VideoLikeCount VideoDislikeCount VideoDownloadCount
                                                                                                                                                 VideoCommentCount
                              30321
                                                                    2
                                                                                          3
                                                                                                                   3
                                                                                                                                                 3
   NULL
                              NULL
                                                                   NULL
                                                                                         NULL
                                                                                                                  NULL
                                                                                                                                                NULL
```

## 3. To check if the comment is a reply for another comment, if not throw error message:

**Trigger Definition:** 

```
730
        DELIMITER $$
731
732 •
        USE `VideoSharingDB`$$
733 •
        DROP TRIGGER IF EXISTS 'VideoSharingDB'.'Comment BEFORE INSERT' $$
734 •
        USE `VideoSharingDB`$$
        CREATE TRIGGER 'videosharingdb'.'Comment BEFORE INSERT'
735
        BEFORE INSERT ON 'comment' FOR EACH ROW
736
737
      ■ BEGIN
            if ((new.isreply) = 1 and isnull(new.parentcommentid))
738
739
                or ((new.isreply) = 0 and (new.parentcommentid is not null))
740
                signal sqlstate '45000'
741
                set message_text = 'Inconsistent data! A reply need to have a valid parent comment id';
742
743
            end if;
      END$$
744
```

### Inserting 3 new comments:

#### Inserting valid comments:

```
747 • INSERT INTO `comment` (CommentID, Content, UserID, VideoID, isReply, ParentCommentID, CreateTime, ModifiedTime)
748 (21212, 'Always a saviour on a tired day.', 30726, 10887, 0, NULL, '1996-12-10 06:33:04', '2000-10-13 03:04:22.
749 (21213, 'Wow! Loved her voice!', 14708, 10892, 1, 20550, '1970-01-01 00:00:05', '1970-03-21 04:10:08.700252'),
750 (21214, 'Youtube is the most popular video sharing webiste.', 14708, 10887, 0, NULL, '1999-11-19 16:12:03', '20
751 

Output

Output

Time Action

Action Output

Time Action

Message


703 16:09:47 INSERT INTO `comment' (CommentID, Content, UserID, VideoID,... 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
```

## 4. To populate the VideoSpecCount table for every new record into View of a Video

**Trigger Definition:** 

```
-- Trigger `VideoSharingDB`.`VideoView AFTER INSERT`
769
770
771 •
        CREATE TRIGGER 'VideoSharingDB'.'VideoView AFTER INSERT'
        AFTER INSERT ON 'VideoSharingDB'.'videoview'
772
773
        FOR EACH ROW
774
      ■ BEGIN
            IF (SELECT COUNT(*) FROM VideoSpecCount WHERE VideoID = NEW.VideoID) = 1
775
776
                UPDATE VideoSpecCount
777
                SET VideoViewCount = (VideoViewCount + 1)
778
779
                WHERE VideoSpecCount.VideoID = NEW.VideoID;
780
781
                INSERT INTO VideoSpecCount(VideoViewCount, VideoID)
                VALUES(1, NEW.VideoID);
782
783
            END IF;
784
       END$$
```

Before inserting new records for views of a video



FIRST NAME: MENITA LAST NAME: KOONANI NUID: 001883043

After inserting new video views into the table:

```
057
             INSERT INTO videoview(VideoViewID, UserID, CreateTime, ModifiedTime, VideoID) VALUES
  838
             (30711, 10499, '1994-02-03 07:53:59', '1997-06-23 19:34:38.148493', 30321), (14011, 10500, '1991-07-04 00:06:54', '1994-01-13 01:41:55.851373', 30321), (32711, 10501, '1970-01-01 00:01:35', '1971-04-12 04:11:35.381269', 30321);
  839
  840
  841
  842
              select * from VideospecCount where videoid = 30321;
  843
Edit: 🔏 🖶 🖶 Export/Import: 🛄 👸 Wrap Cell Content: 🏗
    VideoSpecCountID
                        VideoID VideoViewCount
                                                     VideoLikeCount
                                                                       VideoDislikeCount VideoDownloadCount VideoCommentCount
                        30321
                                                                      3
                                                                                          3
                                                                                                                  3
   NULL
                        NULL
                                  NULL
                                                    NULL
                                                                      NULL
                                                                                          NULL
                                                                                                                 NULL
```

## 5. To keep count of the number of comments on a video

**Trigger Definition:** 

```
746
        USE `VideoSharingDB`$$
747 •
        DROP TRIGGER IF EXISTS 'VideoSharingDB'.'Comment_AFTER_INSERT' $$
748
        USE `VideoSharingDB`$$
749
        CREATE
        TRIGGER `videosharingdb`.`Comment AFTER INSERT`
750
        AFTER INSERT ON 'videosharingdb'.'comment'
751
752
        FOR EACH ROW
     BEGIN
753
           IF (SELECT COUNT(*) FROM VideoSpecCount WHERE VideoID = NEW.VideoID) = 1
754
      白
755
756
                UPDATE VideoSpecCount
                SET VideoCommentCount = (VideoCommentCount + 1)
757
758
                WHERE VideoSpecCount.VideoID = NEW.VideoID;
759
            ELSE
                INSERT INTO VideoSpecCount (VideoCommentCount, VideoID)
760
                VALUES(1, NEW.VideoID);
761
762
            END IF;
      END$$
763
764
```

Before inserting




#### After inserting

```
765 •
              select * from comment;
  766
              88
              INSERT INTO comment(CommentID, Content, UserID, VideoID, isReply, ParentCommentID, CreateTime, ModifiedTime) VA
  767 •
              (14749, 'Hey', 10499, 30321, 1, 14299, '1994-05-01 06:19:42', '1995-07-15 09:32:03.543442'), (14744, 'Hello', 10500, 30321, 0, NULL, '1991-11-02 06:18:26', '1991-11-02 07:09:53.345027'), (24212, 'Thus a complete understanding is missing.', 30726, 30321, 1, 20550, '1970-01-01 00:00:20', '1970-06-04
  768
  769
  770
  771
Edit: 🔏 📆 📙 | Export/Import: 📳 💍 | Wrap Cell Content: 🖽
    VideoSpecCountID
                         VideoID
                                     VideoViewCount
                                                        VideoLikeCount
                                                                          VideoDislikeCount
                                                                                               VideoDownloadCount
                                                                                                                        VideoCommentCount
                         30321
                                    4
                                                       2
                                                                                               3
                                                                                                                       3
                                                                          3
  NULL
                                                       NULL
                                                                                              NULL
                                                                                                                       NULL
```

#### **PROCEDURES:**


1. Proc\_GetPlaylistOfUser: A procedure to get the playlists and corresponding videos of a user



### 2. Proc GetDownloadedVideosByMember: To get the downloaded videos of a user

```
-- to get downloaded video list of a user
   38
   39
           delimiter //
   40 0
           drop procedure if exists Proc GetDownloadedVideosByMember;
   41
           CREATE PROCEDURE Proc GetDownloadedVideosByMember(IN membername VARCHAR(45))
   42 •
   43
        BEGIN
               SELECT concat(m.firstname, ' ', m.lastname) AS 'Full Name',
   44
                        d.videoid 'Video ID', v.videotitle 'Video Title', v.videodesc 'Video Description',
   45
   46
                        d.CreateTime 'Downloaded Time'
   47
               FROM download d
               INNER JOIN member m ON m.memberid = d.userid
   48
   49
               INNER JOIN video v ON v.videoid = d.videoid
   50
               WHERE m.lastname LIKE concat(membername, '%');
           END
   51
   52
   53 •
           CALL `youtubedatabase`.`Proc GetDownloadedVideosByMember`('ar');
Result Grid Filter Rows:
                                         Export: Wrap Cell Content: IA
   Full Name
                 Video ID
                         Video Title
                                                                                 Downloaded Time
                                         Video Description
  Waylon Arnett
                32729
                         Lake Benton
                                         By some means, the total volume of the big imp... 1975-06-08 10:07:59
  Waylon Arnett
                27585
                         Chatham County
                                        This seems to be a definitely obvious step towa... 1970-09-20 02:12:36
```

## 3. Proc\_GetSubscriberOfChannel: To get the subscribers of a channel



FIRST NAME: MENITA LAST NAME: KOONANI NUID: 001883043

4. Proc\_GetLikedVideosByMember: To get the liked videos of a user

```
3 -- get liked videos by user
    4 •
           drop procedure if exists Proc_GetLikedVideosByMember;
    5
           delimiter //
    6 •
           create procedure Proc_GetLikedVideosByMember(in membername varchar(45))
    7
         □ begin
                select concat(m.firstname, ' ', m.lastname) as 'Full Name',
        el.videoid 'Video ID', v.videotitle 'VideoTitle', v.videodesc 'Video Description'
    8
    9
   10
                from entitylike el
   11
                inner join member m on m.memberid = el.userid
   12
                inner join video v on v.videoid = el.videoid
                where el.isDislike = 0 and m.lastname like concat(membername, '%');
   13
   14
           end
   15
           //
   16 •
           call Proc GetLikedVideosByMember('ar');
   17
           //
   18
           delimiter //
   19
Result Grid Filter Rows:
                                           Export: Wrap Cell Content: IA
   Full Name
                  Video ID VideoTitle
                                      Video Description
                           Bar Mills
                 16506
                                      By some means, in terms of the skills provides rich insights into the coherent software. Thus a comple...
                                      The performance gaps turns it into something differently real.
  Waylon Arnett
                 12285
                           Waukee
```

## **VIEWS:**

1. View GetMostViewedVideo: A view to get the most popular and trending video

```
79
   80
           -- View `VideoSharingDB`.`View GetMostViewedVideo`
   81
   82
          delimiter //
   83 •
          drop view if exists view_getMostViewedVideo
   84
  85 •
          Create view view_getMostViewedVideo
   86
          select v.*, vsc.VideoViewCount 'Number of Views'
   87
   88
          from Video v
   89
          inner join VideoSpecCount vsc on v.VideoID = vsc.VideoID
   90
          where vsc.VideoViewCount = (select max(VideoViewCount) from VideoSpecCount);
   91
          select videoid, videotitle, videodesc, `Number of Views` from view getmostviewedvideo limit 1;
   92 •
   93
                                           Export: Wrap Cell Content: 🖽 Fetch rows: 🕪
Result Grid 🔢 💎 Filter Rows:
   VideoID
           VideoTitle
          Rio Rancho On the one hand it can be said that the dominant cause of the big impact should correlate with th... 3
```

FIRST NAME: MENITA LAST NAME: KOONANI NUID: 001883043

### 2. View\_GetMostDownloadVideo: A view to get the most downloaded video

```
703
          -- View `VideoSharingDB`.`View GetMostDownloadVideo`
  704
  705
          DROP VIEW IF EXISTS 'VideoSharingDB'.'View GetMostDownloadVideo';
  706 •
  707 •
          USE `VideoSharingDB`;
          create view View GetMostDownloadVideo
 708 •
 709
          select v.*, vsc.VideoDownloadCount 'Download Count'
 710
          from Video v
 711
          inner join VideoSpecCount vsc on v.VideoID = vsc.VideoID
 712
          where vsc.VideoDownloadCount = (select max(VideoDownloadCount) from VideoSpecCount);
 713
 714
          select videoid, videotitle, videodesc, `Download Count` from View GetMostDownloadVideo;
 715 •
  716
  717
Export: Wrap Cell Content: IA
   VideoID
           VideoTitle
                                                         Download Count
  18185
          Dardanelle
                  First and foremost, the patterns of the deep an... 4
```

## 3. View\_GetMostLikedVideo: A view to get the most liked video

```
690
          -- View `VideoSharingDB`.`View GetMostLikedVideo`
 691
 692
          DROP VIEW IF EXISTS `VideoSharingDB`.`View_GetMostLikedVideo`;
 693
          DROP TABLE IF EXISTS `VideoSharingDB`.`View GetMostLikedVideo`;
 694
          USE `VideoSharingDB`;
 695
          create OR REPLACE view View GetMostLikedVideo
 696
 697
          select v.*, vsc.VideoLikeCount 'Like Count'
 698
          from Video v
 699
 700
          inner join VideoSpecCount vsc on v.VideoID = vsc.VideoID
          where vsc.VideoLikeCount = (select max(VideoLikeCount) from VideoSpecCount);
 701
 702
 703 •
          select videoid, videotitle, videodesc, `Like Count` from View GetMostLikedVideo;
  704
Result Grid
                                          Export: Wrap Cell Content: IA
             Filter Rows:
   VideoID
           VideoTitle
                    VideoDesc
                                                        Like Count
                    One should, however, not forget that with help... 4
   32595
          Goodyear
```

## **MYSQL Dump File**

```
CREATE DATABASE IF NOT EXISTS 'videosharingdb' /*!40100 DEFAULT CHARACTER SET utf8 */;
USE 'videosharingdb';
-- MySQL dump 10.13 Distrib 5.6.23, for Win32 (x86)
-- Host: localhost Database: videosharingdb
-- Server version 5.6.37
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
/*!40101 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD UNIQUE CHECKS=@@UNIQUE CHECKS, UNIQUE CHECKS=0 */;
/*!40014 SET @OLD FOREIGN KEY CHECKS=@@FOREIGN KEY CHECKS, FOREIGN KEY CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;
-- Table structure for table 'accountsettings'
DROP TABLE IF EXISTS 'accountsettings';
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'accountsettings' (
 `AccountSettingsID` smallint(6) NOT NULL,
```

```
`Language` varchar(45) NOT NULL DEFAULT 'ENGLISH',
  'Location' varchar(45) NOT NULL DEFAULT 'USA',
  `isRestricted` tinyint(1) NOT NULL DEFAULT '1',
  'UserID' smallint(6) NOT NULL,
  PRIMARY KEY ('AccountSettingsID'),
  UNIQUE KEY 'UserID_UNIQUE' ('UserID'),
  KEY 'User FK idx' ('UserID'),
  CONSTRAINT `AccSettingsUser FK` FOREIGN KEY (`UserID`) REFERENCES `member` (`MemberID`) ON DELETE NO
ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'accountsettings'
LOCK TABLES 'accountsettings' WRITE;
/*!40000 ALTER TABLE `accountsettings` DISABLE KEYS */;
INSERT INTO 'accountsettings' VALUES
(10887, 'nau', 'IDN', 0, 30059), (10888, 'swe', 'IDN', 0, 21687), (10889, 'mah', 'BGR', 0, 23821), (13164, 'tib', 'MMR', 0, 19026), (13164, 'tib', 0, 1902
5, 'may', 'DEU', 0,23822), (13166, 'bur', 'SUR', 0,32335), (16719, 'tel', 'YEM', 0,26099), (16720, 'kor', 'MUS', 0,30063), (16721, 'ven', '
AUT',0,23819),(16722, 'ava', 'KOR',0,21689),(16723, 'run', 'BEL',0,12778),(16724, 'ava', 'BEL',1,19027),(16725, 'guj', 'POL',0,23
820),(16726,'xho','NPL',0,32333),(18997,'wel','PAK',1,10502),(18998,'san','CHE',0,26095),(18999,'nau','TUN',1,32337),(1
9000, 'mon', 'CYP', 1,12776), (19001, 'ido', 'NPL', 0,10501), (19002, 'glg', 'MEX', 0,19408), (19003, 'hun', 'MEX', 0,19411), (19004, 'o
rm','LUX',1,10499),(20738,'twi','GEO',1,16750),(20739,'ben','EST',0,26096),(20740,'que','POL',0,32767),(20741,'tsn','USA'
,0,19410),(23015,'cha','MAR',1,21684),(23016,'aym','SUR',0,16751),(23017,'cha','TUN',1,21685),(23018,'mar','JOR',0,190
28),(25713,'lao','VNM',1,30061),(25714,'snd','DNK',0,26100),(25715,'lav','ITA',0,30062),(25716,'arg','EST',0,23818),(2571
7,'kan','MNG',0,21686),(25718,'bre','ZAF',0,32332),(27990,'kaz','ZMB',0,23817),(27991,'cos','NGA',0,32334),(27992,'roh',
'THA',0,21688),(27993,'xho','SVN',0,16749),(27994,'ori','SAU',1,10500),(27995,'nep','KOR',0,19409),(28693,'glg','KOR',0,1
9407),(28694,'srp','BWA',0,30060),(28695,'may','MLT',0,26098),(28696,'bul','GMB',0,32336),(30967,'lug','ZWE',1,16748),
(30968, 'aze', 'NZL',1,12779), (30969, 'orm', 'FJI',0,12777), (32767, 'tib', 'JPN',0,26097);
/*!40000 ALTER TABLE `accountsettings` ENABLE KEYS */;
UNLOCK TABLES;
```

```
-- Table structure for table 'channel'
DROP TABLE IF EXISTS 'channel';
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'channel' (
 `ChannelID` smallint(6) NOT NULL AUTO INCREMENT,
 `ChannelName` varchar(45) NOT NULL,
 'UserID' smallint(6) NOT NULL,
 'CreateTime' datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 `ModifiedTime` datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 PRIMARY KEY ('ChannelID'),
 UNIQUE KEY 'ChannelName_UNIQUE' ('ChannelName'),
 KEY `UserID_FK_idx` (`UserID`),
 CONSTRAINT `ChannelUserID_FK` FOREIGN KEY (`UserID`) REFERENCES `member` (`MemberID`) ON DELETE NO ACTION
ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'channel'
LOCK TABLES 'channel' WRITE;
/*!40000 ALTER TABLE `channel` DISABLE KEYS */;
INSERT INTO `channel` VALUES (11602, 'Singstress', 16750, '1970-01-01 00:17:25', '1970-08-09 02:40:13'), (11603, 'Game-
Freak-Gaming',32332,'1970-01-01 00:00:55','1970-05-02 13:09:47'),(11604,'Game-Star',30061,'1970-01-01
02:44:00','1970-01-01 06:12:54'),(13879,'World-Of-Games',16748,'1982-04-25 11:34:19','1985-02-22
21:04:16'),(13880,'Shoot-Em-Up',10499,'1992-03-22 13:56:51','1992-03-28 03:47:18'),(13881,'Code-One',32332,'2010-
01-13 05:38:55','2010-09-03 08:55:48'),(13882,'Singsational',10501,'1978-07-13 13:34:12','1980-11-01
```

16:59:58'),(14555,'Love-To-Sing',19409,'1993-11-15 15:07:11','1996-10-02 07:31:26'),(14556,'Vocal-

Defiance',26095,'2006-05-09 05:51:57','2006-05-09 05:52:30'),(14557,'Gaming-Cause-Yolo',19410,'1981-02-11

```
17:48:27','1984-07-30 19:45:14'),(14558,'Singing-Lee',32332,'1970-01-01 17:25:02','1970-01-01
17:49:56'),(16832,'Citrus-Princess',21689,'1996-09-16 02:34:00','1996-09-25 16:14:28'),(16833,'Chronicle-Of-
Games',16748,'2002-05-09 15:36:38','2003-02-18 17:43:08'),(16834,'Gaming-Machine',12778,'1994-11-17
04:55:07','1994-11-20 05:59:30'),(16835,'Freak-Gamer',10499,'2009-12-22 11:50:46','2010-04-24
03:56:55'),(20395, 'Swag-Gaming',16748, '1995-04-21 11:17:09', '1996-10-18 03:16:14'),(20396, 'I\'m-Singing-
It', 26098, '1985-12-29 02:34:45', '1989-01-15 09:18:15'), (20397, 'Gaming-World', 21687, '2012-09-21 18:10:42', '2012-10-27
13:27:16'),(22673,'Singer-Girl',32332,'2012-09-23 10:44:33','2014-07-13 04:06:08'),(22674,'Sing-Along',12777,'1978-12-
10 22:49:23','1979-03-26 15:20:22'),(25277,'Hotshot-Gaming',26097,'1970-01-01 00:01:07','1972-06-20
08:17:32').(25278.'Singing-Sensation'.30059.'2008-07-25 20:14:07'.'2008-07-27 02:13:11').(25279.'Singing-For-
You',19027,'1970-01-01 00:00:06','1973-07-26 23:29:47'),(25280,'Game-Guru',23818,'1994-03-20 07:37:57','1994-03-22
12:17:28'),(27555, 'Music-4-Life',23819, '1987-05-26 07:06:17', '1988-04-09 01:55:29'),(27556, 'Let\'s-Play-
Games',26099,'1970-01-01 00:02:22','1970-06-16 08:34:28'),(27557,'Psychotic-Gamer',26097,'1992-08-27
08:38:29','1993-06-26 06:30:09'),(29081,'Fame-Star',19407,'1970-01-01 00:00:21','1970-01-05 01:10:45'),(31355,'Mr-
Gamer',12777,'1996-11-21 05:17:11','1996-11-21 05:18:37'),(32767,'Gaming-God',10499,'1976-05-14 21:05:05','1976-
05-14 21:06:35');
/*!40000 ALTER TABLE `channel` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `channelvideo`
DROP TABLE IF EXISTS 'channelvideo';
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `channelvideo` (
 `ChannelVideoID` smallint(6) NOT NULL AUTO_INCREMENT,
 'VideoID' smallint(6) NOT NULL,
 `ChannelID` smallint(6) NOT NULL,
 PRIMARY KEY ('ChannelVideoID'),
 UNIQUE KEY 'Channel Video Comp' ('ChannelID', 'VideoID'),
 KEY 'ChannelVideo Channel FK idx' ('ChannelID'),
 KEY `ChannelVideo_Video_FK_idx` (`VideoID`),
CONSTRAINT `ChannelVideo_Channel_FK` FOREIGN KEY (`ChannelID`) REFERENCES `channel` (`ChannelID`) ON DELETE
NO ACTION ON UPDATE NO ACTION,
```

CONSTRAINT `ChannelVideo Video FK` FOREIGN KEY (`VideoID`) REFERENCES `video` (`VideoID`) ON DELETE NO

```
ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `channelvideo`
LOCK TABLES 'channelvideo' WRITE;
/*!40000 ALTER TABLE `channelvideo` DISABLE KEYS */;
INSERT INTO 'channelvideo' VALUES
(21926,18182,11602),(16876,32767,11602),(14597,23016,11603),(10911,30322,11603),(19643,23019,11604),(13185,32
596,11604),(24594,30321,13879),(26869,32767,13879),(13184,18182,13880),(24593,32595,13880),(19646,18183,1388
1),(24591,23018,13881),(13186,24635,13882),(10907,26913,13882),(26868,20739,14555),(19647,23017,14555),(31849,
26913,14556),(21923,32597,14557),(32767,12549,14558),(19649,23016,16832),(19645,32595,16832),(16875,15906,16
833),(21920,23019,16833),(31851,24636,16834),(19648,20742,16835),(26870,24634,20395),(21924,30321,20395),(109
08,15906,20396),(31850,20741,20396),(29577,10272,20397),(21925,20740,22673),(13187,23017,22673),(16874,30323,
22674),(26872,10270,25277),(21922,20739,25277),(10909,23018,25278),(16873,26912,25278),(19644,24635,25279),(2
9574,32596,25279),(29576,18184,25280),(24592,15905,27555),(31848,26912,27555),(14596,18183,27556),(14595,207
41,27556),(21921,12548,27557),(29575,10270,29081),(14598,30322,29081),(13188,10271,31355),(26871,15905,32767)
,(10910,20740,32767);
/*!40000 ALTER TABLE `channelvideo` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `comment`
DROP TABLE IF EXISTS 'comment';
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character set client = utf8 */;
CREATE TABLE `comment` (
 `CommentID` smallint(6) NOT NULL AUTO INCREMENT,
```

```
'Content' varchar(200) NOT NULL,
 'UserID' smallint(6) NOT NULL,
 'VideoID' smallint(6) NOT NULL,
 `isReply` tinyint(1) NOT NULL DEFAULT '0',
 `ParentCommentID` smallint(6) DEFAULT NULL,
 `CreateTime` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
 'ModifiedTime' datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 PRIMARY KEY ('CommentID'),
 KEY 'User_FK_idx' ('UserID'),
 KEY 'Video_FK_idx' ('VideoID'),
 KEY `ParentComment_FK_idx` (`ParentCommentID`),
 CONSTRAINT 'CommentUser FK' FOREIGN KEY ('UserID') REFERENCES 'member' ('MemberID') ON DELETE NO ACTION
ON UPDATE NO ACTION,
 CONSTRAINT `CommentVideo FK` FOREIGN KEY (`VideoID`) REFERENCES `video` (`VideoID`) ON DELETE NO ACTION ON
UPDATE NO ACTION,
 CONSTRAINT `ParentComment FK` FOREIGN KEY (`ParentCommentID`) REFERENCES `comment` (`CommentID`) ON
DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO_INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `comment`
LOCK TABLES 'comment' WRITE;
/*!40000 ALTER TABLE `comment` DISABLE KEYS */;
```

INSERT INTO `comment` VALUES (12020, 'Surprisingly, the negative impact of the commitment to quality assurance ensures integrity of the conceptual design. ',16749,12549,1,24589,'1989-12-16 03:44:24','1990-01-08 11:49:19'),(12021,'As for a description of the crucial development skills, it is clear that the unification of the market tendencies cannot rely only on an importance of the task analysis. ',21685,15905,1,14299,'1970-01-01 02:46:32','1970-01-01 03:10:37'),(12022,'Besides, elements of the essential component commits resources to the irrelevance of application. ',21688,24637,0,NULL,'2012-09-24 00:06:53','2012-09-24 00:07:05'),(12023,'To sort everything out, it is worth mentioning that the example of the optimization scenario commits resources to every contradiction between the critical thinking and the software functionality. ',26095,20739,0,NULL,'1970-01-01 00:10:15','1973-08-12

11:32:57'),(12024,'To straighten it out, the structure of the basic feature will possibly result in any transparent or analytical approach. ',23821,18185,0,NULL,'1999-07-25 17:11:53','2002-11-15 23:53:46'),(14297,'One should, nevertheless, consider that the accurate predictions of the systolic approach seems to be suitable for an importance of the market tendencies. ',19028,26914,1,14747,'1979-05-17 14:57:50','1979-05-17 21:18:00'),(14298,'Such tendency may absolutely originate from the product design and development.',23819,15906,1,32203,'1970-01-01 00:15:51','1972-12-10 07:25:30'),(14299,'By all means, an basic component of the point of the product functionality underlines the limitations of the conceptual design. ',21687,23020,1,32206,'1977-10-16 13:14:50','1979-02-22 11:09:36'),(14300,'lt should rather be regarded as an integral part of the product functionality.',23817,10270,1,24587,'1970-01-01 00:00:03','1970-04-23 23:15:42'),(14301,'By all means, the specific action result and growth opportunities of it are quite high.',19408,26912,0,NULL,'1998-03-12 02:44:02','1998-03-12 02:45:25'),(14302,'For a number of reasons, a surprising flexibility in with help of the structure absorption benefits from permanent interrelation with an importance of the product functionality. ',32334,24636,0,NULL,'1981-12-08 22:28:27','1985-11-04 05:24:17'),(14745,'It may reveal how the constructive criticism generally an initial attempt in development of the base configuration the proper subject of the operational system.',10501,18187,1,29933,'1995-02-23 05:02:02','1995-02-23 05:26:19'),(14746,'lt should be borne in mind that components of the point of the referential arguments reinforces the argument for the ultimate advantage of compliant project over alternate practices. ',30059,32767,1,14297,'1997-10-12 06:44:44','1997-10-12 06:45:14'),(14747,'The the condition of the task analysis gives less satisfactory results.',19409,32596,1,17023,'1971-09-08 11:50:34','1973-08-19 11:51:39'),(14748,'It may reveal how the design aspects highly the entire picture the predictable behavior. In any case, we can traditionally change the mechanism of the individual elements.',26095,20739,1,14298,'1979-01-24 18:42:18','1979-12-31 04:45:52'),(17022,'Eventually, a huge improvement of the mechanism becomes extremely important for what can be classified as the sources and influences of the market tendencies. ',21685,15905,1,14299,'1970-01-06 18:23:01','1970-08-21 19:30:04'),(17023,'In a similar manner, concentration of details of the functional programming the potential role models. Thus a complete understanding is missing.',32767,24634,0,NULL,'1992-05-31 22:05:19','1994-10-06 07:49:05'),(17024,'It should rather be regarded as an integral part of the development process.',10501,18187,1,29933,'1993-05-28 11:02:18','1993-05-28 11:04:32'),(17025, 'This can eventually cause certain issues.',26097,12548,1,26866, '1982-07-01 13:31:55', '1985-05-27 02:38:26'),(19950,'As a matter of fact, components of with the exception of the system mechanism has a long history of the development process. The implementation is quite a even matter. ',16748,30322,1,22227,'1970-01-01 01:06:49','1970-11-19 16:30:57'),(19951,'Let\'s not forget that a broad understanding of the skills leads us to a clear understanding of an initial attempt in development of the structure absorption. ',12776,32595,1,12020,'1970-01-06 04:13:37','1970-08-08 03:12:50'),(19952,'Frankly speaking, with the exception of the deep analysis can hardly be compared with the positive influence of any market tendencies. ',10499,18183,1,22228,'2006-07-06 04:06:59','2009-01-26 10:33:20'),(19953, 'The valuable information turns it into something uniquely real.',19026,20741,0,NULL,'1970-01-01 01:35:13','1970-01-02 16:02:14'),(21212,'Always a saviour on a tired day.',30726,10887,0,NULL,'1996-12-10 06:33:04','2000-10-13 03:04:23'),(21213,'Wow! Loved her voice!',14708,10892,1,20550,'1970-01-01 00:00:05','1970-03-21 04:10:09'),(21214, 'Youtube is the most popular video sharing webiste.',14708,10887,0,NULL,'1999-11-19 16:12:03','2000-11-11 23:35:49'),(22227,'For a number of reasons, the dominant cause of the internal policy should correlate with the system concepts.',19028,26914,1,14747,'1996-04-23 08:07:28','1997-11-25 05:39:44'),(22228,'Admitting that components of the capacity of the potentially developed techniques leads us to a clear understanding of the positive influence of any software engineering concepts and practices. ',10499,18183,1,22228,'1971-11-09 19:21:05','1971-11-09 19:21:59'),(22229,'There is no doubt, that Forest Sadler is the firs person who formulated that concentration of the framework of the systolic approach reinforces the argument for the irrelevance of advancement. ',19408,26912,1,19950,'1970-01-01 00:15:42','1970-05-24 12:08:33'),(22230,'To be quite frank, the structure of the internal resources can hardly be compared with the irrelevance of difference. ',10501,18187,1,29933,'2004-08-08 14:26:43','2006-05-17 04:03:52'),(22231,'Moreover, study of plain practices presents a threat for the preliminary action plan. ',21687,23020,1,32206,'1970-01-01 02:22:02','1970-01-01 02:22:05'),(24587,'It turns out that the accurate predictions of the formal review of opportunities leads us to a clear understanding of an initial attempt in development of the performance gaps. ',16750,15909,0,NULL,'1970-01-01 01:34:15','1970-01-01 01:35:26'),(24588,'As a matter of fact the point of the arguments and claims reveals the patterns of the existing network. The program functionality turns it into something exceedingly real. ',32332,30321,0,NULL,'2005-05-30 12:11:14','2005-05-30 13:03:59'),(24589,'To straighten it out, the understanding of

the great significance of the bilateral act differently the questionable thesis the production cycle and the irrelevance of interface. ',19027,10272,0,NULL,'1970-01-01 02:11:36','1973-06-16 04:23:01'),(24590,'In a word, the specific action result and growth opportunities of it are quite high. This seems to be a commonly obvious step towards the development methodology.',32767,24634,0,NULL,'2008-01-11 21:22:27','2008-01-11 21:25:37'),(26864,'From these facts, one may conclude that with help of the final phase is collectively considerable.',21685,15905,1,14299,'1970-01-01 18:10:58','1972-01-28 08:24:19'),(26865,'However, the advantage of the global management concepts needs to be processed together with the the critical thinking.',32333,23018,1,29929,'1973-02-25 13:25:11','1974-02-27 09:38:38'),(26866,'It is often said that any further consideration becomes a key factor of the preliminary action plan. ',21688,24637,0,NULL,'1981-11-17 16:43:31','1981-11-17 17:44:09'),(26867,'Thus, the raw draft of the comprehensive project management ensures integrity of every contradiction between the corporate competitiveness and the hardware maintenance. ',19026,20741,1,12022,'1970-01-01 16:17:37','1971-03-11 09:38:20'),(26868,'Doubtless, the pursuance of project architecture discards the principle of the share of corporate responsibilities or the existing network. ',19027,10272,1,32205,'1982-11-09 07:34:48','1985-08-17 19:08:33'),(29929,'However, elements of the development sequence cannot be developed under such circumstances. The system is quite a provisional matter.',32337,18189,1,14748,'1970-01-01 00:37:42','1972-09-05 08:08:55'),(29930,'Everyone understands what it takes to the continuing support. In any case, we can absolutely change the mechanism of the feedback system.',32334,24636,1,14300,'2013-11-16 19:22:49','2015-08-03 17:51:33'),(29931,'We must bear in mind that the point of the strategic decision the independent knowledge.',30063,12551,0,NULL,'1994-02-02 19:05:25','1996-09-01 19:32:48'),(29932, 'One cannot deny that the main source of the preliminary network design establishes sound conditions for the minor details of integration prospects. ',10501,18187,1,29933,'1999-09-22 16:42:17','1999-09-22 19:30:16'),(29933,'In a similar manner, core concept of the big impact provides a solid basis for what can be classified as the overall scores. ',32337,18189,0,NULL,'2002-06-02 16:45:47','2005-01-02 16:58:33'),(29934,'Keeping in mind that the participant evaluation sample reveals the patterns of the ultimate advantage of doubtful event over alternate practices. ',21687,23020,1,32206,'1984-05-24 03:19:42','1984-05-24 06:42:52'),(32203,'Frankly speaking, the lack of knowledge of general features of the integrated collection of software engineering standards is getting more complicated against the backdrop of the entire picture. ',19411,18188,1,24590,'2008-11-25 12:40:42','2010-01-30 12:30:57'),(32204,'In any case, we can absolutely change the mechanism of the influence on eventual productivity.',12778,18184,1,22229,'1983-07-09 15:49:20','1986-06-17 22:58:59'),(32205,'Surprisingly, the unification of the bilateral act has a long history of the key principles. ',32333,23018,0,NULL,'1983-08-30 17:01:27','1983-10-11 17:25:50'),(32206,'In any case, we can basically change the mechanism of the productivity boost. This could absolutely be a result of a draft analysis and prior decisions and early design solutions.',30063,12551,1,19953,'1970-01-01 00:37:42','1971-04-27 05:01:10'),(32207,'Up to a certain time, a huge improvement of the mechanism represents opportunities for an initial attempt in development of the network development. ',19410,20743,1,22230,'1971-08-10 06:59:36','1973-10-03 11:37:23'),(32208,'Under the assumption that the exceptional results of the continuing support seems to be suitable for the positive influence of any task analysis. ',32332,30321,0,NULL,'1996-05-12 16:36:08','1997-07-25 20:50:29'),(32767,'To be quite frank, the evaluation of reliability activities for any of the strategic planning can partly be used for the ultimate advantage of provisional perception over alternate practices. ',32332,30321,1,26864,'1970-01-01 04:51:04','1971-02-27 17:16:50');

```
UNLOCK TABLES;

/*!50003 SET @saved_cs_client = @@character_set_client */;

/*!50003 SET @saved_cs_results = @@character_set_results */;

/*!50003 SET @saved_col_connection = @@collation_connection */;

/*!50003 SET character_set_client = utf8 */;

/*!50003 SET character_set_results = utf8 */;

/*!50003 SET collation_connection = utf8_general_ci */;
```

/\*!40000 ALTER TABLE `comment` ENABLE KEYS \*/;

```
/*!50003 SET @saved_sql_mode = @@sql_mode */;
                            = 'NO_ENGINE_SUBSTITUTION' */;
/*!50003 SET sql_mode
DELIMITER;;
/*!50003 CREATE*/ /*!50017 DEFINER=`root`@`localhost`*/ /*!50003 TRIGGER
'videosharingdb'.'Comment BEFORE INSERT'
BEFORE INSERT ON 'comment' FOR EACH ROW
BEGIN
       if ((new.isreply) = 1 and isnull(new.parentcommentid)) or ((new.isreply) = 0 and (new.parentcommentid is not
null))
  then
              signal sqlstate '45000'
    set message_text = 'Inconsistent data! A reply need to have a valid parent comment id';
              -- set new.parentcommentid := NULL;
              -- set new.isreply := 0;
  end if;
END */;;
DELIMITER;
/*!50003 SET sql mode = @saved sql mode */;
/*!50003 SET character set client = @saved cs client */;
/*!50003 SET character_set_results = @saved_cs_results */;
/*!50003 SET collation connection = @saved col connection */;
/*!50003 SET @saved cs client = @@character set client */;
/*!50003 SET @saved cs results = @@character set results */;
/*!50003 SET @saved col_connection = @@collation_connection */;
/*!50003 SET character set client = utf8 */;
/*!50003 SET character_set_results = utf8 */;
/*!50003 SET collation connection = utf8 general ci */;
/*!50003 SET @saved sql mode = @@sql mode */;
/*!50003 SET sql mode = 'NO ENGINE SUBSTITUTION' */;
DELIMITER;;
```

```
/*!50003 CREATE*/ /*!50017 DEFINER=`root`@`localhost`*/ /*!50003 TRIGGER
'videosharingdb'.'Comment AFTER INSERT'
AFTER INSERT ON 'videosharingdb'.'comment'
FOR EACH ROW
BEGIN
       IF (SELECT COUNT(*) FROM VideoSpecCount WHERE VideoID = NEW.VideoID) = 1
       THEN
              UPDATE VideoSpecCount
              SET VideoCommentCount = (VideoCommentCount + 1)
              WHERE VideoSpecCount.VideoID = NEW.VideoID;
       ELSE
              INSERT INTO VideoSpecCount (VideoCommentCount, VideoID)
    VALUES(1, NEW.VideoID);
       END IF;
END */;;
DELIMITER;
/*!50003 SET sql mode
                       = @saved sql mode */;
/*!50003 SET character set client = @saved cs client */;
/*!50003 SET character_set_results = @saved_cs_results */;
/*!50003 SET collation_connection = @saved_col_connection */;
-- Table structure for table 'download'
DROP TABLE IF EXISTS 'download';
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'download' (
 `DownloadID` smallint(6) NOT NULL AUTO_INCREMENT,
```

```
`UserID` smallint(6) NOT NULL,
 'VideoID' smallint(6) NOT NULL,
 `CreateTime` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
 `ModifiedTime` datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 PRIMARY KEY ('DownloadID'),
 KEY `VideoID_FK_idx` (`VideoID`),
 KEY 'UserID FK idx' ('UserID'),
 CONSTRAINT `DownloadUserID FK` FOREIGN KEY (`UserID`) REFERENCES `member` (`MemberID`) ON DELETE NO
ACTION ON UPDATE NO ACTION,
 CONSTRAINT `DownloadVideoID FK` FOREIGN KEY ('VideoID') REFERENCES 'video' ('VideoID') ON DELETE NO ACTION
ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO_INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'download'
LOCK TABLES 'download' WRITE;
/*!40000 ALTER TABLE `download` DISABLE KEYS */;
INSERT INTO `download` VALUES (11111,12610,30321,'1970-01-01 01:32:26','1971-10-18
14:02:42'),(11342,12778,20742,'1994-02-12 13:40:49','1997-12-28 05:20:48'),(11343,10501,20739,'1989-08-07
19:54:25','1989-08-08 05:42:07'),(11344,32767,24637,'1984-03-14 19:33:08','1986-10-27
11:01:44'),(11345,21684,15909,'2010-04-19 03:33:00','2010-04-19 08:15:02'),(11346,23820,26915,'1970-01-01
00:00:47','1970-01-15 01:41:14'),(12222,14712,30321,'1982-03-02 09:48:53','1983-09-16
20:27:23'),(13620,19026,18184,'1970-01-01 00:14:50','1970-01-01 00:16:21'),(13621,32767,23018,'1973-07-08
19:38:39','1974-04-28 01:07:32'),(13622,32336,15909,'1993-03-09 08:22:35','1995-09-06
23:29:12'),(13623,19409,23020,'2013-12-10 07:34:56','2016-03-14 11:27:17'),(13624,23822,15911,'2005-09-05
17:54:38','2007-01-05 17:56:01'),(16006,12778,18182,'1970-01-01 00:00:02','1971-06-25
13:41:10'),(16007,26096,15908,'1990-08-02 03:44:31','1990-08-02 03:47:30'),(16008,12779,20742,'2016-07-21
12:36:17','2020-04-04 11:43:03'),(16009,26100,18185,'1970-01-01 08:10:18','1973-09-04
20:20:49'),(16010,30059,24635,'1970-01-01 00:47:52','1972-04-19 12:13:55'),(16011,19026,20743,'2006-11-19
03:10:57','2006-11-19 03:13:09'),(18284,26095,10270,'1970-01-01 01:40:44','1972-10-20
07:22:45'),(18285,19409,18188,'2014-01-22 11:53:16','2015-08-23 13:32:59'),(18286,32333,30321,'1970-01-01
21:43:23','1972-01-23 07:16:28'),(18287,26097,30323,'2011-04-25 19:52:29','2011-07-29
16:45:58'),(18288,32767,26913,'1995-10-07 12:27:00','1995-10-07 19:01:02'),(18289,21689,18185,'1970-01-01
00:12:31','1970-01-01 00:27:07'),(19803,32336,12551,'1997-03-14 10:30:51','1997-05-17
02:35:59'),(19804,21684,15907,'1999-05-31 16:52:32','1999-06-15 23:33:13'),(19805,10501,10271,'1990-05-09
```

```
18:52:53','1990-05-10 09:47:52'),(19806,19027,23020,'2011-04-27 03:28:18','2012-12-29
00:22:35'),(22080,32767,18185,'1970-01-01 20:07:17','1970-12-08 06:10:51'),(22081,30062,32597,'1970-01-01
05:02:50','1970-08-16 10:53:16'),(22082,23818,26913,'2010-10-24 21:07:05','2012-09-01
15:55:36'),(22083,23821,12548,'1986-07-27 02:18:57','1988-11-27 01:33:49'),(22084,19410,12551,'1986-01-06
20:01:19','1987-08-16 17:04:20'),(24219,21689,15908,'1970-01-01 00:00:51','1971-10-23
04:02:46'),(24220,19408,24638,'1994-09-21 11:29:52','1994-10-08 23:56:51'),(24221,21686,32596,'1971-01-10
18:06:39','1971-10-31 03:28:21'),(24222,19027,12550,'1971-04-05 03:20:09','1974-02-18
20:12:28'),(24223,10499,10271,'1980-07-06 04:18:34','1980-07-06 06:52:04'),(26496,23818,20742,'1970-01-02
02:33:52','1973-09-01 06:55:36'),(26497,10500,23016,'1970-01-01 00:01:13','1970-03-26
19:56:22'),(26498,16751,18185,'2000-10-31 11:42:26','2000-12-18 08:11:25'),(26499,30061,26913,'1970-01-01
00:00:02','1973-03-25 19:56:25'),(26500,30059,23017,'1970-01-01 00:00:40','1970-01-01
00:31:01'),(28365,21688,20740,'1970-01-01 00:00:35','1970-09-24 23:12:24'),(28366,19409,15905,'1970-01-01
00:00:08','1973-04-24 01:58:56'),(28367,26098,30322,'1997-03-10 23:14:19','1997-03-10
23:15:21'),(28368,19027,10273,'2011-02-16 08:56:32','2012-12-16 08:21:45'),(30639,32337,18183,'1991-09-04
17:44:04','1993-01-02 11:43:36'),(30640,12778,20740,'1970-01-01 03:12:12','1970-03-04
06:52:03'),(30641,23818,10274,'1970-09-12 01:51:20','1973-09-25 14:34:10'),(30642,10502,10272,'1970-01-04
02:51:50','1970-01-04 02:52:15'),(32767,19028,18184,'1970-01-01 00:00:22','1972-09-30 16:55:46');
/*!40000 ALTER TABLE `download` ENABLE KEYS */;
UNLOCK TABLES;
/*!50003 SET @saved_cs_client = @@character_set_client */;
/*!50003 SET @saved_cs_results = @@character_set_results */;
/*!50003 SET @saved col_connection = @@collation_connection */;
/*!50003 SET character_set_client = utf8 */;
/*!50003 SET character set results = utf8 */;
/*!50003 SET collation_connection = utf8_general_ci */;
/*!50003 SET @saved sql mode
                                = @@sql mode */;
/*!50003 SET sql mode
'STRICT TRANS TABLES,STRICT ALL TABLES,NO ZERO IN DATE,NO ZERO DATE,ALLOW INVALID DATES,ERROR FOR
DIVISION BY ZERO, TRADITIONAL, NO AUTO CREATE USER, NO ENGINE SUBSTITUTION 1 */;
DELIMITER;;
/*!50003 CREATE*/ /*!50017 DEFINER=`root`@`localhost`*/ /*!50003 TRIGGER
'videosharingdb'.'Download AFTER INSERT'
AFTER INSERT ON 'videosharingdb'.'download'
FOR EACH ROW
BEGIN
       IF (SELECT COUNT(*) FROM VideoSpecCount WHERE VideoID = NEW. VideoID) = 1
       THEN
```

UPDATE VideoSpecCount

```
LAST NAME: KOONANI
                                                                                       NUID: 001883043
       FIRST NAME: MENITA
              SET VideoDownloadCount = (VideoDownloadCount + 1)
               WHERE VideoSpecCount. VideoID = NEW. VideoID;
       ELSE
               INSERT INTO VideoSpecCount(VideoDownloadCount, VideoID) VALUES(1, NEW.VideoID);
       END IF;
END */;;
DELIMITER;
/*!50003 SET sql mode = @saved sql mode */;
/*!50003 SET character_set_client = @saved_cs_client */;
/*!50003 SET character_set_results = @saved_cs_results */;
/*!50003 SET collation_connection = @saved_col_connection */;
-- Table structure for table 'entitylike'
DROP TABLE IF EXISTS 'entitylike';
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'entitylike' (
 `EntityLikeID` smallint(6) NOT NULL AUTO_INCREMENT,
 'isDislike' tinyint(1) NOT NULL DEFAULT '0',
 'UserID' smallint(6) NOT NULL,
 `CreateTime` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
 `ModifiedTime` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
 'VideoID' smallint(6) DEFAULT NULL,
 `CommentID` smallint(6) DEFAULT NULL,
 PRIMARY KEY ('EntityLikeID'),
```

KEY `UserID\_FK\_idx` (`UserID`),

KEY 'VideoID FK idx' ('VideoID'),

```
KEY `Comment_FK_idx` (`CommentID`),

CONSTRAINT `LikeComment_FK` FOREIGN KEY (`CommentID`) REFERENCES `comment` (`CommentID`) ON DELETE NO
```

ACTION ON UPDATE NO ACTION,

CONSTRAINT `LikeUser\_FK` FOREIGN KEY (`UserID`) REFERENCES `member` (`MemberID`) ON DELETE NO ACTION ON UPDATE NO ACTION,

CONSTRAINT `LikeVideo\_FK` FOREIGN KEY (`VideoID`) REFERENCES `video` (`VideoID`) ON DELETE NO ACTION ON UPDATE NO ACTION

```
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table 'entitylike'
LOCK TABLES 'entitylike' WRITE;
/*!40000 ALTER TABLE `entitylike` DISABLE KEYS */;
INSERT INTO `entitylike` VALUES (10740,0,23818,'1999-08-19 22:03:53','2002-11-25
03:40:21',23017,12021),(10741,1,21686,'2007-10-06 15:43:51','2007-10-06
15:44:43',23019,24588),(10742,0,21686,'1989-01-24 18:30:43','1989-01-26
10:17:51',23019,24588),(10743,0,21684,'2011-05-16 05:45:29','2015-03-14
17:01:51',18182,17022),(10744,0,19026,'1970-01-09 07:53:10','1970-01-09
08:17:41',20741,12022),(13017,0,19410,'2000-07-07 07:23:35','2000-07-07
19:14:00',20743,22230),(13018,0,32335,'1970-01-01 00:10:51','1970-09-30
15:36:45',15907,19952),(13019,0,26100,'2009-01-11 01:00:55','2010-03-09
09:33:51',10274,32208),(13020,0,30059,'2016-04-06 05:15:36','2017-01-28
23:46:34',32767,14297),(13021,0,19409,'1970-01-01 23:29:56','1971-02-07
12:06:11',32596,17023),(13022,1,32334,'2017-06-12 19:38:26','2018-08-27
13:35:43',24636,14300),(16016,0,19411,'1970-01-01 00:12:27','1971-11-01
03:30:30',18188,24590),(16017,0,16749,'1970-12-27 09:43:20','1971-05-31
16:48:57',12549,24589),(16018,0,30062,'1970-01-01 02:07:28','1973-11-15
21:40:17',15908,26867),(16019,0,21688,'1970-01-01 00:00:06','1970-01-01
08:08:57',24637,12024),(18293,1,32334,'1980-06-08 12:44:47','1984-04-08
13:23:33',24636,14300),(18294,0,16749,'1970-01-09 13:59:56','1970-01-10
00:02:00',12549,24589),(18295,0,26097,'1970-01-01 00:09:56','1970-01-01
00:10:53',12548,26866),(18296,1,16749,'1970-01-01 01:29:15','1970-10-25
22:23:09',12549,24589),(18297,0,21688,'1970-01-01 00:00:30','1973-02-15
14:38:19',24637,12024),(19467,0,26100,'2006-07-12 05:44:21','2006-07-16
09:38:28',10274,32208),(19468,0,16750,'1970-01-01 00:02:02','1970-03-09
05:10:36',15909,14301),(19469,0,32335,'2006-05-25 16:01:55','2006-05-25
16:44:57',15907,19952),(21745,0,10502,'1970-01-01 00:04:23','1970-09-09
```

17:33:08',24638,22231),(21746,1,32337,'1970-01-01 00:03:24','1972-04-28

```
18:47:40',18189,14748),(21747,0,12776,'2009-05-05 06:33:47','2009-05-05
06:34:31',32595,12020),(24879,0,19407,'1970-01-01 15:59:10','1971-09-19
05:54:20',23016,14745),(24880,0,23817,'1977-06-11 11:54:11','1979-05-01
06:05:35',10270,24587),(24881,1,23821,'2010-03-12 01:37:13','2010-08-31
08:32:32',18185,29932),(24882,0,16749,'1989-03-29 13:50:33','1989-04-08
05:39:36',12549,24589),(24883,0,10502,'2004-08-29 16:53:55','2004-08-29
16:55:55',24638,22231),(24884,0,12776,'1980-01-04 00:04:42','1980-01-04
00:05:42',32595,12020),(27156,0,12779,'1976-05-08 17:41:54','1976-05-08
17:42:23',15910,32207),(27157,0,30063,'1970-01-01 00:00:01','1970-01-01
18:58:50',12551,19953),(27158,0,32334,'1997-04-20 05:53:03','1999-07-26
22:10:25',24636,14300),(27159,0,12776,'1970-01-01 00:14:43','1973-06-03
08:29:04',32595,12020),(27160,0,30062,'1970-01-01 16:40:56','1974-01-11
15:38:47',15908,26867),(27161,0,32334,'1996-11-19 19:00:11','1999-06-21
02:51:10',24636,14300),(27162,0,26099,'1970-01-01 00:01:01','1970-02-19
18:15:49',18186,12023),(29679,0,19409,'1998-07-08 05:20:31','2000-06-18
17:55:28',32596,17023),(29680,0,23818,'2000-07-25 07:29:59','2003-07-24
21:25:57',23017,12021),(29681,0,21687,'1970-01-08 14:46:41','1971-12-02
00:36:25',23020,32206),(29682,1,19409,'1994-10-16 17:53:50','1994-12-17
07:02:02',32596,17023),(29683,0,12776,'1970-01-01 00:00:09','1971-04-30
00:16:09',32595,12020),(30000,1,27922,'1989-05-10 11:21:23','1989-05-13
07:45:10',30321,30386),(30001,0,14711,'1974-10-01 18:48:58','1974-10-06
05:10:19',30321,22825),(30002,1,27922,'1977-06-24 16:19:28','1979-12-12
15:35:45',30321,12322),(30003,0,30723,'1990-11-09 06:40:30','1990-11-09
06:42:02',30321,10044),(30004,1,30726,'1970-01-01 00:02:12','1970-01-01
00:11:49',30321,30388),(31953,1,12776,'1970-01-01 00:05:18','1973-07-14
21:42:02',32595,12020),(31954,1,21685,'2011-12-21 14:52:54','2011-12-21
15:07:53',15905,14299),(31955,0,30061,'1970-01-01 03:38:58','1970-01-01
03:39:05',20742,29931),(31956,0,26096,'1972-08-13 20:25:05','1974-07-24
07:58:24',20740,26865),(31957,0,19027,'1992-07-30 12:08:00','1992-08-02
05:40:57',10272,32205),(32767,0,16748,'1973-01-13 05:52:21','1975-09-23 06:47:54',30322,22227);
/*!40000 ALTER TABLE `entitylike` ENABLE KEYS */;
UNLOCK TABLES;
/*!50003 SET @saved cs client = @@character set client */;
/*!50003 SET @saved cs results = @@character set results */;
/*!50003 SET @saved col connection = @@collation connection */;
/*!50003 SET character set client = utf8 */;
/*!50003 SET character set results = utf8 */;
/*!50003 SET collation connection = utf8 general ci */;
/*!50003 SET @saved_sql_mode
                                  = @@sql_mode */;
/*!50003 SET sql mode
'STRICT TRANS TABLES,STRICT ALL TABLES,NO ZERO IN DATE,NO ZERO DATE,ALLOW INVALID DATES,ERROR FOR
_DIVISION_BY_ZERO,TRADITIONAL,NO_AUTO_CREATE_USER,NO_ENGINE_SUBSTITUTION' */;
DELIMITER;;
```

```
/*!50003 CREATE*/ /*!50017 DEFINER=`root`@`localhost`*/ /*!50003 TRIGGER
'videosharingdb'.'EntityLike AFTER INSERT'
AFTER INSERT ON 'videosharingdb'.'entitylike'
FOR EACH ROW
BEGIN
       IF (SELECT COUNT(*) FROM VideoSpecCount WHERE VideoID = NEW.VideoID) = 1
  THEN
               IF (NEW.isDislike = 0)
    THEN
                      UPDATE VideoSpecCount
                      SET videolikecount = (videolikecount + 1)
                      WHERE VideoSpecCount.videoid = new.VideoID;
               ELSE
                      UPDATE VideoSpecCount
                      SET VideoDislikeCount = (VideoDislikeCount + 1)
                      WHERE VideoSpecCount.videoid = new.VideoID;
    END IF;
  ELSE
               IF(NEW.isDislike = 0)
    THEN
                      INSERT INTO VideoSpecCount(VideoLikeCount, VideoID)
      VALUES (1, NEW.VideoID);
               ELSE
                      INSERT INTO VideoSpecCount(VideoDislikeCount, VideoID)
      VALUES (1, NEW.VideoID);
    END IF;
  END IF;
END */;;
DELIMITER;
/*!50003 SET sql_mode
                            = @saved_sql_mode */;
```

```
/*!50003 SET character_set_client = @saved_cs_client */;
/*!50003 SET character_set_results = @saved_cs_results */;
/*!50003 SET collation_connection = @saved_col_connection */;
-- Table structure for table 'member'
DROP TABLE IF EXISTS 'member';
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `member` (
 'MemberID' smallint(6) NOT NULL AUTO INCREMENT,
 `FirstName` varchar(45) NOT NULL,
 `LastName` varchar(45) NOT NULL,
 `EmailID` varchar(255) NOT NULL,
 'BirthDate' date DEFAULT NULL,
 'Gender' char(1) DEFAULT NULL,
 'Phone' varchar(20) DEFAULT NULL,
 `Country` varchar(45) DEFAULT NULL,
 `CreateTime` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
 'ModifiedTime' datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 `MemberAuthID` smallint(6) NOT NULL,
 PRIMARY KEY ('MemberID'),
 UNIQUE KEY `MemberAuthID_UNIQUE` (`MemberAuthID`),
 KEY `MemberAuth_FK_idx` (`MemberAuthID`),
 CONSTRAINT `MemberAuth_FK` FOREIGN KEY (`MemberAuthID`) REFERENCES `memberauth` (`MemberAuthID`) ON
DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO_INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
```

```
-- Dumping data for table 'member'
LOCK TABLES 'member' WRITE;
/*!40000 ALTER TABLE `member` DISABLE KEYS */;
INSERT INTO `member` VALUES (10499, 'Coleman', 'Dias', 'Dias. Coleman@gmail.us', '1986-04-08', 'F', '(821) 906-
1034','NOR','1990-04-15 12:19:28','1991-01-23
00:41:43',20376),(10500,'Abby','Roman','Roman.Abby@hotmail.us','1989-06-26','M','(711) 628-0368','LTU','1993-05-09
22:58:11','1994-01-15 00:02:01',13828),(10501,'Zane','Varner','Varner.Zane@yahoo.com','1988-01-18','M','(109) 077-
6833'.'SVK'.'1992-01-24 11:58:46'.'1992-07-19
04:41:50',25562),(10502,'Noemi','Boyer','Boyer.Noemi@hotmail.com','1988-11-10','M','(365) 154-3461','JPN','1992-05-
07 05:04:04', '1993-02-23 15:18:46', 22652), (12776, 'Juliette', 'Adam', 'Adam. Juliette@hotmail.edu', '1987-01-02', 'F', '(315)
189-2779', 'ECU', '1990-11-04 11:35:15', '1991-07-03 07:07:14', 27841), (12777, 'Cleo', 'Oh', 'Oh. Cleo@yahoo.in', '1995-08-
11','M','(270) 697-8570','MRT','1999-05-22 15:34:32','2000-02-18
15:10:09',16605),(12778,'Marlon','Ohara','Ohara.Marlon@gmail.in','2000-12-03','M','(589) 822-8754','PRY','2004-07-27
22:11:51','2005-02-19 03:29:55',25560),(12779,'Tonita','Geary','Geary.Tonita@hotmail.us','1987-04-23','M','(449) 962-
3855','NZL','1990-10-06 12:49:00','1991-04-12
04:52:00',29443),(16748,'Charity','Ogle','Ogle.Charity@hotmail.edu','1991-10-29','M','(248) 380-0998','HRV','1995-07-13
03:48:47','1996-03-11 00:48:16',25564),(16749,'Anderson','Shinn','Shinn.Anderson@hotmail.com','1987-02-
10','M','(899) 313-1361','NPL','1990-11-15 03:15:49','1991-06-10
22:55:05'.27843),(16750,'Isaac','Larkin','Larkin.Isaac@yahoo.in','1947-04-10','M','(635) 916-6121','MWI','1950-12-16
07:04:33','1951-06-21 04:32:36',27839),(16751,'Clelia','Dickens','Dickens.Clelia@hotmail.com','1993-05-26','M','(671)
729-8435','QAT','1997-05-02 13:15:33','1997-10-01
18:39:31',18880),(19026,'Rhett','Rollins','Rollins.Rhett@hotmail.us','2001-12-10','F','(299) 223-5122','CAN','2005-05-11
02:26:01','2005-12-04 02:19:46',18882),(19027,'Dorothy','Romano','Romano.Dorothy@hotmail.in','1972-09-
03', 'M', '(536) 709-4408', 'POL', '1976-05-11 11:37:12', '1976-12-04
06:56:25',16604),(19028,'Cassie','Hensley','Hensley.Cassie@gmail.us','2004-04-28','F','(102) 772-0433','MEX','2008-02-
20 00:13:58','2008-09-10 06:59:53',22649),(19407,'Cathi','Boyce','Boyce.Cathi@gmail.in','1990-06-13','M','(194) 047-
3682', 'PRT', '1993-12-23 13:56:11', '1994-06-12 14:54:18', 27842), (19408, 'Leo', 'Large', 'Large. Leo@yahoo.edu', '1966-03-
29','F','(435) 539-5815','ARG','1969-12-09 09:32:08','1970-07-20
03:52:18',22648),(19409,'Zackary','Shifflett','Shifflett.Zackary@yahoo.in','1971-07-26','M','(312) 447-1805','BLZ','1975-
03-04 22:15:36','1975-08-24 16:40:20',18879),(19410,'Lou','Shipley','Shipley.Lou@yahoo.edu','2002-04-19','F','(723)
183-8436', 'GMB', '2006-03-14 21:20:39', '2006-11-27
16:40:03',22653),(19411,'Augustina','Henson','Henson.Augustina@hotmail.us','1994-10-08','M','(589) 269-
3565','ZMB','1998-05-22 08:31:54','1998-10-30
14:23:50',27840),(21684,'Kristel','Gavin','Gavin.Kristel@hotmail.edu','1948-01-06','F','(838) 239-8824','CAN','1951-05-21
23:34:21','1952-01-07 20:47:21',22654),(21685,'Devon','Vann','Vann.Devon@yahoo.edu','1990-12-05','F','(158) 100-
6866', 'MAR', '1994-07-20 01:12:42', '1995-03-19 15:03:50', 16602), (21686, 'Troy', 'Gay', 'Gay', 'Gay ahoo.org', '1994-02-
20','F','(688) 560-2098','SAU','1997-06-23 16:51:29','1998-02-11
05:39:45',22651),(21687,'Jonie','Boyd','Boyd.Jonie@yahoo.org','1998-12-01','F','(547) 568-7391','MWI','2002-12-04
23:04:35','2003-05-14 16:46:43',27837),(21688,'Herminia','Larose','Larose.Herminia@hotmail.com','1998-04-
19','F','(630) 897-1103','MAR','2001-12-22 15:44:41','2002-05-29
```

21:45:13',20371),(21689,'Manuel','Her','Her.Manuel@hotmail.org','1991-01-13','M','(663) 758-4388','THA','1994-07-13 04:52:48','1995-01-20 16:29:59',18881),(23817,'Morgan','Roller','Roller',Morgan@gmail.us','1996-12-09','F','(309) 165-

```
0782', 'PAK', '2000-06-09 07:35:25', '2001-01-10 09:30:01', 25565), (23818, 'Stewart', 'Lara', 'Lara. Stewart@gmail.us', '1948-
07-30', 'M', '(665) 625-0974', 'SVK', '1952-04-29 09:13:46', '1952-12-03
14:43:09',13829),(23819,'Lorriane','Vanover','Vanover.Lorriane@yahoo.us','1994-05-01','M','(706) 351-
6118', 'NAM', '1998-04-23 02:38:41', '1998-10-18 17:31:22', 11550), (23820, 'Leda', 'Dick', 'Dick.Leda@yahoo.com', '1959-07-
11','F','(594) 834-9231','DNK','1963-07-22 18:54:54','1964-01-09
09:26:02',31718),(23821,'Wallace','Henry','Henry.Wallace@yahoo.us','1966-05-14','M','(122) 777-5183','SVK','1970-01-
24 04:39:05','1970-08-18 01:30:16',22650),(23822,'Devin','Gee','Gee.Devin@hotmail.com','1994-01-31','M','(931) 132-
7025','PRT','1998-02-08 19:03:21','1998-10-13
14:19:53',20373),(26095,'Noah','Oglesby','Oglesby.Noah@hotmail.us','1990-12-04','M','(436) 013-4812','JPN','1994-05-
23 03:31:41','1995-01-01 18:25:38',11551),(26096,'Alec','Henning','Henning.Alec@yahoo.in','1995-08-01','M','(608) 453-
0840', 'ECU', '1999-06-08 14:32:21', '1999-12-27
09:25:32',25566),(26097,'Shantell','Gaylord','Gaylord.Shantell@hotmail.com','1987-01-28','F','(700) 601-
7300', 'PAN', '1990-11-25 07:32:53', '1991-04-26
12:15:40',27838),(26098,'Garfield','Shin','Shin.Garfield@gmail.com','1977-06-16','F','(872) 009-2669','UKR','1981-04-29
05:34:57','1981-12-28 01:58:15',25559),(26099,'Wilmer','Adams','Adams.Wilmer@hotmail.us','1987-04-25','M','(538)
475-7312','ITA','1991-01-08 01:31:46','1991-06-17
21:44:54',31717),(26100,'Lala','Varney','Varney,Lala@gmail.com','1997-07-22','M','(471) 116-5550','NOR','2001-02-21
04:28:10','2001-12-17 19:42:25',16603),(30059,'Towanda','Box','Box.Towanda@gmail.org','1999-02-22','M'.'(247) 692-
0370','LUX','2002-09-28 09:42:17','2003-06-11
10:10:28',20375),(30060,'Dante','Vanwinkle','Vanwinkle.Dante@gmail.in','2002-09-22','M','(756) 799-4547','UKR','2006-
06-20 10:13:32','2006-11-28 10:19:36',29444),(30061,'Chester','Varela','Varela.Chester@yahoo.us','1957-08-
19','M','(131) 829-4417','HRV','1960-12-07 22:46:04','1961-06-20
17:43:52',25563),(30062,'Ellis','Vargas','Vargas.Ellis@yahoo.in','1990-10-01','M','(196) 295-2580','PHL','1994-05-25
09:23:55','1995-01-16 02:08:44',29445),(30063,'Lenard','Larry','Larry.Lenard@hotmail.com','1981-08-25','M','(673) 976-
6573', 'PHL', '1985-06-12 03:53:14', '1985-12-06
15:22:57',11549),(32332,'Carli','Sherwood','Sherwood.Carli@yahoo.org','1994-04-28','F','(950) 880-6097','MAR','1997-
12-02 22:30:13','1998-08-19 01:21:18',25561),(32333,'Clarence','Shields','Shields.Clarence@gmail.edu','1947-01-
05','F','(367) 893-5415','ZMB','1951-02-03 19:55:33','1951-09-22
01:39:15',32767),(32334,'Leandro','Diaz','Diaz.Leandro@gmail.com','1975-09-19','M','(157) 443-9849','TUR','1979-05-31
16:51:19','1979-11-17 08:47:04',31716),(32335,'Tuan','Adame','Adame.Tuan@gmail.us','1988-11-26','M','(679) 977-
9382', 'EST', '1992-08-12 07:00:30', '1993-03-04
02:34:18',31719),(32336,'Holly','Shipman','Shipman.Holly@gmail.edu','1988-04-01','F','(164) 688-0619','CAN','1991-09-
30 05:59:34', '1992-05-18 21:31:00', 20374), (32337, 'Franklin', 'Larsen', 'Larsen. Franklin@hotmail.in', '1988-02-01', 'M', '(761)
863-3490', 'LTU', '1992-03-04 22:08:39', '1992-08-27 17:08:50', 13827), (32767, 'Lynn', 'Adair', 'Adair. Lynn@gmail.org', '1994-
06-18', 'M', '(593) 417-3938', 'ECU', '1998-06-08 08:41:39', '1998-11-22 21:59:43', 20372);
/*!40000 ALTER TABLE `member` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table 'memberauth'
DROP TABLE IF EXISTS 'memberauth';
```

/\*!40101 SET @saved cs client = @@character set client \*/;

```
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'memberauth' (
 `MemberAuthID` smallint(6) NOT NULL AUTO INCREMENT,
 `username` varchar(45) NOT NULL,
 'Password' varchar(45) NOT NULL,
 PRIMARY KEY ('MemberAuthID'),
 UNIQUE KEY 'username UNIQUE' ('username')
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table 'memberauth'
LOCK TABLES 'memberauth' WRITE;
/*!40000 ALTER TABLE `memberauth` DISABLE KEYS */;
INSERT INTO 'memberauth' VALUES
(11549, 'Candis481', '5N7X73'), (11550, 'Hoyle89', 'FB2510'), (11551, 'Hortencia4', '212E2I'), (13827, 'Stella1988', 'T4IN87'), (13
828, 'Greta3', '79997V'), (13829, 'Franchesca49', 'K8GV56'), (16602, 'Aline6', '6VJP9V'), (16603, 'Schuster1982', 'C2692C'), (1660
4,'Agripina2013','3XE279'),(16605,'Oliphant2024','5Q9JL1'),(18879,'Blackmon6','1W43JZ'),(18880,'Donnell1','3204X7'),(1
8881, 'Leatrice977', 'D3A8AU'), (18882, 'Carey1987', '9UNLGG'), (20371, 'Smalls6', 'JJQAS4'), (20372, 'Keva2008', '2PAU1D'), (20
373, 'Albert1983', 'T6XH97'), (20374, 'Malvina212', 'BX1IF0'), (20375, 'Teresita1963', 'Z96FE0'), (20376, 'Timmy919', 'Z6B2S2'), (
22648, 'Naranjo923', '46HC8L'), (22649, 'Brothers877', 'BLKWD1'), (22650, 'Jina93', 'G8QSSF'), (22651, 'Mcgill4', 'H8MGB5'), (22
652, 'Jarred2014', 'O7OB42'), (22653, 'Felicitas76', 'J7G0NI'), (22654, 'Bonner2010', 'P81N9I'), (25559, 'Rosalina2026', 'N866MX
'),(25560,'Bach2007','F68V4N'),(25561,'Louie1997','6QF11N'),(25562,'Giovanna2017','8Z1N1B'),(25563,'Parry36','9H3M
UO'),(25564,'Steffen1970','BN621Q'),(25565,'Nava2000','WP0OVU'),(25566,'Crystle78','0R34SK'),(27837,'Bliss36','76952
5'),(27838, 'Hung2019', 'HM92Z6'),(27839, 'Abraham199', 'E09696'),(27840, 'Priscilla1969', '34250V'),(27841, 'Borders546', '4
6WYNM'),(27842, 'Telma6', 'S6E8PA'),(27843, 'Seema1981', 'UVIRTX'),(29443, 'Delaine548', '1V1TQ2'),(29444, 'Omar12', '7D7
K91'),(29445, 'Sheldon849', '22F295'),(31716, 'Carmine1986', '74LF4E'),(31717, 'Abraham2021', 'SQ9846'),(31718, 'Bumgarn
er59', 'E4ELSW'), (31719, 'Melton1976', 'HWU5ZL'), (32767, 'Caroll2015', 'XO6W07');
/*!40000 ALTER TABLE `memberauth` ENABLE KEYS */;
UNLOCK TABLES;
```

<sup>--</sup> Table structure for table `notification`

--

```
DROP TABLE IF EXISTS 'notification';
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character set client = utf8 */;
CREATE TABLE 'notification' (
 `NotificationID` smallint(6) NOT NULL AUTO_INCREMENT,
 `NotifiedToUserID` smallint(6) NOT NULL,
 `NotifiedByUserID` smallint(6) NOT NULL,
 `CreateTime` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
 'ModifiedTime' datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 'isRead' tinyint(1) NOT NULL DEFAULT '0',
 PRIMARY KEY ('NotificationID'),
 KEY `NotifierUserID_FK_idx` (`NotifiedByUserID`),
 KEY `NotifiedToUserID FK idx` (`NotifiedToUserID`),
 CONSTRAINT `NotifiedToUserID_FK` FOREIGN KEY (`NotifiedToUserID`) REFERENCES `member` (`MemberID`) ON
DELETE NO ACTION ON UPDATE NO ACTION,
 CONSTRAINT `NotifierUserID FK` FOREIGN KEY (`NotifiedByUserID`) REFERENCES `member` (`MemberID`) ON DELETE
NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO_INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'notification'
LOCK TABLES `notification` WRITE;
/*!40000 ALTER TABLE `notification` DISABLE KEYS */;
INSERT INTO `notification` VALUES (10274,16749,16749,1979-02-04 06:33:12',1982-07-30
11:38:35',1),(10275,19408,19408,'1971-12-31 04:02:29','1972-08-18 05:23:23',1),(10276,16751,16751,'1970-01-01
01:19:09','1972-06-08 20:50:45',0),(10277,30062,30062,'1970-01-01 02:06:37','1971-05-22
```

08:05:58',1),(10278,26096,26096,'1978-09-09 17:23:37','1982-05-11 23:31:33',0),(12552,21686,21686,'2006-05-17

```
12:30:39','2006-12-21 04:24:33',0),(12553,21684,21684,'2006-06-22 16:00:26','2008-07-29
10:17:30',0),(12554,12779,12779,'1982-09-25 17:08:58','1985-01-17 18:01:41',0),(12555,23817,23817,'2011-01-28
03:29:33','2011-03-12 12:20:59',1),(12556,23822,23822,'1976-03-19 13:47:13','1977-03-08
02:23:00',1),(16801,32333,32333,'1986-08-12 10:04:45','1986-09-01 18:54:32',0),(16802,21684,21684,'2012-07-11
21:52:13','2012-11-10 07:31:40',0),(19079,30061,30061,'1971-12-28 16:35:17','1972-04-03
02:31:56',0),(19080,32333,32333,'2003-01-23 17:44:23','2004-03-01 22:56:04',0),(20774,26099,26099,'1970-01-01
00:00:28','1972-08-23 21:11:20',0),(20775,10500,10500,'1977-12-12 01:58:35','1978-01-12
12:00:55',0),(20776,21686,21686,'1978-05-23 04:41:03','1980-08-19 01:19:17',1),(20777,26098,26098,'1990-03-01
03:39:57','1991-02-06 20:26:30',0),(20778,21685,21685,'1976-07-27 05:56:54','1977-03-27
12:49:29',1),(23052,26099,26099,'2010-04-09 10:28:30','2010-10-28 19:48:06',1),(23053,26100,26100,'1970-01-01
00:34:51','1972-02-01 16:06:37',0),(23054,19026,19026,'1993-01-07 13:07:20','1994-03-31
18:01:16',1),(23055,19028,19028,'1976-01-10 21:06:28','1976-04-26 05:21:32',1),(23056,19410,19410,'1970-01-01
00:10:43','1972-11-03 16:28:05',1),(24008,26097,26097,'1970-01-01 00:03:37','1973-11-01
09:26:33',0),(24009,23821,23821,'2003-09-10 08:55:52','2004-09-09 16:58:20',1),(24010,32767,32767,'1970-01-01
00:00:08','1972-11-19 19:51:39',0),(24011,32332,32332,'1979-01-22 00:23:14','1981-06-15
22:36:42',1),(24012,30062,30062,'1983-08-03 20:43:01','1987-01-02 10:10:57',0),(26286,21685,21685,'2009-10-08
05:36:46','2012-07-25 00:46:49',1),(26287,21685,21685,'1982-12-30 05:47:40','1984-05-26
16:52:22',0),(26288,16751,16751,'1984-01-29 06:01:15','1984-03-08 14:42:19',0),(26289,21689,21689,'1970-01-01
01:25:13','1971-12-15 14:58:43',0),(26290,26096,26096,'1975-04-30 10:13:30','1977-07-06
11:28:55',1),(29663,10499,10499,'1974-11-21 14:28:08','1976-04-14 03:08:48',1),(29664,12777,12777,'2000-11-22
11:37:14','2002-11-11 04:39:05',1),(29665,30060,30060,'1987-11-17 23:02:19','1991-05-04
03:44:47',0),(29666,23819,23819,'1970-01-01 00:25:02','1972-03-19 08:25:44',0),(29667,16751,16751,'1970-01-01
01:19:39','1970-11-26 04:33:14',0),(29668,10499,10499,'1970-01-01 00:01:38','1973-03-25
09:58:21',0),(29669,30062,30062,'1970-03-14 07:42:33','1972-10-13 22:27:58',1),(31936,19411,19411,'1997-05-19
06:23:09','1997-06-18 08:47:44',1),(31937,19027,19027,'1971-09-18 12:24:35','1973-11-11
05:42:00',1),(31938,16749,16749,'1970-01-01 02:43:13','1972-01-30 22:26:11',1),(31939,23822,23822,'2013-06-07
10:24:00','2017-03-14 00:00:52',1),(31940,30063,30063,'1970-01-01 00:00:04','1970-02-20
06:49:24',0),(31941,32334,32334,'2012-01-02 09:30:12','2014-01-10 08:46:29',1),(31942,19410,19410,'1977-04-10
08:33:14','1980-06-28 03:37:59',0),(31943,23820,23820,'1970-01-01 03:12:39','1971-08-03
07:45:03',1),(32767,12778,12778,'1970-01-01 00:00:32','1972-03-15 23:00:58',1);
/*!40000 ALTER TABLE `notification` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `offlinevideo`
DROP TABLE IF EXISTS 'offlinevideo';
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character set client = utf8 */;
CREATE TABLE `offlinevideo` (
 `OfflineVideoID` smallint(6) NOT NULL AUTO_INCREMENT,
```

```
`VideoID` smallint(6) NOT NULL,
 'UserID' smallint(6) NOT NULL,
 PRIMARY KEY ('OfflineVideoID'),
 UNIQUE KEY 'Video User FK' ('UserID', 'VideoID'),
 KEY 'Video FK idx' ('VideoID'),
 KEY `User_FK_idx` (`UserID`),
 CONSTRAINT `OfflineUser FK` FOREIGN KEY (`UserID`) REFERENCES `member` (`MemberID`) ON DELETE NO ACTION
ON UPDATE NO ACTION,
 CONSTRAINT `OfflineVideo_FK` FOREIGN KEY (`VideoID`) REFERENCES `video` (`VideoID`) ON DELETE NO ACTION ON
UPDATE NO ACTION
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `offlinevideo`
LOCK TABLES 'offlinevideo' WRITE;
/*!40000 ALTER TABLE `offlinevideo` DISABLE KEYS */;
INSERT INTO 'offlinevideo' VALUES
(28112,18183,10499),(25835,30323,10500),(28460,18187,10501),(32767,24638,10502),(28461,32595,12776),(28459,26
913,12777),(30733,18184,12778),(30736,15910,12779),(22251,30322,16748),(22248,12549,16749),(15508,15909,1675
0),(30732,10273,16751),(12156,20741,19026),(17786,10272,19027),(30735,26914,19028),(12157,23016,19407),(15507,
26912,19408),(19971,32596,19409),(14435,20743,19410),(15509,18188,19411),(17783,18182,21684),(25836,15905,21
685),(12155,23019,21686),(28462,23020,21687),(28458,24637,21688),(30730,26915,21689),(12158,10270,23817),(307
34,23017,23818),(19973,15906,23819),(28113,32597,23820),(15510,18185,23821),(15506,15911,23822),(28457,20739,
26095),(14434,20740,26096),(30731,12548,26097),(17787,10271,26098),(15511,18186,26099),(25834,10274,26100),(2
2252,32767,30059),(22249,24635,30060),(17788,20742,30061),(25837,15908,30062),(17784,12551,30063),(28115,303
21,32332),(14433,23018,32333),(19972,24636,32334),(22250,15907,32335),(19974,12550,32336),(17785,18189,32337)
,(28114,24634,32767);
/*!40000 ALTER TABLE `offlinevideo` ENABLE KEYS */;
UNLOCK TABLES;
```

-- Table structure for table 'playlist'

--

```
DROP TABLE IF EXISTS 'playlist';
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'playlist' (
 'PlaylistID' smallint(6) NOT NULL AUTO INCREMENT,
 'PlaylistName' varchar(45) NOT NULL,
 'UserID' smallint(6) NOT NULL,
 PRIMARY KEY ('PlaylistID'),
 KEY `PlaylistUser_FK_idx` (`UserID`),
 CONSTRAINT 'PlaylistUser FK' FOREIGN KEY ('UserID') REFERENCES 'member' ('MemberID') ON DELETE NO ACTION
ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'playlist'
LOCK TABLES 'playlist' WRITE;
/*!40000 ALTER TABLE `playlist` DISABLE KEYS */;
```

INSERT INTO 'playlist' VALUES

(11163, 'BrightTurquoise', 10499), (11164, 'AmericanRose', 26098), (11165, 'DarkOrange', 10500), (11166, 'VividCerise', 26100), (11167, 'PaleGold', 30062), (13441, 'MeatBrown', 21685), (13442, 'CaribbeanGreen', 19407), (13443, 'RoseVale', 26097), (13444, 'DarkCandyAppleRed', 19407), (16718, 'NorthTexasGreen', 32337), (16719, 'Gamboge', 19027), (16720, 'RosePink', 21689), (16721, 'Daffodil', 30060), (16722, 'Gray', 16748), (16723, 'RifleGreen', 26097), (18995, 'DarkTurquoise', 10499), (18996, 'NorthTexasGreen', 19409), (18997, 'HanPurple', 32337), (18998, 'PurplePizzazz', 10501), (18999, 'LemonYellow', 19028), (19000, 'Liver', 16748), (19927, 'LightKhaki', 30059), (19928, 'VioletBlue', 26099), (19929, 'Chartreuse', 12777), (19930, 'OceanBoatBlue', 12776), (19931, 'SlateBlue', 32333), (22205, 'BrilliantRose', 21685), (22206, 'FireEngineRed', 26095), (22207, 'TrueBlue', 32337), (22208, 'PaleLavender', 26097), (25249, 'BrightLavender', 21688), (25250, 'PrussianBlue', 23818), (25251, 'MediumCandyAppleRed', 23820), (25252, 'YellowOrange', 21685), (27526, 'HarvardCrimson', 26098), (27527, 'NavyBlue', 16751), (27528, 'DollarBill', 23822), (27529, 'BrightGreen', 32337), (29261, 'SpringGreen', 23820), (29262, 'Peach', 23818), (29263, 'Jasper', 21689), (29264, 'CerisePink', 32333), (29265, 'HunterGreen', 32337), (31534, 'OliveGreen', 21685), (31535, 'BrightPink', 32336), (31536, 'PearlAqua', 26098), (31537, 'DarkChestnut', 19027), (31538, 'DeepSkyBlue', 10499), (31539, 'FrenchBeige', 21686), (32767, 'Bistre', 21688);

```
/*!40000 ALTER TABLE `playlist` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table 'playlistvideo'
DROP TABLE IF EXISTS 'playlistvideo';
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'playlistvideo' (
 'PlaylistVideoID' smallint(6) NOT NULL AUTO INCREMENT,
 'VideoID' smallint(6) NOT NULL,
 `Priority` tinyint(4) NOT NULL,
 'PlaylistID' smallint(6) NOT NULL,
 PRIMARY KEY ('PlaylistVideoID'),
 UNIQUE KEY 'Playlist_Video_Comp' ('VideoID', 'PlaylistID'),
 KEY 'PlayVideo_FK_idx' ('VideoID'),
 KEY `Playlist_FK_idx` (`PlaylistID`),
 CONSTRAINT `PlayVideo FK` FOREIGN KEY (`VideoID`) REFERENCES `video` (`VideoID`) ON DELETE NO ACTION ON
UPDATE NO ACTION,
 CONSTRAINT 'Playlist FK' FOREIGN KEY ('PlaylistID') REFERENCES 'playlist' ('PlaylistID') ON DELETE NO ACTION ON
UPDATE NO ACTION
) ENGINE=InnoDB AUTO_INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'playlistvideo'
```

```
LOCK TABLES 'playlistvideo' WRITE;
/*!40000 ALTER TABLE `playlistvideo` DISABLE KEYS */;
INSERT INTO 'playlistvideo' VALUES
(12045,24635,0,16719),(12046,18184,0,25251),(12047,26914,0,18999),(12048,32767,0,27526),(14323,10273,0,19000),(12046,18184,0,25251),(12047,26914,0,18999),(12048,32767,0,27526),(14323,10273,0,19000),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,32767,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,27526),(12048,3276,0,2756),(12048,3276,0,2756),(12048,3276,0,2756),(12048,3276,0,2756),(12048,3276,0,2756),(12048,3276,0,2756),(12048,3276,0,2756),(12048,3276,0,2756),(12048,3276,0,2756),(12048,3
14324,20741,0,13443),(14325,20743,0,31536),(15915,10274,0,11167),(15916,18183,0,19929),(15917,15905,0,32767),(1
5918,20742,0,19930),(18192,24638,0,31539),(18193,24637,0,19931),(18194,10271,0,29261),(18195,15910,0,31537),(18
196,18186,0,13444),(19335,20739,0,16718),(19336,15911,0,31538),(19337,32595,0,22205),(19338,32597,0,27528),(193
39,23016,0,25249),(19340,24634,0,19927),(19341,15908,0,29262),(21612,26915,0,16723),(21613,12549,0,16720),(2161
4,12551,0,29265),(21615,30323,0,18997),(21616,24636,0,25250),(21617,18185,0,18998),(21618,23020,0,27529),(21619
,12550,0,16722),(23879,23018,0,11165),(23880,15909,0,29263),(23881,18187,0,16721),(23882,18188,0,29264),(23883,
30322,0,19928),(23884,10270,0,22206),(26156,12548,0,22207),(26157,18189,0,25252),(26158,26913,0,27527),(26159,2
0740,0,11164),(26160,15906,0,11166),(26161,30321,0,18995),(29792,26912,0,13442),(29793,23017,0,13441),(29794,15
907,0,31535),(32065,23019,0,18996),(32066,32596,0,31534),(32067,10272,0,22208),(32767,18182,0,11163);
/*!40000 ALTER TABLE `playlistvideo` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `searchhistory`
DROP TABLE IF EXISTS 'searchhistory';
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character set client = utf8 */;
CREATE TABLE `searchhistory` (
  `SearchHistoryID` smallint(6) NOT NULL AUTO_INCREMENT,
  'SearchContent' varchar(200) NOT NULL,
  'CreateTime' datetime NOT NULL,
  'UserID' smallint(6) NOT NULL,
  PRIMARY KEY ('SearchHistoryID'),
  KEY 'User FK idx' ('UserID'),
  CONSTRAINT `SearchHistoryUser FK` FOREIGN KEY (`UserID`) REFERENCES `member` (`MemberID`) ON DELETE NO
ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO_INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character set client = @saved cs client */;
```

```
-- Dumping data for table 'searchhistory'
LOCK TABLES `searchhistory` WRITE;
/*!40000 ALTER TABLE `searchhistory` DISABLE KEYS */;
INSERT INTO `searchhistory` VALUES (11249, 'Ault', '1994-02-10 21:26:46', 23817), (11250, 'Kalona', '1990-11-19
01:32:26',23821),(11251,'Wentworth','1970-01-01 00:00:39',19026),(13527,'Grand Lake Stream','1979-08-23
11:48:51',19026),(13528,'Bonners Ferry','1970-01-01 00:41:02',26098),(13529,'Knightdale','2008-03-24
18:36:56',16749),(14869,'Grimes','1978-02-28 01:56:03',19408),(14870,'Gayville','1997-12-24
08:00:51',23820),(14871,'Kulm','2005-09-30 16:49:51',32335),(14872,'Somonauk','1974-10-27
14:40:21',16749),(14873,'Bozrah','2013-01-17 14:45:39',32336),(17147,'Frenchtown','1988-07-11
00:46:55',19411),(17148,'Bartelso','1970-01-01 10:23:53',21685),(17149,'Leopold','2017-07-09
16:50:43',10499),(17150,'Pacific Palisades','1980-07-22 11:53:28',26097),(20651,'Trimble','1972-10-13
12:10:22',16751),(20652,'Mc Arthur','1990-10-25 10:53:18',10499),(20653,'Perkinston','2005-10-29
21:30:33',12777),(20654,'Millersville','1996-10-09 12:50:00',32333),(20655,'South Padre Island','1970-01-01
00:10:48',19408),(20656,'Athens','1970-01-08 02:00:54',26097),(22928,'Pottersville','2003-01-09
02:03:52',10501),(22929,'Lake Dallas','1990-04-07 23:23:57',21685),(22930,'St Bonifacius','1970-01-02
20:01:08',19027),(22931,'Rockmart','1984-04-28 08:11:10',30061),(22932,'Mantua','1978-08-16
13:56:21',10501),(22933,'Forrest City','1971-01-25 16:37:57',23819),(23829,'Tabor','1970-01-07
07:51:53',19028),(23830,'Ossining','1986-02-25 16:14:34',32336),(23831,'Sutherland','1995-04-15
18:45:03',30063),(23832,'Pleasantville','1970-01-01 01:13:24',30060),(23833,'Robbinston','1985-11-19
13:26:06',26100),(23834,'Alexandria','2004-11-05 05:16:41',12777),(26106,'Warrenville','1995-05-01
01:34:29',30061),(26107,'Nespelem','2005-12-26 10:29:13',19409),(26108,'Glenshaw','1982-12-11
19:20:12',26098),(26109,'Hicksville','1970-01-01 00:10:27',19408),(26110,'Bronaugh','1970-01-01
15:14:28',21686),(26111,'Mc Connellsville','1970-01-01 06:17:16',12777),(26112,'Southold','1970-01-01
00:00:06',19407),(29506,'Benicia','1978-12-13 23:14:28',19407),(29507,'Edgartown','2004-08-28
06:33:16',21689),(29508,'Ancramdale','1970-01-01 04:55:11',19411),(29509,'Coon Valley','2011-07-30
22:36:16',19408),(29510,'Griffith','2009-03-30 01:25:57',23818),(31780,'Reinholds','1970-01-03
19:10:21',23821),(31781,'Charleston','2014-12-24 14:37:07',26099),(31782,'Craryville','1977-09-03
16:18:39',21688),(31783,'Crystal River','1994-06-22 20:39:36',12777),(32767,'Colstrip','1995-02-28 01:58:11',30060);
/*!40000 ALTER TABLE `searchhistory` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table 'subscriber'
```

DROP TABLE IF EXISTS 'subscriber';

```
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `subscriber` (
 `SubscriberID` smallint(6) NOT NULL AUTO INCREMENT,
 `UserID` smallint(6) NOT NULL,
 `ChannelID` smallint(6) NOT NULL,
 'CreateTime' datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 `ModifiedTime` datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 PRIMARY KEY ('SubscriberID'),
 UNIQUE KEY 'User_Channel_comp' ('ChannelID', 'UserID'),
 KEY 'Channel FK idx' ('ChannelID'),
 KEY 'User FK idx' ('UserID'),
 CONSTRAINT `SubscriberChannel FK` FOREIGN KEY (`ChannelID`) REFERENCES `channel` (`ChannelID`) ON DELETE NO
ACTION ON UPDATE NO ACTION,
 CONSTRAINT `SubscriberUser FK` FOREIGN KEY ('UserID') REFERENCES `member' ('MemberID') ON DELETE NO ACTION
ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table 'subscriber'
LOCK TABLES 'subscriber' WRITE;
/*!40000 ALTER TABLE `subscriber` DISABLE KEYS */;
INSERT INTO 'subscriber' VALUES (10515,19409,25279,'1981-08-18 23:06:30','1982-08-28
08:41:04'),(10516,30060,13882,'2015-08-24 07:12:13','2017-03-13 19:11:57'),(10517,23818,22673,'2017-04-06
02:49:31','2018-01-27 15:45:19'),(10518,23819,16833,'1970-08-07 16:10:20','1973-08-20
06:40:32'),(10519,16748,29081,'1970-01-01 00:15:03','1973-04-29 09:03:48'),(12793,19408,27555,'1970-01-04
22:34:02','1970-09-15 12:13:20'),(12794,32333,25278,'1970-01-01 00:01:04','1971-07-20
21:36:58'),(12795,19407,11603,'1977-09-25 19:26:28','1981-04-06 16:42:51'),(12796,32767,20395,'1970-01-07
07:33:26','1972-06-27 08:25:35'),(12797,19407,16832,'1970-01-01 00:00:06','1971-12-03
03:44:06'),(15738,32333,13881,'1997-03-06 07:35:58','1999-09-15 17:50:30'),(15739,32334,16834,'1982-08-25
13:22:59','1983-12-16 11:37:04'),(15740,26098,31355,'1978-09-20 14:13:37','1982-04-17
```

```
21:02:00'),(15741,16748,11603,'1970-01-01 16:49:58','1971-04-14 07:48:04'),(18015,21686,16833,'1970-01-01
00:00:06','1972-09-05 21:46:10'),(18016,26096,32767,'1991-11-28 11:15:25','1994-04-14
09:31:57'),(18017,32332,20395,'1987-02-28 09:18:05','1987-11-19 01:55:52'),(18018,21684,11602,'1970-01-01
00:11:43','1973-09-07 03:50:03'),(19482,21686,11604,'1996-11-21 22:01:43','1997-05-15
05:11:21'),(19483,23819,20396,'2003-06-02 06:00:29','2006-10-12 01:43:26'),(19484,23817,29081,'1970-01-01
02:42:38','1972-05-28 08:15:09'),(19485,12776,16832,'2006-02-01 08:41:26','2007-04-18
19:53:37'),(19486,23820,14557,'1975-01-10 17:55:06','1976-05-06 21:55:01'),(19487,21685,27555,'1970-01-05
18:09:04','1970-09-18 17:24:06'),(21760,16749,14558,'2008-03-24 21:54:20','2009-10-04
09:47:44'),(21761,19408,25278,'1993-06-28 12:53:08','1994-02-02 05:54:21'),(21762,12777,14556,'1996-10-03
20:02:58','2000-02-02 04:17:34'),(21763,10500,22674,'1970-01-01 00:24:54','1971-09-29
11:38:19'),(21764,10499,13881,'1992-08-01 10:27:51','1993-01-19 13:59:16'),(21765,21685,32767,'2001-10-04
23:27:00','2004-05-21 01:53:01'),(24038,19026,27556,'1970-01-01 00:01:35','1970-12-26
19:08:22'),(24039,26097,27557,'1970-01-01 01:48:14','1970-07-26 18:45:15'),(24040,12778,25280,'1980-10-21
03:13:37','1982-05-10 20:01:26'),(24041,12776,13880,'1974-10-14 22:06:23','1976-04-17
18:24:16'),(26316,19409,11604,'1971-05-11 18:37:47','1973-08-27 04:03:14'),(26317,10499,27556,'1970-01-01
12:54:02','1972-06-02 06:50:04'),(26318,26095,25277,'2006-05-23 10:10:34','2007-08-22
22:40:46'),(26319,23817,25277,'1970-10-16 21:11:32','1971-10-31 09:18:27'),(28918,12777,13882,'1970-01-01
00:11:49','1974-01-23 21:29:26'),(28919,19026,20396,'1970-12-06 22:14:32','1972-03-23
07:14:40'),(28920,23818,14555,'1994-06-10 07:37:26','1997-06-06 14:28:46'),(28921,26096,22673,'1996-02-28
09:09:41','1996-12-16 00:14:42'),(28922,32332,13879,'1992-02-01 10:16:46','1994-06-30
06:13:07'),(31191,21684,13880,'1999-07-30 13:15:29','2000-02-24 22:22:24'),(31192,30060,25279,'1973-08-31
10:41:09','1975-05-12 10:39:15'),(31193,19027,20397,'1981-03-04 11:16:59','1984-05-07
22:10:05'),(31194,30059,13879,'1979-04-25 11:13:47','1982-09-20 10:41:18'),(31195,30061,16835,'1971-11-22
04:27:51','1973-10-02 11:26:37'),(31196,30059,11602,'1970-01-12 00:32:00','1971-03-03
21:21:19'),(32767,26095,14555,'2001-02-24 22:38:11','2001-11-16 16:51:42');
/*!40000 ALTER TABLE `subscriber` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table 'thumbnailimage'
DROP TABLE IF EXISTS 'thumbnailimage';
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'thumbnailimage' (
 `ThumbnailImageID` smallint(6) NOT NULL AUTO INCREMENT,
 `ThumbnailUrl` varchar(45) DEFAULT NULL,
 `ThumbnailName` varchar(45) DEFAULT NULL,
```

'CreateTime' datetime NOT NULL DEFAULT CURRENT TIMESTAMP,

```
`ModifiedTime` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
 PRIMARY KEY ('ThumbnailImageID')
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table 'thumbnailimage'
LOCK TABLES 'thumbnailimage' WRITE;
/*!40000 ALTER TABLE `thumbnailimage` DISABLE KEYS */;
INSERT INTO `thumbnailimage` VALUES (11393, 'B9K547B4', 'NP8PG617', '1970-01-01 19:51:13', '1970-10-26
06:21:57'),(11394,'08HWF31V','8FYGX706','1983-03-15 19:20:17','1984-09-16
02:23:00'),(11395,'9985AL38','CX942H1C','1996-03-23 04:12:04','1998-02-19
06:22:33'),(11396,'V1D97FD2','P3YI73D3','1986-04-01 12:15:15','1989-09-17
07:20:49'),(11397,'402BXE85','T6JHH5EL','1976-07-18 12:47:30','1978-12-10
18:34:39'),(11398,'55J487JS','N37HT2F2','1970-01-01 01:02:08','1970-06-30
09:46:26'),(13671,'0N68LS0Q','7S5H6633','1985-04-18 09:35:27','1985-08-15
19:17:27'),(13672,'82A065V2','HM76I4DB','2013-08-08 01:42:25','2015-01-05
19:16:44'),(13673,'5576VKOY','J1R25840','1970-01-01 10:13:07','1972-10-03
23:10:34'),(13674,'WU5SJZ39','A76LR0H3','1973-07-21 13:31:38','1975-06-22
18:44:39'),(13675,'T12Z8CFO','BF1WVWU5','2011-11-24 20:53:57','2014-07-30
02:26:29'),(14869,'VM2QDBNU','6FL05WJ0','2007-09-24 20:49:41','2011-10-19
05:32:46'),(14870,'58338XGQ','AXLQ6P51','1970-01-01 16:42:20','1970-08-15
01:00:38'),(14871,'29C63V27','4536PI0X','1986-10-18 07:24:23','1989-06-05
04:07:04'),(14872,'OM3LSM45','5ZG59ZOE','1970-01-01 00:12:23','1971-05-12
15:16:11'),(17147, 'PM77138K', '24C1AJX6', '2013-06-24 08:43:13', '2013-10-26
02:37:41'),(17148,'J82H1U77','89C8MJFX','1970-01-01 00:00:08','1972-11-05
04:34:58'),(17149,'92LEE7D6','29Q622I5','1970-01-01 00:21:36','1970-09-05
20:49:40'),(19724,'327A3356','9B8HF7P3','1970-01-01 02:29:04','1971-06-23
01:35:11'),(19725,'482I30EV','Y728K90Q','1970-01-01 02:43:54','1971-06-23
18:30:47'),(19726, 'B5TD7HG8', '75V658NI', '1985-08-13 04:32:44', '1986-04-17
01:01:29'),(19727,'94YCYZKN','LA05671Q','1973-05-02 23:58:33','1975-04-25
05:33:06'),(22001, 'P3MZ02C8', 'WA83Y222', '2006-03-03 22:38:37', '2006-07-04
07:11:32'),(22002,'63CJVSU0','05LP30F3','2009-11-17 14:26:39','2011-04-29
12:58:25'),(22003,'P0P44Y88','TYZ7TUN1','1970-01-03 09:29:57','1972-05-27
15:17:06'),(22004,'MA78ERRH','Q9717OX0','1984-10-13 04:08:00','1985-10-21
11:45:40'),(22005,'N8OT05L4','2N13JM8O','1970-01-01 00:01:19','1970-05-13
10:20:42'),(23912,'J5RP647L','OMCH40N5','1973-03-17 17:42:02','1973-10-13
02:32:01'),(23913,'2ZF1N003','62H5057P','1970-01-02 03:39:26','1970-12-21
20:17:06'),(23914,'8A561HGQ','R241RO72','1998-02-17 09:54:22','2001-11-27
20:01:09'),(23915,'3F488BEX','9G48D0F5','1993-11-28 21:54:19','1995-10-31
16:58:25'),(23916,'89709RP3','U7QS4P4P','2014-05-20 16:36:01','2017-12-03
```

```
02:25:44'),(23917,'9370P3N6','S3TSI9WA','1974-06-01 04:38:43','1977-02-28
02:04:28'),(26190,'Z8366NN7','ZER008C9','1970-01-01 00:02:33','1971-04-21
14:44:49'),(26191,'66H95X6I','EC3559XH','1976-07-19 00:55:18','1977-02-17
01:16:59'),(26192,'4L7V0R17','GV9LIL6Z','2017-07-26 14:21:57','2021-08-21
12:05:27'),(26193,'E62BE0C9','27A6NT3Z','1970-01-01 03:14:50','1971-01-15
05:35:28'),(26194,'883CF7V2','833E49UR','2000-07-19 16:46:02','2004-07-28
18:41:35'),(29445,'OB1NA62M','895B6982','1999-01-20 17:38:42','1999-10-09
07:58:38'),(29446,'05ZK3G4G','DFZ1JIKX','1970-01-01 01:10:03','1972-11-21
05:13:11'),(29447,'0383B012','7Q6J2XK9','1971-09-14 12:33:04','1973-05-01
19:09:47'),(29448,'I682K7R6','Z31B665S','1970-01-01 00:00:06','1973-06-13
18:12:26'),(29449, '8R92M608', 'E2V1L670', '1970-01-01 00:00:09', '1972-08-22
12:14:31'),(29450,'70KC3A2F','090A6R9X','1994-08-06 09:29:21','1998-03-03
03:15:41'),(31719,'2FD53R9Z','F3AVT173','1987-02-11 20:55:47','1990-07-27
00:29:40'),(31720,'LTUK63B8','762U4V9W','2001-02-09 11:55:14','2003-07-08
03:10:29'),(31721,'328IZ2YS','ALH8EYO3','1993-07-19 21:03:21','1996-04-04
17:51:43'),(31722,'V16XSEZ7','2M40SY37','2008-04-08 02:06:03','2010-08-10
07:31:40'),(31723,'ON1H994U','WL302433','2015-10-14 21:00:19','2019-10-15
01:34:39'),(32767,'JH531FQ1','3Y8F2KZ0','1988-06-13 14:56:37','1988-11-24 07:31:50');
/*!40000 ALTER TABLE `thumbnailimage` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table 'video'
DROP TABLE IF EXISTS 'video';
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character set client = utf8 */;
CREATE TABLE 'video' (
 'VideoID' smallint(6) NOT NULL AUTO INCREMENT,
 'VideoTitle' varchar(100) NOT NULL,
 'VideoDesc' varchar(200) DEFAULT NULL,
 'VideoUrl' varchar(45) NOT NULL,
 'VideoSize' int(11) NOT NULL,
 `FileType` varchar(45) NOT NULL,
 `CreateTime` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
 `ModifiedTime` datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
```

```
`PostedByUserID` smallint(6) NOT NULL,
 `ThumbnailID` smallint(6) DEFAULT NULL,
 'VideoScope' varchar(45) NOT NULL DEFAULT 'PUBLIC',
 'VideoPath' varchar(100) NOT NULL,
 PRIMARY KEY ('VideoID'),
 UNIQUE KEY 'VideoUrl_UNIQUE' ('VideoUrl'),
 KEY 'User Video FK idx' ('PostedByUserID'),
 KEY 'ThumbnailID FK idx' ('ThumbnailID'),
 CONSTRAINT 'ThumbnailID FK' FOREIGN KEY ('ThumbnailID') REFERENCES 'thumbnailimage' ('ThumbnailImageID') ON
DELETE NO ACTION ON UPDATE NO ACTION,
 CONSTRAINT 'User Video FK' FOREIGN KEY ('PostedByUserID') REFERENCES 'member' ('MemberID') ON UPDATE NO
ACTION
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'video'
LOCK TABLES 'video' WRITE;
/*!40000 ALTER TABLE `video` DISABLE KEYS */;
INSERT INTO 'video' VALUES (10270, 'Rio Rancho', 'On the one hand it can be said that the dominant cause of the big
impact should correlate with the ultimate advantage of revolutionary broadband over alternate practices.
','Woddow10270',1267811870,'cproj','1977-05-23 15:21:14','1978-05-07
of the technical terms. ','Sinn10271',1468564983,'xaml','1970-01-01 00:00:09','1971-01-17
```

22:13:06',10501,11397,'GROUP','https://metumu.erasteaand.za/eaalea/ing/ome/orithenin.txt'),(10271,'Burlingame','Le t\'s consider, that an basic component of impact of the sufficient amount focuses our attention on the proper difference

20:44:52',19408,13672, 'PRIVATE', 'https://hikowe.andested.jp/terteoul/esthis/orhistion.xls'), (10272, 'Tryon', 'Rememberi ng that violations of the essence what is conventionally known as flexible production planning general tendency of any static or efficient approach. ','Horperath10272',45760270,'ppt','1993-01-22 23:06:41','1994-07-11

06:41:06',23822,13675, 'PRIVATE', 'https://mole.waingwitst.org/ing/ed/wayoune/hadwavehe.txt'), (10273, 'Tunbridge', 'In any case, we can rigorously change the mechanism of the more system concepts of the program

functionality.','Tutow10273',1374355589,'php','1989-09-30 16:03:40','1992-11-03

12:27:15',16751,31723,'HIDDEN','http://washenionent.cy/ndherhad/neingme/eshaal/ereleherwit.pdf'),(10274,'Rustbur g','It is obvious, that the total volume of the basic feature discards the principle of the key principles. This could primarily be a result of a consequential risks.', 'Cochem10274', 307609699, 'htm', '1999-02-05 00:50:09', '2000-01-24 17:27:49',26096,11394, 'PUBLIC', 'http://erartonot.br/hataren/but/then/reseyouit.doc'),(12548, 'Wittenberg', 'As a matter of fact, a surprising flexibility in in terms of the functional programming manages to obtain the effective mechanism. The system is quite a equal matter. ','Faßberg12548',14152435,'doc','1972-12-23 23:49:22','1975-05-26

09:51:09',30062,14871,'GROUP','http://aromehinhen.se/are/ithoulith/henallal/altioseour.doc'),(12549,'Crescent City','That being said, study of original practices seems to be suitable for the critical thinking. The estimation is quite a great matter. ','Leest12549',332314624,'xlsx','1995-08-13 11:26:39','1999-02-01

22:03:55',12776,19724,'PRIVATE','http://eraed.ua/was/tio/thntwit/hisndithve.doc'),(12550,'Albia','In any case, we can immediately change the mechanism of the bilateral act.The real reason of the base configuration rapidly the entity integrity.','Wilthen12550',1001110877,'cpp','2011-06-16 16:54:58','2015-06-25

18:50:31',21685,19725,'HIDDEN','https://ouledere.fr/antha/at/alenioner.doc'),(12551,'Elko','Remembering that there is a direct relation between the product design and development and segments of the goals and objectives.','Ribnitz-Damgarten12551',1730477502,'gif','2001-03-20 20:33:55','2004-03-16

22:11:26',12776,19724,'PUBLIC','https://lethi.dk/oulour/seent.xls'),(15905,'High Bridge','Resulting from review or analysis of threats and opportunities, we can presume that the emergency planning cannot be developed under such circumstances.','Drebach15905',534498,'mkv','2000-09-02 18:44:49','2003-01-26

23:38:41',21686,29446,'PUBLIC','https://sinuje.buttehere.za/witngat/thabuted/ndhaton/anouterth.txt'),(15906,'Ruffin',' To be honest, aspects of the benefits of data integrity can be regarded as prudently insignificant.','Neudörfchen15906',1894362433,'ppt','1988-05-28 15:28:23','1989-11-10

07:31:07',26097,23914,'HIDDEN','http://arbutreal.nl/hadme/alyouhen/itnotarewit.xls'),(15907,'Cal Nev Ari','As for the condition of the structured technology analysis, it is clear that the core principles stimulates development of an importance of the source of permanent growth. ','Ebersroda15907',583332964,'dbf','1970-01-01 01:33:53','1970-12-02 15:49:21',19407,31719,'HIDDEN','https://neandonent.cy/hieraith/asionhin/shobutne/tewitalhad.txt'),(15908,'Plato','Co nversely, the accurate predictions of the system concepts would facilitate the development of the continuing support.','Deibow15908',823293164,'png','1996-09-04 01:46:47','1997-03-07

02:02:46',32767,29445,'HIDDEN','https://notithihat.gr/te/oulhat/tioentare/ionre.doc'),(15909,'Gower','The public in general tend to believe that in the context of arguments and claims must take into account the possibility of the minor details of comprehensive project management. ','Ravensberg15909',1086819885,'pdf','2001-03-09 04:27:57','2001-07-26 05:09:57',19411,29450,'PRIVATE','https://funiva.uldenseyou.at/forthiis/hatiothe/ouranyoust.pdf'),(15910,'Sun Prairie','Such tendency may heavily originate from the resource management.','Nußloch15910',1324362143,'cs','1973-02-01 07:24:04','1974-08-04

21:46:01',16749,13673,'GROUP','http://tedan.hu/thaverst/orwaver/ndonted/uldhenbuthin.txt'),(15911,'West Branch','The main reason of the linguistic approach is to facilitate the significant improvement. The advancement is quite a extra matter.','Kandern15911',1860523497,'flv','1993-09-14 16:06:49','1995-12-23

05:39:12',30063,23916,'HIDDEN','https://tijaru.iswitng.uk/nehenve/hihisea/omemesest.txt'),(18182,'Woodsboro','Reme mbering that components of elements of the structure absorption becomes a key factor of the general features and possibilities of the global management concepts. ','Niederdorla18182',1887804164,'pdf','1989-06-17 17:01:45','1990-12-28 16:29:24',19028,31722,'GROUP','http://lehenedyou.br/eaoust/ereuldme/allrehat/verrefor.xls'),(18183,'Port Hadlock','To put it mildly, dimensions of the linguistic approach is typically

considerable.','KA¶tschau18183',240078379,'cs','2016-10-29 14:18:29','2017-04-24

07:31:06',32767,29445,'PUBLIC','https://nakite.edhiseveat.tw/ereitthi/omeinasle.xls'),(18184,'Sewanee','In a word, after the completion of the deep analysis may share attitudes on the proper connection of the storage area.

','Neckartenzlingen18184',155260576,'dbf','1980-04-04 18:05:48','1981-08-02

17:53:46',30062,14871,'PUBLIC','http://omeinhiea.de/onleare/tha/mees.xls'),(18185,'Dardanelle','First and foremost, the patterns of the deep analysis is of a great interest. The evolution is quite a initial matter.','Tivoli18185',1531131997,'gif','1975-04-30 14:02:25','1979-04-06

07:39:49',16749,13673,'PUBLIC','http://alltiowitth.za/seerawas/hatletertio.pdf'),(18186,'Shoshone','As a resultant implication, the pursuance of data management and data architecture framework this preliminary network design.','Sýpplingenburg18186',773692328,'doc','1982-03-29 21:16:56','1985-10-17

07:59:53',19027,19727,'GROUP','https://veqibo.hereaasion.de/metoor/oul/estioted/eabutesst.xls'),(18187,'King','As concerns any part of the set of related commands and controls, it can be quite

risky.','Schýrensöhlen18187',1810595639,'cproj','1995-01-19 14:42:13','1998-09-22

08:18:23',30063,23916,'PUBLIC','https://ententithter.biz/herithat/toha/ing/tealtha.xls'),(18188,'Donaldsonville','Looking

it another way, there is a direct relation between the grand strategy and the structure of the formal review of opportunities.', 'Mechelsdorf18188', 2038542952, 'gif', '1970-01-01 02:34:25', '1973-01-23

07:42:23',10500,17148,'PUBLIC','https://jiqone.thishosthe.hu/altedver/uld/es/hinomeerwa.xls'),(18189,'Broadway','Wit hout a doubt, Kendall Curtin was right in saying that, support of the internal policy should focus on any similar or explicit approach. ','Winnert18189',1250541758,'xml','1991-08-22 04:26:22','1992-10-26

10:54:14',32333,23912,'PRIVATE','http://atesuldhad.no/hat/alhadan/ome/andat.xls'),(20739,'Kitty Hawk','So far so good, but the development of the system mechanism is closely considerable.','Kevelaer20739',1758278153,'cpp','1970-01-01 07:23:08','1973-07-05

18:37:47',21684,22001,'PUBLIC','http://bazuwi.onngnt.nl/eaevend/ouenher/oulthareion.pdf'),(20740,'Englewood','How ever, a huge improvement of the consequential risks gives rise to any full-scale or raw approach.','Völmlesmühle20740',688590368,'chm','1983-08-06 11:03:16','1985-01-21

18:37:41',23821,11396,'PUBLIC','http://waoued.br/eraverer/intetete.doc'),(20741,'Martins Ferry','Admitting that a lot of effort has been invested into the strategic planning.','Diesdorf20741',704525,'dbf','1970-01-01 23:11:15','1970-09-26 08:12:37',19411,29450,'PUBLIC','https://vume.hiomeorver.eg/nestat/ntanthe/ion/eveou.pdf'),(20742,'Black Creek','In particular, final stages of the comprehensive set of policy statements ensures integrity of the hardware maintenance. This could smoothly be a result of a fundamental problem. ','Pretzier20742',1652136948,'txt','2004-11-15 21:50:04','2008-02-21

07:38:16',23817,22002,'GROUP','http://allnotis.org/herteare/hershothaare.xls'),(20743,'Bellefonte','It is worth emphasizing that any further consideration enforces the overall effect of any systolic approach. This may be done through the successfully developed techniques. ','Bodelshausen20743',405867330,'cproj','2008-08-15 15:52:34','2010-08-23 15:26:47',19409,23913,'PUBLIC','http://toalwashe.com/forth/ingatto/hennterend.pdf'),(23016,'Merrill','We must be ready for final draft and product functionality investigation of any enhanced or inherent approach.','Riethgen23016',1540869207,'bmp','1987-04-01 06:04:54','1990-11-24

23:56:55',32332,32767,'PUBLIC','https://uldatmeing.nl/histhou/ere/areand/thaedwabut.txt'),(23017,'Nebo','The public in general tend to believe that the development methodology in its influence on elements of the consequential risks provides rich insights into the interactive services detection. ','Bad Kohlgrub23017',2005319886,'dbf','1970-01-01 00:00:09','1971-06-23

15:47:02',30059,11393,'GROUP','http://liqice.erameleou.ge/tiheroul/eswasor/stndat/nttio.txt'),(23018,'Weyers Cave','Keeping in mind that study of descriptive practices minimizes influence of the proper diversity of the application rules. ','Königsbronn23018',1452981266,'pdf','2010-08-16 08:28:16','2013-03-09

13:17:43',12777,26191,'PUBLIC','http://da.steatioion.be/ou/ourha/oroul/isallrehi.doc'),(23019,'Ft Myer','Otherwise speaking, the assumption, that the crucial development skills is a base for developing the matter of the predictable behavior, will require a vast knowledge.','Munschwitz23019',1133460664,'asp','1972-06-02 19:44:16','1974-12-02 01:21:16',23822,13675,'PUBLIC','https://itnethaera.ca/uld/ouryouanto.xls'),(23020,'Spring Valley','It is worth emphasizing that a key factor of the essential component stimulates development of the operating speed model.','Schmatzfeld23020',897088,'cproj','1970-01-01 00:01:09','1972-02-12

22:43:42',26100,11398,'GROUP','https://henisnd.nl/onionall/veereuld/itthe/ionenor.txt'),(24634,'Mc Kees Rocks','To all effects and purposes, the condition of the arguments and claims makes it easy to see perspectives of any deep or superficial approach. ','Berumbur24634',1274125254,'png','1977-07-24 09:20:37','1977-11-14

13:11:53',30063,23916, 'HIDDEN', 'http://hiererewit.hk/hahe/onherereoul.txt'), (24635, 'Prinsburg', 'At the same time, however, segments of the treatment is of a great interest. In particular, any further consideration definitely the referential arguments.', 'Dollenchen 24635', 1820351488, 'html', '1970-01-01 00:01:31', '1972-05-11' and '1970-01-01', 'At the same time, however, segments of the treatment is of a great interest. In particular, any further consideration definitely the referential arguments.', 'Dollenchen 24635', 1820351488, 'html', '1970-01-01', '1970-05-11', '1970-05

12:30:31',12778,29447,'HIDDEN','https://riweqi.eaororera.biz/waanre/ingher.txt'),(24636,'Tompkinsville','Otherwise speaking, the core principles becomes even more complex when compared with any comprehensive project management. This may be done through the valuable information. ','Ober-Ramstadt24636',1515396697,'php','1990-04-20 21:39:29','1993-08-29

00:38:34',21684,22001,'GROUP','https://terith.us/ounest/ionasme/hatha/esaterated.txt'),(24637,'Upper Black Eddy','What is more, the optimization of the prominent landmarks will possibly result in what is conventionally known as feedback system. ','Pahren24637',1111426834,'asp','1989-01-23 16:10:29','1992-02-09

20:17:52',19407,31719,'HIDDEN','http://entened.com/anwiten/youorhenar.xls'),(24638,'Murrysville','In any case, we can accordingly change the mechanism of the product functionality. Therefore, the concept of the goals and objectives

can be treated as the only solution.','Rollwitz24638',297248608,'wmv','1974-05-17 09:12:39','1977-03-21 13:47:29',12778,29447,'HIDDEN','https://isteng.be/the/hinereforhat.txt'),(26912,'Glenelg','Remembering that the accurate predictions of the ground-breaking technology represents a bond between the development process and an initial attempt in development of the productivity boost. ','Brühl26912',1552244856,'mov','1996-12-22 10:24:40','1998-02-27

10:54:29',19411,29450,'PUBLIC','https://qe.edionstre.au/inhad/eahatwit/hiall/hiserathaea.txt'),(26913,'Chaplin','As a matter of fact, components of the total volume of the strategic decisions gives rise to what is conventionally known as sufficient amount. ','Busdorf26913',170639541,'asp','2009-03-10 18:14:45','2009-12-30 02:03:06',30061,26192,'GROUP','http://zitudi.thaalsewas.org/forwashen/witeshant.txt'),(26914,'Soperton','Regardless of the fact that the accurate predictions of the crucial component provides benefit from complete failure of the supposed theory. ','Reichmannsdorf26914',915776724,'mpeg','1970-01-01 00:10:02','1972-12-23 19:50:33',10499,22003,'PUBLIC','http://gusedu.thallhis.jp/it/tednthat/vetete/aretheedin.pdf'),(26915,'Vernonia','Eventu ally, a lot of effort has been invested into the hardware maintenance.','Fels26915',720133120,'html','1981-05-27 17:59:36','1982-05-07 23:59:24',30059,11393,'GROUP','http://ionnt.uk/uld/arenterre.txt'),(30321,'Paia','To put it mildly, the example of the content testing method involves some problems with the functional testing. This seems to be a constantly obvious step towards the goals and objectives. ','Klockow30321',441494674,'mp3','1970-01-01 01:52:04','1972-06-09

14:26:45',19026,11395,'HIDDEN','https://terre.ar/allstve/tiong/iontiter/butat.doc'),(30322,'Gloversville','In particular, study of intended practices gives an overview of an initial attempt in development of the existing network. ','Oberaula30322',565996320,'xlsx','1970-01-01 00:07:10','1971-12-15

13:16:47',21687,22005, PRIVATE', http://vudu.eveforedsho.ge/witith/en/ithithare/hatoritnot.pdf'), (30323, Brandon', It\' s a well-known fact that a number of brand new approaches has been tested during the the improvement of the development process.', 'Haundorf30323', 1463124692, 'cproj', '1970-01-01 00:02:44', '1973-03-18 07:37:37',10501,11397,'PUBLIC','http://kijuye.onou.mx/hinndte/hinoust/hehadthihad.pdf'),(32595,'Goodyear','One should, however, not forget that with help of the formal action should focus on any operational system. This may be done through the technical requirements. ','Aremberg32595',322983936,'bmp','1970-01-01 00:00:10','1973-05-20 09:13:16',16749,13673,'GROUP','https://galusu.ionverhinsho.ua/nginnot/nt/sho/witbutenor.xls'),(32596,'Feeding Hills', 'The existing network leads us to a clear understanding of the well-known practice. This may be done through the market tendencies.','Hüttengrund32596',1737068074,'png','1970-01-01 14:38:40','1973-02-07 09:53:10',16748,14869, 'HIDDEN', 'https://verlehadtha.mx/inoureve/ea/henenat/eraseteyou.doc'),(32597, 'Longmeadow' ,'In any case, the utilization of the basic feature discards the principle of the more systems approach of the change of marketing strategy. ','Schürdt32597',1666915711,'html','1982-05-16 13:44:27','1986-01-13 15:48:56',26098,22004, 'GROUP', 'http://veantiole.com/onshofor/ver/ouor.doc'), (32767, 'Fultondale', 'Alas, elements of the development sequence can be regarded as financially insignificant. The specific action result provides rich insights into the irrelevance of system. ','Kieve32767',1280137216,'dbf','1970-01-01 00:04:23','1974-02-06 16:44:04',16748,14869,'HIDDEN','http://reanasou.eg/but/ne/hat/butwasera.txt');

/\*!40000 ALTER TABLE `video` ENABLE KEYS \*/;
UNLOCK TABLES;

-- Table structure for table `videospeccount`

DROP TABLE IF EXISTS 'videospeccount';

```
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'videospeccount' (
`VideoSpecCountID` smallint(6) NOT NULL AUTO INCREMENT,
'VideoID' smallint(6) NOT NULL,
'VideoViewCount' tinyint(4) NOT NULL DEFAULT '0',
'VideoLikeCount' tinyint(4) NOT NULL DEFAULT '0',
'VideoDislikeCount' tinyint(4) NOT NULL DEFAULT '0',
 `VideoDownloadCount` tinyint(4) NOT NULL DEFAULT '0',
 `VideoCommentCount` tinyint(4) NOT NULL DEFAULT '0',
PRIMARY KEY ('VideoSpecCountID'),
UNIQUE KEY 'VideoID UNIQUE' ('VideoID'),
KEY 'VideoSpecCount Video FK idx' ('VideoID'),
CONSTRAINT 'VideoSpecCount Video FK' FOREIGN KEY ('VideoID') REFERENCES 'video' ('VideoID') ON DELETE NO
ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO INCREMENT=144 DEFAULT CHARSET=utf8;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table 'videospeccount'
LOCK TABLES 'videospeccount' WRITE;
/*!40000 ALTER TABLE `videospeccount` DISABLE KEYS */;
INSERT INTO 'videospeccount' VALUES
2,1),(97,15906,0,0,0,0,1),(98,23018,0,0,0,1,2),(99,23020,2,1,0,2,3),(100,30322,1,1,0,1,1),(101,18189,1,0,1,0,2),(102,181
1),(108,10270,3,1,0,1,1),(109,24636,0,2,2,0,2),(110,18184,1,0,0,2,1),(111,12551,0,1,0,2,2),(112,10272,0,1,0,1,2),(113,26
```

```
1,0,0,0),(142,10887,0,0,0,0,4),(143,10892,0,0,0,0,2);
/*!40000 ALTER TABLE `videospeccount` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table 'videoview'
DROP TABLE IF EXISTS 'videoview';
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'videoview' (
 `VideoViewID` smallint(6) NOT NULL AUTO INCREMENT,
 'UserID' smallint(6) NOT NULL,
 `CreateTime` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
 'ModifiedTime' datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 'VideoID' smallint(6) NOT NULL,
 PRIMARY KEY ('VideoViewID'),
 KEY `UserID_FK_idx` (`UserID`),
 KEY 'VideoID FK idx' ('VideoID'),
 CONSTRAINT 'ViewUserID FK' FOREIGN KEY ('UserID') REFERENCES 'member' ('MemberID') ON DELETE NO ACTION
ON UPDATE NO ACTION,
CONSTRAINT 'ViewVideoID FK' FOREIGN KEY ('VideoID') REFERENCES 'video' ('VideoID') ON DELETE NO ACTION ON
UPDATE NO ACTION
) ENGINE=InnoDB AUTO_INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'videoview'
```

LOCK TABLES 'videoview' WRITE;

## /\*!40000 ALTER TABLE 'videoview' DISABLE KEYS \*/; INSERT INTO 'videoview' VALUES (11683,26095,'2006-10-04 14:53:24','2010-04-05 13:44:40',20739),(11684,12777,'2006-07-26 02:46:44','2010-01-26 21:20:36',26913),(11685,19411,'1970-01-07 21:35:14','1970-09-27 22:24:09',18188),(11686,21688,'1983-11-05 01:09:52','1984-04-30 11:03:15',24637),(11687,10500,'1970-01-01 00:01:03','1971-03-01 05:36:34',30323),(11688,26097,'2012-07-20 16:43:28','2013-08-02 08:47:05',12548),(13961,26098,'1970-01-05 08:35:31','1972-08-19 13:46:30',10271),(13962,23821,'1990-10-09 14:02:14','1991-05-24 21:43:21',18185),(13963,21687,'2002-05-23 12:00:41','2004-07-23 11:23:39',23020),(13964,16751,'1970-01-01 00:01:05','1971-04-30 07:08:16',10273),(13965,30061,'2014-08-07 19:35:36','2015-09-19 04:12:11',20742),(14011,10500,'1991-07-04 00:06:54','1994-01-13 01:41:56',30321),(14671,23820,'1982-05-23 02:10:02','1983-07-23 09:05:51',32597),(14672,23817,'1985-10-15 19:14:55','1987-10-11 16:21:09',10270),(14673,12778,'2015-01-02 17:40:49','2016-12-03 22:53:50',18184),(14674,21688,'1976-01-22 10:08:16','1978-03-17 16:47:26',24637),(14675,32335,'1994-12-30 23:36:02','1996-07-03 06:38:45',15907),(14676,19408,'2002-08-08 23:11:01','2004-11-15 12:43:24',26912),(16949,12779,'1970-01-01 00:00:10','1970-05-28 17:07:05',15910),(16950,10500,'2007-06-20 05:43:14','2009-05-09 02:59:38',30323),(16951,16751,'1987-08-27 23:32:02','1989-11-14 22:04:26',10273),(16952,32767,'1970-01-01 17:37:17','1973-08-21 10:23:13',24634),(16953,19407,'1970-01-01 01:06:05','1970-10-18 16:39:08',23016),(16954,32332,'1974-09-28 04:29:46','1976-08-21 09:58:37',30321),(20787,12776,'1989-08-19 13:35:15','1993-04-30 23:36:21',32595),(20788,23817,'1972-04-03 10:34:36','1975-07-19 21:16:20',10270),(20789,21685,'1972-12-25 19:46:38','1976-03-11 00:12:32',15905),(20790,19408,'1979-10-02 18:28:39','1983-04-27 06:04:50',26912),(20791,23817,'2012-05-19 07:48:07','2013-02-22 08:05:20',10270),(23065,10501,'1970-01-03 19:48:10','1971-10-22 01:27:11',18187),(23066,26100,'1971-03-08 00:28:50','1972-06-14 16:36:02',10274),(23067,16748,'2006-01-17 18:59:33','2010-02-20 16:44:16',30322),(23068,30059,'1970-01-01 00:07:00','1973-08-02 18:46:34',32767),(23967,32337,'2013-11-05 02:59:36','2017-08-07 21:26:31',18189),(23968,30060,'1970-01-07 07:08:29','1972-12-18 11:33:09',24635),(23969,19408,'1970-01-12 06:40:16','1970-08-21 06:46:06',26912),(23970,12777,'1970-01-01 00:01:02','1972-06-14 13:28:57',26913),(23971,32767,'1970-01-01 00:00:08','1973-03-08 02:04:32',24634),(26244,21685,'2015-11-16 17:24:02','2018-12-24 05:19:19',15905),(26245,26100,'1970-01-01 00:50:32','1973-03-12 21:03:58',10274),(26246,19407,'2006-08-03 04:09:51','2008-02-09 12:05:49',23016),(26247,30059,'1970-01-01 00:01:15','1974-01-23 20:37:23',32767),(26248,32335,'1970-01-02 08:23:35','1970-12-24 23:52:10',15907),(26249,21688,'2009-12-18 12:13:50','2012-08-20 02:27:32',24637),(29602,21687,'1974-09-12 11:25:10','1977-10-20 16:01:13',23020),(29603,23820,'1978-09-27 02:29:57','1979-05-19 19:53:57',32597),(29604,26095,'2010-10-22 04:44:56','2014-10-19 15:24:38',20739),(30711,10499,'1994-02-03 07:53:59','1997-06-23 19:34:38',30321),(31876,26098,'1978-03-28 03:50:06','1979-03-04 12:31:09',10271),(31877,30062,'2010-07-25 09:23:12','2013-03-12 06:05:53',15908),(31878,19026,'2003-05-21 04:20:09','2005-11-26 21:51:25',20741),(32711,10501,'1970-01-01 00:01:35','1971-04-12 04:11:35',30321),(32767,16751,'1970-01-01 00:00:06','1973-06-12 07:05:09',10273); /\*!40000 ALTER TABLE `videoview` ENABLE KEYS \*/; **UNLOCK TABLES**; /\*!50003 SET @saved\_cs\_client = @@character\_set\_client \*/; /\*!50003 SET @saved\_cs\_results = @@character\_set\_results \*/; /\*!50003 SET @saved col connection = @@collation connection \*/;

```
/*!50003 SET character_set_client = utf8 */;
/*!50003 SET character_set_results = utf8 */;
/*!50003 SET collation_connection = utf8_general_ci */;
/*!50003 SET @saved sql mode
                                = @@sql mode */;
/*!50003 SET sql mode
'STRICT TRANS TABLES,STRICT ALL TABLES,NO ZERO IN DATE,NO ZERO DATE,ALLOW INVALID DATES,ERROR FOR
DIVISION BY ZERO, TRADITIONAL, NO AUTO CREATE USER, NO ENGINE SUBSTITUTION 1 */;
DELIMITER;;
/*!50003 CREATE*/ /*!50017 DEFINER=`root`@`localhost`*/ /*!50003 TRIGGER
`videosharingdb`.`VideoView_AFTER_INSERT`
AFTER INSERT ON 'videosharingdb'.'videoview'
FOR EACH ROW
BEGIN
       IF (SELECT COUNT(*) FROM VideoSpecCount WHERE VideoID = NEW.VideoID) = 1
       THEN
              UPDATE VideoSpecCount
              SET VideoViewCount = (VideoViewCount + 1)
              WHERE VideoSpecCount.VideoID = NEW.VideoID;
       ELSE
              INSERT INTO VideoSpecCount(VideoViewCount, VideoID)
              VALUES(1, NEW.VideoID);
       END IF;
END */;;
DELIMITER;
/*!50003 SET sql mode
                            = @saved sql mode */;
/*!50003 SET character_set_client = @saved_cs_client */;
/*!50003 SET character_set_results = @saved_cs_results */;
/*!50003 SET collation connection = @saved col connection */;
```

<sup>--</sup> Temporary view structure for view 'view\_getmostcommentedvideo'

--

```
DROP TABLE IF EXISTS 'view_getmostcommentedvideo';
/*!50001 DROP VIEW IF EXISTS `view_getmostcommentedvideo`*/;
SET @saved_cs_client = @@character_set_client;
SET character_set_client = utf8;
/*!50001 CREATE VIEW `view_getmostcommentedvideo` AS SELECT
1 AS 'VideoID',
1 AS 'VideoTitle',
1 AS 'VideoDesc',
1 AS 'VideoUrl',
1 AS 'VideoSize',
1 AS `FileType`,
1 AS 'CreateTime',
1 AS `ModifiedTime`,
1 AS `PostedByUserID`,
1 AS 'ThumbnailID',
1 AS 'VideoScope',
1 AS 'VideoPath',
1 AS `Comment Count`*/;
SET character_set_client = @saved_cs_client;
-- Temporary view structure for view `view_getmostdownloadvideo`
DROP TABLE IF EXISTS 'view_getmostdownloadvideo';
/*!50001 DROP VIEW IF EXISTS `view_getmostdownloadvideo`*/;
SET @saved_cs_client = @@character_set_client;
SET character set client = utf8;
```

```
/*!50001 CREATE VIEW `view_getmostdownloadvideo` AS SELECT
1 AS 'VideoID',
1 AS 'VideoTitle',
1 AS 'VideoDesc',
1 AS 'VideoUrl',
1 AS 'VideoSize',
1 AS 'FileType',
1 AS 'CreateTime',
1 AS `ModifiedTime`,
1 AS `PostedByUserID`,
1 AS 'ThumbnailID',
1 AS 'VideoScope',
1 AS 'VideoPath',
1 AS `Download Count`*/;
SET character_set_client = @saved_cs_client;
-- Temporary view structure for view 'view_getmostlikedvideo'
DROP TABLE IF EXISTS 'view_getmostlikedvideo';
/*!50001 DROP VIEW IF EXISTS `view_getmostlikedvideo`*/;
SET @saved_cs_client = @@character_set_client;
SET character_set_client = utf8;
/*!50001 CREATE VIEW `view_getmostlikedvideo` AS SELECT
1 AS 'VideoID',
1 AS 'VideoTitle',
1 AS 'VideoDesc',
1 AS 'VideoUrl',
1 AS 'VideoSize',
```

```
1 AS `FileType`,
1 AS 'CreateTime',
1 AS `ModifiedTime`,
1 AS `PostedByUserID`,
1 AS 'ThumbnailID',
1 AS 'VideoScope',
1 AS 'VideoPath',
1 AS `Like Count`*/;
SET character_set_client = @saved_cs_client;
-- Temporary view structure for view `view_getmostviewedvideo`
DROP TABLE IF EXISTS 'view_getmostviewedvideo';
/*!50001 DROP VIEW IF EXISTS `view_getmostviewedvideo`*/;
SET @saved_cs_client = @@character_set_client;
SET character_set_client = utf8;
/*!50001 CREATE VIEW `view_getmostviewedvideo` AS SELECT
1 AS 'VideoID',
1 AS 'VideoTitle',
1 AS 'VideoDesc',
1 AS 'VideoUrl',
1 AS 'VideoSize',
1 AS 'FileType',
1 AS 'CreateTime',
1 AS `ModifiedTime`,
1 AS `PostedByUserID`,
1 AS 'ThumbnailID',
1 AS 'VideoScope',
```

```
1 AS 'VideoPath',
1 AS 'Number of Views'*/;
SET character_set_client = @saved_cs_client;
-- Table structure for table `watchhistory`
DROP TABLE IF EXISTS 'watchhistory';
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE 'watchhistory' (
 `WatchHistoryID` smallint(6) NOT NULL AUTO INCREMENT,
 'UserID' smallint(6) NOT NULL,
 'VideoID' smallint(6) NOT NULL,
 'CreateTime' datetime NOT NULL DEFAULT CURRENT TIMESTAMP,
 PRIMARY KEY ('WatchHistoryID'),
 KEY 'Video_FK_idx' ('VideoID'),
 KEY `User_FK_idx` (`UserID`),
 CONSTRAINT 'WacthHistoryUser FK' FOREIGN KEY ('UserID') REFERENCES 'member' ('MemberID') ON DELETE NO
ACTION ON UPDATE NO ACTION,
 CONSTRAINT `WatchHistoryVideo FK` FOREIGN KEY ('VideoID') REFERENCES 'video' ('VideoID') ON DELETE NO ACTION
ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO_INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `watchhistory`
```

## LOCK TABLES `watchhistory` WRITE; /\*!40000 ALTER TABLE `watchhistory` DISABLE KEYS \*/; INSERT INTO `watchhistory` VALUES (11137,23820,12550,'2002-06-12 09:35:54'),(11138,30059,26914,'1977-01-31 23:53:24'),(11139,19409,32767,'1985-06-26 21:16:25'),(11140,21688,10273,'1993-02-14 13:03:46'),(13414,19407,18188,'2001-06-20 18:03:38'),(13415,32333,24638,'1971-05-04 17:59:03'),(13416,16750,18183,'1980-07-04 17:05:27'),(13417,26095,20742,'1970-01-01 01:39:48'),(13418,10501,15907,'1970-01-01 00:10:45'),(16363,19027,10273,'1970-01-01 00:05:20'),(16364,26097,18184,'1976-02-05 03:50:04'),(16365,19407,15907,'1970-01-01 20:38:37'),(16366,32336,12549,'1970-05-24 23:05:36'),(18640,32335,10271,'2006-12-07 13:42:48'),(18641,10501,18183,'1990-04-24 20:28:32'),(18642,26098,24638,'2011-12-30 20:05:38'),(18643,19026,24635,'2011-08-03 20:32:02'),(20224,23817,20739,'1971-05-11 15:25:10'),(20225,12779,10274,'1993-06-14 02:16:47'),(20226,30063,30321,'1970-01-01 05:33:07'),(20227,12776,24635,'1970-01-01 13:08:51'),(20228,23821,26913,'2009-10-12 11:45:22'),(20229,30060,10271,'1971-05-07 11:33:19'),(22501,12777,32597,'2011-08-17 01:47:24'),(22502,23819,10272,'1970-01-01 19:53:00'),(22503,30062,12549,'2002-03-18 10:09:03'),(22504,23820,24635,'1976-11-28 00:00:43'),(22505,30062,12548,'1979-04-07 16:56:52'),(22506,26100,10270,'1987-09-28 08:51:10'),(25693,12778,24637,'1970-01-01 01:38:08'),(25694,30060,23018,'1970-01-02 02:46:59'),(25695,21685,12550,'2002-01-26 22:13:16'),(25696,19027,15911,'2004-12-22 08:45:37'),(27971,19408,20743,'1970-01-01 00:00:39'),(27972,32767,24636,'1970-01-01 01:36:13'),(27973,21688,24635,'1994-11-14 12:32:48'),(27974,19410,15907,'1970-01-01 09:53:48'),(29805,16750,32596,'2015-12-03 16:50:34'),(29806,19410,10274,'1970-01-01 00:00:57'),(29807,12777,24636,'1978-09-17 08:25:33'),(29808,26095,10271,'1970-01-01 11:53:43'),(29809,19027,24636,'1970-01-01 00:09:58'),(29810,16751,15906,'2003-07-12 22:53:02'),(32078,12776,23019,'1970-01-01 00:00:10'),(32079,16751,15911,'2013-10-13 04:47:01'),(32080,32336,18184,'2007-09-25 17:55:45'),(32081,21684,24634,'1981-05-14 08:50:35'),(32082,21688,18188,'1999-06-15 22:21:43'),(32083,21686,24638,'1970-01-02 01:22:48'),(32767,32334,23019,'1974-07-15 20:11:18'); /\*!40000 ALTER TABLE `watchhistory` ENABLE KEYS \*/; **UNLOCK TABLES**; -- Table structure for table 'watchlatervideo' DROP TABLE IF EXISTS 'watchlatervideo'; /\*!40101 SET @saved\_cs\_client = @@character\_set\_client \*/; /\*!40101 SET character set client = utf8 \*/; CREATE TABLE `watchlatervideo` ( `WatchLaterVideoID` smallint(6) NOT NULL AUTO\_INCREMENT,

'VideoID' smallint(6) NOT NULL,

```
'UserID' smallint(6) NOT NULL,
  PRIMARY KEY ('WatchLaterVideoID'),
  KEY 'Video_FK_idx' ('VideoID'),
  KEY 'User FK idx' ('UserID'),
  CONSTRAINT `WacthLaterUser FK` FOREIGN KEY (`UserID`) REFERENCES `member` (`MemberID`) ON DELETE NO
ACTION ON UPDATE NO ACTION,
  CONSTRAINT `WatchLaterVideo FK` FOREIGN KEY ('VideoID') REFERENCES `video' ('VideoID') ON DELETE NO ACTION
ON UPDATE NO ACTION
) ENGINE=InnoDB AUTO INCREMENT=32767 DEFAULT CHARSET=utf8;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table 'watchlatervideo'
LOCK TABLES 'watchlatervideo' WRITE;
/*!40000 ALTER TABLE `watchlatervideo` DISABLE KEYS */;
INSERT INTO 'watchlatervideo' VALUES
(12194,15906,23819),(12195,32767,30059),(12196,15911,23822),(12197,18189,32337),(12198,24634,32767),(12199,15818),(12194,15906,23819),(12195,32767,30059),(12196,15911,23822),(12197,18189,32337),(12198,24634,32767),(12199,15818),(12196,15911,23822),(12197,18189,32337),(12198,24634,32767),(12199,15818),(12196,15911,23822),(12197,18189,32337),(12198,24634,32767),(12196,15911,23822),(12197,18189,32337),(12198,24634,32767),(12196,15911,23822),(12197,18189,32337),(12198,24634,32767),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12196,15911,2382),(12196,15911,23822),(12196,15911,23822),(12196,15911,23822),(12
906,23819),(12200,18182,21684),(14472,32596,19409),(14473,10272,19027),(14474,23020,21687),(14475,26915,2168
9),(14476,10271,26098),(14477,30322,16748),(15945,30323,10500),(15946,26912,19408),(15947,24635,30060),(15948,
18182,21684),(15949,20743,19410),(18222,23016,19407),(18223,20740,26096),(18224,20740,26096),(18225,24636,32
334),(18226,15908,30062),(21105,10274,26100),(21106,15905,21685),(21107,18183,10499),(21108,20740,26096),(211
09,10274,26100),(23382,15911,23822),(23383,18187,10501),(23384,30323,10500),(23385,18189,32337),(23386,18183,
10499),(25862,18183,10499),(25863,15907,32335),(25864,15905,21685),(28139,18186,26099),(28140,12549,16749),(2
8141,15911,23822),(28142,12549,16749),(30445,24635,30060),(30446,24638,10502),(30447,20739,26095),(30448,159
11,23822),(32718,10274,26100),(32719,20743,19410),(32720,10274,26100),(32721,18185,23821),(32722,20739,26095)
,(32767,23020,21687);
/*!40000 ALTER TABLE `watchlatervideo` ENABLE KEYS */;
UNLOCK TABLES;
-- Dumping events for database 'videosharingdb'
```

```
-- Dumping routines for database 'videosharingdb'
/*!50003 DROP PROCEDURE IF EXISTS `Proc_GetDownloadedVideosByMember` */;
/*!50003 SET @saved cs client = @@character set client */;
/*!50003 SET @saved_cs_results = @@character_set_results */;
/*!50003 SET @saved col connection = @@collation connection */;
/*!50003 SET character set client = utf8 */;
/*!50003 SET character set results = utf8 */;
/*!50003 SET collation_connection = utf8_general_ci */;
/*!50003 SET @saved_sql_mode = @@sql_mode */;
/*!50003 SET sql mode
'STRICT_TRANS_TABLES,STRICT_ALL_TABLES,NO_ZERO_IN_DATE,NO_ZERO_DATE,ALLOW_INVALID_DATES,ERROR_FOR
_DIVISION_BY_ZERO,TRADITIONAL,NO_AUTO_CREATE_USER,NO_ENGINE_SUBSTITUTION' */;
DELIMITER;;
CREATE DEFINER=`root`@`localhost` PROCEDURE `Proc_GetDownloadedVideosByMember`(IN membername
VARCHAR(45))
BEGIN
       SELECT concat(m.firstname, '', m.lastname) AS 'Full Name',
                     d.videoid 'Video ID', v.videotitle 'Video Title', v.videodesc 'Video Description',
      d.CreateTime 'Downloaded Time'
       FROM download d
       INNER JOIN member m ON m.memberid = d.userid
  INNER JOIN video v ON v.videoid = d.videoid
       WHERE m.lastname LIKE concat(membername, '%');
END;;
DELIMITER;
/*!50003 SET sql mode = @saved sql mode */;
/*!50003 SET character set client = @saved cs client */;
/*!50003 SET character set results = @saved cs results */;
/*!50003 SET collation_connection = @saved_col_connection */;
```

```
/*!50003 DROP PROCEDURE IF EXISTS `Proc_GetLikedVideosByMember` */;
/*!50003 SET @saved_cs_client = @@character_set_client */;
/*!50003 SET @saved_cs_results = @@character_set_results */;
/*!50003 SET @saved col connection = @@collation connection */;
/*!50003 SET character set client = utf8 */;
/*!50003 SET character_set_results = utf8 */;
/*!50003 SET collation connection = utf8 general ci */;
/*!50003 SET @saved sql mode = @@sql mode */;
/*!50003 SET sql mode
'STRICT TRANS TABLES,STRICT ALL TABLES,NO ZERO IN DATE,NO ZERO DATE,ALLOW INVALID DATES,ERROR FOR
DIVISION BY ZERO, TRADITIONAL, NO AUTO CREATE USER, NO ENGINE SUBSTITUTION' */;
DELIMITER;;
CREATE DEFINER=`root`@`localhost` PROCEDURE `Proc GetLikedVideosByMember`(in membername varchar(45))
begin
       select concat(m.firstname, '', m.lastname) as 'Full Name',
                      el.videoid 'Video ID', v.videotitle 'VideoTitle', v.videodesc 'Video Description'
       from entitylike el
       inner join member m on m.memberid = el.userid
  inner join video v on v.videoid = el.videoid
       where el.isDislike = 0 and m.lastname like concat(membername, '%');
end;;
DELIMITER;
/*!50003 SET sql mode
                            = @saved sql mode */;
/*!50003 SET character_set_client = @saved_cs_client */;
/*!50003 SET character set results = @saved cs results */;
/*!50003 SET collation connection = @saved col connection */;
/*!50003 DROP PROCEDURE IF EXISTS `Proc getPlaylistOfMember` */;
/*!50003 SET @saved cs client = @@character set client */;
/*!50003 SET @saved cs results = @@character set results */;
/*!50003 SET @saved_col_connection = @@collation_connection */;
```

```
/*!50003 SET character_set_client = utf8 */;
/*!50003 SET character_set_results = utf8 */;
/*!50003 SET collation connection = utf8 general ci */;
/*!50003 SET @saved sql mode
                                = @@sql mode */;
/*!50003 SET sql mode
'STRICT TRANS TABLES,STRICT ALL TABLES,NO ZERO IN DATE,NO ZERO DATE,ALLOW INVALID DATES,ERROR FOR
DIVISION BY ZERO, TRADITIONAL, NO AUTO CREATE USER, NO ENGINE SUBSTITUTION 1 */;
DELIMITER;;
CREATE DEFINER='root'@'localhost' PROCEDURE 'Proc getPlaylistOfMember'(in memlastname varchar(45))
begin
       select concat(m.firstname, '', m.lastname) AS 'Full Name',
               (pl.playlistname), group_concat(v.videotitle)
       from playlist pl
       inner join member m on m.memberid = pl.userid
  inner join playlistvideo pv on pv.playlistvideoid = pl.playlistvideoid
  inner join video v on v.videoid = pv.videoid
       where m.lastname like concat(memlastname,'%')
  group by (pl.playlistname);
end;;
DELIMITER;
/*!50003 SET sql mode
                             = @saved sql mode */;
/*!50003 SET character_set_client = @saved_cs_client */;
/*!50003 SET character set results = @saved cs results */;
/*!50003 SET collation_connection = @saved_col_connection */;
/*!50003 DROP PROCEDURE IF EXISTS `Proc GetSubscriberDetails` */;
/*!50003 SET @saved cs client = @@character set client */;
/*!50003 SET @saved cs results = @@character set results */;
/*!50003 SET @saved col connection = @@collation connection */;
/*!50003 SET character set client = utf8 */;
/*!50003 SET character_set_results = utf8 */;
```

```
/*!50003 SET collation_connection = utf8_general_ci */;
/*!50003 SET @saved_sql_mode = @@sql_mode */;
/*!50003 SET sql mode
                            = 'NO_ENGINE_SUBSTITUTION' */;
DELIMITER;;
CREATE DEFINER=`root`@`localhost` PROCEDURE `Proc GetSubscriberDetails`(in ch varchar(45))
begin
       select c.channelid 'Channel ID', c.channelname 'Channel Name', c.userid 'Channel Owner',
              sub.subscriberid 'Subscriber ID',concat ws('',m.firstname,m.lastname)'Subscriber Name'
       from subscriber sub
       inner join channel c on c.channelid = sub.channelid
  inner join member m on m.memberid = sub.userid
       where c.channelname like concat(ch,'%');
end;;
DELIMITER;
/*!50003 SET sql mode = @saved sql mode */;
/*!50003 SET character set client = @saved cs client */;
/*!50003 SET character_set_results = @saved_cs_results */;
/*!50003 SET collation connection = @saved col connection */;
-- Final view structure for view `view_getmostcommentedvideo`
/*!50001 DROP VIEW IF EXISTS 'view getmostcommentedvideo'*/;
/*!50001 SET @saved_cs_client = @@character_set_client */;
/*!50001 SET @saved_cs_results = @@character_set_results */;
/*!50001 SET @saved_col_connection = @@collation_connection */;
/*!50001 SET character set client = utf8 */;
/*!50001 SET character_set_results = utf8 */;
/*!50001 SET collation connection = utf8 general ci */;
```

```
/*!50001 CREATE ALGORITHM=UNDEFINED */
/*!50013 DEFINER=`root`@`localhost` SQL SECURITY DEFINER */
/*!50001 VIEW `view getmostcommentedvideo` AS select `v`.`VideoID` AS `VideoID`, `v`.`VideoTitle` AS
`VideoTitle`,`v`.`VideoDesc` AS `VideoDesc`,`v`.`VideoUrl` AS `VideoUrl`,`v`.`VideoSize` AS `VideoSize`,`v`.`FileType` AS
`FileType`,`v`.`CreateTime` AS `CreateTime`,`v`.`ModifiedTime` AS `ModifiedTime`,`v`.`PostedByUserID` AS
`PostedByUserID`,`v`.`ThumbnailID` AS `ThumbnailID`,`v`.`VideoScope` AS `VideoScope`,`v`.`VideoPath` AS
`VideoPath`, `vsc`.`VideoCommentCount` AS `Comment Count` from (`video` `v` join `videospeccount` `vsc`
on(('v'.'VideoID' = 'vsc'.'VideoID'))) where ('vsc'.'VideoCommentCount' = (select
max('videospeccount'.'VideoCommentCount') from 'videospeccount')) */;
/*!50001 SET character set client = @saved cs client */;
/*!50001 SET character_set_results = @saved_cs_results */;
/*!50001 SET collation connection = @saved col connection */;
-- Final view structure for view `view_getmostdownloadvideo`
/*!50001 DROP VIEW IF EXISTS 'view getmostdownloadvideo'*/;
/*!50001 SET @saved_cs_client = @@character_set_client */;
/*!50001 SET @saved cs results
                                 = @@character_set_results */;
/*!50001 SET @saved_col_connection = @@collation_connection */;
/*!50001 SET character set client = utf8 */;
/*!50001 SET character_set_results = utf8 */;
/*!50001 SET collation connection = utf8 general ci */;
/*!50001 CREATE ALGORITHM=UNDEFINED */
/*!50013 DEFINER=`root`@`localhost` SQL SECURITY DEFINER */
/*!50001 VIEW `view_getmostdownloadvideo` AS select `v`.`VideoID` AS `VideoID`, `v`.`VideoTitle` AS
`VideoTitle`,`v`.`VideoDesc` AS `VideoDesc`,`v`.`VideoUrl` AS `VideoUrl`,`v`.`VideoSize` AS `VideoSize`,`v`.`FileType` AS
`FileType`,`v`.`CreateTime` AS `CreateTime`,`v`.`ModifiedTime` AS `ModifiedTime`,`v`.`PostedByUserID` AS
`PostedByUserID`, `v`.`ThumbnailID` AS `ThumbnailID`, `v`.`VideoScope` AS `VideoScope`, `v`.`VideoPath` AS
'VideoPath', 'vsc'. 'VideoDownloadCount' AS 'Download Count' from ('video' 'v' join 'videospeccount' 'vsc'
on(('v'.'VideoID' = 'vsc'.'VideoID'))) where ('vsc'.'VideoDownloadCount' = (select
max('videospeccount'.'VideoDownloadCount') from 'videospeccount')) */;
/*!50001 SET character set client = @saved cs client */;
/*!50001 SET character_set_results = @saved_cs_results */;
```

```
/*!50001 SET collation_connection = @saved_col_connection */;
-- Final view structure for view 'view getmostlikedvideo'
/*!50001 DROP VIEW IF EXISTS 'view getmostlikedvideo'*/;
/*!50001 SET @saved cs client = @@character set client */;
/*!50001 SET @saved cs results
                                 = @@character_set_results */;
/*!50001 SET @saved_col_connection = @@collation_connection */;
/*!50001 SET character_set_client = utf8 */;
/*!50001 SET character set results = utf8 */;
/*!50001 SET collation connection = utf8 general ci */;
/*!50001 CREATE ALGORITHM=UNDEFINED */
/*!50013 DEFINER=`root`@`localhost` SQL SECURITY DEFINER */
/*!50001 VIEW `view_getmostlikedvideo` AS select `v`.`VideoID` AS `VideoID`, `v`.`VideoTitle` AS
`VideoTitle`,`v`.`VideoDesc` AS `VideoDesc`,`v`.`VideoUrl` AS `VideoUrl`,`v`.`VideoSize` AS `VideoSize`,`v`.`FileType` AS
`FileType`,`v`.`CreateTime` AS `CreateTime`,`v`.`ModifiedTime` AS `ModifiedTime`,`v`.`PostedByUserID` AS
`PostedByUserID`,`v`.`ThumbnailID` AS `ThumbnailID`,`v`.`VideoScope` AS `VideoScope`,`v`.`VideoPath` AS
`VideoPath`,`vsc`.`VideoLikeCount` AS `Like Count` from (`video` `v` join `videospeccount` `vsc` on((`v`.`VideoID` =
`vsc`.`VideoID`))) where (`vsc`.`VideoLikeCount` = (select max(`videospeccount`.`VideoLikeCount`) from
`videospeccount`)) */;
/*!50001 SET character_set_client = @saved_cs_client */;
/*!50001 SET character_set_results = @saved_cs_results */;
/*!50001 SET collation connection = @saved col connection */;
-- Final view structure for view 'view_getmostviewedvideo'
/*!50001 DROP VIEW IF EXISTS `view_getmostviewedvideo`*/;
/*!50001 SET @saved_cs_client = @@character_set_client */;
```

```
= @@character_set_results */;
/*!50001 SET @saved_cs_results
/*!50001 SET @saved_col_connection = @@collation_connection */;
/*!50001 SET character set client
                                = utf8 */;
/*!50001 SET character set results = utf8 */;
/*!50001 SET collation connection
                                  = utf8 general ci */;
/*!50001 CREATE ALGORITHM=UNDEFINED */
/*!50013 DEFINER=`root`@`localhost` SQL SECURITY DEFINER */
/*!50001 VIEW `view getmostviewedvideo` AS select `v`.`VideoID` AS `VideoID`, `v`.`VideoTitle` AS
`VideoTitle`,`v`.`VideoDesc` AS `VideoDesc`,`v`.`VideoUrl` AS `VideoUrl`,`v`.`VideoSize` AS `VideoSize`,`v`.`FileType` AS
`FileType`,`v`.`CreateTime` AS `CreateTime`,`v`.`ModifiedTime` AS `ModifiedTime`,`v`.`PostedByUserID` AS
`PostedByUserID`,`v`.`ThumbnailID` AS `ThumbnailID`,`v`.`VideoScope` AS `VideoScope`,`v`.`VideoPath` AS
`VideoPath`, 'vsc`. 'VideoViewCount` AS `Number of Views` from ('video` 'v' join 'videospeccount' 'vsc' on(('v'. 'VideoID'
= 'vsc'.'VideoID'))) where ('vsc'.'VideoViewCount') from
`videospeccount`)) */;
/*!50001 SET character set client = @saved cs client */;
/*!50001 SET character set results = @saved cs results */;
/*!50001 SET collation connection = @saved col connection */;
/*!40103 SET TIME ZONE=@OLD TIME ZONE */;
/*!40101 SET SQL MODE=@OLD SQL MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE CHECKS=@OLD UNIQUE CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER SET RESULTS=@OLD CHARACTER SET RESULTS */;
/*!40101 SET COLLATION CONNECTION=@OLD COLLATION CONNECTION */;
/*!40111 SET SQL NOTES=@OLD SQL NOTES */;
```

-- Dump completed on 2017-12-14 11:45:28