

———— // ZPWR-MIDI-FX // ————

zpwr-midi-fx - Block Reference

v0.30

MODULE REFERENCE

note-stream MIDI effect modules

2026-06-21

MenkeTechnologies

———— MENKETECHNOLOGIES ————

Contents

Catalog at a glance	2
Reading this catalog (badge key)	3
MIDI (zpw-midi-fx) (78 blocks)	4
Control (5)	4
Dynamics (8)	4
Harmony (18)	5
Modulation (7)	7
Probability (1)	7
Routing (9)	7
Sequencing (25)	8
Tuning (1)	11
Voicing (4)	11
Index (78 blocks, alphabetical)	12

Catalog at a glance

78 blocks shipped by **zpwr-midi-fx** across 9 categories, including 0 component-level analog-circuit models and 31 control / modulation (CV-badge) sources. This is the per-plugin subset of the shared zpwr-patch-core catalog.

Registry MIDI 78
Output jack Audio 0 MIDI 78 CV 0

By category (block count, largest first):

Sequencing.....	25	Control.....	5
Harmony.....	18	Voicing.....	4
Routing.....	9	Probability.....	1
Dynamics.....	8	Tuning.....	1
Modulation.....	7		

Reading this catalog (badge key)

An icon glyph precedes each block name; then its badges, then **in**: its input jacks and **out**: its output-jack type, then the description:

- > **[CAT]** category - **AMP** Amp, **ANA** Analog, **CTL** Control, **DLY** Delay, **DST** Distortion, **DYN** Dynamics, **ENV** Envelope, **FLT** Filter, **FX** Effect, **HRM** Harmony, **MOD** Modulation, **OSC** Oscillator, **PIT** Pitch, **PRB** Probability, **REV** Reverb, **RTE** Routing, **SEQ** Sequencing, **SPC** Spectral, **STR** Stereo, **TUN** Tuning, **UTL** Utility, **VOI** Voicing.
- > **[CV]** a control / modulation source (outputs CV, not audio).
- > **[CIRCUIT]** a component-level analog-circuit model (per-sample nodal / Newton solve).
- > **[FX]** **[SYNTH]** **[MIDI]** which **plugin(s)** ship the block - **zpwr-fx**, **zpwr-synth** (gets the whole audio pack) and/or **zpwr-midi-fx**.
- > **in**: the block's input jacks, and **out**: its output-jack signal type - **out: Audio**, **out: MIDI** (note stream) or **out: CV** (control / modulation).
- > **icon**: the glyph before each block name shows its kind at a glance:

	Oscillator		Filter		Delay
	Reverb		LFO / mod		Envelope
	Dynamics		Stereo		Pitch
	Spectral		Harmony		Sequencer
	Routing		Voicing		Effect
	Control		Probability		Tuning
	Utility		Guitar amp		Pedal / stompbox
	Speaker cabinet		Analog circuit		Other

MIDI (zpw-midi-fx) (78 blocks)

Control (5)

⌚ **ATProc** [CTL][CV][MIDI] in: Audio out: MIDI

Scales aftertouch, optionally converting it to a CC.

⌚ **BendProc** [CTL][CV][MIDI] in: Audio out: MIDI

Scales and/or inverts incoming pitch-bend.

⌚ **CC2Note** [CTL][CV][MIDI] in: Audio out: MIDI

A watched CC crossing a threshold triggers a note.

⌚ **CCMap** [CTL][CV][MIDI] in: Audio out: MIDI

Remaps a CC number and scales/offsets its value.

⌚ **Note2CC** [CTL][CV][MIDI] in: Audio out: MIDI

Emits a CC from each note (pitch or velocity).

Dynamics (8)

⌚ **Accent** [DYN][MIDI] in: Audio out: MIDI

Boosts velocity on every Nth note.

⌚ **Humanize** [DYN][MIDI] in: Audio out: MIDI

Adds random timing and velocity jitter for a human feel.

⌚ **Ramp** [DYN][MIDI] in: Audio out: MIDI

Velocity ramp over a run of notes, ascending or descending.

⌚ **VelClip** [DYN][MIDI] in: Audio out: MIDI

Clamps velocity between Min and Max.

⌚ **VelCompress** [DYN][MIDI] in: Audio out: MIDI

Velocity compressor: velocities above Threshold are pulled toward it by Ratio (1 = off, 8 = hard), narrowing the dynamic range smoothly instead of hard-clamping like VelClip.

T **VelCurve** [DYN] [MIDI] in: Audio out: MIDI

Reshapes velocity through a power curve.

T **VelInvert** [DYN] [MIDI] in: Audio out: MIDI

Flips the velocity scale around its midpoint (soft <-> loud) by Amount, so your accents become ghost notes and the ghosts become accents - a velocity mirror, blendable to taste.

T **Velocity** [DYN] [MIDI] in: Audio out: MIDI

Scales and offsets note velocity, with a modulation amount.

Harmony (18)

⌵ **Bassline** [HRM] [MIDI] in: Audio out: MIDI

Follows the chord with a mono bass voice: the lowest held note dropped Octaves down, retriggered whenever the lowest note changes. Passes the original notes through and adds the bass beneath them.

⌵ **Chord** [HRM] [MIDI] in: Audio out: MIDI

Turns each incoming note into a chord (165 types) with inversion, spread, octave doubling and strum.

⌵ **ChordMem** [HRM] [MIDI] in: Audio out: MIDI

Each key plays a stored chord shape (semitone intervals from node config).

⌵ **ChordProg** [HRM] [MIDI] in: Audio out: MIDI

Each note triggers the next chord in a stored root progression (node config).

⌵ **ChordVoicing** [HRM] [MIDI] in: Audio out: MIDI

Re-voices each note into a jazz shape (open / shell / quartal / spread).

⌵ **Counterpoint** [HRM] [MIDI] in: Audio out: MIDI

Adds a second voice in contrary motion - when the melody rises the counter voice falls and vice-versa - quantised to Root/Scale. Interval sets the starting separation.

⌵ **Diatonic** [HRM] [MIDI] in: Audio out: MIDI

Transposes by scale DEGREES within Root/Scale (a third, a fifth...) instead of by raw semitones like Transpose - the shift always lands back in key. Mod Amt adds a modulatable degree offset.

⦿ **DiatonicChord** [HRM] [MIDI] in: Audio out: MIDI

Auto-harmoniser: builds the in-key chord on every note by stacking diatonic thirds (triad, 7th...) along Root/Scale, so single-finger melodies become correct chords in the key.

⦿ **Drone** [HRM] [MIDI] in: Audio out: MIDI

Doubles every note with a fixed pedal root.

⦿ **Glissando** [HRM] [MIDI] in: Audio out: MIDI

Fills a stepwise run between consecutive notes.

⦿ **Harmonize** [HRM] [MIDI] in: Audio out: MIDI

Adds up to three fixed-interval harmony voices to each note.

⦿ **Invert** [HRM] [MIDI] in: Audio out: MIDI

Mirrors pitch around a pivot note.

⦿ **MidiCluster** [HRM] [MIDI] in: Audio out: MIDI

Adds symmetric tone-cluster voices above and below each note.

⦿ **MidiFold** [HRM] [MIDI] in: Audio out: MIDI

Folds out-of-range notes back inside a Low..High window.

⦿ **NeoRiemann** [HRM] [MIDI] in: Audio out: MIDI

Neo-Riemannian triad transforms: builds a major/minor triad on each note and applies P (parallel), L (leading-tone) or R (relative) - the maximally-smooth chord moves of late-Romantic and film harmony, each sharing two common tones with the input.

⦿ **Octave** [HRM] [MIDI] in: Audio out: MIDI

Doubles each note up and/or down by whole octaves.

⦿ **Scale** [HRM] [MIDI] in: Audio out: MIDI

Quantizes incoming notes to the nearest degree of the chosen root and scale.

⦿ **Transpose** [HRM] [MIDI] in: Audio out: MIDI

Shifts every note by a fixed semitone amount plus a modulatable offset.

Modulation (7)

🌀 **Generative** [MOD] [MIDI] in: Audio out: MIDI

Probabilistic melodic random walk synced to a rate.

🌀 **MidiEnv** [MOD] [MIDI] in: Audio out: MIDI

ADSR envelope triggered by the note gate, on the scalar control output.

🌀 **MidiLFO** [MOD] [MIDI] in: Audio out: MIDI

Low-frequency modulation source (sine/tri/saw/square) on the scalar control output.

🌀 **MidiRandom** [MOD] [MIDI] in: Audio out: MIDI

Generates random notes within a pitch range at a synced rate.

🌀 **MidiSampleHold** [MOD] [MIDI] in: Audio out: MIDI

Samples and holds the incoming control value on each note.

🌀 **MidiSlew** [MOD] [MIDI] in: Audio out: MIDI

Smooths (glides) the control value over a set time.

🌀 **RandOctave** [MOD] [MIDI] in: Audio out: MIDI

Randomly shifts notes by up to +/- Range octaves with a chance.

Probability (1)

🎲 **Chance** [PRB] [CV] [MIDI] in: Audio out: MIDI

Probabilistic gate: lets each note through with the set probability.

Routing (9)

⏏ **Channel** [RTE] [MIDI] in: Audio out: MIDI

Reassigns notes to a fixed MIDI channel.

⏏ **FixedNote** [RTE] [MIDI] in: Audio out: MIDI

Forces every note to a single fixed pitch (drum / trigger).

⏏ **KeySwitch** [RTE] [MIDI] in: Audio out: MIDI

Splits the keyboard at a note; one zone passes, the other is filtered.

➤ **Merge** [RTE] [MIDI] in: Audio out: MIDI

Passes both note-stream inputs through, merged into one stream.

➤ **MidiLatch** [RTE] [MIDI] in: Audio out: MIDI

Holds notes after release until the next note arrives.

➤ **NoteFilter** [RTE] [MIDI] in: Audio out: MIDI

Passes only notes inside a key and velocity window.

➤ **NoteLimit** [RTE] [MIDI] in: Audio out: MIDI

Polyphony cap: never lets more than Max notes sound at once, stealing the oldest (FIFO note-off) when a new note would exceed the limit - tames dense chords and runaway generators.

➤ **Split** [RTE] [MIDI] in: Audio out: MIDI

Keyboard split: notes below the split point transpose by Low, the rest by High.

➤ **Transformer** [RTE] [MIDI] in: Audio out: MIDI

Rule: notes within a range are transposed and velocity-scaled.

Sequencing (25)

■ ■ ■ **Appoggiatura** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Leaning grace note: each struck note first sounds a long auxiliary (Interval away) that takes Time from the principal, which then sustains - the expressive long grace, unlike the quick Flam or Mordent.

■ ■ ■ **Arp** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Arpeggiator: cycles held notes through a pattern at a synced rate with gate, octaves, swing and step count. Latch holds the chord so it keeps arpeggiating after the keys are released (the next key starts a new chord).

■ ■ ■ **Cascade** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Each struck note fans out into a timed run of Steps notes climbing (or falling) the scale from it - an arpeggiated flourish fired per key, unlike Arp which cycles the whole held chord.

■ ■ ■ **Echo** [SEQ] [CV] [MIDI] in: Audio out: MIDI

MIDI delay: repeats notes at a synced time with velocity feedback decay.

■□□ **Flam** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Precedes every note with a quiet grace note, delaying the main hit so the grace leads it - the classic drum flam.

■□□ **MidiBrianBrain** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Brian's Brain MIDI sequencer: an 8x8 three-state grid (ready / firing / dying) evolves under Brian's Brain rules - a ready cell ignites only with exactly two firing neighbours, firing cells pass to dying, dying cells reset. Each clock step plays a note for every firing cell in the next column (row maps to a scale degree from Root/Scale); a full 8-step sweep advances one generation. The refractory state keeps it restless and sparkly where Game of Life settles. Density sets the random fill. The MIDI-note counterpart to the BrianBrain CV block.

■□□ **MidiGameOfLife** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Conway's Game of Life MIDI sequencer: an 8x8 cell grid evolves under the B3/S23 rule; each clock step reads the next column and plays a note for every live cell (row maps to a scale degree from Root/Scale), and a full 8-step sweep advances one generation. Gliders, blinkers and still-lives become ever-shifting melodic and harmonic patterns. Density sets the random fill when the grid (re)seeds. The MIDI-note counterpart to the GameOfLife CV block.

■□□ **Midilangton** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Langton's Ant MIDI melody: a single turmite walks an 8x8 grid - turning right on a white cell, left on a black one, flipping each cell as it leaves, then stepping forward. Each clock advances the ant Steps cells and plays one note for its current row (mapped to a scale degree from Root/Scale), so the melody scribbles chaotically then locks into the famous periodic 'highway'. Emergent order from one trivial rule - a single moving agent, not a population.

■□□ **MidiQuantize** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Snaps note starts to a synced grid by a strength amount.

■□□ **MidiTranceGate** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Chops the held notes with a 16-step on/off Pattern at a synced Rate: every 'on' step retriggers all held notes, gated to a fraction of the step. The rhythmic gate behind the trance sound - pattern-driven, where Roll is a fixed pulse.

■□□ **MidiTuring** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Turing-machine sequencer (Music Thing style): a circular shift register clocks once per step and the held notes fire when the read bit is 1. Change is the probability the recycled bit flips - 0 locks an evolving loop, 1 fully randomises, between = slowly mutating melodies.

■□□ **Mordent** [SEQ] [CV] [MIDI] in: Audio out: MIDI

One-shot ornament: each struck note plays principal -> auxiliary -> principal at the attack, then sustains, the single-flick counterpart to the continuous Trill.

■□□ **NoteLength** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Forces a fixed note duration (gate length).

■□□ **NoteOffDelay** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Extends each note's gate by delaying its note-off.

■□□ **PatternGate** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Gates note-ons through a 16-step on/off pattern (bitmask).

■□□ **Polymeter** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Two step lanes of different lengths (LenA, LenB) clock together over the held notes, phasing against each other so the combined pattern only repeats after lcm(LenA, LenB) steps - instant polymetric movement from one chord.

■□□ **Ricochet** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Accelerating bouncing retriggers with decaying velocity.

■□□ **Roll** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Drum roll / buzz: retriggers every held note at Rate for as long as it is held, each hit gated to a fraction of the interval.

■□□ **SeqEuclid** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Euclidean rhythm gate: spreads Pulses evenly across Steps (rotatable) at a synced rate.

■□□ **SeqRatchet** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Retriggers each note Count times within a synced step.

■□□ **StepSeqMidi** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Melodic step sequencer - semitone offsets (node config) clock the held root.

■□□ **Strum** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Spreads a chord's notes over time, up or down, like a guitar strum.

■□□ **Swing** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Pushes off-beat eighth-notes later for a swing/shuffle feel.

■□□ **Trill** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Keyboard trill: while a note is held, alternates rapidly between it and the note Interval semitones above, at Rate.

■ ■ ■ **Turn**[seq][cv][MIDI] in: Audio out: MIDI

Gruppetto turn: a four-step ornament at the attack - upper auxiliary, principal, lower auxiliary, then the principal held. Time sets each step, Interval the neighbour distance.

Tuning (1)

U **Microtuner**[TUN][MIDI] in: Audio out: MIDI

Stretched-octave microtuning via per-note pitch detune.

Voicing (4)

⊗ **MidiUnison**[VOI][MIDI] in: Audio out: MIDI

Doubles each note into multiple voices, optionally spread across channels.

⊗ **Mono**[VOI][MIDI] in: Audio out: MIDI

Monophonic note priority (last / lowest / highest).

⊗ **MPEConvert**[VOI][MIDI] in: Audio out: MIDI

Assigns each note its own rotating channel for per-note MPE expression.

⊗ **Sustain**[VOI][MIDI] in: Audio out: MIDI

Sustain-pedal simulation: while Hold is engaged, note-offs are captured so the notes keep sounding; when Hold drops, every held note releases at once. Hold is a parameter, so a CC, an LFO or automation can play the pedal.

Index (78 blocks, alphabetical)

Accent	4	Invert	6	NoteLimit	8
Appoggiatura	8	KeySwitch	7	NoteOffDelay	10
Arp	8	Merge	8	Octave	6
ATProc	4	Microtuner	11	PatternGate	10
Bassline	5	MidiBrianBrain	9	Polymeter	10
BendProc	4	MidiCluster	6	Ramp	4
Cascade	8	MidiEnv	7	RandOctave	7
CC2Note	4	MidiFold	6	Ricochet	10
CCMap	4	MidiGameOfLife	9	Roll	10
Chance	7	MidiLangton	9	Scale	6
Channel	7	MidiLatch	8	SeqEuclid	10
Chord	5	MidiLFO	7	SeqRatchet	10
ChordMem	5	MidiQuantize	9	Split	8
ChordProg	5	MidiRandom	7	StepSeqMidi	10
ChordVoicing	5	MidiSampleHold	7	Strum	10
Counterpoint	5	MidiSlew	7	Sustain	11
Diatonic	5	MidiTranceGate	9	Swing	10
DiatonicChord	6	MidiTuring	9	Transformer	8
Drone	6	MidiUnison	11	Transpose	6
Echo	8	Mono	11	Trill	10
FixedNote	7	Mordent	9	Turn	10
Flam	9	MPEConvert	11	VelClip	4
Generative	7	NeoRiemann	6	VelCompress	4
Glissando	6	Note2CC	4	VelCurve	5
Harmonize	6	NoteFilter	8	VelInvert	5
Humanize	4	NoteLength	9	Velocity	5