

———— // ZPWR-MIDI-FX // ————

zpwr-midi-fx - Reference Manual

v0.30

MODULE REFERENCE

Modular MIDI effects – transform the note stream before it reaches an instrument.

2026-06-21

MenkeTechnologies

———— MENKETECHNOLOGIES ————

Contents

Overview.....	1
Core concepts	1
Getting started	1
The patch model	2
Module library	2
Example chains	3
Modulation	3
Stereo	3
Perform & macros.....	3
Presets	4
Tutorials	4
Recipes	4
Tips & best practices	4
FAQ	4
Glossary.....	5
Plugin Architecture	5
Catalog at a glance	6
Reading this catalog (badge key)	6
MIDI (zpw-midi-fx) (78 blocks).....	6
Index (78 blocks, alphabetical).....	14

Overview

zpw-midi-fx is a **modular MIDI-effects plugin** that transforms the note stream before it reaches an instrument --- turning single keys into voiced chords, scale-locking for intelligent harmony, and running notes through a polymetric step arpeggiator with Euclidean rhythm generation. It is the same free-routed patch graph as zpw-fx, instantiated on the note stream instead of audio samples, so you wire note-transform modules into your own chains rather than picking from a fixed rack. It runs as VST3, AU, CLAP and Standalone on macOS, Linux and Windows.

Core concepts

The note stream. Where zpw-fx processes audio samples, zpw-midi-fx processes a stream of note events --- note-ons, note-offs, velocities and controllers. Each block reads notes in, transforms them, and passes notes out. Place it before an instrument and it rewrites what the instrument receives.

Blocks. A dynamic set you add, remove and reorder. Each block has a module type, note-stream inputs and a scalar **Mod** input, up to six parameters, and one output. The two outputs (**Out A**, **Out B**) merge to the plugin's MIDI out.

Scalar sources. Alongside notes, the graph carries scalar control signals --- LFOs, envelopes, Random, the macro soft keys and the performance/MPE controllers. Patch these into a block's **Mod** input or route them to parameters to animate a transform (e.g. an LFO sweeping a Transpose).

Topological evaluation. The graph is evaluated once per audio block in dependency order, and note-offs are scheduled across block boundaries so a note never hangs --- even with delays, ratchets and probability in the chain.

Getting started

1. Place the plugin before an instrument (in a MIDI-effect slot, or on a MIDI track routed to an instrument).
2. Press **⌘ EZ WIRE** --- it auto-wires MIDI In **⌘** your blocks **⌘** Out so a chain works immediately.
3. Press **+** **ADD BLOCK** to add a Chord, Arp or Scale module, then drag output jacks onto input jacks to build your own note pipeline.
4. Every control has a hover tooltip; **double-click** a block for its parameters and modulation.

INIT unplugs every cable and modulation while keeping the blocks; **⌘** blanks the patch.

The patch model

The **Inputs** column exposes every patchable source as a jack --- the note input, every scalar modulator (Random plus the performance / MPE controllers) and the soft keys --- so anything usable in the mod matrix can be cabled straight into a block.

Cables are drawn between jacks and dragged to re-patch. Right-click a cable for its editor: a **Level** (scales note velocity on that connection --- 0 mutes it, and the cable's brightness and width follow the level), a **Colour** swatch, and **Disconnect**. Level is a live tweak; colour is cosmetic and persists with the patch.

A simple chord-then-arp chain wires up as: **MIDI In** 0 **Chord** 0 **Arp** 0 **Out A** 0 **MIDI Out**.

Module library

The library spans several families. A representative selection follows; the **Module Reference** lists every block with its inputs and parameters, generated from the live registry so it never drifts.

Harmony --- turn one key into many notes:

Module	What it does
Chord	one key 0 a voiced chord (165 types, inversion, spread, octave-double, transpose, strum)
Harmonize	stack up to three fixed intervals
Scale	snap every note onto the nearest in-key pitch (20 scales)
Transpose	shift notes by semitones (modulatable)
Octave	add octave-up / octave-down copies
Invert	melodic inversion --- reflect notes around a pivot
Fold	octave-fold every note into a fixed [low, high] window

Sequencing & rhythm --- generate and reshape timing:

Module	What it does
Arp	host-synced arpeggiator (9 play modes, divisions, gate, octaves, swing)
SeqEuclid	retrigger held notes on a Euclidean (Bjorklund) rhythm
SeqRatchet	split each note into N rapid retriggers
Echo	MIDI delay with feedback (decaying repeats)
Strum	spread simultaneous notes in time (up / down)
Quantize	snap note timing to a grid (rate + strength)
Random	clock-driven random-note generator over a range
Ramp	velocity crescendo / decrescendo over N notes

Dynamics & feel --- velocity and timing:

Module	What it does
Velocity	scale / offset note velocity (modulatable)
VelCurve	reshape velocity through a gamma curve
VelClip	clamp velocity into a [min, max] window
Accent	boost the velocity of every Nth note (downbeat)
Humanize	jitter timing and velocity for a played feel
NoteLength	force every note to a fixed gate length

Routing, probability & control --- gate, split and steer:

Module	What it does
Chance	per-note probability gate
NoteFilter	pass only notes within a note + velocity range (key zone)
KeySwitch	keyboard split --- one zone plays, the other holds back

Module	What it does
Mono	collapse to monophonic with note priority (last / lowest / highest)
Latch	toggle-hold notes --- sustain until re-pressed
FixedNote	force every note to one pitch (drum triggering)
Channel	remap the output MIDI channel
Unison	layer each note as N copies, optional MPE channel spread
Merge	combine two note streams
RandOctave	randomly shift notes by $\pm$ octaves (probability)
LFO / Env / SampleHold / Slew	scalar control sources for the mod matrix

A family of **cellular-automaton sequencers** (Game of Life, Brian's Brain, Langton's Ant) generate evolving patterns for generative chains.

Example chains

- > **Instant harmony:** `Chord ▢ Scale` --- play single keys; Chord voices them, Scale locks every resulting note to your key so nothing is ever out.
- > **Generative pluck:** `Random ▢ Arp ▢ SeqEuclid` --- a random note source arpeggiated and gated into a Euclidean rhythm for evolving sequences.
- > **Humanised keys:** `Chord ▢ Strum ▢ Humanize` --- voiced chords, strummed, with subtle timing and velocity jitter for a played feel.
- > **Expressive split:** `KeySwitch ▢ (Chord | Bass via Mono+Transpose)` --- left hand bass, right hand voiced chords from one keyboard.

Modulation

A dynamic list of routes, each mapping a **scalar source** `▢` any **block parameter** with a depth. Sources:

- > **Soft keys** --- an expandable pool of host-automatable macros (16 active by default, `+` / `-` to add or remove).
- > **LFO** and **Env** block outputs, and **Random**.
- > **Performance controllers** --- mod wheel, pitch bend, aftertouch, velocity, expression (CC11), sustain (CC64).
- > **MPE** --- per-note bend, pressure and slide (CC74), read from the most recently active note's channel, so an MPE controller animates the transforms expressively.

The same sources are available on each block's **Mod** input; routing rebuilds the graph while depth is a live, lock-free tweak.

Stereo

`▢ Stereo` mirrors every block, cable and mod into an independent right-channel chain, kept in sync as you edit while knobs stay independent so you can dial width. `▢ Lock` keeps the mirrored knobs tracking the left channel --- bidirectional and offset-preserving, so a width you dialled in isn't reset. Locked clone blocks are dimmed.

Perform & macros

The **Perform** tab is a macros-and-pads view with no patching, for live play:

- > **Preset Morph** --- a 4-corner XY pad bilinearly interpolating four captured presets; `▢` fills all four at random.
- > **Orb** --- the puck's angle picks one of eight random scenes, its distance scales intensity; `▢` rolls new scenes, `▢` records the gesture and `▢` loops it.
- > **XY macro pads** --- each drives a pair of soft keys, with per-pad **HOLD** / **SPRING**.
- > **Macro knobs**, eight **Snapshots** of the macro surface, and a `▢ Randomize`.
- > **On-screen keyboard** --- global **Key** + **Scale** quantize and a **Chord** selector (Off / Oct / 5th / Maj / Min / Maj7 / Min7 / Sus4 / Power) stacking intervals on each played key, plus a global arp (mode / rate / latch) distinct from the per-block Arp module.
- > **MIDI In toggles** --- **Program** and **Bank**, both on by default: an incoming Program Change switches presets, with Bank Select (CC0 MSB / CC32 LSB) captured for the next Program Change.

Presets

A factory bank ships with the plugin --- Chord Arp, Strummed Chords, Euclidean Pulse, Fifth Harmonizer, Arp Echo, Random Walk, Step Melody, Tone Cluster, Jazz Voicing, MPE Spread and more --- spanning arps, harmony, rhythm, generative and FX chains. Your own patches save and load from the **Presets** tab.

Tutorials

One-finger chord progressions. Wire **Chord** **Scale**. Set the Chord type (triad, 7th, etc.) and the Scale to your key. Now any single key you press is voiced into a chord and locked to the key, so a one-finger melody becomes an in-key progression. Add **Strum** after the Chord for a guitar-like roll.

A polymetric arp. Wire **Arp** **SeqEuclid**. Set the Arp mode and division for the note order, then let SeqEuclid gate the result on a Euclidean pulse/step pattern at a different length than your loop --- the two cycles drift against each other for evolving, polymetric rhythms. Add **Echo** for trailing repeats.

Humanised live keys. Wire **Chord** **Humanize** **VelCurve**. Voiced chords get subtle timing and velocity jitter (Humanize) and a velocity response curve shaped to your controller (VelCurve), so a stiff MIDI performance feels played.

A generative sequence. Wire **Random** **Scale** **Arp**. Random generates notes over a range, Scale locks them to your key, and Arp orders them rhythmically --- an endless in-key sequence. Modulate Random's range with an LFO from the mod matrix for slowly shifting registers.

Bass + chords split. Wire **KeySwitch** to split the keyboard: the low zone through **Mono** **Transpose** (down an octave) for a bass line, the high zone through **Chord** for voiced chords --- both hands from one keyboard, into one instrument.

Recipes

- > **Strummed chords** --- **Chord** **Strum** (set direction and time spread).
- > **Octave doubling** --- **Octave** adds up/down copies for thickness.
- > **Probability fills** --- **Chance** before a sequencer drops random notes for variation.
- > **Ratchet rolls** --- **SeqRatchet** splits notes into rapid retriggers on accents.
- > **Tempo-locked timing** --- **Quantize** snaps loose playing to a grid; raise strength gradually.
- > **Drum triggering** --- **FixedNote** forces every note to one pitch to trigger a drum sound.
- > **MPE expression** --- route per-note pressure/slide (mod matrix) into Transpose or Velocity for expressive, per-note control.

Tips & best practices

- > Order matters: put **Scale** after harmony modules so every generated note is locked to key.
- > Use **EZ WIRE** to chain quickly, then reorder by re-patching cables.
- > A cable **Level** of **0** mutes a connection without deleting it --- handy for A/B-ing a module.
- > Assign performance moves (arp rate, chord type, transpose) to **soft keys** so they automate.
- > Watch for stuck notes only with extreme feedback in **Echo**; lower its feedback if repeats pile up (note-offs are scheduled safely, but very long tails can overlap).

FAQ

No notes reach my instrument. Press **EZ WIRE**, or check that a chain reaches **Out A** / **Out B** and that the plugin is before the instrument in the signal path.

My chords are out of key. Add a **Scale** module at the end of the chain set to your key/scale.

How is the global arp different from the Arp module? The Perform tab's global arp is a quick performance layer; the **Arp** module is a patchable block you can place anywhere in the graph and modulate, with its own latch.

Does it do MPE? Yes --- per-note bend, pressure and slide are available as modulation sources, and **Unison** can spread copies across MPE channels.

Which formats / OSes? VST3, AU, CLAP and Standalone on macOS, Linux and Windows (AU is macOS only; Windows ships VST3 + CLAP). It registers as a MIDI-effect where the host supports it.

Glossary

- > **Note stream** --- the flow of note events the plugin transforms before the instrument.
- > **Block / module** --- one note-transform unit (note inputs, a Mod input, up to six params, one output).
- > **Out A / Out B** --- the two outputs that merge to the MIDI out.
- > **Scalar source** --- an LFO/Env/Random/controller/soft-key value driving the mod matrix.
- > **MPE** --- per-note expression (bend, pressure, slide) usable as a modulation source.
- > **EZ Wire** --- one-click auto-routing of MIDI In 0 blocks 0 Out.

Plugin Architecture

JUCE MIDI-effects plugin --- the MIDI-domain companion to `zpwr-fx`, on the same shared patch-graph engine. Paid product.

Build & Position

Metric	Value	Notes
Language	C++	JUCE MIDI-effect plugin
Engine	<code>LayeredEngine<PatchEngine<NoteStream>></code>	shared <code>zpwr-patch-core</code> graph instantiated on the note-event stream
Formats	VST3 · AU · CLAP · Standalone	CLAP via <code>clap-juce-extensions</code> ; registers as a MIDI-effect category where the host supports it (Logic AU MIDI FX, CLAP note ports)
Targets	macOS arm64/x86_64 · Linux x86_64/aarch64 · Windows x64/arm64	cross-platform, cross-arch from day one (Windows builds VST3 + CLAP via <code>scripts/build_win.ps1</code>)
Build system	CMake	<code>CMakeLists.txt</code> at repo root
Modules	78 module types	<code>registerMidiModules</code> --- arp/chord/scale/euclid/transform/humanize/...; +1240+ audio/synth in the stack = 1300+ blocks
Domain	MIDI note stream	transforms notes before they reach an instrument
Status	stable	patch graph + full 78-module note-stream library, UI + factory presets

Architecture




Figure 1: architecture diagram

The same `zpwr-patch-core` engine as `zpwr-fx`, instantiated on `zmidi::NoteStream` instead of `float`.

Not a fixed-slot rack: the same free-routed patch graph as `zpwr-fx`, instantiated on `zmidi::NoteStream` instead of `float`. Module types cover arpeggiation, chord generation, scale quantization, Euclidean and generative sequencing, velocity / timing humanize, and note remapping.

Catalog at a glance

78 blocks shipped by **zpwr-midi-fx** across **9 categories**, including **0** component-level analog-circuit models and **31** control / modulation (CV-badge) sources. This is the per-plugin subset of the shared zpwr-patch-core catalog.

Registry MIDI 78

Output jack Audio 0 MIDI 78 CV 0

By category (block count, largest first):

Sequencing.....	25	Control.....	5
Harmony.....	18	Voicing.....	4
Routing.....	9	Probability.....	1
Dynamics.....	8	Tuning.....	1
Modulation.....	7		

Reading this catalog (badge key)

An icon glyph precedes each block name; then its badges, then **in:** its input jacks and **out:** its output-jack type, then the description:

- > **[CAT]** category - AMP Amp, ANA Analog, CTL Control, DLY Delay, DST Distortion, DYN Dynamics, ENV Envelope, FLT Filter, FX Effect, HRM Harmony, MOD Modulation, OSC Oscillator, PIT Pitch, PRB Probability, REV Reverb, RTE Routing, SEQ Sequencing, SPC Spectral, STR Stereo, TUN Tuning, UTL Utility, VOI Voicing.
- > **[CV]** a control / modulation source (outputs CV, not audio).
- > **[CIRCUIT]** a component-level analog-circuit model (per-sample nodal / Newton solve).
- > **[FX]** **[SYNTH]** **[MIDI]** which plugin(s) ship the block - zpwr-fx, zpwr-synth (gets the whole audio pack) and/or zpwr-midi-fx.
- > **in:** the block's input jacks, and **out:** its output-jack signal type - **out:** Audio, **out:** MIDI (note stream) or **out:** CV (control / modulation).
- > **icon:** the glyph before each block name shows its kind at a glance:

	Oscillator		Filter		Delay
	Reverb		LFO / mod		Envelope
	Dynamics		Stereo		Pitch
	Spectral		Harmony		Sequencer
	Routing		Voicing		Effect
	Control		Probability		Tuning
	Utility		Guitar amp		Pedal / stompbox
	Speaker cabinet		Analog circuit		Other

MIDI (zpwr-midi-fx) (78 blocks)

Control (5)

 **ATProc** **[CTL]** **[CV]** **[MIDI]** in: Audio out: MIDI

Scales aftertouch, optionally converting it to a CC.

 **BendProc** **[CTL]** **[CV]** **[MIDI]** in: Audio out: MIDI

Scales and/or inverts incoming pitch-bend.

🕒 **CC2Note** [CTL][CV][MIDI] in: Audio out: MIDI

A watched CC crossing a threshold triggers a note.

🕒 **CCMap** [CTL][CV][MIDI] in: Audio out: MIDI

Remaps a CC number and scales/offsets its value.

🕒 **Note2CC** [CTL][CV][MIDI] in: Audio out: MIDI

Emits a CC from each note (pitch or velocity).

Dynamics (8)

⌞ **Accent** [DYN][MIDI] in: Audio out: MIDI

Boosts velocity on every Nth note.

⌞ **Humanize** [DYN][MIDI] in: Audio out: MIDI

Adds random timing and velocity jitter for a human feel.

⌞ **Ramp** [DYN][MIDI] in: Audio out: MIDI

Velocity ramp over a run of notes, ascending or descending.

⌞ **VelClip** [DYN][MIDI] in: Audio out: MIDI

Clamps velocity between Min and Max.

⌞ **VelCompress** [DYN][MIDI] in: Audio out: MIDI

Velocity compressor: velocities above Threshold are pulled toward it by Ratio (1 = off, 8 = hard), narrowing the dynamic range smoothly instead of hard-clamping like VelClip.

⌞ **VelCurve** [DYN][MIDI] in: Audio out: MIDI

Reshapes velocity through a power curve.

⌞ **VelInvert** [DYN][MIDI] in: Audio out: MIDI

Flips the velocity scale around its midpoint (soft <-> loud) by Amount, so your accents become ghost notes and the ghosts become accents - a velocity mirror, blendable to taste.

⌞ **Velocity** [DYN][MIDI] in: Audio out: MIDI

Scales and offsets note velocity, with a modulation amount.

Harmony (18)

⌵ **BassLine** [HRM] [MIDI] in: Audio out: MIDI

Follows the chord with a mono bass voice: the lowest held note dropped Octaves down, retriggered whenever the lowest note changes. Passes the original notes through and adds the bass beneath them.

⌵ **Chord** [HRM] [MIDI] in: Audio out: MIDI

Turns each incoming note into a chord (165 types) with inversion, spread, octave doubling and strum.

⌵ **ChordMem** [HRM] [MIDI] in: Audio out: MIDI

Each key plays a stored chord shape (semitone intervals from node config).

⌵ **ChordProg** [HRM] [MIDI] in: Audio out: MIDI

Each note triggers the next chord in a stored root progression (node config).

⌵ **ChordVoicing** [HRM] [MIDI] in: Audio out: MIDI

Re-voices each note into a jazz shape (open / shell / quartal / spread).

⌵ **Counterpoint** [HRM] [MIDI] in: Audio out: MIDI

Adds a second voice in contrary motion - when the melody rises the counter voice falls and vice-versa - quantised to Root/Scale. Interval sets the starting separation.

⌵ **Diatonic** [HRM] [MIDI] in: Audio out: MIDI

Transposes by scale DEGREES within Root/Scale (a third, a fifth...) instead of by raw semitones like Transpose - the shift always lands back in key. Mod Amt adds a modulatable degree offset.

⌵ **DiatonicChord** [HRM] [MIDI] in: Audio out: MIDI

Auto-harmoniser: builds the in-key chord on every note by stacking diatonic thirds (triad, 7th...) along Root/Scale, so single-finger melodies become correct chords in the key.

⌵ **Drone** [HRM] [MIDI] in: Audio out: MIDI

Doubles every note with a fixed pedal root.

⌵ **Glissando** [HRM] [MIDI] in: Audio out: MIDI

Fills a stepwise run between consecutive notes.

⌵ **Harmonize** [HRM] [MIDI] in: Audio out: MIDI

Adds up to three fixed-interval harmony voices to each note.

⌵ **Invert**[HRM][MIDI] in: Audio out: MIDI

Mirrors pitch around a pivot note.

⌵ **MidiCluster**[HRM][MIDI] in: Audio out: MIDI

Adds symmetric tone-cluster voices above and below each note.

⌵ **MidiFold**[HRM][MIDI] in: Audio out: MIDI

Folds out-of-range notes back inside a Low..High window.

⌵ **NeoRiemann**[HRM][MIDI] in: Audio out: MIDI

Neo-Riemannian triad transforms: builds a major/minor triad on each note and applies P (parallel), L (leading-tone) or R (relative) - the maximally-smooth chord moves of late-Romantic and film harmony, each sharing two common tones with the input.

⌵ **Octave**[HRM][MIDI] in: Audio out: MIDI

Doubles each note up and/or down by whole octaves.

⌵ **Scale**[HRM][MIDI] in: Audio out: MIDI

Quantizes incoming notes to the nearest degree of the chosen root and scale.

⌵ **Transpose**[HRM][MIDI] in: Audio out: MIDI

Shifts every note by a fixed semitone amount plus a modulatable offset.

Modulation (7)

⌵ **Generative**[MOD][MIDI] in: Audio out: MIDI

Probabilistic melodic random walk synced to a rate.

⌵ **MidiEnv**[MOD][MIDI] in: Audio out: MIDI

ADSR envelope triggered by the note gate, on the scalar control output.

⌵ **MidiLFO**[MOD][MIDI] in: Audio out: MIDI

Low-frequency modulation source (sine/tri/saw/square) on the scalar control output.

🎵 **MidiRandom**[MOD][MIDI] in: Audio out: MIDI

Generates random notes within a pitch range at a synced rate.

🎵 **MidiSampleHold**[MOD][MIDI] in: Audio out: MIDI

Samples and holds the incoming control value on each note.

🎵 **MidiSlew**[MOD][MIDI] in: Audio out: MIDI

Smooths (glides) the control value over a set time.

🎵 **RandOctave**[MOD][MIDI] in: Audio out: MIDI

Randomly shifts notes by up to +/- Range octaves with a chance.

Probability (1)

🎲 **Chance**[PRB][CV][MIDI] in: Audio out: MIDI

Probabilistic gate: lets each note through with the set probability.

Routing (9)

⏏ **Channel**[RTE][MIDI] in: Audio out: MIDI

Reassigns notes to a fixed MIDI channel.

⏏ **FixedNote**[RTE][MIDI] in: Audio out: MIDI

Forces every note to a single fixed pitch (drum / trigger).

⏏ **KeySwitch**[RTE][MIDI] in: Audio out: MIDI

Splits the keyboard at a note; one zone passes, the other is filtered.

⏏ **Merge**[RTE][MIDI] in: Audio out: MIDI

Passes both note-stream inputs through, merged into one stream.

⏏ **MidiLatch**[RTE][MIDI] in: Audio out: MIDI

Holds notes after release until the next note arrives.

⏏ **NoteFilter**[RTE][MIDI] in: Audio out: MIDI

Passes only notes inside a key and velocity window.

➤ **Notelimit** [RTE] [MIDI] in: Audio out: MIDI

Polyphony cap: never lets more than Max notes sound at once, stealing the oldest (FIFO note-off) when a new note would exceed the limit - tames dense chords and runaway generators.

➤ **Split** [RTE] [MIDI] in: Audio out: MIDI

Keyboard split: notes below the split point transpose by Low, the rest by High.

➤ **Transformer** [RTE] [MIDI] in: Audio out: MIDI

Rule: notes within a range are transposed and velocity-scaled.

Sequencing (25)

■ ■ ■ **Appoggiatura** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Leaning grace note: each struck note first sounds a long auxiliary (Interval away) that takes Time from the principal, which then sustains - the expressive long grace, unlike the quick Flam or Mordent.

■ ■ ■ **Arp** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Arpeggiator: cycles held notes through a pattern at a synced rate with gate, octaves, swing and step count. Latch holds the chord so it keeps arpeggiating after the keys are released (the next key starts a new chord).

■ ■ ■ **Cascade** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Each struck note fans out into a timed run of Steps notes climbing (or falling) the scale from it - an arpeggiated flourish fired per key, unlike Arp which cycles the whole held chord.

■ ■ ■ **Echo** [SEQ] [CV] [MIDI] in: Audio out: MIDI

MIDI delay: repeats notes at a synced time with velocity feedback decay.

■ ■ ■ **Flam** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Precedes every note with a quiet grace note, delaying the main hit so the grace leads it - the classic drum flam.

■ ■ ■ **MidiBrianBrain** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Brian's Brain MIDI sequencer: an 8x8 three-state grid (ready / firing / dying) evolves under Brian's Brain rules - a ready cell ignites only with exactly two firing neighbours, firing cells pass to dying, dying cells reset. Each clock step plays a note for every firing cell in the next column (row maps to a scale degree from Root/Scale); a full 8-step sweep advances one generation. The refractory state keeps it restless and sparkly where Game of Life settles. Density sets the random fill. The MIDI-note counterpart to the BrianBrain CV block.

■ ■ ■ **MidiGameOfLife** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Conway's Game of Life MIDI sequencer: an 8x8 cell grid evolves under the B3/S23 rule; each clock step reads the next column and plays a note for every live cell (row maps to a scale degree from Root/Scale), and a full 8-step sweep advances one generation. Gliders, blinkers and still-lives become ever-shifting melodic and harmonic patterns. Density sets the random fill when the grid (re)seeds. The MIDI-note counterpart to the GameOfLife CV block.

■□□ **Midilangton** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Langton's Ant MIDI melody: a single turmite walks an 8x8 grid - turning right on a white cell, left on a black one, flipping each cell as it leaves, then stepping forward. Each clock advances the ant Steps cells and plays one note for its current row (mapped to a scale degree from Root/Scale), so the melody scribbles chaotically then locks into the famous periodic 'highway'. Emergent order from one trivial rule - a single moving agent, not a population.

■□□ **MidiQuantize** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Snaps note starts to a synced grid by a strength amount.

■□□ **MidiTranceGate** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Chops the held notes with a 16-step on/off Pattern at a synced Rate: every 'on' step retriggers all held notes, gated to a fraction of the step. The rhythmic gate behind the trance sound - pattern-driven, where Roll is a fixed pulse.

■□□ **MidiTuring** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Turing-machine sequencer (Music Thing style): a circular shift register clocks once per step and the held notes fire when the read bit is 1. Change is the probability the recycled bit flips - 0 locks an evolving loop, 1 fully randomises, between = slowly mutating melodies.

■□□ **Mordent** [SEQ] [CV] [MIDI] in: Audio out: MIDI

One-shot ornament: each struck note plays principal -> auxiliary -> principal at the attack, then sustains, the single-flick counterpart to the continuous Trill.

■□□ **NoteLength** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Forces a fixed note duration (gate length).

■□□ **NoteOffDelay** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Extends each note's gate by delaying its note-off.

■□□ **PatternGate** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Gates note-ons through a 16-step on/off pattern (bitmask).

■□□ **Polymeter** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Two step lanes of different lengths (LenA, LenB) clock together over the held notes, phasing against each other so the combined pattern only repeats after lcm(LenA,LenB) steps - instant polymeric movement from one chord.

■□■ **Ricochet** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Accelerating bouncing retriggers with decaying velocity.

■□■ **Roll** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Drum roll / buzz: retriggers every held note at Rate for as long as it is held, each hit gated to a fraction of the interval.

■□■ **SeqEuclid** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Euclidean rhythm gate: spreads Pulses evenly across Steps (rotatable) at a synced rate.

■□■ **SeqRatchet** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Retriggers each note Count times within a synced step.

■□■ **StepSeqMidi** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Melodic step sequencer - semitone offsets (node config) clock the held root.

■□■ **Strum** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Spreads a chord's notes over time, up or down, like a guitar strum.

■□■ **Swing** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Pushes off-beat eighth-notes later for a swing/shuffle feel.

■□■ **Trill** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Keyboard trill: while a note is held, alternates rapidly between it and the note Interval semitones above, at Rate.

■□■ **Turn** [SEQ] [CV] [MIDI] in: Audio out: MIDI

Gruppetto turn: a four-step ornament at the attack - upper auxiliary, principal, lower auxiliary, then the principal held. Time sets each step, Interval the neighbour distance.

Tuning (1)

⌋ **Microtuner** [TUN] [MIDI] in: Audio out: MIDI

Stretched-octave microtuning via per-note pitch detune.

Voicing (4)

⊗ **MidiUnison** [VOI] [MIDI] in: Audio out: MIDI

Doubles each note into multiple voices, optionally spread across channels.

⊗ **Mono** [VOI] [MIDI] in: Audio out: MIDI

Monophonic note priority (last / lowest / highest).

⊗ **MPEConvert** [VOI] [MIDI] in: Audio out: MIDI

Assigns each note its own rotating channel for per-note MPE expression.

⊗ **Sustain** [VOI] [MIDI] in: Audio out: MIDI

Sustain-pedal simulation: while Hold is engaged, note-offs are captured so the notes keep sounding; when Hold drops, every held note releases at once. Hold is a parameter, so a CC, an LFO or automation can play the pedal.

Index (78 blocks, alphabetical)

Accent	7	Invert	9	Notelimit	11
Appoggiatura	11	KeySwitch	10	NoteOffDelay	12
Arp	11	Merge	10	Octave	9
ATProc	6	Microtuner	13	PatternGate	12
Bassline	8	MidiBrianBrain	11	Polymeter	12
BendProc	6	MidiCluster	9	Ramp	7
Cascade	11	MidiEnv	9	RandOctave	10
CC2Note	7	MidiFold	9	Ricochet	12
CCMap	7	MidiGameOfLife	11	Roll	13
Chance	10	MidiLangton	12	Scale	9
Channel	10	MidiLatch	10	SeqEuclid	13
Chord	8	MidiLFO	9	SeqRatchet	13
ChordMem	8	MidiQuantize	12	Split	11
ChordProg	8	MidiRandom	9	StepSeqMidi	13
ChordVoicing	8	MidiSampleHold	10	Strum	13
Counterpoint	8	MidiSlew	10	Sustain	14
Diatonic	8	MidiTranceGate	12	Swing	13
DiatonicChord	8	MidiTuring	12	Transformer	11
Drone	8	MidiUnison	14	Transpose	9
Echo	11	Mono	14	Trill	13
FixedNote	10	Mordent	12	Turn	13
Flam	11	MPEConvert	14	VelClip	7
Generative	9	NeoRiemann	9	VelCompress	7
Glissando	8	Note2CC	7	VelCurve	7
Harmonize	8	NoteFilter	10	VelInvert	7
Humanize	7	NoteLength	12	Velocity	7