



BUTTONS & ACTIONS

button

ZGui.button({label,variant,onClick})

primary

default

danger

stop

mini

compact

buttonGroup

ZGui.buttonGroup({buttons,value})

LEFT

CENTER

RIGHT

toggleGroup

ZGui.toggleGroup({items})

B

I

U

splitButton

ZGui.splitButton({label,items})

Save



speedDial

ZGui.speedDial({actions,direction})

+

button
(raised)

ZGui.button({variant:'raised'}) -
button.png plate

PATCH

SYNTH

PERFORM

copyButton

ZGui.copyButton({text})



Copy slug

fab

ZGui.fab({icon,onClick})

+

INPUTS & FORMS

textfield

ZGui.textfield({placeholder})

Type here...

checkbox

ZGui.checkbox({label,checked,indeterminate})

☒ Checked

☐ Indeterminate (tri-state)

☐ Unchecked

toggle

ZGui.toggle({checked})



range

ZGui.range({min,max,value})



rangeSlider

ZGui.rangeSlider({low,high})



numberStepper

ZGui.numberStepper({value})



select

ZGui.select({options,value})

ALPHA



combobox

ZGui.combobox({options})

Alpha

searchSelect (button
+ filter dropdown)ZGui.searchSelect(host,
options, value, onChange, opt)

Sawtooth

inputGroup

ZGui.inputGroup({prefix,suffix})

\$ 42

.00

searchBox (icon +
regex + clear)ZGui.searchBox(host,
{placeholder,onInput,onRegex})

Search samples...

mentions (@-
trigger)ZGui.mentions(host,
{options,prefix,onSelect})

Type @ to mention...

upload (list +
progress)ZGui.upload(host,
{multiple,onChange})

Click or drag to upload

field

ZGui.field({label,control,help})

EMAIL

you@example.com

We never share it.

datePicker

ZGui.datePicker(host,{})

YYYY-MM-DD

calendar

ZGui.calendar(host,{onSelect})

< July 2026 >

SU	MO	TU	WE	TH	FR	SA
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

pinInput

ZGui.pinInput(host,{length})

tagInput

ZGui.tagInput({tags})



alpha × beta × add tag...

colorPicker

ZGui.colorPicker({value})

 #05d9e8


rating

ZGui.rating({value,max})




knob

ZGui.knob({value,label})



wheel

ZGui.wheel(parent,{label})



kvEditor

ZGui.kvEditor.mount(host,rows)

KEY

VALUE



host

localhost



port

8080

+ Add row

timePicker (h/m/s
columns)

ZGui.timePicker(host,
{value,onChange})

14:30:00

dateRangePicker
(dual-month)


ZGui.dateRangePicker(host,
{value,presets,onChange})

Start → End

emojiPicker
(searchable)

ZGui.emojiPicker(host,
{onPick})

Search emoji...





signaturePad

ZGui.signaturePad(host,
{width,height,onChange})

dialPad

ZGui.dialPad(host,{onKey,onDial})





cronEditor

ZGui.cronEditor(host,{value,onChange})

MIN

HOUR

DAY

MONTH

WEEKDAY

0

9

*

*

1

0 9 * * 1

At 09:00, on Mon

gradientPicker

ZGui.gradientPicker(host,{stops,type,onChange})

#05d9e8

Remove stop

linear-gradient(90deg, #05d9e8 0%, #ff2a6d 100%)

imageCropper

ZGui.imageCropper(host,{src,aspect,onChange})

tooltip (hover)

ZGui.tooltip.init()

save

delete

settings

fileDrag (drop zone) — Tauri

ZGui.fileDrag.initDrop({onDrop})

drop files here (wires to Tauri file-drop)

SELECTION & NAV

treeSelect (tree dropdown)

ZGui.treeSelect(host,{treeData,checkable,onChange})

Pick nodes...

anchor (scroll-spy ToC)


ZGui.anchor(host,{items,onChange})

Overview

Details

Sub-detail

API



segmented

ZGui.segmented.create(host, items)

List

Grid

Map

radio

ZGui.radio(host, {options})

☒ One

☐ Two

tabs

ZGui.tabs.init({nav})

FIRST

SECOND

Tab one body

accordion

ZGui.accordion(host, sections)

▾ Section A

Body A

▸ Section B

collapsible

ZGui.collapsible(host, {title, body})

▸ DETAILS

breadcrumb

ZGui.breadcrumb.render(host, segs)

root > src > webui

menubar

ZGui.menubar(host, menus)

File

Edit

wizard

ZGui.wizard(host, {steps})

1 ONE — 2 TWO

Step one

Back

Next

dropdownMenu

ZGui.dropdownMenu(trigger, {items})

Menu ▾

scrollArea

ZGui.scrollArea(host, {maxHeight})

row 1

row 2

row 3

row 4

ZG

C-b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LD -

UP -

° -

-


LAN -

WAN ...


@ -

BANK	
(All)	
Factory	2
User	2


TYPE	
(All)	
Bass	2
Lead	1
Pad	1



3



4



cascader (multi-level)

ZGui.cascader(host, {options, onChange})

Pick a region...

launcher

ZGui.launcher(host, {sigil, items, onOpen, onAction})

zgo Apps · a sum · the web



Google
google

SEARCH



DuckDuckGo
ddg

SEARCH



Amazon
amazon

SEARCH



Wikipedia
wiki

SEARCH



YouTube
youtube

SEARCH



GitHub
github

SEARCH

↑↓ nav · ↵ open · → actions

6 results

logo

ZGui.logo({glyph, title, version})



ZGUI
CORE
Version: v1.0
abc1234

header (app header)

ZGui.header.build({title, stats})



ZGUI
CORE
SHOWCASE
Version: v1.0

COMP 216 LOC 30k

stepper (wizard nav) ZGui.stepper(host, {steps,onStep,onDone})

1 Source 2 Map 3 Confirm

drag (reorderable list) ZGui.drag.init(host,sel,key,{onReorder})

≡ Alpha

≡ Beta

≡ Gamma

≡ Delta

popover (anchored) ZGui.popover({anchor,content})

Open popover

tiles (launcher cards) ZGui.tiles.render(host,sections,{onActivate})

// TILES

filter...

MANAGE

Files
Browse

Tags
Edit

dock ZGui.dock.make({items})

(rendered - no visible output)

multiFilter (faceted dropdown) ZGui.multiFilter(button,{values,onChange})

All ▾

facetChips (active filters) ZGui.facetChips(host,{facets,onChange})

keyboardNav ZGui.keyboardNav.init({items,onActivate})
(j/k list)

prefsShell ZGui.prefsShell(host,{logo,title,items:[{id,icon,name,sub,render}]})

one

two

three

j/k to move · ↵ activate

zgui PREFERENCES



Default Results

Scope & index



Web Search

Built-in & custom



Clipboard

History & merge



Appearance

Themes



Apps
&
files
from
a
direct
filesys
scan.

SEARCH
SCOPE



/App



/System



~/App


`palette.create` `ZGui.palette.create({items,scope}).open()`
(scoped,
button-
opened)

Open scoped palette %

`userCommands` `ZGui.userCommands.renderEditor(host)`
(personal %K
palette) `· attach(palette)`

No custom commands yet. Add one below – it
appears in %K, above the app's own, in every
zgui app.

ICON



LABEL




New tal

KEYWORD

g

DETAIL



STEPS

1

ACTION



An action this app provides – its %K command

DATA DISPLAY

`image` (preview +
zoom/rotate) `ZGui.image({src,fallback,preview})`

`card` `ZGui.card({title,body})`

IMG-1

Card title

A bordered content card with a heading.

dataTable

ZGui.dataTable(host,...)

KEY	VALUE
x	1
y	2

tree

ZGui.tree.render(host,nodes)

▼ SIC

- main.rs
- lib.rs
- README.md

managerList

ZGui.managerList(host,groups)

Item A

Item B

transferList

ZGui.transferList(host,items)

SOURCES

queued

queued

queued

timeline

ZGui.timeline(host,items)

Started 09:00 Ready 09:05

boot ok

metaGrid

ZGui.metaGrid(host,items)

FORMAT RATE CHANNELS DEPTH

FLAC 48kHz 2 24-bit

avatar

ZGui.avatar({name,status})

JD

S

statistic ZGui.statistic({title,value,prefix,suffix,trend}) (trend)

Active Users

112,893

▲ 12.4%

Balance

\$ 9,280.50

▼ 3.1%

statistic.countdown ZGui.statistic.countdown({title,deadT

formatBadge (file-type colors)

ZGui.formatBadge(fmt)

WAV MP3 FLAC OGG M4A AIFF OPUS

statStrip (inventory header)

ZGui.statStrip(host,items,{draggable})

◆ TOTAL 6,547 ◆ MP3 6,345
◆ FLAC 142 ◆ WAV 60

highlight (matched substrings)

ZGui.highlight(text,query)

The quick brown fox jumps over the lazy dog

avatarGroup (stacked + N)

ZGui.avatarGroup({avatars,max})



indicator (corner dot/badge)

ZGui.indicator(child,{label,dot,color})



spoiler (show more/less)

ZGui.spoiler(host,{maxHeight,showLabel})

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed do eiusmod tempor incididunt ut labore et
Show more


treeTable (hierarchical rows)

ZGui.treeTable(host,{columns,nodes})


NAME	SIZE	TYPE
▼ src	-	folder
main.rs	4 KB	rust
► lib	-	folder

orgChart (hierarchy + connectors)

ZGui.orgChart(host,{node})




kanban (drag cards) ZGui.kanban(host,{columns,onMove})




nodeGraph (lanes + bezier edges)

ZGui.nodeGraph(host,{columns,nodes,edges,onSelect,onConnect})



chat (message bubbles)

ZGui.chat(host,{messages,onSend})



trigger

action

09:02

Yes - ZGui.thumbnailRail, in this batch.

✓✓

Message...

➤

eventCalendar
(month + agenda)

ZGui.eventCalendar(host, {events,onDayClick,onEventClick})

< Today >

July 2026

Month

Agenda

SUN	MON	TUE	WED	THU	FRI	SAT
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12 09: ... 14: ...	13	14 Vaca...	15	16	17 11: ... 15: ... 16: ...	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

editable (inline edit)

ZGui.editable(host, {value,onSubmit})

TRACK NAME

Untitled.flac

masonry (shortest-column)

ZGui.masonry(host, {columns,gap})

1

2

3

4

5

watermark (tiled overlay)

ZGui.watermark(host, {text,rotate,gap})

Protected content area

ZGUI-CORE
CONFIDENTIAL

ZGUI-CORE
CONFIDENTIAL

ZGUI-CORE
CONFIDENTIAL

ZGUI-CORE
CONFIDENTIAL

ZGUI-CORE
CONFIDENTIAL

Z6

C - b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LD -

UP -

° -

-

LAN -

WAN ...

@ -

7

6

8

badge

ZGui.badge(text,{kind,fill})

VST3AUVST2CLAPX86_64KVRLIVENEWTOP

countBadge

ZGui.countBadge(n)

7

kbd

ZGui.kbd('%K')

%KCtrlC

timeAgo

ZGui.timeAgo(when)

1m ago3h ago

xmlView

ZGui.xmlView(host,xml)

<root><item id="1">a</item><item id="2">b</item></root>

chip

ZGui.chip(text,{onClick})

filter: flacactive

statusPill

ZGui.statusPill(code)

200 OK404500

divider

ZGui.divider({label})

OR

jsonView

ZGui.jsonView(host,value)

{ 4 keysid: 7name: "demo"tags: [2 items0: "a"1: "b"]nested: { 1 keysok: true }}

tomlView

ZGui.tomlView(host,toml)

app config[server]host = "localhost"port = 8080tls = true[paths]data = "/var/lib"retries = 3

ZG C-b CYBERPUNK CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ -

csvViewZGui.csvView(host, csv)

NAME	FORMAT	SIZE
intro.mp3	MP3	3.2M
master.wav	WAV	48M
take.flac	FLAC	21M

3 ROWS × 3 COLS

markdownZGui.markdown.render(text)

HEADING

Some bold text and a list:



- one
- two

diffViewZGui.diffView.lines(a, b)

```
alpha
- beta
+ BETA
gamma
+ delta
```

codeEditorZGui.codeEditor(host, {value})

```
fn main() {
    println!("hi");
}
```



statChipZGui.statChip({label, value, dot})

CPU 8 MEM 62% NET ok



virtualListZGui.virtuallist(host, {items, rowHeight, render})

Row 1
Row 2

logView (log stream)ZGui.logView.create(host, {})

```
[info] booting...[ok] index scanned (375)
[warn] cache miss[info] ready
```

batchSelect (bulk bar)ZGui.batchSelect(host, {actions})

(rendered - no visible output)

table (sortable/resizable toolkit)ZGui.table = {columns, sort, batch, multiFilter}

Name	Size
kick.wav	240k
snare.wav	96k

OVERLAYS (TRIGGERED)

expose (window
switcher grid)

ZGui.expose(host,
{windows,onChoose,onClose})

ALL
WINDOWS

Click a window
to focus it ·
Esc to close

Close

Zterm FOCUSED

/Users/wizard · pid 73434 · 140×80

wizard@host ~ %
\$ ls -la
total 248
drwxr-xr-x 42 wizard staff
-rw-r--r-- 1 wizard staff .zshrc
\$ cargo build
Compiling zshrs v0.1.0

popconfirm (inline
confirm)

ZGui.popconfirm(btn,
{title,onConfirm})

Delete

backTop (scroll to
top)

ZGui.backTop({visibilityHeight})

Spawn backTop (scroll page)

affix (pin on scroll)

ZGui.affix(child,{offsetTop})

Affix a bar – then scroll

hoverCard (rich hover
popover)

ZGui.hoverCard(target,
{content,openDelay})

Hover me

tour (guided spotlight)

ZGui.tour({steps}).start()

Start tour

modal

ZGui.modal.confirm({...})

Confirm dialog

drawer

ZGui.drawer.create({...})

> DRAWER

Side panel content.

commandPalette

ZGui.palette.open()

Open palette (⌘K)

contextMenu

ZGui.contextMenu.bind(el,items)

right-click me

helpOverlay

ZGui.helpOverlay.open(sections)

splash

ZGui.splash.show({title,subtitle,version})

exportDialog


ZGui.exportDialog.pickImport({})

Import...

CHARTS & METERS


calendarHeatmap
(contributions)

ZGui.calendarHeatmap(host,
{values})




gauge

ZGui.gauge({value,label})




donut

ZGui.donut({segments})



sparkline

ZGui.sparkline(host,data)



statBars

ZGui.statBars(host,rows)

MP3 | 42

FLAC | 30

WAV | 18

stackBar (rainbow %)

ZGui.stackBar({segments})



statStrip

ZGui.statStrip(host,items)


CORES 18 CPU 50% MEM 66

tileGrid (viz
boxes)

ZGui.tileGrid(host,{tiles}) - the boxes
that hold each viz

viz.fft

ZGui.viz.fft(ctx,w,h,freq)




viz.oscilloscope

ZGui.viz.oscilloscope(ctx,w,h,time)



viz.spectrogram

ZGui.viz.spectrogram(opts).draw - 2D
scrolling heat




viz.waveform

ZGui.viz.waveform(ctx,w,h,peaks)



parametricEq (FFT +
EQ)

ZGui.parametricEq({bands}) +
setSpectrum




drag: freq/gain · alt-drag or scroll: Q · right...

viz.lissajous


ZGui.viz.lissajous(ctx,w,h,{n,l,r})

L → horizontal · R → vertical




viz.waterfall (FFT
waterfall)

ZGui.viz.waterfall(ctx,w,h,hist)
- 3D razor



goniometer (stereo
scope)

ZGui.goniometer(host).push(L,R)




lufsMeter (EBU
R128)

ZGui.lufsMeter(host).set({m,s,i})




spectrumAnalyzer
(FFT)

ZGui.spectrumAnalyzer(host).push(mags)



spectrogram
(waterfall)

ZGui.spectrogram(host).push(mags)



correlationMeter

ZGui.correlationMeter(host).set(v)




gainReduction

ZGui.gainReduction(host).set(db)



vuMeter (analog needle)

ZGui.vuMeter(host).set(db)



headlineStats

ZGui.headlineStats(host,
[{value,label,color}])

◆ 2,680 PLUGINS
◆ 172K LOC
◆ 506 VERBS

eta (progress
estimator)

ZGui.eta(); e.start();
e.estimate(p,t)

ETA ~3s · 1s

FEEDBACK & STATUS

banner

ZGui.banner(host,{type,message})

alert

ZGui.alert({kind,text})

⚠ Heads up - check this. ✕

emptyState

ZGui.emptyState(host,{...})




NOTHING HERE

No items yet.

Add one

skeleton

ZGui.skeleton(host,{variant,count})




spinner

ZGui.spinner({size})



progress

ZGui.progress({value})



strengthMeter

ZGui.strengthMeter({level})



toast

ZGui.toast.show(msg)

Show toast


toast.progress (top bar)

ZGui.toast.progress.show()/hide()

Top progress 2.5s

loadingOverlay

ZGui.loadingOverlay(host,{})



Toggle 1.5s

resourceMeter (CPU/RAM)

ZGui.resourceMeter({label,value,warn,hot,ki

CPU 84%

RAM 843 MB

result

ZGui.result(host,{status,title,subtitle,actions})



Deployed

Build #1042 shipped.

View

Undo

CYBERPUNK FX

glitchTextZGui.glitchText(text)

GLITCH

neonFrameZGui.neonFrame(content,{pulse})

NEON

marqueeZGui.marquee(host,{text})

ING · zgui-core component showcase ·

ribbonZGui.ribbon({text,corner})

NEW

carouselZGui.carousel({slides})

<1>

flipCardZGui.flipCard({front,back})

BACK

Flip

aspectRatioZGui.aspectRatio(content,{ratio})

16:9

THEME & SETTINGS

colorschemeZGui.colorscheme.buildSwitcher()

Cyberpunk
Hot pink + cyan neon (default)

Midnight
Deep blue + electric purple

fx (CRT toggles)ZGui.fx.buildToggles()

CRT scanlines

Bezel vignette

Neon glow

Animations

Matrix

Terminal green on black



Ember

Warm amber + orange tones



Arctic

Cool whites + icy blue



Crimson

Rose-red accent + teal highlight



Toxic

Acid-lime accent + magenta



Vapor

Vaporwave pastel pink + cyan



settings

ZGui.settings.section/row + initSearch

Search settings...

AUDIO

SAMPLE RATE

Output device rate

BUFFER SIZE

Latency vs CPU

ON



DISPLAY

THEME

Color scheme

FONT SIZE

Editor text size

fzfSettings

ZGui.fzf.settingsPanel(host,{})

SCORE MATCH

16

SCORE GAP START

-3

SCORE GAP EXTENSION

-1

BONUS BOUNDARY

9

BONUS NON WORD

8

BONUS CAMEL

7

BONUS CONSECUTIVE

4

BONUS FIRST CHAR MULT

2

Reset weights

heatColor

ZGui.heatColor(value,{min,max})



sortState

ZGui.sortState.save/restore(scope)

stored: (none)

name ↑

date ↓

size ↑

graphFreeze

ZGui.graphFreeze.setFrozen(id,on)

► live

Toggle freeze

uiIdle

ZGui.uiIdle.isIdle() -> bool

isIdle(): false (active)

i18n

ZGui.i18n.t(key,vars)

i18n.t("menu.close", {n:3}) → menu.close

shortcuts
(rebindable)

ZGui.shortcuts.init();
.renderSettings(host)

Palette

⌘+K

Help

↑+?

baseline (required-
baseline audit)

ZGui.baseline.audit() ->
[{name,ok}]

x splash
✓ colorscheme
x customScheme
✓ filter
x crt
x neon
x logAccess
x palette

crt (CRT scanline overlay)

ZGui.crt({on}).toggle()

scanlines: ON

Toggle CRT

neonGlow (body neon pulse) `ZGui.neonGlow.toggle()`

neon: ON

Toggle neon

embed.view (blocks
global grabs)

`ZGui.embed.view(fn) - stubs
app-shell APIs`

Call `ZGui.crt()` inside `embed.view`

colorscheme.scope
(pane-local theme)

`ZGui.colorscheme.scope(el,
id|vars)`

this box has a scoped scheme (host unchanged)

Cycle scoped scheme

AUDIO / DAW

keyboard + light-
guide

`ZGui.keyboard.create(parent,
{guide,guideColor})`




fader

`ZGui.fader({value})`



orb


`ZGui.orb({x,y}) - circular .orb-pad`



xyPad

`ZGui.xyPad({xLabel,yLabel}) - square 2-param pad`

CUTOFF × RESO



morphPad

`ZGui.morphPad({corners}) - 4-corner blender`

PRESET MORPH

A

Saw

B

Pad

led

`ZGui.led({on,color})`





-24

-48

S

M

Rev

Dly

0%

0%

-24

-48

S

M

Rev

Dly

0%

0%

-24

-48

S

M

Rev

Dly

0%

0%

minimap (arrangement overview)

ZGui.minimap(host, {tracks,total,onScrub})

clip (arranger block)

ZGui.clip({name,color,kind,notes|peaks})

Drum Loop

Bassline

laneGrid (section overrides)

ZGui.laneGrid(host, {lanes,sections,blocks,onChange})

× CHAOS

× DENSITY

× SCATTER

▷ INTRO 1-4

▷ BUILD 5-8

▷ DROP 9-12

click-drag paint · right-drag erase · drag

volumeControl (mute + glow slider)

ZGui.volumeControl(host, {value,onChange,onMute})

ledToggle (label + glowing LED)

ZGui.ledToggle({label,on,color,onChange})

MASTER FX BYPASS

ARP HOLD

paramRow (slider/select + unit)

ZGui.paramRow({label,type,value,unit,onChange})

CUTOFF

8200 HZ

UI SCALE

100%

▼

transport (glow play/pause + loop/shuffle)

ZGui.transport(host, {onPlay,onLoop,onShuffle,onSeek})

0:21

3:35

waveformPlayer (click=seek · shift-drag=loop)

ZGui.waveformPlayer({peaks,loop,onSeek,onShiftDrag})

L

1:01

shift-drag = paint loop · drag braces = nudge · click right of end = exit

Z6

C-b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LD -

UP -


° -

-

LAN -

WAN ...

@ -




keyboardSplit `ZGui.keyboardSplit({layers})`

Bass Lead Pad

A digital piano keyboard interface with three colored bars (red, yellow, green) positioned above it, labeled Bass, Lead, and Pad respectively.

patchbay `ZGui.jack(parent,{kind,key,label})`

A patchbay interface with two circular ports, one blue and one red.




bipolarSlider `ZGui.bipolarSlider(host,{value,onChange}).setMod(live) - drag handle, host feeds the cursor`

LFO 1 +62%

Env 2 -40%



Macro 1 +30%

Three bipolar sliders with red and blue handles. The first slider is labeled LFO 1 with a value of +62%. The second slider is labeled Env 2 with a value of -40%. The third slider is labeled Macro 1 with a value of +30%.



filterResponse (cutoff/reso) `ZGui.filterResponse(host,{type,cutoff,onChange})`

drawbar (organ) `ZGui.drawbar(host,{values,onChange})`



lfoShape

ZGui.lfoShape({shape,rate})

LFO




oscShape

ZGui.oscShape({wave,pw})




curveEditor (draw your own)

ZGui.curveEditor({points})



geoMorph

ZGui.geoMorph({order,teeth})



modSource
(drag→knob)

```
ZGui.modSource({sources}) +  
.dropTarget(el,onDrop)
```

MOD SOURCES - DRAG ONTO A KNOB ▶ Velocity

Mod Wheel

LFO 1

Aftertouch

▼ drop a source here

chassis (synth
module)

```
ZGui.chassis(host,  
{blockWidth})
```

B1 SYNTH OSC



OCTAVE

50%



X

30%



Y

70%



DETUNE

40%



module (patch
module + jacks)

```
ZGui.module({title});  
ZGui.jack(parent,{kind,key})
```

Reverb



patchbay (cable
graph)


```
ZGui.patchbay(host,  
{onConnect})
```

Osc

Filter

touchstrip (SBB
LED)

```
ZGui.touchstrip(host,  
{leds,mode,onChange})
```



playingPill (floating
now-playing)

```
ZGui.playingPill({label,onClick})
```

Show pill 2s

NOVEL / EXPERIMENTAL

commandFlow
(command ribbon)

```
ZGui.commandFlow(host,  
{commands,onRerun})
```

rg TODO | wc -l

./deploy.sh

task-1 run

regexLens (live
highlight)

```
ZGui.regexLens(host,  
{target,pattern})
```

/(\d+)\.(\d+)\.\d+\.\d+/g 1 match

2026-06-26 ERROR conn refused 10.0.0.5:8080
2026-06-26 WARN retry 3/5
2026-06-26 INFO ok 200 in 42ms

scheduleGrid (visual
cron)

```
ZGui.scheduleGrid(host,  
{onChange}).cron()
```

Sun

0

6

12

18

Mon

pipeGraph (dataflow)

```
ZGui.pipeGraph(host,{stages})
```

cat

512.0K · 1.5B/s

grep

88.0K · 1.2B/s

sort


88.0K · 0

[illegible]

euclidWheel
(polyrhythm)



```
modCordOverlay ZGui.modCordOverlay(host).register(el,
(any-control {id,role})
cords)
```



```
morphPath (XY  
trajectory)
```



waveformDiff (A/B
delta)



```
confidenceField ZGui.confidenceField({value,confidence})  
(AI uncertainty)
```

Extracted name

Acme Corp

94% confident · page 2

Extracted amount

\$1,240.00

41% - review · OCR

Accept

tokenMeter
(LLM burn)

CONTEXT 28.7k / 200.0k

\$0.430 · 4.2k tok/s · 14%

diffScrubber (history scrub)

```
parallelLanes
(concurrent tasks)
```

inst-1

```
fn main() {  
  
    let x = 2;  
  
    - println!("{}", x);  
  
    + let y = x * 2;  
  
    + println!("{}", y);  
  
}
```

inst-3		33% · 13s
inst-4		49% · 10s
inst-5		31% · 14s
inst-6		18% · 16s

provenanceTrail (data lineage)

ZGui.provenanceTrail(host, {hops})

🕒 sales.csv → f parse → 📅 Q2 only →
🗺️ + regions → 💎 forecast → ➡️ report

joystick

ZGui.joystick(host, {size, sticky, onChange})



TRADING

candlestick (OHLC)

ZGui.candlestick(host, {candles})



orderBook (L2)

ZGui.orderBook(host, {bids, asks})

102.00	158
101.75	155
101.50	28
101.25	87
101.00	142
100.75	217
100.50	79
100.25	50
spread 0.25	
100.00	115
99.75	127
99.50	62
99.25	42
99.00	104
98.75	177
98.50	27
98.25	104

domLadder (DOM)

ZGui.domLadder(host, {levels, last})

101.00	40
100.75	28
100.50	92
100.25	130

depthChart

ZGui.depthChart(host, {bids, asks})

	99.75
86	99.50
109	99.25
52	99.00
92	98.75
141	98.50




volumeProfile

ZGui.volumeProfile(host,{bins})




footprint (order flow)

ZGui.footprint(host,{candles})



liquidityHeatmap (Bookmap-style)

ZGui.liquidityHeatmap(host).push(col)



cvdLine (cumulative delta)

ZGui.cvdLine(host).push(delta)



timeAndSales (tape)

ZGui.timeAndSales(host).push(print)

23:39:57	100.14	181
23:39:57	100.17	107
23:39:56	100.21	121

tickerTape

ZGui.tickerTape(host,{items})

67,420 ▲2.3% ETH 3,512 ▼1.1% SOL 178.4 ▲

LAYOUT

statusBar

ZGui.statusBar(host)

CPU 8 MEM 62%
ZGUI v1.0

toolbar

ZGui.toolbar(host)

New

Open

Help

ZG

C-b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LD -

UP -

° -

-

LAN -

WAN ...

@ -

splitPane ZGui.splitPane.create(host,{direction,initial})

(rendered - no visible output)

resizable (8-way)

ZGui.resizable(el,{...})



dockPanel (floating, snappable)

ZGui.dockPanel(host, {title})

(rendered - no visible output)

floatingDock

ZGui.floatingDock(host,{items})

(rendered - no visible output)

columnResize (drag col borders)

ZGui.columnResize.init(table, {version,minWidth})

Name	Type	Size
kick.wav	audio	240k
bass.mid	midi	2k

trayPopover — Tauri

ZGui.trayPopover.autoResize({...})

menu-bar popover: auto-sizes the Tauri window to its content


modalDrag (draggable modal)

ZGui.modalDrag(modalEl)

Open draggable modal

appShell (REQUIRED app baseline)

ZGui.appShell(host, {brand,filterPlaceholder,onFilter,palette,onOpen



filter · %K palette · ⚙ settings (colorscheme + custom + CRT + neon + open log/data dir) · ? shortcuts — the baseline every app must mount.

buttonBar (in-pane buttons)

ZGui.buttonBar(host).add(icon,label,fn)



MORE / LOW-LEVEL HELPERS (22)

automation

ZGui.automation

programmatic / low-level — see README

automationHost

ZGui.automationHost

programmatic / low-level — see README

codeMinimap

ZGui.codeMinimap

programmatic / low-level — see README

hooks

ZGui.hooks

programmatic / low-level — see README

iconPickerZGui.iconPicker

programmatic / low-level - see README

mergeViewZGui.mergeView

programmatic / low-level - see README

powerlineZGui.powerline

programmatic / low-level - see README

richTextZGui.richText

programmatic / low-level - see README

scriptsZGui.scripts

programmatic / low-level - see README

textareaZGui.textarea

programmatic / low-level - see README

tmuxZGui.tmux

programmatic / low-level - see README

upgradeColorsZGui.upgradeColors

programmatic / low-level - see README

upgradeRangesZGui.upgradeRanges

programmatic / low-level - see README

menuZGui.menu

programmatic / low-level - see README

paintZGui.paint

programmatic / low-level - see README

productCardZGui.productCard

programmatic / low-level - see README

scriptManagerZGui.scriptManager

programmatic / low-level - see README

strykeRunnerZGui.strykeRunner

programmatic / low-level - see README

themeSyncZGui.themeSync

programmatic / low-level - see README

toolDockZGui.toolDock

programmatic / low-level - see README

upgradeDatesZGui.upgradeDates

programmatic / low-level - see README

upgradeSelectsZGui.upgradeSelects

programmatic / low-level - see README

Z6

C - b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LD -

UP -

° -

-

LAN -

WAN ...

@ -