




BUTTONS & ACTIONS


button ZGui.button({label,variant,onClick})



buttonGroup ZGui.buttonGroup({buttons,value})



toggleGroup ZGui.toggleGroup({items})




splitButton ZGui.splitButton({label,items})




speedDial ZGui.speedDial({actions,direction})



button (raised) ZGui.button({variant:'raised'}) - button.png plate



copyButton ZGui.copyButton({text})




fab ZGui.fab({icon,onClick})




INPUTS & FORMS

textfield ZGui.textfield({placeholder})



checkbox ZGui.checkbox({label,checked,indeterminate})



toggle ZGui.toggle({checked})



range ZGui.range({min,max,value})



rangeSlider ZGui.rangeSlider({low,high})



numberStepper ZGui.numberStepper({value})



select ZGui.select({options,value})




combobox ZGui.combobox({options})



searchSelect (button + filter dropdown) ZGui.searchSelect(host, options, value, onChange, opt)




inputGroup ZGui.inputGroup({prefix,suffix})




searchBox (icon + regex + clear) ZGui.searchBox(host, {placeholder,onInput,onRegex})



mentions (@-trigger) ZGui.mentions(host, {options,prefix,onSelect})




upload (list + progress) ZGui.upload(host, {multiple,onChange})



field ZGui.field({label,control,help})



datePicker ZGui.datePicker(host,{})



↑

Click or drag to upload

you@example.com

We never share it.

YYYY-MM-DD

calendar

ZGui.calendar(host,{onSelect})

< October 2026 >

SU

MO

TU

WE

TH

FR

SA

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

pinInput

ZGui.pinInput(host,{length})

tagInput

ZGui.tagInput({tags})

alpha ×

beta ×

add tag...

colorPicker

ZGui.colorPicker({value})

#05d9e8

rating

ZGui.rating({value,max})

★★★★☆

knob

ZGui.knob({value,label})

Gain

50%

wheel

ZGui.wheel(parent,{label})

PITCH

kvEditor

ZGui.kvEditor.mount(host,rows)

KEY

VALUE

☒ host localhost

☒ port 8080

+ Add row

timePicker (h/m/s columns)

ZGui.timePicker(host,{value,onChange})

14:30:00

dateRangePicker (dual-month)

ZGui.dateRangePicker(host,{value,presets,onChange})

Start → End

emojiPicker (searchable)

ZGui.emojiPicker(host,{onPick})

Search emoji...

😊

✓

📺

🐱

😊

😄

😂

😏

😌

😍

😎

😇

😭

😂

😏

😌

😍

😎

😇

🙏

signaturePad

ZGui.signaturePad(host,{width,height,onChange})

Clear

dialPad

ZGui.dialPad(host,{onKey,onDial})

1

2

3

4

5

6

7

8

9

*

#

<

Dial

cronEditor

ZGui.cronEditor(host,{value,onChange})

MIN

HOUR

DAY

MONTH

0

9

*

*

WEEKDAY

1

0 9 * * 1

At 09:00, on Mon

gradientPicker

ZGui.gradientPicker(host,{stops,type,onChange})

#05d9e8 Remove stop

linear-gradient(90deg, #05d9e8 0%, #ff2a6d 100%)

Z6

C-b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LO -

UP -

° -

-

LAN -

WAN ...

@ -

10-01 02:46:06

imageCropperZGui.imageCropper(host,{src,aspect,onChange})

tooltip (hover)ZGui.tooltip.init()

save

delete

settings

fileDrag (drop zone) – TauriZGui.fileDrag.initDrop({onDrop})

1 drop files here (wires to Tauri file-drop)

SELECTION & NAV

treeSelect (tree dropdown)ZGui.treeSelect(host,{treeData,checkable,onChange})

Pick nodes...

anchor (scroll-spy ToC)ZGui.anchor(host,{items,onChange})

Overview

Details

Sub-detail

API

segmentedZGui.segmented.create(host,items)

List

Grid

Map

radioZGui.radio(host,{options})

One

Two

tabsZGui.tabs.init({nav})

FIRSTSECOND

Tab one body

accordionZGui.accordion(host,sections)

Section A

Body A

Section B

collapsibleZGui.collapsible(host,{title,body})

DETAILS

breadcrumbZGui.breadcrumb.render(host,segs)

root>src>webui

menubarZGui.menubar(host,menus)

FileEdit

wizardZGui.wizard(host,{steps})

1ONE2TWO

Step one

Back

Next

dropdownMenuZGui.dropdownMenu(trigger,{items})

Menu

scrollAreaZGui.scrollArea(host,{maxHeight})

row 1

row 2

row 3

row 4

facetSidebarZGui.facetSidebar({facets}) + match()

BANK

(All)

Factory2

User2

cascader (multi-level)ZGui.cascader(host,{options,onChange})

Z6C-bCYBERPUNKCPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 10-01 02:46:06

TYPE

(All)

Bass2

Lead1

Pad1

4

Pick a region...

launcherZGui.launcher(host,{sigil,items,onOpen,onAction})

zgo Apps · a sum · the

Google

google

SEARCH

DuckDuckGo

ddg

SEARCH

Amazon

amazon

SEARCH

Wikipedia

wiki

SEARCH

YouTube

youtube

SEARCH

GitHub

github

SEARCH

↑ nav

↪ open

→ actions

6 results

logoZGui.logo({glyph,title,version})

ZGUI

CORE

abc1234

header (app header)ZGui.header.build({title,stats})

ZGUI

CORE

SHOWCASE

COMP 216

LOC 30k

pagerZGui.pager(host,{page,pages,onPage})

←12345...12→

stepper (wizard nav)ZGui.stepper(host,{steps,onStep,onDone})

1Source2Map3Confirm

Back

Next

drag (reorderable list)ZGui.drag.init(host,sel,key,{onReorder})

≡ Alpha

≡ Beta

≡ Gamma

≡ Delta

popover (anchored)ZGui.popover({anchor,content})

Open popover

tiles (launcher cards)ZGui.tiles.render(host,sections,{onActivate})

// TILES

filter...

MANAGE

Files

Browse

Tags

Edit

dockZGui.dock.make({items})

(rendered – no visible output)

multiFilter (faceted dropdown)ZGui.multiFilter(button,{values,onChange})

facetChipsZGui.facetChips(host,{facets,onChange})

keyboardNavZGui.keyboardNav.init({items,onActivate})

Z6

C-b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LD -

UP -

° -

-

LAN -

WAN ...

@ -

10-01 02:46:06

All ▾

prefsShell

ZGui.prefsShell(host, {logo, title, items: [{id, icon, name, sub, render}]})

zgui

PREFERENCES

Default Results

Scope & index

Web Search

Built-in & custom

Clipboard

History & merge

Appearance

Themes

palette.create

ZGui.palette.create({items, scope}).(scoped, button-opened)

Open scoped palette %

userCommands

ZGui.userCommands.renderEditor(host, {personal %K, palette})

No custom commands yet. Add one below – it appears in %K, above the app's own, in every zgui app.

ICON

+

LABEL

▼

KEYWORD

New 1

g

DETAIL

STEPS

1

ACTION

▼

↑

↓

An action this app provides – its %K command runs

DATA DISPLAY

image

ZGui.image({src, fallback, preview})

(preview + zoom/rotate)

IMG-1

card

ZGui.card({title, body})

Card title

A bordered content card with a heading.

dataTable

ZGui.dataTable(host, ...)

KEY	VALUE
x	1
y	2

tree

ZGui.tree.render(host, nodes)

▼ SRC

main.rs

lib.rs

README.md

managerList

ZGui.managerList(host, groups)

Item A

Item B

transferList

ZGui.transferList(host, items)

SOURCES	
	queued
	queued
	queued

timeline

ZGui.timeline(host, items)

metaGrid

ZGui.metaGrid(host, items)

avatar

ZGui.avatar({name, status})

Z6

C-b

CYBERPUNK

ady

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LD -

UP -

° -

-

LAN -

WAN ...

@ -

10-01 02:46:06

bootok

FORMAT RATE CHANNELS DEPTH
FLAC 48kHz 2 24-bit

JD S

statistic ZGui.statistic({title,value,prefix,suffix,trend})
(trend)

Active Users
112,893
▲ 12.4%

Balance
\$ 9,280.50
▼ 3.1%

statistic.countdown ZGui.statistic.countdown({title,value,prefix,suffix,trend})
(trend)

Drops in
01:01:54

formatBadge (file-type ZGui.formatBadge(fmt) colors)

WAV MP3 FLAC OGG M4A AIFF

OPUS WMA

statStrip ZGui.statStrip(host,items, {draggable})
(inventory header)

◆ TOTAL 6,547 ◆ MP3 6,345
◆ FLAC 142 ◆ WAV 60

highlight (matched substrings) ZGui.highlight(text,query)

The quick brown fox jumps over the lazy dog

avatarGroup ZGui.avatarGroup({avatars,max})
(stacked + N)

A B C D +2

indicator (corner dot/badge) ZGui.indicator(child, {label,dot,color})

9 S

spoiler (show more/less) ZGui.spoiler(host, {maxHeight,showLabel})

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed do eiusmod tempor incididunt ut
Show more

treeTable ZGui.treeTable(host, {columns,nodes})
(hierarchical rows)

NAME	SIZE	TYPE
▼ src	-	folder
main.rs	4 KB	rust
► lib	-	folder

orgChart (hierarchy + connectors) ZGui.orgChart(host, {node})

CEO

CTO

CFO

Eng A

Eng B

Financ

kanban (drag cards) ZGui.kanban(host, {columns,onMove})

TO DO 2

Port QRCode FEAT

Wire zipdf

nodeGraph ZGui.nodeGraph(host, {columns,nodes,edges,onSelect,onConnect})
(lanes + bezier edges)

INPUT

Keyword trigger

Run Script action

chat (message bubbles) ZGui.chat(host, {messages,onSend})

Alice 09:01
Did the thumbnail

eventCalendar ZGui.eventCalendar(host, {events,onDayClick,onEventClick})
(month + agenda)

< Today > October 2026 Month

editable (inline edit) ZGui.editable(host, {value,onSubmit})

Z6 C-b CYBERPUNK CPU - MEM - SWP - DSK - IO - NET - LO - UP - ° - - LAN - WAN ... @ - 10-01 02:46:06

09:02

Yes - ZGui.thumbnailRail, in this batch.

Message...>

SUN	MON	TUE	WED	THU	FRI	SAT
27	28	29	30	1 09... 14...	2	3 Vac...
4	5	6 11... 15... 16...	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31
1	2	3	4	5	6	7

TRACK NAME

Untitled.flac

masonry (shortest-column)

ZGui.masonry(host, {columns,gap})

1

2

3

5

4

7

6

8

watermark (tiled overlay)

ZGui.watermark(host, {text,rotate,gap})

Protected content area
ZGUI-CORE
CONFIDENTIAL

badge

ZGui.badge(text,{kind,fill})

VST3AUVST2CLAP

X86_64KVALIVENEWTOP

chip

ZGui.chip(text,{onClick})

filter: flacactive

countBadge

ZGui.countBadge(n)

7

statusPill

ZGui.statusPill(code)

200 OK404500

kbd

ZGui.kbd('`K`')

⌘KCtrlC

divider

ZGui.divider({label})

OR

timeAgo

ZGui.timeAgo(when)

1m ago3h ago

jsonView

ZGui.jsonView(host,value)

▼ { 4 keys

"id": 7

"name": "demo"

"tags": ▼ [2 items

0: "a"

1: "b"

]

"nested": ▼ { 1 keys

"ok": true

}

}

xmlView

ZGui.xmlView(host,xml)

▼ <root>

▼ <item id="1">

a

</item>

▼ <item id="2">

b

</item>

</root>

tomlView

ZGui.tomlView(host,toml)

app config

[server]

host = "localhost"

port = 8080

tls = true

[paths]

data = "/var/lib"

retries = 3

csvView

ZGui.csvView(host,csv)

NAME	FORMAT	SIZE
C-b	CYBERPUNK	

markdown

ZGui.markdown.render(text)

HEADING

diffView

ZGui.diffView.lines(a,b)

alpha

Z6

C-bCYBERPUNK

CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 10-01 02:46:06

intro.mp3	MP3	3.2M
master.wav	WAV	48M
take.flac	FLAC	21M

Some **bold** text and a list:

- one
- two

+ BETA

gamma

+ delta

codeEditor

ZGui.codeEditor(host,{value})

```
fn main() {  
  println!("hi");  
}
```

imageCompare

ZGui.imageCompare(host,
{before,after,onChange})

chart

ZGui.chart(host,{type,series})

statChip

ZGui.statChip([label,value,dot])

CPU 8 MEM 62% NET ok

icon

ZGui.icon('close') -> glyph

virtualList

ZGui.virtualList(host,
{items,rowHeight,render})

Row 1

Row 2

logView (log stream)

ZGui.logView.create(host,
{})

[info] booting...[ok] index scanned
(375)[warn] cache miss[info] ready

batchSelect (bulk bar)

ZGui.batchSelect(host,
{actions})

(rendered - no visible output)

table (sortable/resizable toolkit)

ZGui.table = {columns,sort,batch,multiFile}

Name	Size
kick.wav	240k
snare.wav	96k

OVERLAYS (TRIGGERED)

expose (window switcher grid)

ZGui.expose(host,
{windows,onChoose,onClose})

ALL WINDOWS

Click a window to focus it
• Esc to close

Close

Zterm FOCUSED

/Users/wizard · pid 73434 · 140x80

wizard@host ~ %
\$ ls -la
total 248
drwxr-xr-x 42 wizard staff
-rw-r--r-- 1 wizard staff .zshrc
\$ cargo build
Compiling zshrs v0.1.0

popconfirm (inline confirm)

ZGui.popconfirm(btn,
{title,onConfirm})

Delete

backTop (scroll to top)

ZGui.backTop({visibilityHeight})

Spawn backTop (scroll page)

affix (pin on scroll)

ZGui.affix(child,
{offsetTop})

Affix a bar - then scroll

hoverCard (rich hover popover)

ZGui.hoverCard(target,
{content,openDelay})

Hover me

tour (guided spotlight)

ZGui.tour({steps}).start()

Start tour

modal

ZGui.modal.confirm({...})

Confirm dialog

drawer

ZGui.drawer.create({...})

> DRAWER

Side panel content.

commandPalette

ZGui.palette.open()

Open palette (⌘K)

Z6 C-b CYBERPUNK CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 10-01 02:46:06

contextMenuZGui.contextMenu.bind(el,items)

right-click me

exportDialogZGui.exportDialog.pickImport({})

Import...

helpOverlayZGui.helpOverlay.open(sections)

Shortcuts (?)

splashZGui.splash.show({title,subtitle,version})

Show splash

CHARTS & METERS

calendarHeatmapZGui.calendarHeatmap(host,{values})

(contributions)

Oct Oct Nov Nov Dec Dec Jan Jan Feb M

Less More

gaugedZGui.gauge({value,label})

65

CPU

donutZGui.donut({segments})

50%

USED

sparklineZGui.sparkline(host,data)

statBarsZGui.statBars(host,rows)

MP3 42

FLAC 30

WAV 18

stackBar (rainbowZGui.stackBar({segments})

%)

AU 28 GB (38.4%)

VST3 23.4 GB (32.1%)

VST2 21.3 GB (29.2%)

CLAP 231 MB (0.3%)

statStripZGui.statStrip(host,items)

CORES 18 CPU 50% MEM 6G

tileGrid (vizZGui.tileGrid(host,{tiles}) - the

boxes)

ALL FFT OSCILLOSCOPE

// FFT // OSCILLOSCOPE

viz.fftZGui.viz.fft(ctx,w,h,freq)

viz.oscilloscopeZGui.viz.oscilloscope(ctx,w,h,tim)

viz.spectrogramZGui.viz.spectrogram(opts).draw

- 2D scrolling heat

viz.waveformZGui.viz.waveform(ctx,w,h,peaks)

parametricEqZGui.parametricEq({bands}) +

(FFT + EQ) setSpectrum

LS 1 PK 2 HS 3

100 1k 10k

viz.lissajousZGui.viz.lissajous(ctx,w,h,{n,l,r})

l -> horizontal - R -> vertical

viz.waterfallZGui.viz.waterfall(ctx,w,h,hist)


(FFT waterfall)

- 3D razor

Z6 C-b CYBERPUNK 100% of available I/O

CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 10-01 02:46:06


goniometer ZGui.goniometer(host).push(L,R)
(stereo scope)




lufsMeter ZGui.lufsMeter(host).set({m,s,l})
(EBU R128)




spectrumAnalyzer ZGui.spectrumAnalyzer(host).p
(FFT)



spectrogram ZGui.spectrogram(host).push(mags)
(waterfall)




correlationMeter ZGui.correlationMeter(host).set



gainReduction ZGui.gainReduction(host).set(db)



vuMeter (analog
needle) ZGui.vuMeter(host).set(db)



headlineStats ZGui.headlineStats(host,
[value,label,color])

◆ 2,680 PLUGINS
◆ 172K LOC
◆ 506 VERBS

eta (progress
estimator) ZGui.eta(); e.start();
e.estimate(p,t)

done

FEEDBACK & STATUS

banner ZGui.banner(host,{type,message})

① Heads up
This is an info banner. X

alert ZGui.alert({kind,text})

⚠ Heads up - check this. X


emptyState ZGui.emptyState(host,{...})



NOTHING HERE
No items yet.

Add one

skeleton ZGui.skeleton(host,{variant,count})



spinner ZGui.spinner({size})



progress ZGui.progress({value})



Encoding

Filter components...

WEAK
FAIR
GOOD
STRONG

Show toast

Top progress 2.5s

Dark

293 / 293 components

loadingOverlayZGui.loadingOverlay(host, {})

Toggle 1.5s

resourceMeterZGui.resourceMeter({label,value,wa
(CPU/RAM)

CPU 15%

RAM 863 MB

resultZGui.result(host,
{status,title,subtitle,actions})

Deployed

Build #1042 shipped.

ViewUndo

CYBERPUNK FX

glitchTextZGui.glitchText(text)

neonFrameZGui.neonFrame(content,{pulse})

NEON

marqueeZGui.marquee(host,{text})

showcase · BREAKING · zgui-c

ribbonZGui.ribbon({text,corner})

carouselZGui.carousel({slides})

<

1

>

flipCardZGui.flipCard({front,back})

BACK

Flip

aspectRatioZGui.aspectRatio(content,{ratio})

16:9

THEME & SETTINGS

colorschemeZGui.colorscheme.buildSwitcher()

Cyberpunk
Hot pink + cyan neon (default)

Midnight
Deep blue + electric purple

Matrix
Terminal green on black

Ember
Warm amber + orange tones

fx (CRT toggles)ZGui.fx.buildToggles()

CRT scanlines

Bezel vignette

Neon glow

Animations

ON

ON

ON

ON

settingsZGui.settings.section/row + initSearch

Search settings...

AUDIO

SAMPLE RATE

Output device rate

ON

BUFFER SIZE

Latency vs CPU

A horizontal row of eight colored dots: blue, light blue, teal, green, light blue, cyan, red, and white.



Editor text size



size ↑

```
scanlines: 0N
```


Cycle scoped scheme

Z6 C-b CYBERPUNK CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 10-01 02:46:06


keyboardSplit ZGui.keyboardSplit({layers})




patchbay ZGui.jack(parent,{kind,key,label})



envelope ZGui.envelope({attack,decay,sustain,release}) (ADSR)




bipolarSlider (Serum mod depth + cursor waterfall) ZGui.bipolarSlider(host,{value,onChange}).setMod(live) - drag handle, host feeds the cursor




wavetable (scrub frames) ZGui.wavetable(host,{frames,position,onScrub})



harmonicEditor (additive) ZGui.harmonicEditor(host,{count,onChange})




filterResponse (cutoff/reso) ZGui.filterResponse(host,{type,cutoff,onChange})



drawbar (organ) ZGui.drawbar(host,{values,onChange})




lfoShape ZGui.lfoShape({shape,rate})




oscShape ZGui.oscShape({wave,pw})




curveEditor (draw your own) ZGui.curveEditor({points})



geoMorph ZGui.geoMorph({order,teeth})



modSource (drag → knob) ZGui.modSource({sources}) + .dropTarget(e1,onDrop)



chassis (synth module) ZGui.chassis(host,{blockWidth})



module (patch module + jacks) ZGui.module({title}); ZGui.jack(parent,{kind,key})



Aftertouch

▼ drop a source here

OCTAVE
50%

X
30%

Y
70%

DETUNE
40%

patchbay (cable graph)

ZGui.patchbay(host, {onConnect})

Osc

Filter

touchstrip (SBB LED)

ZGui.touchstrip(host, {leds,mode,onChange})

playingPill (floating now-playing)

ZGui.playingPill({label,onClick})

Show pill 2s

NOVEL / EXPERIMENTAL

commandFlow (command ribbon)

ZGui.commandFlow(host, {commands,onRerun})

task-4 run
..

task-5 run
..

task-6
..

regexLens (live highlight)

ZGui.regexLens(host, {target,pattern})

/(\d+)\.(\d+)\.(\d+)\.(\d+)/g1 match

2026-06-26 ERROR conn refused
10.0.0.5:8080
2026-06-26 WARN retry 3/5
2026-06-26 INFO ok 200 in 42ms

scheduleGrid (visual cron)

ZGui.scheduleGrid(host, {onChange}).cron()

Sun061218

Mon

Tue

Wed

Thu

Fri

Sat

(paint cells)

pipeGraph (dataflow)

ZGui.pipeGraph(host, {stages})

cat512.0K · 1.5B/s

grep80.0K · 1.2B/s

euclidWheel (polyrhythm)

ZGui.euclidWheel(host, {rings})

modCordOverlay (any-control cords)

ZGui.modCordOverlay(host).regis({id,role})

LF01Cutoff

LF02Pitch

morphPath (XY trajectory)

ZGui.morphPath(host, {onPlay}).play()

waveformDiff (A/B delta)

ZGui.waveformDiff(host, {a,b})

beforeafterdelta

confidenceField (AI uncertainty)

ZGui.confidenceField({value,confi

Extracted name

Acme Corp

94% confident · page 2

Extracted amount

\$1,240.00

41% — review · OCRAccept

tokenMeter (LLM burn)

ZGui.tokenMeter({used,budget,costPerK}

diffScrubber (history scrub)

ZGui.diffScrubber(host, {versions})

3/3v3vs v2

parallelLanes (concurrent tasks)

ZGui.parallelLanes(host, {lanes}).update(id,patch)

Z6C-bCYBERPUNKCPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 10-01 02:46:06

CONTEXT160.1k / 200.0k
\$2.401 · 4.2k tok/s · 80%

```
fn main() {  
  
    let x = 2;  
  
    - println!("{}", x);  
  
    + let y = x * 2;  
  
    + println!("{}", y);  
  
}
```

inst-2

✓

inst-3

73% · 5s

inst-4

✓

inst-5

70% · 6s

inst-6

✓

provenanceTrail
(data lineage)

ZGui.provenanceTrail(host, {hops})

sales.csv

→

f parse

→

Q2 only

→

+ regions

→

forecast

→

report

joystick

ZGui.joystick(host, {size, sticky, onChange})

TRADING

candlestick
(OHLC)

ZGui.candlestick(host, {candles})

orderBook
(L2)

ZGui.orderBook(host, {bids, asks})

102.00	209
101.75	27
101.50	174
101.25	129
101.00	177
100.75	190
100.50	171
100.25	186
spread 0.25	
100.00	124
99.75	93
99.50	123
99.25	31
99.00	20
98.75	170
98.50	44
98.25	157

domLadder
(DOM)

ZGui.domLadder(host, {levels, last})

101.00	116
100.75	66
100.50	65
100.25	38
100.00	18
99.75	
145	99.50
148	99.25
60	99.00
55	98.75
96	98.50

depthChart

ZGui.depthChart(host, {bids, asks})

volumeProfile

ZGui.volumeProfile(host, {bins})

footprint (order flow)

ZGui.footprint(host, {candles})

liquidityHeatmap
(Bookmap-style)

ZGui.liquidityHeatmap(host).push


cvdLine
(cumulative delta)

ZGui.cvdLine(host).push(delta)

timeAndSales
(tape)

ZGui.timeAndSales(host).push(print)

02:46:06	100.37	75
02:46:06	100.37	19
02:46:06	100.43	84
02:46:05	100.03	100





02:46:04	100.23	42
02:46:04	100.50	176
02:46:04	100.14	144
02:46:03	100.23	97
02:46:03	100.26	85
02:46:02	100.33	103
02:46:02	100.46	14

tickerTapeZGui.tickerTape(host,{items})

▼1.1%

SOL 178.4 ▲5.7%

AAPL 229.1

LAYOUT

statusBarZGui.statusBar(host)

CPU 8 MEM 62%
ZGUI v1.0

toolbarZGui.toolbar(host)

New

Open

Help

splitPaneZGui.splitPane.create(host,{direction,initial})

(rendered - no visible output)

resizable (8-way)ZGui.resizable(el,{...})

drag edges

dockPanel (floating, snappable)ZGui.dockPanel(host,{title})

(rendered - no visible output)

floatingDockZGui.floatingDock(host,{items})

(rendered - no visible output)

columnResize (drag col borders)ZGui.columnResize.init(table,{version,minWidth})

Name	Type	Size
kick.wav	audio	240k
bass.mid	midi	2k

trayPopover - TauriZGui.trayPopover.autoResize({...})

menu-bar popover: auto-sizes the Tauri window to its content

modalDrag (draggable modal)ZGui.modalDrag(modalEl)

Open draggable modal

appShell (REQUIRED)ZGui.appShell(host,{brand,filterPlaceholder,onFilter,palette})
app baseline)

filter · %K palette · ⚙ settings (name + version at top, then colorscheme + custom + CRT + neon + open log/data dir) · ? shortcuts - the baseline every app must mount.

buttonBarZGui.buttonBar(host).add(icon,label,fn)
(in-pane buttons)

⚙

%

▶

MORE / LOW-LEVEL HELPERS (26)

APP_STORE_URLZGui.APP_STORE_URL

programmatic / low-level - see README

automationZGui.automation

programmatic / low-level - see README

automationHostZGui.automationHost

programmatic / low-level - see README

brandMarkZGui.brandMark

programmatic / low-level - see README

codeMinimapZGui.codeMinimap

programmatic / low-level - see README

diagnosticsZGui.diagnostics

programmatic / low-level - see README

booksZGui.books

iconPickerZGui.iconPicker

menuZGui.menu

programmatic / low-level - see README

mergeView

ZGui.mergeView

programmatic / low-level - see README

powerline

ZGui.powerline

programmatic / low-level - see README

scriptManager

ZGui.scriptManager

programmatic / low-level - see README

textarea

ZGui.textarea

programmatic / low-level - see README

toolDock

ZGui.toolDock

programmatic / low-level - see README

upgradeRanges

ZGui.upgradeRanges

programmatic / low-level - see README

programmatic / low-level - see README

openAppStore

ZGui.openAppStore

programmatic / low-level - see README

productCard

ZGui.productCard

programmatic / low-level - see README

scripts

ZGui.scripts

programmatic / low-level - see README

themeSync

ZGui.themeSync

programmatic / low-level - see README

upgradeColors

ZGui.upgradeColors

programmatic / low-level - see README

upgradeSelects

ZGui.upgradeSelects

programmatic / low-level - see README

programmatic / low-level - see README

paint

ZGui.paint

programmatic / low-level - see README

richText

ZGui.richText

programmatic / low-level - see README

strykeRunner

ZGui.strykeRunner

programmatic / low-level - see README

tmux

ZGui.tmux

programmatic / low-level - see README

upgradeDates

ZGui.upgradeDates

programmatic / low-level - see README

Z6

C-b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LO -

UP -

° -

-

LAN -

WAN ...

@ -

10-01 02:46:06