




BUTTONS & ACTIONS

button `ZGui.button({label,variant,onClick})`




buttonGroup `ZGui.buttonGroup({buttons,value})`



toggleGroup `ZGui.toggleGroup({items})`



splitButton `ZGui.splitButton({label,items})`



speedDial `ZGui.speedDial({actions,direction})`



button (raised) `ZGui.button({variant:'raised'}) - button.png plate`



copyButton `ZGui.copyButton({text})`




fab `ZGui.fab({icon,onClick})`




INPUTS & FORMS

textfield `ZGui.textfield({placeholder})`



checkbox `ZGui.checkbox({label,checked,indeterminate})`



toggle `ZGui.toggle({checked})`



range `ZGui.range({min,max,value})`




rangeSlider `ZGui.rangeSlider({low,high})`



numberStepper `ZGui.numberStepper({value})`



select `ZGui.select({options,value})`




combobox `ZGui.combobox({options})`



searchSelect (button + filter dropdown) `ZGui.searchSelect(host, {options,value,onChange,opt})`




inputGroup `ZGui.inputGroup({prefix,suffix})`



searchBox (icon + regex + clear) `ZGui.searchBox(host, {placeholder,onInput,onRegex})`



mentions (@-trigger) `ZGui.mentions(host, {options,prefix,onSelect})`




upload (list + progress) `ZGui.upload(host, {multiple,onChange})`



field `ZGui.field({label,control,help})`



datePicker `ZGui.datePicker(host,{})`



↑

Click or drag to upload

you@example.com

We never share it.

YYYY-MM-DD

calendar

ZGui.calendar(host,{onSelect})

< July 2026 >

SU	MO	TU	WE	TH	FR	SA
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

pinInput

ZGui.pinInput(host,{length})

tagInput

ZGui.tagInput({tags})

alpha ×

beta ×

add tag...

colorPicker

ZGui.colorPicker({value})

#05d9e8

rating

ZGui.rating({value,max})

★★★★☆

knob

ZGui.knob({value,label})

Gain

50%

wheel

ZGui.wheel(parent,{label})

PITCH

kvEditor

ZGui.kvEditor.mount(host,rows)

KEY	VALUE
☒ host	localhost
☒ port	8080
+ Add row	

timePicker (h/m/s columns)

ZGui.timePicker(host,{value,onChange})

14:30:00

dateRangePicker (dual-month)

ZGui.dateRangePicker(host,{value,presets,onChange})

Start → End

emojiPicker (searchable)

ZGui.emojiPicker(host,{onPick})

Search emoji...

😊

✓

🖨

🐱

😊

😄

😂

😇

😌

😍

😎

😏

😭

😓

😔

😕

😖

😗

👏

🙏

signaturePad

ZGui.signaturePad(host,{width,height,onChange})

Clear

dialPad

ZGui.dialPad(host,{onKey,onDial})

1

2ABC

3DEF

4GHI

5JKL

6MNO

7PQRS

8TUV

9WXYZ

*

☑

#

<

Dial

cronEditor

ZGui.cronEditor(host,{value,onChange})

MIN

HOUR

DAY

MONTH

0

9

*

*

WEEKDAY

1

0 9 * * 1

At 09:00, on Mon

gradientPicker

ZGui.gradientPicker(host,{stops,type,onChange})

#05d9e8 Remove stop

linear-gradient(90deg, #05d9e8 0%, #ff2a6d 100%)

Z6

C-b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LO -

UP -

° -

-

LAN -

WAN ...

@ -

07-13 01:56:17

imageCropperZGui.imageCropper(host,{src,aspect,onChange})

tooltip (hover)ZGui.tooltip.init()

save

delete

settings

fileDrag (drop zone) – TauriZGui.fileDrag.initDrop({onDrop})

1 drop files here (wires to Tauri file-drop)

SELECTION & NAV

treeSelect (tree dropdown)ZGui.treeSelect(host,{treeData,checkable,onChange})

Pick nodes... ▾

anchor (scroll-spy ToC)ZGui.anchor(host,{items,onChange})

Overview

Details

Sub-detail

API

segmentedZGui.segmented.create(host,items)

List

Grid

Map

radioZGui.radio(host,{options})

☒ One

☐ Two

tabsZGui.tabs.init({nav})

FIRSTSECOND

Tab one body

accordionZGui.accordion(host,sections)

▾ Section A

Body A

▸ Section B

collapsibleZGui.collapsible(host,{title,body})

▸ DETAILS

breadcrumbZGui.breadcrumb.render(host,segs)

root>src>webui

menubarZGui.menubar(host,menus)

File

Edit

wizardZGui.wizard(host,{steps})

1 ONE — 2 TWO

Step one

BackNext

dropdownMenuZGui.dropdownMenu(trigger,{items})

Menu ▾

scrollAreaZGui.scrollArea(host,{maxHeight})

row 1

row 2

row 3

row 4

facetSidebarZGui.facetSidebar({facets}) + match()

BANK

(All)

Factory2

User2

cascader (multi-level)ZGui.cascader(host,{options,onChange})

Z6C-bCYBERPUNKCPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 07-13 01:56:17

TYPE

(All)

Bass2

Lead1

Pad1

4

Pick a region...

launcherZGui.launcher(host,{sigil,items,onOpen,onAction})

zgo Apps · a sum · the

Google

google

SEARCH

DuckDuckGo

ddg

SEARCH

Amazon

amazon

SEARCH

Wikipedia

wiki

SEARCH

YouTube

youtube

SEARCH

GitHub

github

SEARCH

↑ nav · ↩ open · → actions · 6 results

logoZGui.logo({glyph,title,version})

ZGUI

CORE

Version: v1.0

abc1234

header (app header)ZGui.header.build({title,stats})

ZGUI

CORE

SHOWCASE

Version: v1.0

COMP 216 LOC 30k

pagerZGui.pager(host,{page,pages,onPage})

12345...12

stepper (wizard nav)ZGui.stepper(host,{steps,onStep,onDone})

1 Source2 Map3 Confirm

BackNext

drag (reorderable list)ZGui.drag.init(host,sel,key,{onReorder})

Alpha

Beta

Gamma

Delta

popover (anchored)ZGui.popover({anchor,content})

Open popover

tiles (launcher cards)ZGui.tiles.render(host,sections,{onActivate})

// TILES

filter...

MANAGE

Files

Browse

Tags

Edit

dockZGui.dock.make({items})

(rendered - no visible output)

multiFilter (faceted dropdown)ZGui.multiFilter(button,{values,onChange})

facetChipsZGui.facetChips(host,{facets,onChange})

keyboardNavZGui.keyboardNav.init({items,onActivate})

Z6C-bCYBERPUNKCPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 07-13 01:56:17

All ▾

```
prefsShell ZGui.prefsShell(host,
{logo,title,items:
[[id,icon,name,sub,render]]})
```

zgui PREFERENCES

Default Results
Scope & index

Web Search
Built-in & custom

Clipboard
History & merge

Appearance
Themes

```
palette.create ZGui.palette.create({items,scope}).
(scoped,
button-
opened)
```

Open scoped palette %

```
userCommands ZGui.userCommands.renderEditor(ho
(personal %K
palette)
attach(palette))
```

No custom commands yet. Add one below – it appears in %K, above the app's own, in every zgui app.

ICON	LABEL	KEYWORD	DETAIL
+	▼	New 1	g

STEPS

1

ACTION ▾

↑

↓

An action this app provides – its %K command runs

DATA DISPLAY

```
image ZGui.image({src,fallback,preview})
(preview +
zoom/rotate)
```

IMG-1

```
card ZGui.card({title,body})
```

Card title

A bordered content card with a heading.

```
dataTable ZGui.dataTable(host,...)
```

KEY	VALUE
x	1
y	2

```
tree ZGui.tree.render(host,nodes)
```

▼ SRC

main.rs

lib.rs

README.md

```
managerList ZGui.managerList(host,groups)
```

Item A

Item B

```
transferList ZGui.transferList(host,items)
```

SOURCES	
	queued
	queued
	queued

```
timeline ZGui.timeline(host,items)
```

```
metaGrid ZGui.metaGrid(host,items)
```

```
avatar ZGui.avatar({name,status})
```

Z6

C-b

CYBERPUNK

ady

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LD -

UP -

° -

-

LAN -

WAN ...

@ -

07-13 01:56:17

bootok

statistic ZGui.statistic({title,value,prefix,suffix,trend})

Active Users
112,893
▲ 12.4%

Balance
\$9,280.50
▼ 3.1%

statStrip (inventory header) ZGui.statStrip(host,items,{draggable})

◆ TOTAL 6,547 ◆ MP3 6,345
◆ FLAC 142 ◆ WAV 60

indicator (corner dot/badge) ZGui.indicator(child,{label,dot,color})

orgChart (hierarchy + connectors) ZGui.orgChart(host,{node})

chat (message bubbles) ZGui.chat(host,{messages,onSend})

Alice 09:01

Did the thumbnail

FORMAT RATE CHANNELS DEPTH
FLAC 48kHz 2 24-bit

statistic.countdown ZGui.statistic.countdown({t})

Drops in
01:01:53

highlight (matched substrings) ZGui.highlight(text,query)

The quick brown fox jumps over the lazy dog

spoiler (show more/less) ZGui.spoiler(host,{maxHeight,showLabel})

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed do eiusmod tempor incididunt ut
Show more

eventCalendar ZGui.eventCalendar(host,{events,onDayClick,onEventClick})

< Today > July 2026 Month Ag

JD S

formatBadge (file-type colors) ZGui.formatBadge(fmt colors)

WAV MP3 FLAC OGG M4A AIFF
OPUS WMA

avatarGroup (stacked + N) ZGui.avatarGroup({avatars,max})

A B C D +2

treeTable (hierarchical rows) ZGui.treeTable(host,{columns,nodes})

NAME	SIZE	TYPE
src	-	folder
main.rs	4 KB	rust
lib	-	folder

nodeGraph ZGui.nodeGraph(host,{columns,nodes,edges,onSelect,onConnect})

editable (inline edit) ZGui.editable(host,{value,onSubmit})

Z6 C-b CYBERPUNK CPU - MEM - SWP - DSK - IO - NET - LO - UP - ° - - LAN - WAN ... @ - 07-13 01:56:17

09:02

Yes - ZGui.thumbnailRail, in this batch.

Message...>

SUN	MON	TUE	WED	THU	FRI	SAT
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13 09... 14...	14	15 Vac...	16	17	18 11... 15... 16...
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

TRACK NAME

Untitled.flac

masonry (shortest-column)

ZGui.masonry(host, {columns,gap})

12345678

watermark (tiled overlay)

ZGui.watermark(host, {text,rotate,gap})

Protected content area
ZGUI-CORE CONFIDENTIAL

badge

ZGui.badge(text,{kind,fill})

VST3AUVST2CLAP

X86_64KVALIVENEWTOP

chip

ZGui.chip(text,{onClick})

filter: flacactive

countBadge

ZGui.countBadge(n)

7

statusPill

ZGui.statusPill(code)

200 OK404500

kbd

ZGui.kbd('`K')`

⌘KCtrlC

divider

ZGui.divider({label})

OR

timeAgo

ZGui.timeAgo(when)

1m ago3h ago

jsonView

ZGui.jsonView(host,value)

```
{
  "id": 7,
  "name": "demo",
  "tags": [
    "a",
    "b"
  ],
  "nested": {
    "ok": true
  }
}
```

xmlView

ZGui.xmlView(host,xml)

```
<root>
  <item id="1">
    a
  </item>
  <item id="2">
    b
  </item>
</root>
```

tomlView

ZGui.tomlView(host,toml)

```
# app config

[server]
host = "localhost"
port = 8080
tls = true

[paths]
data = "/var/lib"
retries = 3
```

csvView

ZGui.csvView(host,csv)

NAME	FORMAT	SIZE
C-b	CYBERPUNK	

markdown

ZGui.markdown.render(text)

HEADING

diffView

ZGui.diffView.lines(a,b)

alpha

Z6

C-bCYBERPUNK

CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 07-13 01:56:17

intro.mp3	MP3	3.2M
master.wav	WAV	48M
take.flac	FLAC	21M

Some **bold** text and a list:

- one
- two

+ BETA

gamma

+ delta

codeEditor

ZGui.codeEditor(host,{value})

```
fn main() {  
  println!("hi");  
}
```

imageCompare

ZGui.imageCompare(host,{before,after,onChange})

chart

ZGui.chart(host,{type,series})

statChip

ZGui.statChip({label,value,dot})

CPU 8 MEM 62% NET ok

icon

ZGui.icon('close') -> glyph

virtualList

ZGui.virtualList(host,{items,rowHeight,render})

Row 1

Row 2

logView (log stream)

ZGui.logView.create(host, {})

[info] booting...[ok] index scanned
(375)[warn] cache miss[info] ready

batchSelect (bulk bar)

ZGui.batchSelect(host,{actions})

(rendered - no visible output)

table (sortable/resizable toolkit)

ZGui.table = {columns,sort,batch,multiFile}

Name	Size
kick.wav	240k
snare.wav	96k

OVERLAYS (TRIGGERED)

expose (window switcher grid)

ZGui.expose(host,{windows,onChoose,onClose})

ALL WINDOWS

Click a window to focus it
• Esc to close

Close

Zterm FOCUSED

/Users/wizard · pid 73434 · 140x80

wizard@host ~ %
\$ ls -la
total 248
drwxr-xr-x 42 wizard staff
-rw-r--r-- 1 wizard staff .zshrc
\$ cargo build
Compiling zshrs v0.1.0

popconfirm (inline confirm)

ZGui.popconfirm(btn,{title,onConfirm})

Delete

backTop (scroll to top)

ZGui.backTop({visibilityHeight})

Spawn backTop (scroll page)

affix (pin on scroll)

ZGui.affix(child,{offsetTop})

Affix a bar - then scroll

hoverCard (rich hover popover)

ZGui.hoverCard(target,{content,openDelay})

Hover me

tour (guided spotlight)

ZGui.tour({steps}).start()

Start tour

modal

ZGui.modal.confirm({...})

Confirm dialog

drawer

ZGui.drawer.create({...})

> DRAWER

Side panel content.

commandPalette

ZGui.palette.open()

Open palette (⌘K)

Z6

C-b

CYBERPUNK

CPU -

MEM -

SWP -

DSK -

IO -

NET -

LO -

UP -

° -

-

LAN -

WAN ...

@ -

07-13 01:56:17

contextMenuZGui.contextMenu.bind(el,items)

right-click me

exportDialogZGui.exportDialog.pickImport({})

Import...

helpOverlayZGui.helpOverlay.open(sections)

Shortcuts (?)

splashZGui.splash.show({title,subtitle,version})

Show splash

CHARTS & METERS

calendarHeatmapZGui.calendarHeatmap(host,{values})
(contributions)

Aug Aug Sep Sep Oct Oct Nov Nov Dec Dec

LessMore

gaugeZGui.gauge({value,label})

65

CPU

donutZGui.donut({segments})

50%

USED

sparklineZGui.sparkline(host,data)

statBarsZGui.statBars(host,rows)

MP342

FLAC30

WAV18

stackBar (rainbowZGui.stackBar({segments})
%)

AU28 GB (38.4%)

VST323.4 GB (32.1%)

VST221.3 GB (29.2%)

CLAP231 MB (0.3%)

statStripZGui.statStrip(host,items)

CORES18CPU50%MEM6G

tileGrid (vizZGui.tileGrid(host,{tiles}) - the
boxes)

ALLFFTOSCILLOSCOPE

viz.fftZGui.viz.fft(ctx,w,h,freq)

viz.oscilloscopeZGui.viz.oscilloscope(ctx,w,h,tim)

viz.spectrogramZGui.viz.spectrogram(opts).draw
- 2D scrolling heat

viz.waveformZGui.viz.waveform(ctx,w,h,peaks)

parametricEqZGui.parametricEq({bands}) +
setSpectrum


viz.lissajousZGui.viz.lissajous(ctx,w,h,{n,l,r})

l -> horizontal - R -> vertical


viz.waterfallZGui.viz.waterfall(ctx,w,h,hist)
(FFT waterfall)

Z6C-bCYBERPUNKlog of activity 0CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 07-13 01:56:17


goniometer ZGui.goniometer(host).push(L,R)
(stereo scope)




lufsMeter ZGui.lufsMeter(host).set({m,s,i})
(EBU R128)



spectrumAnalyzer ZGui.spectrumAnalyzer(host).p
(FFT)



spectrogram ZGui.spectrogram(host).push(mags)
(waterfall)




correlationMeter ZGui.correlationMeter(host).set



gainReduction ZGui.gainReduction(host).set(db)



vuMeter (analog
needle) ZGui.vuMeter(host).set(db)



headlineStats ZGui.headlineStats(host,
[{value,label,color}])

◆ 2,680 PLUGINS
◆ 172K LOC
◆ 506 VERBS

eta (progress
estimator) ZGui.eta(); e.start();
e.estimate(p,t)

done

FEEDBACK & STATUS

banner ZGui.banner(host,{type,message})

① Heads up
This is an info banner. ✕

alert ZGui.alert({kind,text})

⚠ Heads up - check this. ✕


emptyState ZGui.emptyState(host,{...})



NOTHING HERE
No items yet.

Add one


skeleton ZGui.skeleton(host,{variant,count})



spinner ZGui.spinner({size})



progress ZGui.progress({value})



Filter components...

WEAK
FAIR
GOOD
STRONG

Show toast

Top progress 2.5s



Dark

289 / 289 components

loadingOverlayZGui.loadingOverlay(host, {})

Toggle 1.5s

resourceMeterZGui.resourceMeter({label,value,wa
(CPU/RAM)

CPU 20%

RAM 851 MB

resultZGui.result(host,
{status,title,subtitle,actions})

Deployed

Build #1042 shipped.

ViewUndo

CYBERPUNK FX

glitchTextZGui.glitchText(text)

GLITCH

neonFrameZGui.neonFrame(content,{pulse})

NEON

marqueeZGui.marquee(host,{text})

wcase · BREAKING · zgui-core

ribbonZGui.ribbon({text,corner})

NEW

carouselZGui.carousel({slides})

<1>

flipCardZGui.flipCard({front,back})

BACK

Flip

aspectRatioZGui.aspectRatio(content,{ratio})

16:9

THEME & SETTINGS

colorschemeZGui.colorscheme.buildSwitcher()

Cyberpunk
Hot pink + cyan neon (default)

Midnight
Deep blue + electric purple

Matrix
Terminal green on black

Ember
Warm amber + orange tones

fx (CRT toggles)ZGui.fx.buildToggles()

CRT scanlinesON

Bezel vignetteON

Neon glowON

AnimationsON

settingsZGui.settings.section/row + initSearch

Search settings...

AUDIO

SAMPLE RATE

Output device rateON

BUFFER SIZE

Latency vs CPU

Arctic

Cool whites + icy blue



Crimson

Rose-red accent + teal highlight



Toxic

Acid-lime accent + magenta



Vapor

Vaporwave pastel pink + cyan



DISPLAY

THEME

Color scheme

FONT SIZE

Editor text size

fzfSettings

ZGui.fzf.settingsPanel(host, {})

SCORE MATCH

16

SCORE GAP START

-3

SCORE GAP
EXTENSION

-1

BONUS BOUNDARY

9

BONUS NON WORD

8

BONUS CAMEL

7

BONUS CONSECUTIVE

4

BONUS FIRST CHAR
MULT

2

Reset weights

heatColor

ZGui.heatColor(value, {min,max})



sortState

ZGui.sortState.save/restore(scope)

stored: (none)

name ↑

date ↓

size ↑

graphFreeze

ZGui.graphFreeze.setFrozen(id,on)

▶ live

Toggle freeze

uiIdle

ZGui.uiIdle.isIdle() -> bool

isIdle(): false (active)

i18n

ZGui.i18n.t(key,vars)

i18n.t("menu.close", {n:3}) ->
menu.close

shortcuts
(rebindable)

ZGui.shortcuts.init();
.renderSettings(host)

Palette

⌘+K

baseline (required-
baseline audit)

ZGui.baseline.audit() ->
[{name,ok}]

✗ splash

crt (CRT scanline
overlay)

ZGui.crt({on}).toggle()

scanlines: ON

AUDIO / DAW

The diagram illustrates three ZGUI components and their internal structure:

- meter**: A vertical bar representing a meter. Its code is `ZGui.meter({value})`.
- lcdDisplay**: A component displaying three values: **145.00** (TEMPO), **4/4** (SIG), and **1.1.1.0** (POSITION). Its code is `ZGui.lcdDisplay({value,label})`.
- padGrid**: A component representing a drum machine interface with buttons for KICK, SNARE, HAT, CLAP, TOM, RIDE, and PERC. Each button has 'S' and 'M' sub-buttons. A central '+' button is also present. Its code is `ZGui.padGrid(host,{cols,pads,onTrigger})`.

Z6 C-b CYBERPUNK CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 07-13 01:56:17

Deep bass

-12.8 dB

S

M

Lazer

-4.8 dB

S

M

Hat



channelStrip ZGui.channelStrip({name,db,pan,onFade (mixer channel)})

Drums

0%

8

-6

-12

-24

-48

S

M

Rev

0%

Dly

0%

Bass

0%

8

-6

-12

-24

-48

S

M

Rev

0%

Dly

0%

Lead

0%

8

-6

-12

-24

-48

S

M


Rev

0%

Dly

0%


timelineRuler ZGui.timelineRuler(host, {bars,onSeek}) - shift-drag loop




minimap ZGui.minimap(host, {tracks,total,onScrub}) (arrangement overview)



clip ZGui.clip({name,color,kind,notes[peaks]}) (arranger block)



laneGrid ZGui.laneGrid(host, {lanes,sections,blocks,onChange}) (section overrides)



volumeControl ZGui.volumeControl(host, {value,onChange,onMute}) (mute + glow slider)



ledToggle ZGui.ledToggle({label,on,color,onChange}) (label + glowing LED)

MASTER FX BYPASS

ARP HOLD

paramRow ZGui.paramRow({label,type,value,unit}) (slider/select + unit)

CUTOFF


8200 HZ

UI SCALE


100%

▼

transport ZGui.transport(host, {onPlay,onLoop,onShuffle,onSeek}) (glow play/pause + loop/shuffle)



waveformPlayer ZGui.waveformPlayer({peaks,loop - shift-drag paints region - shift-drag=loop}) (click=seek)



dbFader ZGui.dbFader({value,min,max,ticks}) (console)



peakMeter ZGui.peakMeter({db,stereo,lufs}) (dB+LUFS)




keyboardSplit ZGui.keyboardSplit({layers})




patchbay ZGui.jack(parent,{kind,key,label})



envelope ZGui.envelope({attack,decay,sustain,release}) (ADSR)



bipolarSlider (Serum mod depth + cursor waterfall) ZGui.bipolarSlider(host,{value,onChange}).setMod(live) - drag handle, host feeds the cursor




wavetable (scrub frames) ZGui.wavetable(host,{frames,position,onScrub})




harmonicEditor (additive) ZGui.harmonicEditor(host,{count,onChange})




filterResponse (cutoff/reso) ZGui.filterResponse(host,{type,cutoff,onChange})



drawbar (organ) ZGui.drawbar(host,{values,onChange})



lfoShape ZGui.lfoShape({shape,rate})




oscShape ZGui.oscShape({wave,pw})



curveEditor (draw your own) ZGui.curveEditor({points})



geoMorph ZGui.geoMorph({order,teeth})



modSource (drag → knob) ZGui.modSource({sources}) + .dropTarget(e1,onDrop)



chassis (synth module) ZGui.chassis(host,{blockWidth})



module (patch module + jacks) ZGui.module({title}); ZGui.jack(parent,{kind,key})



Aftertouch

▼ drop a source here

OCTAVE
50%

X
30%

Y
70%

DETUNE
40%

patchbay (cable graph)

ZGui.patchbay(host, {onConnect})

Osc

Filter

touchstrip (SBB LED)

ZGui.touchstrip(host, {leds, mode, onChange})

playingPill (floating now-playing)

ZGui.playingPill({label, onClick})

Show pill 2s

NOVEL / EXPERIMENTAL

commandFlow (command ribbon)

ZGui.commandFlow(host, {commands, onRerun})

task-4 run task-5 run task-6

regexLens (live highlight)

ZGui.regexLens(host, {target, pattern})

/(\d+)\.(\d+)\.(\d+)\.(\d+)/g 1 match

2026-06-26 ERROR conn refused
10.0.0.5:8080
2026-06-26 WARN retry 3/5
2026-06-26 INFO ok 200 in 42ms

scheduleGrid (visual cron)

ZGui.scheduleGrid(host, {onChange}).cron()

Sun 0 6 12 18
Mon
Tue
Wed
Thu
Fri
Sat

(paint cells)

pipeGraph (dataflow)

ZGui.pipeGraph(host, {stages})

cat 512.0K · 1.5B/s
grep 80.0K · 1.2B/s

euclidWheel (polyrhythm)

ZGui.euclidWheel(host, {rings})

modCordOverlay (any-control cords)

ZGui.modCordOverlay(host).regis({id, role})

LF01 Cutoff
LF02 Pitch

morphPath (XY trajectory)

ZGui.morphPath(host, {onPlay}).play()

waveformDiff (A/B delta)

ZGui.waveformDiff(host, {a, b})

before after delta

confidenceField (AI uncertainty)

ZGui.confidenceField({value, confi

Extracted name
Acme Corp
94% confident · page 2
Extracted amount
\$1,240.00
41% - review · OCR Accept

tokenMeter (LLM burn)

ZGui.tokenMeter({used, budget, costPerK})

diffScrubber (history scrub)

ZGui.diffScrubber(host, {versions})

3/3 v3 vs v2

parallelLanes (concurrent tasks)

ZGui.parallelLanes(host, {lanes}).update(id, patch)

Z6 C-b CYBERPUNK CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 07-13 01:56:17

CONTEXT170.9k / 200.0k

\$2.564 · 4.2k tok/s · 85%

```
fn main() {  
  
    let x = 2;  
  
    println!("{}", x);  
  
    let y = x * 2;  
    println!("{}", y);  
}
```

inst-2

inst-3

inst-4

inst-5

inst-6

69% · 6s

provenanceTrail
(data lineage)

ZGui.provenanceTrail(host, {hops})

sales.csv → f parse → Q2 only →
+ regions → forecast → report

joystick

ZGui.joystick(host, {size, sticky, onChange})

TRADING

candlestick
(OHLC)

ZGui.candlestick(host, {candles})

orderBook
(L2)

ZGui.orderBook(host, {bids, asks})

102.00	25
101.75	92
101.50	162
101.25	50
101.00	201
100.75	171
100.50	144
100.25	150
spread 0.25	
100.00	179
99.75	216
99.50	94
99.25	182
99.00	93
98.75	164
98.50	69
98.25	20

domLadder
(DOM)

ZGui.domLadder(host, {levels, last})

101.00	35
100.75	50
100.50	3
100.25	135
100.00	70
99.75	
99.50	61
99.25	115
99.00	100
98.75	28
98.50	52

depthChart

ZGui.depthChart(host, {bids, asks})

volumeProfile

ZGui.volumeProfile(host, {bins})

footprint (order flow)

ZGui.footprint(host, {candles})

liquidityHeatmap
(Bookmap-style)

ZGui.liquidityHeatmap(host).push


cvdLine
(cumulative delta)

ZGui.cvdLine(host).push(delta)

timeAndSales
(tape)

ZGui.timeAndSales(host).push(print)

01:56:17	100.32	151
01:56:17	100.10	15
01:56:17	100.20	156
01:56:16	100.23	136





01:56:15	100.27	114
01:56:15	100.41	50
01:56:15	100.34	38
01:56:14	100.35	195
01:56:14	100.01	125
01:56:13	100.33	136
01:56:13	100.09	33

tickerTapeZGui.tickerTape(host,{items})

.1%

SOL 178.4▲5.7%

AAPL 229.1▲0

LAYOUT

statusBarZGui.statusBar(host)

CPU 8MEM 62%
ZGUI v1.0

toolbarZGui.toolbar(host)

New

Open

Help

splitPaneZGui.splitPane.create(host,{direction,initial})

(rendered - no visible output)

resizable (8-way)ZGui.resizable(el,{...})

drag edges

dockPanel (floating, snappable)ZGui.dockPanel(host,{title})

(rendered - no visible output)

floatingDockZGui.floatingDock(host,{items})

(rendered - no visible output)

columnResize (drag col borders)ZGui.columnResize.init(table,{version,minWidth})

Name	Type	Size
kick.wav	audio	240k
bass.mid	midi	2k

trayPopoverZGui.trayPopover.autoResize({...})
- Tauri

menu-bar popover: auto-sizes the Tauri window to its content

modalDrag (draggable modal)ZGui.modalDrag(modalEl)

Open draggable modal

appShell (REQUIRED)ZGui.appShell(host,{brand,filterPlaceholder,onFilter,palette,app,baseline})

◆

🔍

⚙️

P

⚙️

?

</>

filter · 📄K palette · ⚙️ settings
(colorscheme + custom + CRT + neon + open log/data dir) · ? shortcuts - the baseline every app must mount.

buttonBarZGui.buttonBar(host).add(icon,label,fn)
(in-pane buttons)

⚙️📄▶️

MORE / LOW-LEVEL HELPERS (22)

automationZGui.automation

programmatic / low-level - see README

automationHostZGui.automationHost

programmatic / low-level - see README

codeMinimapZGui.codeMinimap

programmatic / low-level - see README

hooksZGui.hooks

programmatic / low-level - see README

iconPickerZGui.iconPicker

programmatic / low-level - see README

menuZGui.menu

programmatic / low-level - see README

mergeViewZGui.mergeView

paintZGui.paint

powerlineZGui.powerline

Z6C-bCYBERPUNK

CPU - MEM - SWP - DSK - IO - NET - LD - UP - ° - - LAN - WAN ... @ - 07-13 01:56:17

programmatic / low-level - see README

productCardZGui.productCard

programmatic / low-level - see README

scriptsZGui.scripts

programmatic / low-level - see README

themeSyncZGui.themeSync

programmatic / low-level - see README

upgradeColorsZGui.upgradeColors

programmatic / low-level - see README

upgradeSelectsZGui.upgradeSelects

programmatic / low-level - see README

programmatic / low-level - see README

richTextZGui.richText

programmatic / low-level - see README

strykeRunnerZGui.strykeRunner

programmatic / low-level - see README

tmuxZGui.tmux

programmatic / low-level - see README

upgradeDatesZGui.upgradeDates

programmatic / low-level - see README

programmatic / low-level - see README

scriptManagerZGui.scriptManager

programmatic / low-level - see README

textareaZGui.textarea

programmatic / low-level - see README

toolDockZGui.toolDock

programmatic / low-level - see README

upgradeRangesZGui.upgradeRanges

programmatic / low-level - see README