

—— // THE GUI AUTOMATION BUS // ——

The GUI Automation Bus – Action Reference

Every scriptable verb of every GUI app

ACTION REFERENCE

every verb · every app · one bus



MENKE
TECHNOLOGIES

Copyright and Attribution

The GUI Automation Bus — one language, every app, by name

Copyright © 2026 MenkeTechnologies. All rights reserved.

No part of this book may be reproduced, distributed, or transmitted in any form or by any means without the prior written permission of the publisher, except for brief quotations in reviews.

Published by MenkeTechnologies.

The trademarks and product names referenced in this book are the property of their respective owners. This book is an independent work: it is not affiliated with, authorized by, sponsored by, or otherwise endorsed by the Tauri project, the Rust Foundation, or any other project named in these pages.

The software this book describes

The bus described here is a component of the MenkeTechnologies desktop fleet. Those applications are proprietary software: each ships under the terms in its own repository's [LICENSE](#) file, which states that the software is "proprietary and confidential", is distributed under the SPDX identifier [UNLICENSED](#), and grants no license to use, copy, modify, or redistribute it without prior written permission. Reading this book conveys no license to that software.

The scripting language on the calling side is [stryke](#), released under the MIT License, Copyright © 2026 MenkeTechnologies, with source at github.com/MenkeTechnologies/strykelang.

The bus is an original design. It is not a port of an existing automation protocol, and where this book names one — AppleScript, D-Bus, COM, or another — it is drawing a comparison, not citing a source.



MT PUBLISHING



MT APP

Contents

Copyright and Attribution	1
GUI Script Actions — Global Catalog	3
zpdf	4
audio-haxor	16
zoffice	21
zemail	26
zcite	32
zstation	37
zftp	42
zwire	47
zreq	50
zgo	55
zphoto	60
ztunnel	62
zthrottle	65
ztranslator	68
zcontainer	70

GUI Script Actions – Global Catalog

Every scriptable **GUI-Script action** (automation-bus verb) exposed by every MenkeTechnologies GUI app — the exact surface `App::open("<app>")->verbs()` returns over the **GUI Automation Bus**: the LIVE runtime surface (appShell verbs + per-app `opts.commands` + dynamically-registered verbs), read from each running app.

2819 actions across **15 apps**. Read from each app's live bus surface by `bin/gen-gui-actions-live` — do not hand-edit. Requires every app open when generated.

App	Verbs	Surface
<code>zpdf</code>	682	Acrobat/Preview-style PDF engine — render, edit, annotate, forms, OCR, redact
<code>audio-haxor</code>	241	Audio analyzer / DAW-project generator — spectrum, DSP, .als generation
<code>zoffice</code>	228	LibreOffice-style office engine — writer/calc/impress over ODF/OOXML
<code>zemail</code>	216	Thunderbird-style mail client — accounts, folders, messages, PGP/S-MIME, search
<code>zcite</code>	209	Zotero-style reference manager — library, collections, citations, PDF, sync
<code>zstation</code>	209	Station-style multi-app workspace — boards, tiles, panes
<code>zftp</code>	183	Cyberduck-style transfer client — FTP/SFTP/WebDAV/S3/cloud, transfers, sync
<code>zwire</code>	161	Chromium-superset browser — tabs, windows, tab-groups, downloads, reading list, power
<code>zreq</code>	152	Postman-style API client — requests, collections, auth, codegen, gRPC/WebSocket
<code>zgo</code>	144	Alfred-style launcher — script-filter workflows and system commands
<code>zphoto</code>	105	Photoshop + Illustrator-style raster & vector editor — layers, filters, paths, actions
<code>ztunnel</code>	100	Tunnelblick-style VPN client — OpenVPN / WireGuard config + control
<code>zthrottle</code>	99	System monitor / process & network throttling
<code>ztranslator</code>	65	BOME-style MIDI/keyboard translator — presets, translators, rules, HID
<code>zcontainer</code>	25	Docker Desktop + Lens-style container / Kubernetes manager



Acrobat/Preview-style PDF engine — render, edit, annotate, forms, OCR, redact
682 verbs · live bus surface · call as `App::open("zpdf")->call("<verb>", %args)`

(`top-level`) (324)

accessibility_check
add_3d
add_background
add_barcode
add_bookmark
add_callout
add_data_matrix
add_goto_link
add_grid_overlay
add_header_footer
add_image
add_ink
add_launch_link
add_line_numbers
add_link
add_markup
add_measure
add_movie
add_named_action_link
add_named_destination
add_note
add_page_numbers
add_printer_marks
add_qr_code
add_remote_goto_link
add_rich_media
add_screen
add_sound
add_submit_button
add_text
add_text_with_font
add_thread
add_typed_signature
adjust_image
adjust_page
apply_actions
apply_redactions
assemble_pages
attach_file
attachments
auto_crop_margins
auto_link_urls
auto_outline
auto_tag
bates_number
binarize
booklet_order
build_toc_page

canonical_bytes
certify
clear_metadata
clear_recents
clear_signature
color_separations
compare
contact_sheet
content_fingerprint
convert_to_cmyk
copy_fidelity_audit
create_checkbox
create_choice_field
create_from_images
create_layer
create_ocmd
create_push_button
create_radio_group
create_signature_field
create_text_field
crop_page
decrypt
decrypt_pubkey
delete_annotation
delete_annotations_by_author
delete_annotations_by_type
delete_attachment
delete_bookmark
delete_field
delete_layer
delete_named_destination
delete_pages
deskew_page
detect_image_regions
detect_skew_angle
discard_search_index
discard_thumbnails
doc_js_names
document_id
downsample_images
draw_bezier
draw_line
draw_path
draw_rect
duplicate_pages
edit_text
encrypt
encrypt_aes256
encrypt_aes256_with_permissions
encrypt_pubkey
encrypt_pubkey_multi
erase_ink_at
export_comments_csv
export_comments_fdf
export_comments_xfdf
export_docx
export_fdf
export_html
export_markdown
export_page_svg

export_png
export_pptx
export_xfa
export_xfdf
export_xlsx
extract_attachment
extract_fonts
extract_images
extract_page_temp
extract_tables
extract_text
extract_text_in_region
extract_to
find_replace_text
flatten_annotations
flatten_form
flatten_layers
flatten_transparency
flip_page
form_fields
generate_thumbnails
has_acroform
has_permissions_dict
has_xfa
hidden_content_audit
highlight_search
image_alt_texts
import_comments_fdf
import_comments_xfdf
import_fdf
import_xfdf
ink_coverage
insert_blank_page
insert_pages
interleave
invert_colors
is_encrypted
is_signed
is_tagged
last_document
linearize
links
list_annotations
list_field_actions
list_fonts
list_inks
list_layers
list_output_intents
make_portfolio
make_searchable
mark_visual_differences
merge_file
move_bookmark
move_field
move_page
move_text
n_up
named_destinations
object_stats
ocr_page

ocr_page_words
open_pdf
optimize
outline
overlay_page
page_boxes
page_dimensions
page_size
page_text_runs
page_visual_difference
pdf_info
permissions
preflight
print_to_pdf
read_threads
readability_stats
reading_order
recalculate_fields
recent_documents
recompress_streams
redact_pii
redact_regex
redact_search
redaction_leak_audit
reflow
regenerate_document_id
remove_blank_pages
remove_doc_js
rename_bookmark
rename_field
rename_layer
render_page
reorder_pages
repair
replace_image
replace_pages
reset_form
resize_all_pages
resize_page
restyle_text
reverse_pages
revision_extract
revision_history
rotate_all
rotate_page
run_javascript
sanitize
save_pdf
scan_pii
search
set_all_annotation_flags
set_all_page_boxes
set_annotation_author
set_annotation_border
set_annotation_color
set_annotation_contents
set_annotation_flags
set_annotation_opacity
set_annotation_rect
set_annotation_subject

set_bookmark_action
set_bookmark_level
set_bookmark_style
set_bookmark_target
set_calculation_order
set_doc_js
set_document_action
set_document_language
set_field
set_field_alignment
set_field_appearance
set_field_calculation_js
set_field_colors
set_field_default_value
set_field_export_name
set_field_flags
set_field_format_js
set_field_keystroke_js
set_field_rich_value
set_field_tooltip
set_field_validate_js
set_image_alt_text
set_info_property
set_layer_locked
set_layer_usage
set_layer_visibility
set_metadata
set_open_action_page
set_outline
set_output_intent
set_page_action
set_page_box
set_page_duration
set_page_labels
set_page_layout
set_page_mode
set_page_transition
set_print_preset
set_reading_direction
set_tab_order
set_text_field_maxlen
set_text_field_options
set_trapped
set_user_unit
set_viewer_preference
set_xfa_datasets
set_xmp_metadata
sign
sign_image
sign_visible
signature_count
similarity_score
space_audit
split_by_bookmarks
split_by_count
split_by_ranges
split_by_size
split_by_text
split_odd_even
split_page_grid

split_scanned_images
stamp_image
structure_diff
stylize_page
suggest_filename
swap_pages
tag_pdf_ua
take_launch_file
to_grayscale
to_pdf_a
to_pdf_x
to_single_page
undo_annot
unembed_fonts
validate_fields
validate_pdf_a
validate_pdf_ua
vcs_bisect
vcs_blame
vcs_blame_lines
vcs_checkout
vcs_commit
vcs_diff
vcs_head
vcs_log
vcs_page_objects
verify_full
verify_redaction
verify_signatures
watermark_image
watermark_text
whiteout
word_diff
xfa_datasets
xfa_packets
xmp_metadata

appshell (358)

appshell.crt.off
appshell.crt.on
appshell.crt.toggle
appshell.files
appshell.files.close
appshell.files.open
appshell.gui-scripts
appshell.hooks
appshell.neon.off
appshell.neon.on
appshell.palette
appshell.recent:/Users/tommy/Desktop/A-80_OM.pdf
appshell.recent:/Users/tommy/Desktop/JacobMenke2026.pdf
appshell.scheme-arctic
appshell.scheme-crimson
appshell.scheme-cyberpunk
appshell.scheme-ember
appshell.scheme-matrix
appshell.scheme-midnight
appshell.scheme-toxic
appshell.scheme-vapor
appshell.settings

appshell.shortcuts
appshell.terminal
appshell.terminal.close
appshell.terminal.open
appshell.theme.dark
appshell.theme.light
appshell.theme.toggle
appshell.tmux-keys
appshell.tmux-layouts
appshell.toggle-statusbar
appshell.toggle-theme
appshell.zp.cmd_ally_check
appshell.zp.cmd_add_3d
appshell.zp.cmd_add_bookmark
appshell.zp.cmd_add_dest
appshell.zp.cmd_add_image
appshell.zp.cmd_add_sound
appshell.zp.cmd_add_text
appshell.zp.cmd_add_video
appshell.zp.cmd_adjust_doc
appshell.zp.cmd_advance
appshell.zp.cmd_all_page_boxes
appshell.zp.cmd_alt_text
appshell.zp.cmd_alt_texts
appshell.zp.cmd_annot_author
appshell.zp.cmd_annot_border
appshell.zp.cmd_annot_delete
appshell.zp.cmd_annot_edit
appshell.zp.cmd_annot_flags
appshell.zp.cmd_annot_opacity
appshell.zp.cmd_annot_recolor
appshell.zp.cmd_annot_rect
appshell.zp.cmd_annot_subject
appshell.zp.cmd_annots_lock
appshell.zp.cmd_annots_print
appshell.zp.cmd_assemble
appshell.zp.cmd_attach_file
appshell.zp.cmd_attachments
appshell.zp.cmd_auto_crop
appshell.zp.cmd_auto_link
appshell.zp.cmd_auto_outline
appshell.zp.cmd_auto_tag
appshell.zp.cmd_background
appshell.zp.cmd_barcode
appshell.zp.cmd_bates
appshell.zp.cmd_binarize
appshell.zp.cmd_booklet
appshell.zp.cmd_bookmark_action
appshell.zp.cmd_bookmark_style
appshell.zp.cmd_build_toc
appshell.zp.cmd_calc_order
appshell.zp.cmd_callout
appshell.zp.cmd_canonical
appshell.zp.cmd_certify
appshell.zp.cmd_checkbox
appshell.zp.cmd_cleanup
appshell.zp.cmd_clear_metadata
appshell.zp.cmd_clear_sig
appshell.zp.cmd_compare
appshell.zp.cmd_contact_sheet

appshell.zp.cmd_convert_cmyk
appshell.zp.cmd_copy_fidelity
appshell.zp.cmd_create_from_images
appshell.zp.cmd_create_layer
appshell.zp.cmd_create_ocmd
appshell.zp.cmd_datamatrix
appshell.zp.cmd_decrypt_cert
appshell.zp.cmd_del_annots_author
appshell.zp.cmd_del_annots_type
appshell.zp.cmd_delete_attachment
appshell.zp.cmd_delete_bookmark
appshell.zp.cmd_delete_dest
appshell.zp.cmd_delete_field
appshell.zp.cmd_delete_layer
appshell.zp.cmd_deskew
appshell.zp.cmd_detect_images
appshell.zp.cmd_detect_skew
appshell.zp.cmd_discard_index
appshell.zp.cmd_discard_thumbs
appshell.zp.cmd_doc_action
appshell.zp.cmd_doc_flags
appshell.zp.cmd_doc_js
appshell.zp.cmd_doc_js_list
appshell.zp.cmd_document_id
appshell.zp.cmd_downsample
appshell.zp.cmd_dropdown
appshell.zp.cmd_duplicate_pages
appshell.zp.cmd_edit_text
appshell.zp.cmd_encrypt
appshell.zp.cmd_encrypt_aes
appshell.zp.cmd_encrypt_cert
appshell.zp.cmd_encrypt_multi
appshell.zp.cmd_encrypt_perms
appshell.zp.cmd_export_comments_xfdf
appshell.zp.cmd_export_dialog
appshell.zp.cmd_export_fdf
appshell.zp.cmd_export_svg
appshell.zp.cmd_export_xfa
appshell.zp.cmd_export_xfdf
appshell.zp.cmd_extract_attachment
appshell.zp.cmd_extract_fonts
appshell.zp.cmd_extract_images
appshell.zp.cmd_extract_tables
appshell.zp.cmd_field_align
appshell.zp.cmd_field_appearance
appshell.zp.cmd_field_calc
appshell.zp.cmd_field_colors
appshell.zp.cmd_field_default
appshell.zp.cmd_field_export
appshell.zp.cmd_field_flags
appshell.zp.cmd_field_format_js
appshell.zp.cmd_field_keystroke_js
appshell.zp.cmd_field_maxlen
appshell.zp.cmd_field_options
appshell.zp.cmd_field_rich_value
appshell.zp.cmd_field_tooltip
appshell.zp.cmd_field_validate_js
appshell.zp.cmd_find_replace
appshell.zp.cmd_fingerprint
appshell.zp.cmd_flatten_layers

appshell.zp.cmd_flatten_transparency
appshell.zp.cmd_flip_page
appshell.zp.cmd_goto_link
appshell.zp.cmd_grid_overlay
appshell.zp.cmd_header_footer
appshell.zp.cmd_hidden_audit
appshell.zp.cmd_highlight_search
appshell.zp.cmd_import_comments_xfdf
appshell.zp.cmd_import_fdf
appshell.zp.cmd_import_xfdf
appshell.zp.cmd_indent_bookmark
appshell.zp.cmd_info_prop
appshell.zp.cmd_ink_coverage
appshell.zp.cmd_insert_blank
appshell.zp.cmd_insert_pages
appshell.zp.cmd_interleave
appshell.zp.cmd_launch_link
appshell.zp.cmd_layer_usage
appshell.zp.cmd_layer_visibility
appshell.zp.cmd_line_numbers
appshell.zp.cmd_linearize
appshell.zp.cmd_list_annots
appshell.zp.cmd_list_field_actions
appshell.zp.cmd_list_fonts
appshell.zp.cmd_list_inks
appshell.zp.cmd_list_layers
appshell.zp.cmd_list_links
appshell.zp.cmd_list_output_intents
appshell.zp.cmd_lock_layer
appshell.zp.cmd_make_searchable
appshell.zp.cmd_measure
appshell.zp.cmd_move_bookmark_down
appshell.zp.cmd_move_bookmark_up
appshell.zp.cmd_move_field
appshell.zp.cmd_move_page
appshell.zp.cmd_named_action_link
appshell.zp.cmd_named_dests
appshell.zp.cmd_object_stats
appshell.zp.cmd_ocr_page
appshell.zp.cmd_ocr_words
appshell.zp.cmd_open_page
appshell.zp.cmd_optimize
appshell.zp.cmd_outdent_bookmark
appshell.zp.cmd_output_intent
appshell.zp.cmd_overlay_page
appshell.zp.cmd_page_action
appshell.zp.cmd_page_box
appshell.zp.cmd_page_boxes
appshell.zp.cmd_page_dimensions
appshell.zp.cmd_page_labels
appshell.zp.cmd_page_layout
appshell.zp.cmd_page_mode
appshell.zp.cmd_page_numbers
appshell.zp.cmd_permissions
appshell.zp.cmd_portfolio
appshell.zp.cmd_preflight
appshell.zp.cmd_print_pdf
appshell.zp.cmd_print_preset
appshell.zp.cmd_printer_marks
appshell.zp.cmd_push_button

appshell.zp.cmd_qr
appshell.zp.cmd_radio_group
appshell.zp.cmd_readability
appshell.zp.cmd_reading_direction
appshell.zp.cmd_reading_order
appshell.zp.cmd_recompress
appshell.zp.cmd_redact_pii
appshell.zp.cmd_redact_regex
appshell.zp.cmd_redact_search
appshell.zp.cmd_redaction_leak
appshell.zp.cmd_reflow
appshell.zp.cmd_regen_doc_id
appshell.zp.cmd_region_text
appshell.zp.cmd_remote_goto_link
appshell.zp.cmd_remove_blank
appshell.zp.cmd_remove_js
appshell.zp.cmd_rename_bookmark
appshell.zp.cmd_rename_field
appshell.zp.cmd_rename_layer
appshell.zp.cmd_render_cache
appshell.zp.cmd_render_jobs
appshell.zp.cmd_reorder_pages
appshell.zp.cmd_repair
appshell.zp.cmd_replace_image
appshell.zp.cmd_replace_pages
appshell.zp.cmd_reset_form
appshell.zp.cmd_resize_all
appshell.zp.cmd_resize_page
appshell.zp.cmd_retargt_bookmark
appshell.zp.cmd_revision_history
appshell.zp.cmd_rotate_all_ccw
appshell.zp.cmd_rotate_all_cw
appshell.zp.cmd_run_js
appshell.zp.cmd_sanitize
appshell.zp.cmd_save_pdfa
appshell.zp.cmd_save_pdfx
appshell.zp.cmd_scan_pii
appshell.zp.cmd_scan_split
appshell.zp.cmd_search
appshell.zp.cmd_separations
appshell.zp.cmd_set_language
appshell.zp.cmd_set_outline
appshell.zp.cmd_set_trapped
appshell.zp.cmd_set_xfa
appshell.zp.cmd_set_xmp
appshell.zp.cmd_sign
appshell.zp.cmd_sign_image
appshell.zp.cmd_sign_visible
appshell.zp.cmd_signature_field
appshell.zp.cmd_similarity
appshell.zp.cmd_single_page
appshell.zp.cmd_space_audit
appshell.zp.cmd_split_bookmarks
appshell.zp.cmd_split_count
appshell.zp.cmd_split_grid
appshell.zp.cmd_split_oddeven
appshell.zp.cmd_split_ranges
appshell.zp.cmd_split_size
appshell.zp.cmd_split_text
appshell.zp.cmd_structure_diff

appshell.zp.cmd_stylize
appshell.zp.cmd_submit_button
appshell.zp.cmd_suggest_name
appshell.zp.cmd_swap_pages
appshell.zp.cmd_tab_order
appshell.zp.cmd_tag_pdfua
appshell.zp.cmd_text_font
appshell.zp.cmd_thread
appshell.zp.cmd_threads
appshell.zp.cmd_thumbnails
appshell.zp.cmd_timestamp
appshell.zp.cmd_transition
appshell.zp.cmd_unembed_fonts
appshell.zp.cmd_user_unit
appshell.zp.cmd_validate_pdfa
appshell.zp.cmd_validate_pdfua
appshell.zp.cmd_verify_full
appshell.zp.cmd_verify_redaction
appshell.zp.cmd_verify_sigs
appshell.zp.cmd_viewer_pref
appshell.zp.cmd_visual_diff
appshell.zp.cmd_visual_diff_score
appshell.zp.cmd_watermark
appshell.zp.cmd_watermark_img
appshell.zp.cmd_whiteout
appshell.zp.cmd_word_diff
appshell.zp.cmd_xfa_datasets
appshell.zp.cmd_xfa_packets
appshell.zp.cmd_xmp
appshell.zp.crop_page
appshell.zp.decrypt
appshell.zp.delete_page
appshell.zp.draw_brush
appshell.zp.draw_eraser
appshell.zp.draw_gradient
appshell.zp.draw_rect
appshell.zp.draw_signature
appshell.zp.export_csv
appshell.zp.export_excel
appshell.zp.export_html
appshell.zp.export_image
appshell.zp.export_markdown
appshell.zp.export_ppt
appshell.zp.export_word
appshell.zp.expose
appshell.zp.extract_page
appshell.zp.goto_page
appshell.zp.guided_tour
appshell.zp.image_adjust
appshell.zp.impose_2up
appshell.zp.impose_4up
appshell.zp.impose_8up
appshell.zp.jump_outline
appshell.zp.mark_caret
appshell.zp.mark_highlight
appshell.zp.mark_ink
appshell.zp.mark_line
appshell.zp.mark_note
appshell.zp.mark_oval
appshell.zp.mark_polygon

appshell.zp.mark_polyline
appshell.zp.mark_rectangle
appshell.zp.mark_redact
appshell.zp.mark_squiggly
appshell.zp.mark_stamp
appshell.zp.mark_strikeout
appshell.zp.mark_textbox
appshell.zp.mark_underline
appshell.zp.merge_pdf
appshell.zp.mru_tab
appshell.zp.open_file_browser
appshell.zp.open_hooks_editor
appshell.zp.open_pdf
appshell.zp.open_recent_menu
appshell.zp.reader_mode
appshell.zp.reverse_order
appshell.zp.rotate_90
appshell.zp.save
appshell.zp.save_as
appshell.zp.save_grayscale
appshell.zp.save_inverted
appshell.zp.shortcuts_ref
appshell.zp.tab_bookmarks
appshell.zp.tab_compare
appshell.zp.tab_fields
appshell.zp.tab_insights
appshell.zp.tab_metadata
appshell.zp.tab_page
appshell.zp.tab_text
appshell.zp.tab_timeline
appshell.zp.toggle_terminal
appshell.zp.vcs_bisect
appshell.zp.vcs_blame
appshell.zp.vcs_commit
appshell.zp.vcs_history
appshell.zp.zoom_preset

audio-haxor

Audio analyzer / DAW-project generator — spectrum, DSP, .als generation

241 verbs · live bus surface · call as `App::open("audio-haxor")->call("<verb>", %args)`

`app` (241)

```
app.alsCancelGenerate
app.alsGenerate
app.alsOverrideDelete
app.alsOverridesClearAll
app.alsPickOutput
app.alsRandomizeSeed
app.alsStartAnalysis
app.alsStopAnalysis
app.applyCustomScheme
app.browseDir
app.browseSnapshotExportDir
app.buildXrefIndex
app.cancelSavePreset
app.checkUpdates
app.clearAbloop
app.clearAllHistory
app.clearAllNotes
app.clearApplog
app.clearFavorites
app.clearGlobalTag
app.clearRecentlyPlayed
app.clearSettingsSearch
app.clearSnapshotExportDir
app.collapsePlayer
app.confirmSavePreset
app.createSmartPlaylist
app.createTag
app.deleteCustomSchemes
app.exportAudio
app.exportDaw
app.exportFavorites
app.exportLogPdf
app.exportMidi
app.exportNotes
app.exportPdfs
app.exportPlugins
app.exportPresets
app.exportRecentlyPlayed
app.exportSettingsPdf
app.exportVideos
app.favCurrentTrack
app.fbBulkRenameApply
app.fbBulkRenameCancel
app.fbPreviewClose
app.fbTreeClose
app.fileAppDataDir
app.fileBulkClear
app.fileBulkDelete
```

app.fileBulkFavorite
app.fileBulkOpen
app.fileBulkRename
app.fileBulkScan
app.fileFav
app.fileHome
app.fileNavBack
app.fileNavFwd
app.fileNewFolder
app.fileQuickNav
app.fileTogglePreview
app.fileUp
app.filterAudioSamples
app.filterCrate
app.filterDawProjects
app.filterFavorites
app.filterFiles
app.filterMidi
app.filterNotes
app.filterNowPlaying
app.filterPdfs
app.filterPlugins
app.filterPresets
app.filterSettings
app.filterShortcuts
app.filterTags
app.filterVideos
app.findDuplicates
app.hidePlayer
app.hideTagBar
app.hideTerminal
app.importAudio
app.importDaw
app.importFavorites
app.importNotes
app.importPdfs
app.importPlugins
app.importPresets
app.importRecentlyPlayed
app.importVideos
app.killTerminal
app.moveTagBar
app.nextTrack
app.openCrateBuilder
app.openDataDir
app.openLogFile
app.openNextUpdate
app.openPrefsFile
app.openReleaseWizard
app.openUpdate
app.prevTrack
app.refreshCacheStats
app.resetAllScans
app.resetEq
app.resetFzfParams
app.resetShortcuts
app.resumeAll
app.resumeAudioScan
app.resumeDawScan
app.resumeMidiScan

app.resumePdfScan
app.resumePluginScan
app.resumePresetScan
app.resumeVideoScan
app.runBpmKeyLufsAnalysis
app.runContentDupScan
app.saveAudioScanDirs
app.saveBlacklist
app.saveCustomDirs
app.saveDawScanDirs
app.saveFolderWatchDirs
app.saveMidiScanDirs
app.savePdfScanDirs
app.savePresetScanDirs
app.saveSnapshotExportDir
app.saveVideoScanDirs
app.scanAll
app.scanAudioSamples
app.scanDawProjects
app.scanMidi
app.scanPdfs
app.scanPlugins
app.scanPresets
app.scanVideos
app.setAbA
app.setAbB
app.setEqHigh
app.setEqLow
app.setEqMid
app.setGain
app.setPan
app.setPlaybackSpeed
app.setSpeedMode
app.setVolume
app.settingAnalysisPause
app.settingAudioSort
app.settingAutoplayNextSource
app.settingBatchAnalysisThreads
app.settingBatchSize
app.settingBgJobThrottle
app.settingChannelBuffer
app.settingClearAllDatabases
app.settingClearAllHistory
app.settingClearAnalysisCache
app.settingClearKvrCache
app.settingContentDupHashThreads
app.settingDawSort
app.settingDefaultTypeFilter
app.settingFdLimit
app.settingFlushInterval
app.settingLogVerbosity
app.settingMaxRecent
app.settingMidiSort
app.settingPageSize
app.settingPdfSort
app.settingPluginSort
app.settingPresetSort
app.settingPruneOldScansKeep
app.settingResetAllUI
app.settingResetColumns

app.settingResetSectionOrder
app.settingResetTabOrder
app.settingSqliteReadPoolExtra
app.settingTagBarPosition
app.settingThreadMultiplier
app.settingToggleAutoAnalysis
app.settingToggleAutoCheckUpdatesOnStartup
app.settingToggleAutoContentDupScan
app.settingToggleAutoFingerprintCache
app.settingToggleAutoPdfMetadataOnStartup
app.settingToggleAutoPdfScanOnStartup
app.settingToggleAutoPlaySampleOnSelect
app.settingToggleAutoScan
app.settingToggleAutoUpdate
app.settingToggleAutoplayNext
app.settingToggleCrt
app.settingToggleExpandOnClick
app.settingToggleFolderWatch
app.settingToggleIncludeBackups
app.settingToggleIncrementalDirectoryScan
app.settingToggleNeonGlow
app.settingTogglePdfMetadataAutoExtract
app.settingTogglePruneOldScans
app.settingToggleSingleClickPlay
app.settingToggleTagBar
app.settingToggleTheme
app.settingTooltipHoverDelay
app.settingTrayTransportSource
app.settingUiLocale
app.settingVideoAudioRoute
app.settingVizFps
app.settingWfCacheMax
app.showDepGraph
app.showGenreRules
app.showHeatmapDash
app.showPlayer
app.showSavePreset
app.showSmartPlaylistEditor
app.showTerminal
app.showToastHistory
app.skipUpdate
app.stopAll
app.stopAudioPlayback
app.stopAudioScan
app.stopBpmKeyLufsAnalysis
app.stopContentDupScan
app.stopDawScan
app.stopMidiScan
app.stopPdfMetadataExtraction
app.stopPdfScan
app.stopPluginScan
app.stopPresetScan
app.stopVideoScan
app.switchTab
app.tagCurrentTrack
app.tlFindSamples
app.tlGenerateAll
app.tlGenerateKits
app.tlGenerateMidi
app.tlPickOutput

```
app.tlRandomizeSeed  
app.toggleAudioLoop  
app.toggleAudioPlayback  
app.toggleDirs  
app.toggleEqSection  
app.toggleMono  
app.toggleMute  
app.togglePdf  
app.toggleRegex  
app.toggleReversePlayback  
app.toggleSequencer  
app.toggleShuffle  
app.vizFullscreen
```

zoffice

LibreOffice-style office engine — writer/calc/impress over ODF/OOXML

228 verbs · live bus surface · call as `App::open("zoffice")->call("<verb>", %args)`

(`top-level`) (6)

diff
info
inspect
meta
open
pagesetup

`appshell` (125)

`appshell.activity_timeline`
`appshell.base_catalog`
`appshell.base_run_query`
`appshell.calc_batch_edit`
`appshell.calc_chart_data`
`appshell.calc_column_stats`
`appshell.calc_comments`
`appshell.calc_cond_formats`
`appshell.calc_critical_path`
`appshell.calc_edit_cell`
`appshell.calc_eval`
`appshell.calc_export_formulas`
`appshell.calc_features`
`appshell.calc_formulas_view`
`appshell.calc_impact_map`
`appshell.calc_jump`
`appshell.calc_named_ranges`
`appshell.calc_overview`
`appshell.calc_pivots`
`appshell.calc_print_setups`
`appshell.calc_protections`
`appshell.calc_sheet_states`
`appshell.calc_sort`
`appshell.calc_tables`
`appshell.calc_validations`
`appshell.close_document`
`appshell.cmd_palette`
`appshell.crt.off`
`appshell.crt.on`
`appshell.crt.toggle`
`appshell.doc_dashboard`
`appshell.doc_properties`
`appshell.draw_connectors`
`appshell.edit_doc_properties`
`appshell.engine_info`
`appshell.export_document`
`appshell.extract_plain_text`
`appshell.files`
`appshell.files.close`
`appshell.files.open`

appshell.find_in_doc
appshell.gui-scripts
appshell.hooks
appshell.impress_add_slide
appshell.impress_chart_data
appshell.impress_edit_slide
appshell.impress_export_hyperlinks
appshell.impress_extract_text
appshell.impress_graphic_objects
appshell.impress_hyperlinks_view
appshell.impress_insert_slide
appshell.impress_layout_names
appshell.impress_layouts
appshell.impress_remove_slide
appshell.impress_shapes
appshell.impress_slide_size
appshell.impress_slide_tables
appshell.impress_speaker_notes
appshell.impress_storyboard
appshell.impress_text_analytics
appshell.impress_transitions
appshell.math_starmath
appshell.neon.off
appshell.neon.on
appshell.open_document
appshell.open_preferences
appshell.open_recent
appshell.page_setup
appshell.palette
appshell.reload_document
appshell.replace_in_doc
appshell.scheme-arctic
appshell.scheme-crimson
appshell.scheme-cyberpunk
appshell.scheme-ember
appshell.scheme-matrix
appshell.scheme-midnight
appshell.scheme-toxic
appshell.scheme-vapor
appshell.search_all_recent
appshell.settings
appshell.shortcuts
appshell.shortcuts_help
appshell.snippets
appshell.switch_base
appshell.switch_calc
appshell.switch_draw
appshell.switch_impress
appshell.switch_math
appshell.switch_writer
appshell.terminal
appshell.terminal.close
appshell.terminal.open
appshell.theme.dark
appshell.theme.light
appshell.theme.toggle
appshell.tmux-keys
appshell.tmux-layouts
appshell.toggle-statusbar
appshell.toggle-theme

```
appshell.writer_blame
appshell.writer_bookmarks
appshell.writer_compare
appshell.writer_edit_paragraph
appshell.writer_edit_table_cell
appshell.writer_embedded_media
appshell.writer_export_comments
appshell.writer_export_hyperlinks
appshell.writer_field_codes
appshell.writer_footnotes
appshell.writer_form_fields
appshell.writer_formatting
appshell.writer_hyperlinks_view
appshell.writer_insert_paragraph
appshell.writer_list_formats
appshell.writer_merge
appshell.writer_revision_authors
appshell.writer_revisions_timeline
appshell.writer_sections
appshell.writer_settings
appshell.writer_structure
appshell.writer_style_catalog
appshell.writer_table_content
appshell.writer_text_analytics
appshell.writer_word_count
```

base (3)

```
base.open
base.query
base.tables
```

calc (30)

```
calc.cells
calc.charts
calc.charts_detail
calc.charts_render
calc.comments
calc.conditional_formats
calc.critical_path
calc.csv
calc.edit_cell
calc.eval
calc.evaluate
calc.find
calc.formulas
calc.html
calc.impact_map
calc.markdown
calc.merge3
calc.named_ranges
calc.open
calc.pdf
calc.pivot_tables
calc.print_setups
calc.render
calc.replace
calc.replace_lossless
calc.sheet_protections
calc.sheet_states
calc.sort
```



```
calc.tables
calc.validations

draw (8)

draw.connectors
draw.find
draw.html
draw.markdown
draw.open
draw.render
draw.replace
draw.svg

impress (21)

impress.charts_detail
impress.charts_render
impress.find
impress.graphic_objects
impress.html
impress.hyperlinks
impress.layout_names
impress.layouts
impress.markdown
impress.merge3
impress.open
impress.pdf
impress.render
impress.replace
impress.replace_lossless
impress.shapes
impress.slide_notes
impress.slide_size
impress.tables
impress.text
impress.transitions

math (3)

math.open
math.render
math.starmath

writer (32)

writer.blame
writer.bookmark_text
writer.comment_details
writer.comments
writer.content_controls
writer.edit_table_cell
writer.fields
writer.find
writer.footnotes
writer.html
writer.hyperlinks_text
writer.images
writer.inline_images
writer.links
writer.list_formats
writer.markdown
writer.merge3
writer.notes
```

```
writer.open  
writer.pdf  
writer.render  
writer.replace  
writer.replace_lossless  
writer.revision_authors  
writer.runs  
writer.sections  
writer.settings  
writer.structure  
writer.style_definitions  
writer.table_grids  
writer.tables  
writer.text
```

zemail

Thunderbird-style mail client — accounts, folders, messages, PGP/S-MIME, search
216 verbs · live bus surface · call as `App::open("zemail")->call("<verb>", %args)`

(top-level) (1)

version

account (5)

account.add
account.autoconfig
account.list
account.remove
account.update

address (3)

address.known
address.to_ascii
address.validate

appshell (31)

appshell.crt.off
appshell.crt.on
appshell.crt.toggle
appshell.files
appshell.files.close
appshell.files.open
appshell.gui-scripts
appshell.hooks
appshell.neon.off
appshell.neon.on
appshell.palette
appshell.scheme-arctic
appshell.scheme-crimson
appshell.scheme-cyberpunk
appshell.scheme-ember
appshell.scheme-matrix
appshell.scheme-midnight
appshell.scheme-toxic
appshell.scheme-vapor
appshell.settings
appshell.shortcuts
appshell.terminal
appshell.terminal.close
appshell.terminal.open
appshell.theme.dark
appshell.theme.light
appshell.theme.toggle
appshell.tmux-keys
appshell.tmux-layouts
appshell.toggle-statusbar
appshell.toggle-theme

attachment (2)

```
attachment.parse_tnef
attachment.sniff

calendar (8)
calendar.expand_rrule
calendar.freebusy
calendar.parse_alarms
calendar.parse_invite
calendar.parse_journals
calendar.parse_todos
calendar.parse_vtimezone
calendar.rsvp

carddav (2)
carddav.fetch
carddav.put

compose (3)
compose.attachment_reminder
compose.mail_merge
compose.parse_mailto

contact (11)
contact.add
contact.export_group
contact.export_vcard
contact.export_vcard4
contact.find_duplicates
contact.gravatar
contact.import_vcard
contact.list
contact.merge
contact.parse_groups
contact.remove

crypto (1)
crypto.mime_structure

expire (1)
expire.due

export (2)
export.eml
export.mbox

filter (5)
filter.add
filter.list
filter.remove
filter.run
filter.to_sieve

folder (6)
folder.create
folder.delete
folder.digest
folder.inbox_load
folder.list
folder.rename
```

`followup` (1)
`followup.due`
`gloda` (1)
`gloda.search`
`html` (2)
`html.sanitize`
`html.to_text`
`identity` (3)
`identity.baseline`
`identity.evaluate`
`identity.scan_folder`
`imap` (12)
`imap.build_search`
`imap.folders`
`imap.idle`
`imap.parse_bodystructure`
`imap.parse_command`
`imap.parse_envelope`
`imap.parse_fetch`
`imap.parse_response`
`imap.parse_thread`
`imap.search`
`imap.store_flags`
`imap.sync`
`import` (3)
`import.eml`
`import.maildir`
`import.mbox`
`jmap` (4)
`jmap.email_get`
`jmap.email_object`
`jmap.email_query`
`jmap.mailbox_get`
`junk` (3)
`junk.classify`
`junk.run`
`junk.train`
`key` (3)
`key.add`
`key.list`
`key.remove`
`list` (6)
`list.add_member`
`list.create`
`list.list`
`list.parse_headers`
`list.remove`
`list.virtual_folders`
`message` (37)

- message.action_items
- message.add_label
- message.attachment_safety
- message.build_rfc5322
- message.categorize
- message.commitment_scan
- message.delete
- message.expire
- message.find_duplicates
- message.followup
- message.forward_assemble
- message.get
- message.importance
- message.junk
- message.list
- message.move
- message.parse_dsn
- message.parse_mdn
- message.phishing_scan
- message.pin
- message.priority_rank
- message.quote_audit
- message.reading_time
- message.reconstruct_thread
- message.remove_label
- message.roster_audit
- message.save_draft
- message.set_aside
- message.set_flags
- message.snooze
- message.strip_quotes
- message.thread_stats
- message.thread_tree
- message.threads
- message.tracking_scan
- message.unsnooze
- message.unsubscribe

mime (8)

- mime.arc_chain
- mime.auth_results
- mime.dkim_info
- mime.encode_header
- mime.flow_decode
- mime.flow_encode
- mime.qp_decode
- mime.qp_encode

openpgp (5)

- openpgp.decrypt
- openpgp.encrypt
- openpgp.gen_key
- openpgp.sign
- openpgp.verify

outbox (5)

- outbox.due
- outbox.list
- outbox.queue
- outbox.remove

```
outbox.schedule
policy (3)
policy.dmarc_eval
policy.dmarc_parse
policy.spf_parse
pop3 (1)
pop3.fetch
profile (2)
profile.get
profile.save
schedule (1)
schedule.resolve
screener (4)
screener.approve
screener.list
screener.pending
screener.remove
search (6)
search.query
search.remove
search.run
search.run_saved
search.save
search.saved
sieve (1)
sieve.parse
signature (3)
signature.add
signature.list
signature.remove
smime (5)
smime.decrypt
smime.encrypt
smime.gen_cert
smime.sign
smime.verify
smtp (1)
smtp.send
snooze (1)
snooze.due
template (4)
template.add
template.list
template.remove
template.render
thread (3)
```

```
thread.mute
thread.muted
thread.unmute

vacation (3)

vacation.get
vacation.reply
vacation.set

vcard (1)

vcard.convert

vip (3)

vip.add
vip.list
vip.remove
```


zcite

Zotero-style reference manager — library, collections, citations, PDF, sync

209 verbs · live bus surface · call as `App::open("zcite")->call("<verb>", %args)`

(top-level) (1)

version

annotation (4)

annotation.add

annotation.list

annotation.remove

annotation.update

appshell (28)

appshell.crt.off

appshell.crt.on

appshell.crt.toggle

appshell.files

appshell.files.close

appshell.files.open

appshell.gui-scripts

appshell.hooks

appshell.neon.off

appshell.neon.on

appshell.palette

appshell.scheme-arctic

appshell.scheme-crimson

appshell.scheme-cyberpunk

appshell.scheme-ember

appshell.scheme-matrix

appshell.scheme-midnight

appshell.scheme-toxic

appshell.scheme-vapor

appshell.settings

appshell.shortcuts

appshell.terminal

appshell.terminal.close

appshell.terminal.open

appshell.theme.dark

appshell.theme.light

appshell.theme.toggle

appshell.toggle-theme

attachment (3)

attachment.index

attachment.snapshot

attachment.store_file

authors (1)

authors.index

backup (5)

```
backup.create
backup.delete
backup.list
backup.prune
backup.restore

bib (12)

bib.author_substitute
bib.bibliography
bib.citation
bib.cite_key
bib.cite_keys
bib.csl
bib.csl_document
bib.disambiguate
bib.sort_key
bib.style_diff
bib.style_fit
bib.styles

cite (2)

cite.document
cite.rtf_scan

cleanup (2)

cleanup.batch
cleanup.item

cluster (1)

cluster.related

collection (8)

collection.add
collection.add_item
collection.list
collection.merge
collection.remove
collection.remove_item
collection.rename
collection.tree

csl (1)

csl.validate

duplicates (5)

duplicates.fuzzy
duplicates.list
duplicates.merge
duplicates.merge_preview
duplicates.similarity

export (20)

export.biblatex
export.bibtex
export.coins
export.csl_json
export.csl_yaml
export.csv
export.endnote_tagged
export.endnote_xml
```

- export.html
- export.item_markdown
- export.json_ld
- export.marxml
- export.markdown
- export.mods
- export.ris
- export.rtf
- export.tsv
- export.wikipedia
- export.word_field
- export.zotero_rdf

identifier (6)

- identifier.add
- identifier.canonicalize
- identifier.detect
- identifier.isbn_convert
- identifier.lookup
- identifier.validate

import (15)

- import.biblatex
- import.bibtex
- import.crossref_json
- import.csl_json
- import.csv
- import.datacite_json
- import.dublin_core
- import.endnote_tagged
- import.endnote_xml
- import.file
- import.marxml
- import.mods
- import.pubmed_xml
- import.ris
- import.zotero_rdf

inbox (1)

- inbox.import

integrity (2)

- integrity.check
- integrity.roundtrip

item (24)

- item.add
- item.add_attachment
- item.add_note
- item.add_tag
- item.convert_type
- item.delete
- item.duplicate
- item.get
- item.list
- item.reading_stats
- item.relate
- item.related_graph
- item.remove_note
- item.remove_tag

- item.restore
- item.set_favorite
- item.set_field
- item.set_rating
- item.set_reading
- item.suggest_related
- item.trash
- item.unrelate
- item.update
- item.update_note

items (5)

- items.add_tag
- items.file
- items.remove_tag
- items.replace_field
- items.trash

journal (1)

- journal.abbreviate

libraries (6)

- libraries.active
- libraries.create
- libraries.list
- libraries.remove
- libraries.rename
- libraries.switch

library (5)

- library.analytics
- library.get
- library.save
- library.stats
- library.timeline

locale (3)

- locale.list
- locale.ordinal
- locale.term

names (3)

- names.et_al
- names.format
- names.parse

network (3)

- network.author_stats
- network.coauthor
- network.export

note (4)

- note.add
- note.list
- note.remove
- note.update

pdf (3)

- pdf.extract_text
- pdf.metadata

```
pdf.recognize
quality (2)
quality.assess
quality.audit
report (5)
report.field_completeness
report.key_collisions
report.language
report.orphans
report.year_coverage
schema (2)
schema.fields
schema.item_types
search (5)
search.quick
search.saved.add
search.saved.list
search.saved.remove
search.saved.run
tag (6)
tag.cloud
tag.delete
tag.list
tag.merge
tag.rename
tag.set_color
tex (4)
tex.aux
tex.bbl
tex.coverage
tex.extract_citations
text (4)
text.change_case
text.extract_identifiers
text.latex_to_unicode
text.unicode_to_latex
webdav (4)
webdav.delete
webdav.download
webdav.upload
webdav.verify
zotero (3)
zotero.pull
zotero.push
zotero.verify
```

zstation

Station-style multi-app workspace — boards, tiles, panes

209 verbs · live bus surface · call as `App::open("zstation")->call("<verb>", %args)`

(`top-level`) (1)

version

`appshell` (157)

`appshell.About`
`appshell.Activity heatmap`
`appshell.Add site`
`appshell.Agenda`
`appshell.Attention layout`
`appshell.Board`
`appshell.Clear all sessions`
`appshell.Dashboard`
`appshell.Dashboard: Dev`
`appshell.Dashboard: Main`
`appshell.Dashboard: Music Studio`
`appshell.Dashboard: Trading Desk`
`appshell.Dashboards`
`appshell.Duplicate dashboard`
`appshell.Export dashboard image`
`appshell.Export layout`
`appshell.Import layout`
`appshell.Lock workspace`
`appshell.Logs`
`appshell.New Base convert`
`appshell.New Base64`
`appshell.New Big text`
`appshell.New Bipolar slider`
`appshell.New Calculator`
`appshell.New Calendar`
`appshell.New Channel strip`
`appshell.New Chart`
`appshell.New Clock`
`appshell.New Code`
`appshell.New Color`
`appshell.New Converter`
`appshell.New Countdown`
`appshell.New Counter`
`appshell.New Cron`
`appshell.New Curve`
`appshell.New Dial pad`
`appshell.New Dice`
`appshell.New Drawbars`
`appshell.New EQ`
`appshell.New Envelope`
`appshell.New Euclid`
`appshell.New Fader`
`appshell.New Filter`
`appshell.New Gate`
`appshell.New Geo morph`

appshell.New Habit
appshell.New Harmonics
appshell.New Hash
appshell.New Image
appshell.New JSON
appshell.New Joystick
appshell.New Kanban
appshell.New Key/Value
appshell.New Keyboard
appshell.New Knob
appshell.New LFO
appshell.New Links
appshell.New Lorem
appshell.New Markdown
appshell.New Morph pad
appshell.New Morph path
appshell.New Note
appshell.New Orb
appshell.New Oscillator
appshell.New Pad
appshell.New Pad grid
appshell.New Password
appshell.New Piano roll
appshell.New Pomodoro
appshell.New Progress
appshell.New Rating
appshell.New Reminder
appshell.New Rich text
appshell.New Sketch
appshell.New Slider
appshell.New Stat
appshell.New Step sequencer
appshell.New Stepper
appshell.New Stopwatch
appshell.New Tags
appshell.New Terminal
appshell.New Timer
appshell.New Timestamp
appshell.New To-do
appshell.New Transport
appshell.New Trigger
appshell.New UUID
appshell.New Wavetable
appshell.New Web search
appshell.New World clock
appshell.New XY pad
appshell.New board: AI Chats
appshell.New board: AI Lab
appshell.New board: Command Center
appshell.New board: Control Surface
appshell.New board: Dashboard
appshell.New board: Dev
appshell.New board: Focus
appshell.New board: Full-Stack Dev
appshell.New board: Music Studio
appshell.New board: Newsroom
appshell.New board: Social
appshell.New board: Trading Desk
appshell.New board: Work Comms
appshell.New dashboard

```
appshell.Notes
appshell.Notifications
appshell.Pack grid (fill)
appshell.Pop out dashboard
appshell.Quick capture
appshell.Reload all tiles
appshell.Rename dashboard
appshell.Search
appshell.Select all tiles
appshell.Session convoy
appshell.Session trail
appshell.Sessions
appshell.Set dashboard accent
appshell.Set dashboard icon
appshell.Switch to Bluesky
appshell.Switch to Instagram
appshell.Switch to LinkedIn
appshell.Switch to Mastodon
appshell.Switch to Product Hunt
appshell.Switch to Reddit
appshell.Switch to Threads
appshell.Switch to X
appshell.Take the tour
appshell.Tidy grid
appshell.crt.off
appshell.crt.on
appshell.crt.toggle
appshell.files
appshell.files.close
appshell.files.open
appshell.gui-scripts
appshell.hooks
appshell.neon.off
appshell.neon.on
appshell.palette
appshell.scheme-arctic
appshell.scheme-crimson
appshell.scheme-cyberpunk
appshell.scheme-ember
appshell.scheme-matrix
appshell.scheme-midnight
appshell.scheme-toxic
appshell.scheme-vapor
appshell.settings
appshell.shortcuts
appshell.terminal
appshell.terminal.close
appshell.terminal.open
appshell.theme.dark
appshell.theme.light
appshell.theme.toggle
appshell.toggle-theme

board (10)
board.all
board.create
board.delete
board.get
board.list
board.recent
```



```
board.rename
board.reset
board.set_icon
board.switch

convoy (4)

convoy.go
convoy.list
convoy.remove
convoy.set

layout (2)

layout.arrange
layout.save

library (1)

library.search

log (2)

log.path
log.read

notes (4)

notes.add
notes.get
notes.remove
notes.update

notifications (1)

notifications.summary

prefs (2)

prefs.get
prefs.update

service (2)

service.catalog
service.get

settings (2)

settings.get
settings.update

tile (8)

tile.add
tile.bring_front
tile.remove
tile.send_back
tile.set_muted
tile.set_unread
tile.touch
tile.update

toast (3)

toast.append
toast.clear
toast.list

trail (4)
```

```
trail.list
trail.remove
trail.set
trail.step
wiring (6)
wiring.add
wiring.list
wiring.process
wiring.remove
wiring.set_enabled
wiring.update
```

zftp

Cyberduck-style transfer client — FTP/SFTP/WebDAV/S3/cloud, transfers, sync
183 verbs · live bus surface · call as `App::open("zftp")->call("<verb>", %args)`

(top-level) (1)

version

appshell (53)

appshell.Compare directories
appshell.Connect selected
appshell.Connect to server
appshell.Copy remote path
appshell.Disconnect selected
appshell.Discover LAN
appshell.Erasure disperse
appshell.Erasure reconstruct
appshell.Estimate transfer
appshell.Export bookmarks
appshell.Go to path
appshell.Import bookmarks
appshell.List directory
appshell.New folder
appshell.Preferences
appshell.Reload
appshell.Remove bookmark
appshell.Resolve name clashes
appshell.Session monitor
appshell.Swarm audit
appshell.Swarm replicate
appshell.Toggle terminal
appshell.crt.off
appshell.crt.on
appshell.crt.toggle
appshell.files
appshell.files.close
appshell.files.open
appshell.gui-scripts
appshell.hooks
appshell.neon.off
appshell.neon.on
appshell.palette
appshell.scheme-arctic
appshell.scheme-crimson
appshell.scheme-cyberpunk
appshell.scheme-ember
appshell.scheme-matrix
appshell.scheme-midnight
appshell.scheme-toxic
appshell.scheme-vapor
appshell.settings
appshell.shortcuts
appshell.terminal
appshell.terminal.close

```
appshell.terminal.open
appshell.theme.dark
appshell.theme.light
appshell.theme.toggle
appshell.tmux-keys
appshell.tmux-layouts
appshell.toggle-statusbar
appshell.toggle-theme
```

archive (2)

```
archive.tar_index
archive.zip_index
```

azure (1)

```
azure.sign
```

b2 (1)

```
b2.authorization
```

bandwidth (2)

```
bandwidth.fair_share
bandwidth.token_bucket
```

bookmark (9)

```
bookmark.add
bookmark.get
bookmark.import
bookmark.import_filezilla
bookmark.import_winscp
bookmark.list
bookmark.remove
bookmark.set_options
bookmark.update
```

checksum (2)

```
checksum.compute
checksum.verify_file
```

codec (2)

```
codec.base64_decode
codec.base64_encode
```

creds (6)

```
creds.clear
creds.delete
creds.load
creds.parse_netrc
creds.set
creds.store
```

dedup (1)

```
dedup.plan
```

delta (2)

```
delta.plan
delta.signature
```

dircache (1)

```
dircache.diff
```

```
discovery (1)
discovery.scan
edit (1)
edit.map
erasure (3)
erasure.disperse
erasure.plan
erasure.reconstruct
filter (5)
filter.apply
filter.expand
filter.glob_to_regex
filter.match
filter.parse_rules
fs (7)
fs.chmod
fs.delete
fs.list
fs.mkdir
fs.peek
fs.rename
fs.rename_plan
ftp (8)
ftp.build_eprt
ftp.build_port
ftp.fxp_port
ftp.parse_epsv
ftp.parse_feat
ftp.parse_mlsx
ftp.parse_pasv
ftp.parse_reply
ftps (1)
ftps.negotiate
gcs (2)
gcs.resumable_plan
gcs.resume_offset
integrity (1)
integrity.repair_plan
knownhosts (1)
knownhosts.verify
listing (1)
listing.parse
manifest (2)
manifest.build
manifest.verify
path (2)
```

```
path.normalize
path.split

perms (3)
perms.chmod
perms.chmod_recursive
perms.format

pool (2)
pool.acquire
pool.maintain

profile (4)
profile.decrypt
profile.encrypt
profile.get
profile.recent

proxy (3)
proxy.http_connect
proxy.parse_socks5_reply
proxy.socks5_connect

queue (1)
queue.schedule

retry (1)
retry.classify

s3 (4)
s3.complete_multipart
s3.list_objects
s3.presign
s3.sign

scp (3)
scp.build_control
scp.parse_control
scp.walk

session (6)
session.clear_logs
session.connect
session.disconnect
session.list
session.logs
session.status

settings (2)
settings.get
settings.set

sftp (8)
sftp.build_ext_op
sftp.build_init
sftp.build_path_op
sftp.negotiate
sftp.parse_attrs
sftp.parse_extensions
sftp.parse_packet
```

```
sftp.parse_statvfs
sidecar (2)
sidecar.parse
sidecar.verify
ssh (2)
ssh.config_resolve
ssh.fingerprint
swarm (4)
swarm.audit
swarm.fetch
swarm.replicate
swarm.schedule
swift (1)
swift.temp_url
sync (4)
sync.compare
sync.plan
sync.resolve
sync.symlink_policy
transfer (10)
transfer.add
transfer.backoff
transfer.cancel
transfer.clear
transfer.estimate
transfer.list
transfer.multipart_plan
transfer.resume_check
transfer.segments
transfer.status
transport (1)
transport.info
tree (2)
tree.diff
tree.serialize
webdav (2)
webdav.parse_multistatus
webdav.propfind_body
```

zwire

Chromium-superset browser — tabs, windows, tab-groups, downloads, reading list, power
161 verbs · live bus surface · call as `App::open("zwire")->call("<verb>", %args)`

(`top-level`) (62)

```
clipboard_get
clipboard_set
exec
fs_append
fs_list
fs_mkdir
fs_read
fs_rm
fs_stat
fs_tail
fs_walk
fs_watch
fs_write
get
hello
hook_fire
hooks_delete
hooks_events
hooks_get_script
hooks_list
hooks_save
hooks_script_path
hooks_set_enabled
hooks_set_script
hooks_test_run
hostinfo
hostlog
job_list
job_poll
job_result
job_start
kill
kv_del
kv_get
kv_keys
kv_merge
kv_set
meter_stream
notify
open
peer
peer_connect
peers
ping
ps
pty_kill
pty_resize
pty_spawn
```



```
pty_write
pub
stryke_lsp_send
stryke_lsp_start
stryke_lsp_stop
stryke_run
sub
sysinfo_once
sysinfo_start
sysinfo_stop
unsub
watch_list
watch_stop
which
```

browser (99)

```
browser.activate
browser.addHistoryUrl
browser.addReadingList
browser.allowSleep
browser.bookmarkFolder
browser.bookmarkTab
browser.cancelDownload
browser.centerWindow
browser.clearAllData
browser.clearCache
browser.clearCacheAndCookies
browser.clearCookies
browser.clearDownloads
browser.clearHistory
browser.clearPasswords
browser.closeDuplicates
browser.closeLeft
browser.closeOthers
browser.closeRight
browser.closeTab
browser.closeWindow
browser.collapseGroups
browser.deleteHistoryUrl
browser.detectLanguage
browser.disableExtension
browser.discardTab
browser.download
browser.duplicateTab
browser.enableExtension
browser.expandGroups
browser.extensionOptions
browser.firstTab
browser.fullscreenWindow
browser.goBack
browser.goForward
browser.gotoTab
browser.groupTabs
browser.home
browser.incognitoWindow
browser.keepAwake
browser.keepDisplayAwake
browser.lastTab
browser.launchApp
browser.maximizeWindow
```

browser.mergeWindows
browser.minimizeWindow
browser.moveTabFirst
browser.moveTabLast
browser.moveTabLeft
browser.moveTabRight
browser.moveWindowNextDisplay
browser.muteAll
browser.muteOthers
browser.muteTab
browser.newTab
browser.newWindow
browser.nextTab
browser.nextWindow
browser.notify
browser.open
browser.openDownload
browser.openTab
browser.pauseDownload
browser.pinAll
browser.pinTab
browser.prevTab
browser.prevWindow
browser.reload
browser.reloadAll
browser.reloadHard
browser.removeBookmark
browser.removeReadingList
browser.reopenTab
browser.restoreWindow
browser.resumeDownload
browser.retryDownload
browser.screenshot
browser.showDownload
browser.showDownloads
browser.snapBottom
browser.snapBottomLeft
browser.snapBottomRight
browser.snapLeft
browser.snapRight
browser.snapTop
browser.snapTopLeft
browser.snapTopRight
browser.sortTabs
browser.tabToNewWindow
browser.tmux
browser.ungroupTabs
browser.uninstallExtension
browser.unmuteAll
browser.unmuteTab
browser.unpinAll
browser.unpinTab
browser.zoomIn
browser.zoomOut
browser.zoomReset

zreq

Postman-style API client — requests, collections, auth, codegen, gRPC/WebSocket
152 verbs · live bus surface · call as `App::open("zreq")->call("<verb>", %args)`

(top-level) (1)

version

appshell (31)

appshell.crt.off
appshell.crt.on
appshell.crt.toggle
appshell.files
appshell.files.close
appshell.files.open
appshell.gui-scripts
appshell.hooks
appshell.neon.off
appshell.neon.on
appshell.palette
appshell.scheme-arctic
appshell.scheme-crimson
appshell.scheme-cyberpunk
appshell.scheme-ember
appshell.scheme-matrix
appshell.scheme-midnight
appshell.scheme-toxic
appshell.scheme-vapor
appshell.settings
appshell.shortcuts
appshell.terminal
appshell.terminal.close
appshell.terminal.open
appshell.theme.dark
appshell.theme.light
appshell.theme.toggle
appshell.tmux-keys
appshell.tmux-layouts
appshell.toggle-statusbar
appshell.toggle-theme

assert (1)

assert.run

asynccapi (1)

asynccapi.parse

cbor (2)

cbor.decode
cbor.encode

chunked (2)

chunked.decode
chunked.encode

`codegen` (1)
 `codegen.generate`

`collection` (7)
 `collection.add`
 `collection.diff`
 `collection.get`
 `collection.lint`
 `collection.list`
 `collection.remove`
 `collection.update`

`conditional` (2)
 `conditional.build`
 `conditional.evaluate`

`cookie` (5)
 `cookie.clear`
 `cookie.list`
 `cookie.parse`
 `cookie.select`
 `cookie.set`

`curl` (1)
 `curl.explain`

`dataset` (1)
 `dataset.parse`

`encoding` (1)
 `encoding.convert`

`env` (3)
 `env.dotenv.export`
 `env.dotenv.parse`
 `env.merge`

`environment` (4)
 `environment.activate`
 `environment.add`
 `environment.list`
 `environment.remove`

`export` (4)
 `export.bruno`
 `export.har`
 `export.openapi`
 `export.postman`

`formdata` (2)
 `formdata.build`
 `formdata.parse`

`globals` (2)
 `globals.get`
 `globals.set`

`graphql` (3)

```
graphql.introspection_query
graphql.parse
graphql.schema.parse
grpc (1)
grpc.call
har (1)
har.analyze
hash (1)
hash.compute
history (3)
history.clear
history.list
history.replay
hmac (1)
hmac.compute
httpsig (2)
httpsig.sign
httpsig.verify
hypermedia (2)
hypermedia.parse
hypermedia.plan
import (7)
import.bruno
import.curl
import.har
import.httpie
import.insomnia
import.openapi
import.postman
jmespath (1)
jmespath.query
json (2)
json.diff
json.to_xml
jsonpath (1)
jsonpath.query
jsonschema (1)
jsonschema.validate
jwt (2)
jwt.decode
jwt.encode
msgpack (2)
msgpack.decode
msgpack.encode
negotiate (3)
```

negotiate.encoding
negotiate.language
negotiate.media
oauth2 (1)
oauth2.token
openapi (2)
openapi.diff
openapi.mock
pkce (2)
pkce.generate
pkce.verify
proto (1)
proto.parse
protobuf (2)
protobuf.decode
protobuf.encode
ratelimit (1)
ratelimit.parse
request (6)
request.add
request.fuzz
request.get
request.remove
request.send
request.update
response (2)
response.clear
response.last
retry (1)
retry.plan
runner (1)
runner.run
schema (2)
schema.example
schema.infer
script (1)
script.lint
secret (1)
secret.scan
settings (4)
settings.get
settings.path
settings.reset
settings.update
sla (1)

```
sla.evaluate
soap (2)
soap.build
soap.parse
sse (1)
sse.parse
template (1)
template.render
urlencoded (2)
urlencoded.build
urlencoded.parse
vars (2)
vars.audit
vars.resolve
workspace (8)
workspace.create
workspace.current
workspace.delete
workspace.get
workspace.list
workspace.rename
workspace.save
workspace.switch
ws (1)
ws.exchange
wsframe (2)
wsframe.build
wsframe.parse
xml (1)
xml.to_json
```

zgo

Alfred-style launcher — script-filter workflows and system commands

144 verbs · live bus surface · call as `App::open("zgo")->call("<verb>", %args)`

`(top-level)` (1)

`version`

`actions` (1)

`actions.list`

`base` (1)

`base.convert`

`bookmarks` (1)

`bookmarks.search`

`calc` (2)

`calc.eval`

`calc.vars`

`clipboard` (5)

`clipboard.add`

`clipboard.clear`

`clipboard.list`

`clipboard.remove`

`clipboard.search`

`codec` (2)

`codec.decode`

`codec.encode`

`color` (3)

`color.contrast`

`color.convert`

`color.palette`

`contacts` (1)

`contacts.search`

`cron` (2)

`cron.describe`

`cron.next`

`currency` (1)

`currency.convert`

`data` (3)

`data.csv_to_json`

`data.json_to_csv`

`data.json_to_yaml`

`date` (2)

date.add
date.between
dictionary (1)
dictionary.define
feedback (2)
feedback.parse
feedback.render
file (3)
file.browse
file.filter
file.search
gen (7)
gen.lorem
gen.nanoid
gen.passphrase
gen.password
gen.strength
gen.ulid
gen.uuid
hash (4)
hash.algos
hash.compute
hash.file
hash.hmac
index (2)
index.scan
index.search
ip (1)
ip.calc
json (1)
json.format
jwt (1)
jwt.decode
keystroke (1)
keystroke.type
learn (2)
learn.rank
learn.record
list (1)
list.filter
match (4)
match.filter
match.minquery
match.stability
match.trajectory
math (1)

```
math.ratio
music (2)
music.command
music.nowplaying
num (5)
num.format
num.ordinal
num.percent
num.roman
num.spell
onpassword (1)
onpassword.search
process (1)
process.match
profile (2)
profile.get
profile.save
qr (1)
qr.payload
query (6)
query.classify
query.clear
query.list
query.parse
query.recent
query.record
rank (1)
rank.blend
regex (3)
regex.match
regex.replace
regex.test
runningapps (1)
runningapps.search
scriptfilter (1)
scriptfilter.run
search (3)
search.add
search.fallback
search.remove
snippet (8)
snippet.add
snippet.collection.add
snippet.collection.remove
snippet.expand
snippet.import
snippet.list
```

```
snippet.match
snippet.remove
spotlight (1)
spotlight.search
stryke (1)
stryke.run
system (2)
system.list
system.run
text (8)
text.diff
text.lines
text.metrics
text.phonetic
text.pipeline
text.readability
text.stats
text.transform
theme (3)
theme.add
theme.list
theme.remove
time (6)
time.convert
time.humanize
time.now
time.plan
time.zone
time.zones
trigger (6)
trigger.external
trigger.fallback
trigger.fileaction
trigger.hotkey
trigger.keyword
trigger.snippet
unicode (2)
unicode.char
unicode.lookup
units (1)
units.convert
url (1)
url.parse
utility (12)
utility.conditional
utility.counter
utility.delay
utility.expression
utility.file_conditional
```

```
utility.join
utility.json_config
utility.junction
utility.random
utility.replace
utility.split
utility.transform

var (1)

var.render

websearch (2)

websearch.list
websearch.url

workflow (7)

workflow.add
workflow.export
workflow.get
workflow.import
workflow.list
workflow.remove
workflow.run
```

zphoto

Photoshop + Illustrator-style raster & vector editor — layers, filters, paths, actions

105 verbs · live bus surface · call as `App::open("zphoto")->call("<verb>", %args)`

`appshell` (105)

```
appshell.addLayer
appshell.addMaskFromSel
appshell.addMaskWhite
appshell.addText
appshell.applyMask
appshell.autoContrast
appshell.blackWhite
appshell.boxBlur
appshell.brightnessContrast
appshell.colorBalance
appshell.convertGray
appshell.convertIndexed
appshell.cropImage
appshell.cropToSel
appshell.crt.off
appshell.crt.on
appshell.crt.toggle
appshell.curvesDlg
appshell.delActive
appshell.deleteImage
appshell.desaturate
appshell.dropShadow
appshell.dupActive
appshell.edge
appshell.emboss
appshell.equalize
appshell.exposure
appshell.files
appshell.files.close
appshell.files.open
appshell.fillLayer
appshell.flatten
appshell.flipH
appshell.flipLayerH
appshell.flipLayerV
appshell.flipV
appshell.gamma
appshell.gaussianBlur
appshell.glow
appshell.gradientMap
appshell.gui-scripts
appshell.histogram
appshell.hooks
appshell.hueSaturation
appshell.invert
appshell.invertMask
appshell.layerFromVisible
appshell.levelsDlg
```

appshell.median
appshell.mergeVisible
appshell.motionBlur
appshell.neon.off
appshell.neon.on
appshell.newImage
appshell.noiseF
appshell.offsetLayer
appshell.openImage
appshell.palette
appshell.pixelate
appshell.posterize
appshell.redo
appshell.removeMask
appshell.resizeCanvas
appshell.ripple
appshell.rotate180
appshell.rotate270
appshell.rotate90
appshell.rotateLayer
appshell.saveImage
appshell.saveJpeg
appshell.scaleImage
appshell.scaleLayer
appshell.scheme-arctic
appshell.scheme-crimson
appshell.scheme-cyberpunk
appshell.scheme-ember
appshell.scheme-matrix
appshell.scheme-midnight
appshell.scheme-toxic
appshell.scheme-vapor
appshell.selectAll
appshell.selectInvert
appshell.selectNone
appshell.sepia
appshell.settings
appshell.sharpen
appshell.shortcuts
appshell.solarize
appshell.spread
appshell.temperature
appshell.terminal
appshell.terminal.close
appshell.terminal.open
appshell.theme.dark
appshell.theme.light
appshell.theme.toggle
appshell.threshold
appshell.tmux-keys
appshell.tmux-layouts
appshell.toggle-statusbar
appshell.toggle-theme
appshell.undo
appshell.valueInvert
appshell.vibrance
appshell.vignette

ztunnel

Tunnelblick-style VPN client — OpenVPN / WireGuard config + control

100 verbs · live bus surface · call as `App::open("ztunnel")->call("<verb>", %args)`

(top-level) (1)

`version`

config (16)

`config.add`
`config.diff`
`config.duplicate`
`config.get`
`config.import`
`config.lint`
`config.lint_text`
`config.list`
`config.migrate`
`config.openvpn_format`
`config.parse`
`config.redact`
`config.remove`
`config.rename`
`config.set_options`
`config.wireguard_format`

creds (2)

`creds.clear`
`creds.set`

dns (6)

`dns.block_match`
`dns.bootstrap_plan`
`dns.leak_check`
`dns.parse_server`
`dns.query_wire`
`dns.split_horizon`

feature (1)

`feature.matrix`

firewall (2)

`firewall.mss_clamp`
`firewall.port_forward`

ipsec (2)

`ipsec.narrow_ts`
`ipsec.profile`

log (1)

`log.analyze`

multihop (4)

```
multihop.chain
multihop.mtu_budget
multihop.rekey_schedule
multihop.validate

net (12)

net.cidr_aggregate
net.cidr_contains
net.ip_classify
net.ipv6_eui64
net.nat64
net.pmtu_discover
net.range_to_cidrs
net.subnet_info
net.subnet_split
net.tcp_meltdown
net.tunnel_mtu
net.ula

obfs (1)

obfs.catalog

openvpn (3)

openvpn.inline_blocks
openvpn.push_reply
openvpn.static_key_parse

platform (1)

platform.info

policy (2)

policy.app_decisions
policy.wifi_action

profile (3)

profile.export
profile.get
profile.import

proxy (1)

proxy.plan

route (2)

route.conflicts
route.coverage

servers (11)

servers.add
servers.failover_plan
servers.fastest
servers.favorite
servers.list
servers.ping
servers.quality
servers.rank_quality
servers.recommend
servers.remove
servers.select_strategy

settings (2)
```



```
settings.get
settings.set

split (3)

split.evaluate
split.evaluate_app
split.route_plan

stats (4)

stats.budget
stats.rollup
stats.session_summary
stats.uptime_sla

vpn (12)

vpn.autoconnect
vpn.can_transition
vpn.clear_logs
vpn.connect
vpn.connections
vpn.disconnect
vpn.killswitch_plan
vpn.killswitch_syntax
vpn.logs
vpn.network_changed
vpn.reconnect_schedule
vpn.status

wg (8)

wg.allowed_ips
wg.allowed_ips_dedup
wg.cookie_decision
wg.cookie_model
wg.genkey
wg.handshake_model
wg.noise_layout
wg.pubkey
```

zthrottle

System monitor / process & network throttling

99 verbs · live bus surface · call as `App::open("zthrottle")->call("<verb>", %args)`

(**top-level**) (2)

capabilities

version

alerts (4)

alerts.check

alerts.list

alerts.remove

alerts.set

appshell (42)

appshell.bench-cpu

appshell.bench-disk

appshell.bench-mem

appshell.bench-net

appshell.compare-baseline

appshell.copy-run-report

appshell.crt.off

appshell.crt.on

appshell.crt.toggle

appshell.files

appshell.files.close

appshell.files.open

appshell.gui-scripts

appshell.history-clear

appshell.hooks

appshell.keyboard-shortcuts

appshell.metric-alerts

appshell.neon.off

appshell.neon.on

appshell.palette

appshell.run-all

appshell.run-contention

appshell.scheme-arctic

appshell.scheme-crimson

appshell.scheme-cyberpunk

appshell.scheme-ember

appshell.scheme-matrix

appshell.scheme-midnight

appshell.scheme-toxic

appshell.scheme-vapor

appshell.settings

appshell.shortcuts

appshell.terminal

appshell.terminal.close

appshell.terminal.open

appshell.theme.dark

appshell.theme.light

appshell.theme.toggle

```
appshell.tmux-keys  
appshell.tmux-layouts  
appshell.toggle-statusbar  
appshell.toggle-theme
```

bench (9)

```
bench.all  
bench.contention  
bench.cpu  
bench.disk  
bench.interference  
bench.mem  
bench.net  
bench.recovery  
bench.spectrum
```

drives (2)

```
drives.list  
drives.set_target
```

history (3)

```
history.clear  
history.get  
history.list
```

ioreg (4)

```
ioreg.find  
ioreg.fuse  
ioreg.node  
ioreg.watch
```

lsof (1)

```
lsof.snapshot
```

net (4)

```
net.conn_rate  
net.flows  
net.info  
net.interfaces
```

proc (7)

```
proc.detail  
proc.diff  
proc.files  
proc.history  
proc.kill  
proc.snapshot  
proc.tree
```

storage (3)

```
storage.biggest  
storage.delete  
storage.scan
```

sys (18)

```
sys.battery  
sys.conn_rate  
sys.contention  
sys.diskio  
sys.disks
```

sys.export
sys.fans
sys.gpu
sys.history
sys.net
sys.overview
sys.power
sys.pressure
sys.processes
sys.pubip
sys.sensors
sys.smart
sys.users

ztranslator

BOME-style MIDI/keyboard translator — presets, translators, rules, HID

65 verbs · live bus surface · call as `App::open("ztranslator")->call("<verb>", %args)`

`appshell` (65)

```
appshell.addPreset
appshell.addTranslator
appshell.analyzer
appshell.bulkToggle
appshell.capture
appshell.code
appshell.conflicts
appshell.copySel
appshell.crt.off
appshell.crt.on
appshell.crt.toggle
appshell.cutSel
appshell.delSel
appshell.dupSel
appshell.exportBmtp
appshell.feedback
appshell.files
appshell.files.close
appshell.files.open
appshell.grantAccess
appshell.gui-scripts
appshell.help
appshell.hooks
appshell.import
appshell.jsonView
appshell.loadJson
appshell.midiPorts
appshell.midiRef
appshell.neon.off
appshell.neon.on
appshell.new
appshell.palette
appshell.panic
appshell.pasteSel
appshell.presetJump
appshell.presetMgr
appshell.properties
appshell.refreshPorts
appshell.renameSel
appshell.routes
appshell.saveJson
appshell.scheme-arctic
appshell.scheme-crimson
appshell.scheme-cyberpunk
appshell.scheme-ember
appshell.scheme-matrix
appshell.scheme-midnight
appshell.scheme-toxic
```

```
appshell.scheme-vapor  
appshell.sequencer  
appshell.settings  
appshell.shortcuts  
appshell.showLog  
appshell.showMonitor  
appshell.start  
appshell.stats  
appshell.stop  
appshell.terminal  
appshell.terminal.close  
appshell.terminal.open  
appshell.theme.dark  
appshell.theme.light  
appshell.theme.toggle  
appshell.toggle-theme  
appshell.verify
```

zcontainer

Docker Desktop + Lens-style container / Kubernetes manager

25 verbs · live bus surface · call as `App::open("zcontainer")->call("<verb>", %args)`

`appshell` (25)

- `appshell.crt.off`
- `appshell.crt.on`
- `appshell.crt.toggle`
- `appshell.files`
- `appshell.files.close`
- `appshell.files.open`
- `appshell.gui-scripts`
- `appshell.hooks`
- `appshell.neon.off`
- `appshell.neon.on`
- `appshell.palette`
- `appshell.scheme-arctic`
- `appshell.scheme-crimson`
- `appshell.scheme-cyberpunk`
- `appshell.scheme-ember`
- `appshell.scheme-matrix`
- `appshell.scheme-midnight`
- `appshell.scheme-toxic`
- `appshell.scheme-vapor`
- `appshell.settings`
- `appshell.shortcuts`
- `appshell.theme.dark`
- `appshell.theme.light`
- `appshell.theme.toggle`
- `appshell.toggle-theme`