COMPUTER APPLICATION ASSIGNMENT

```
import numpy as np

L = 12 #length of beam in meters w = 10 #intensity of load in KN/m

#Question a

#Bending moment(M) and shear force(V) at the first end, x=0 x=0

M = (w*(-6*x**2 + 6*L*x-L**2))/12

V = w*(L/2 - x)

m= 'The bending moment at x=0 is '

n= 'the shear force at x=0 is '

print()

print('(a.1)' + m + str(M) + ' and ', n + str(V))

#Bending moment(M) and shear force(V) at the first end, x=L=10 x=L

M = (w*(-6*x**2 + 6*L*x-L**2))/12

V = w*(L/2 - x)

a= 'The bending moment at x=L is '

b= 'the shear force at x=L is '


print()

print('(a.2)' + m + str(M) +' and ', n + str(V))

#Question b

"""

When the bending moment is zero, we get an expression x**2 - Lx + L**2/6 = 0 """

#from the expression

a =1

b = -L

c = L**2/6

#Using the Almighty formula the two roots are;

discriminant = b**2 - 4*a*c
```

```
root_1b = (-b + np.sqrt(discriminant))/2*a

root_2b = (-b - np.sqrt(discriminant))/2*a

print()

print('(b) The points of contra-flexure are {0} and {1}'.format(root_1b,root_2b))

#Question c

"""

When the shear force is zero, x = L/2

"""

x = L/2

print()

print('(c) The point at which V=0 is {}'.format(x))


#Question d p=0

s = 0.01 q=L+s

x = np.arange(p,q,s)

M = (w*(-6*x**2 + 6*L*x-L**2))/12

print()

print('(d) Using the initialized variable,the bending moment at each step in the array is {0}'.format(M))

#Question e

V = w*(L/2 - x)

print()

print('(e) The shear force for each step along the span is {}'.format(V))

#Question f

"""

Let the absolute value of the bending moment array be AM

Also let the minimum AM be m_AM

"""

AM = abs(M)

m_AM = min(AM)
```

```
"""

When the bending moment is m_AM, we get an expression x**2 - Lx + (L**2/6)+(2*m_AM)/w = 0 """


#from the above expression

a =1

b = -L

c = (L**2/6)+(2*m_AM)/w

#Using the Almighty formula the two roots are; discriminant = b**2 - 4*a*c

root_1f = (-b + np.sqrt(discriminant))/2*a

root_2f = (-b - np.sqrt(discriminant))/2*a

print()

print('(f) The points along L at which the absolute values of the bending moment array is minimum are
{0} and {1}'.format(root_1f,root_2f))

#Question g

"""

Let the relative errors be r_e

"""

r_e1 = ((root_1b - root_1f)/root_1b*100)

r_e2 = ((root_2f - root_2b)/root_2f*100)

print()

print('(g) The relative errors between estimated points of contra-flexure are {0}% and
{1}%'.format(r_e1,r_e2))

#Question h

"""

Let the maximum bending moment be max_M and the minimum bending moment be min_M """


#for the maximum

max_M = max(M)

"""
```

When the bending moment is max_M, we get an expression x**2 - Lx + (L**2/6)+(2*max_M)/w = 0 """

a =1

b = -L

c = (L**2/6)+(2*max_M)/w

#Using the Almighty formula the two roots are;

discriminant = b**2 - 4*a*c

root_1 = (-b + np.sqrt(discriminant))/2*a

root_2 = (-b - np.sqrt(discriminant))/2*a

print()

print('(h.1) The points at which the maximum bending moment occur are {0} and {1}'.format(root_1,root_2))

#for the minimum

min_M = min(M)

"""

When the bending moment is min_M, we get an expression x**2 - Lx + (L**2//6)+(2*min_M)/w = 0 """

a =1

b = -L

c = (L**2//6)+(2*min_M)/w

#Using the Almighty formula the two roots are; discriminant = b**2 - 4*a*c

root_1 = (-b - np.sqrt(discriminant))/2*a root_2 = (-b + np.sqrt(discriminant))/2*a print()

print('(h.2) The points at which the minimum bending moment occur are {0} and {1}'.format(root_1,root_2))