

#	Time	Action	Message
✓ 84	17:00:32	insert into depositor values('RAJEEV',1234605)	1 row(s) affected
✓ 85	17:00:38	insert into depositor values('RAJEEV',1234605)	1 row(s) affected
✓ 86	17:01:03	SELECT * FROM DEPOSITOR LIMIT 0, 1000	3 row(s) returned
✓ 87	22:31:17	select customer_name from depositor d, accounts a where d.accto=a.accto and a.branch_...	0 row(s) returned
✓ 88	22:31:36	select d.customer_name from accounts a, branch b, depositor d where b.branch_name=a.br...	0 row(s) returned
✓ 89	22:31:45	delete from accounts where branch_name in(select branch_name from branch where branch...	0 row(s) affected

<

Result Grid

Filter Rows:

Edit:

Export/Import:

	loan_number	branch_name	amount
▶	10011	SBI JAYANAGAR	10000
	10015	SBI RAJAJI NAGAR	25000
•	NULL	NULL	NULL

LOAN 4 ✕

Output:

```
29 • insert into customer values('KEZAR', 'M G ROAD', 'BANGALORE');
30 insert into customer values('LAL KRISHNA', 'ST MKS ROAD', 'BANGALORE');
31 insert into customer values('RAHUL', 'AUGSTEN ROAD', 'BANGALORE');
32 insert into customer values('LALLU', 'V S ROAD', 'BANGALORE');
33 insert into customer values('FAIZAL', 'RESEGENCY ROAD', 'BANGALORE');
34 • insert into customer values('RAJEEV', 'DICKNSN ROAD', 'BANGALORE');
35 • SELECT * FROM CUSTOMER;
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Contents:

	customer_name	customer_street	city
▶	FAIZAL	RESEGENCY ROAD	BANGALORE
	KEZAR	M G ROAD	BANGALORE
	LAL KRISHNA	ST MKS ROAD	BANGALORE
	LALLU	V S ROAD	BANGALORE
	RAHUL	AUGSTEN ROAD	BANGALORE

CUSTOMER 3

Apply Review

Output

Action Output

#	Time	Action	Message
✓ 60	16:54:55	insert into customer values('RAHUL', 'AUGSTEN ROAD', 'BANGALORE')	1 row(s) affected
✓ 61	16:54:58	insert into customer values('LALLU', 'V S ROAD', 'BANGALORE')	1 row(s) affected
✓ 62	16:55:03	insert into customer values('FAIZAL', 'RESEGENCY ROAD', 'BANGALORE')	1 row(s) affected
✓ 63	16:55:07	insert into customer values('RAJEEV', 'DICKNSN ROAD', 'BANGALORE')	1 row(s) affected
✗ 64	16:55:31	SELECT * FROM CUSTOMERS LIMIT 0, 1000	Error Code: 1146, Table 'bankings.customers' doesn't exist
✓ 65	16:55:41	SELECT * FROM CUSTOMER LIMIT 0, 1000	6 row(s) returned

```
54 • SELECT * FROM DEPOSITOR;
```

```
55 • select customer_name from depositor d, accounts a where d.accno=a.ac
```

Result Grid Filter Rows: Export: Wrap Cell Contents:

	customer_name	accno
▶	RAHUL	1234604
	RAJEEV	1234605
	RAJEEV	1234605

DEPOSITOR 5

28

```
SELECT * FROM ACCOUNTS;
```

[illegible]

Exp:

	acno	branch_name	balance
▶	1234604	SBI JAYANAGAR	5000
	1234605	SBI RAJAJI NAGAR	10000
●	NULL	NULL	NULL

ACCOUNTS 2 x

```
47 • SELECT * FROM borrower ;
```

```
48 insert into depositor values('KEZAR',1234682);
```

2

Result Grid





1A

IA

	customer_name	loan_number
▶	KEZAR	10011
	LAL KRISHNA	10015

```

19 • insert into branch values( 'SBI HOSAKEREHALLI', ' BANGALORE', 550000);
20 • select * from branch;

```

Result Grid				Filter Rows:		Edit:		Export/Import:		Wrap Cell Content:	IA
	branch_name	branch_city	assets								
▶	SBI JAYANAGAR	BANGALORE	660000								
	SBI PD NAGAR	BANGALORE	200000								
	SBI RAJAJI NAGAR	BANGALORE	500000								
•	NULL	NULL	NULL								

branch 1 x

Output

Action Output				
#	Time	Action	Message	
✓ 46	12:09:27	create table LOAN (loan_number int, branch_name varchar(20), amount int, primary key(loan_...	0 row(s) affected	
✓ 47	12:09:56	create table BORROWER (customer_name varchar(20), loan_number int, foreign key(custom...	0 row(s) affected	
✓ 48	12:10:03	insert into branch values('SBI PD NAGAR', ' BANGALORE ', 200000)	1 row(s) affected	
✓ 49	12:10:08	insert into branch values('SBI RAJAJI NAGAR', ' BANGALORE', 500000)	1 row(s) affected	
✓ 50	12:10:16	insert into branch values('SBI JAYANAGAR', ' BANGALORE', 660000)	1 row(s) affected	
✓ 51	12:11:24	select * from branch LIMIT 0, 1000	3 row(s) returned	