Sprint 3 Products and Pricing


Products and pricing rules, automatically managing the innate many-to-many relations

Views

During this sprint, the portal project was set up for development, and two categories were added to the group sidebar:

- 1. Products
- 2. Pricing

The following slides show the views that have been implemented



enabled

/

/

€ fixed (0)

type

dynamic

dynamic

dynamic

📥 Jo	bbs	€ all (3)
* M	embers	name
P	roducts	
€ P	ricing	Empty RULE
-	nonig	Empty rule
		Empty rule

Dashboard

precedence

Search here

€ dynamic (3)


€ all (3)

Pricing

The pricing overview displays the rules that contain pricing information for each product

Jobs Members Products Pricing

Dashboard



Dashboard


Members

Products

Pricing

Jobs

taxiID Developers Group Pricing/rules



taxiID Developers Group

Expensive Product

Jobs

Members

Dashboard

Products

Pricing

30

Max Passengers

Expensive Product

Products

save_product_button

delete_product_button


minivan bus limo

saloon estate

Products

When no products exist, the user is guided to the product creation view, where products may be created and modified

taxiID Developers Group



asdfsdafsdf	342	minivan
Cotton salmon car	8	minivan
Minivan	6	minivan
Minivan	6	minivan
aasdfasdf	2	minivan
Fresh ivory car	1	minivan
		Row per page: 1-6 of 6 ◀

1º

Members

Products

Pricing

Type *

minivan

taxiID Developers Group Dashboard

Test

Name

test

Products

Jobs

Members

Products

€ Pricing

e i nomig

Max Passengers

2

save_prod

Delete product

Are you sure you wish to delete this product?

CANCEL DELETE

Data Management

- When a product is created, pricings (pricing, dynamicPricing, fixedPricing) are automatically attached to each rule.
- 2. When a rule is created, pricings are created for each product.

Reflection - Must Haves

- 1. Thresholds that are incrementally bigger should be added to each pricing of a rule if the add button is pressed.
- 2. A threshold of a rule should be deleted for each pricing with the click of a button.
- 3. An error is sometimes shown when a particular combination of fields is mutated and saved.
- 4. Display prices in € instead of cents.
- Test pricing calculation with data inserted by the user.

Reflection - Could Haves

- 1. Before leave warning, when a user has modified a form.
- 2. Order rules by precedence automatically.
- 3. Set precedence by dragging rules up and down.