

A rule-based geospatial reasoning system for trip price calculations



Stefan Schenk

Supervisor: Willem Brouwer

Advisor: Mewis Koeman

Department of Software Engineering
Amsterdam University of Applied Sciences

This dissertation is submitted for the degree of
Bachelor Software Engineering

May 2018

Todo list

■ Try to find if other people found solutions for determining precedence of polygon matches	13
■ Add ref to snippet	14
■ Add ref to Geospatial Query Operators — MongoDB Manual 3.6	15
■ Add ref to image	15
■ Add ref to snippet	15
■ Add reference to Agarwal and Rajan	16
■ Add reference to Geospatial Performance Improvements in MongoDB 3.2,” MongoDB	16
■ Add ref to Stephan Schmid Eszter Galicz	16
■ Show diagram with hierarchy of companies and apps	21
■ Write chapter about methods and technologies	25
■ Why?	29
■ This is not researched yet, as it's covered in later sprints	31

Table of contents

1	Introduction	1
1.1	Context	1
1.2	Problem Definition	2
1.3	Assignment	3
1.4	Research	3
1.4.1	Questions	4
1.5	Process	5
2	Encoding Locations	7
2.1	Introduction	7
2.2	A Brief History Of Geographic Locations	7
2.3	Requisite Location Types	8
2.3.1	The Point	9
2.3.2	The Area	9
2.3.3	Postal Codes, Addresses, and Polygons	10
2.3.4	Requirements for Location Matching	11
2.4	Literature Review	12
2.5	Database Prerequisites	13
2.5.1	OpenGIS Compatible databases	13
2.5.2	OpenGIS Incompatible databases	15
2.6	Performance and Clustering Trade-offs	16
3	System Architecture	15
3.1	Introduction	15
3.2	Architectural Patterns	15
3.2.1	Monoliths	15
3.2.2	Microservices	17
3.2.3	Frontend and Backend	17

3.3	Information Dependencies	17
3.4	Authentication and Authorization	19
3.4.1	The User	20
3.4.2	Statelessness	20
3.4.3	JSON Web Tokens	21
3.4.4	oAuth 2.0	21
3.4.5	API Gateway	25
3.5	Suitability of Methods and Techniques	25
3.6	Conclusion	25
4	Trip Price Calculation System	27
4.1	Introduction	27
4.2	Breakdown	27
4.3	Timeframes	29
4.3.1	Conventional Approach	29
4.3.2	Bitmap	30
4.4	Data Model	30
4.5	Logical Flow of a Price Calculation	30
5	Proposed Portal Solution	31
5.1	Introduction	31
5.2	Required Views	31
5.3	Methods and Techniques	31
5.4	Proposal Pricing Rules View	31
5.5	31
6	Realization	33
6.1	Introduction	33
6.2	Methods and Techniques	33
6.3	Sprint 1 - Dynamic Price Calculations	33
6.4	Sprint 2 - Authentication and Authorization	34
6.5	Sprint 3 - Setting up the Portal	34
6.6	Sprint 4 - Expanding the Portal	34
6.7	Sprint 5 - Expanding the Portal	35
6.8	Result	35
7	Conclusion	37

Table of contents	vii
8 Recommendations	39
References	41
List of figures	43
List of tables	45
Appendix A Pregame	47
Appendix B Sprint Review and Proposal Slides	83
B.1 Sprint 1 - review	83
B.2 Sprint 2 - breakdown	95
B.3 Sprint 2 - authentication	107
B.4 Sprint 2 - review	116
B.5 Sprint 3 - review	132
B.6 Sprint 4 - review	141

Chapter 2

Encoding Locations

2.1 Introduction

Encoding of locations has historically been of great importance, and is always being modernized. This chapter explains the general definition of locations, which types of locations are important for this project, and how to represent these locations so that they are universally interpretable and do not rely on a postal code system.

2.2 A Brief History Of Geographic Locations

A location is roughly described as a place or position. Throughout history, various navigational techniques and tools like the sextant, nautical chart and marinner's compass were used, measuring the altitude of the North Star to determine the latitude ϕ , in conjunction with a chronometer to determine the longitude λ of a location on the Earth's surface. The combination of coordinates is a distinct encoding of a location. This particular system is still commonly used today.




Fig. 2.1 A perspective view of the Earth showing how latitude and longitude are defined on a spherical model.

The history of this encoding goes way back to when it was first proposed in the 3rd century BC by Eratosthenes. He invented the discipline of geography, and was known for also being the first person to calculate the circumference of the Earth with remarkable accuracy. Today, navigation relies on satellites that are capable of providing information to determine a location with a precision of 9 meters. Hybrid methods using cell towers, Wi-Fi Location Services, and the new Galileo global navigation satellite system, provide tracking with a precision down to the meter range. These locations are ordinarily communicated using the same established latitude and longitude encoding. For a human being, it is not practical to exchange day-to-day locations as geographical coordinates. For that, addresses much more suitable, but can be ambiguous, imprecise, and inconsistent in format. Addresses commonly make use of Postal Code systems, which have reliably been assigned to geographical areas with the purpose of sorting mail. Although even today, there are countries that do not have a Postal Code system. This forces the legacy system to support addresses for the fixed pricing functionality as well. In contrast to the geographic coordinate system, postal codes describe streets and areas of varying shapes and sizes. A location being roughly described as a place or position, can be decomposed as an abstract term to describe physical or imaginary areas with varying radiuses and shapes. You could prepend 'the location of' to the following terms as an example: America, the birthplace of Sokrates, Wall Street, the center of the universe, the Laryngeal Nerve of the Giraffe, churches in the Netherlands. The final example presents the main challenge of this project, how to communicate the location of a collection with points or areas of differing shapes and sizes that may overlap?

2.3 Requisite Location Types

While setting up a backlog for a project, a shared knowledge about the terminology used in the issues must be achieved in order to collaborate effectively. Words or symbols do not have an absolute meaning, and ambiguity of abstract linguistic terms should be elucidated. In section 3.2.1 of Appendix A, an agreement was made on what the terms "area" and "point" meant. The MySQL documentation notes that "The term most commonly used is geometry, defined as a point or an aggregate of points representing anything in the world that has a location." in [2]. During the process of implementing TPS, the definitions of a location have been refined to represent a common and useful understanding.

2.3.1 The Point

A point is a unique place expressed as a distinct coordinate pair. An address in the legacy system could be translated to a point. For example, the address that is tied to Schiphol arrival is: Aankomstpassage, 1118 AX Schiphol Centrum. The point that encodes this location is (52.308891, 4.760900). This location is contained in the set of all possible points on Earth, which could be expressed using set builder notation:

$$P = \{(\phi, \lambda) \in \mathbb{R}^2 \mid -90 < \phi < 90, -180 < \lambda < 180\}$$

$$(52.308891, 4.760900) \in P$$

A point itself can not be used to match whether another point is contained within it, because the probability of a match is infinitesimal. Only when decimals were disregarded to decrease the precision of a point it would be possible, in which case it would still not be useful in this application, because the imprecise point would be a square.

2.3.2 The Area

An area is a set of points points with an infinite granularity. This definition allows for an area to have holes inside them, consist of other locations and contain other locations, and be infinitely precise. The most useful property of this area is to check whether a point is contained within the area, or which areas contain a given point. For this to be the case, the points must be packed together as it would form a shape. This definition, however conceptually valuable, will not be of much practical use. For example, P is an infinitely long set of coordinates, an area that represents the earth's surface. If ϕ ranged between 0 and 90, the set should describe all points located in the northern hemisphere, but would still be infinitely long. Checking whether a given point is contained by checking an infinite amount of real number pairs will take an infinite amount of time in the worst case scenario. An area can be described as a subset of all points:

$$a_1 \subseteq P$$

The set of all possible areas can be defined by the power set of P :

$$A = \mathcal{P}(P)$$

such that a subset of points, called an area, is in all possible areas A:

$$a_1 \in A$$

At the equator, 1 degree is 111320m, so 0.000001 degrees is around 11cm. Six decimal places will be sufficient for location matching for this application. But even when reducing coordinates to having six decimal places, it would be impractical. For this reason, it is more realistic to only describe the rough edges of an area using a polygon shape. Instead of checking for a single point in a non-terminating iteration over all points in an area, a mathematical calculations could be used to check whether a unique point is contained within the polygon.

2.3.3 Postal Codes, Addresses, and Polygons

All postal codes that start with a ten describe the city of Amsterdam, the entire area of Amsterdam can be drawn as a big polygon containing all the postal codes that start with a ten. In reverse, this procedure would not work. If a polygon was drawn cutting Amsterdam in half diagonally, a single postal code pattern would never be flexible or precise enough to be able to describe the boundaries of the polygon. One big taxi company making use of taxiID's legacy system is located in the United Arab Emirates. This company would not be able to convert anything at all, because the United Arab Emirates does not have a postal code system to begin with.

When a trip is booked in the United Arab Emirates, the only information provided as a destination or departure location are geospatial coordinates and addresses. These addresses are compared with long lists of matching addresses in the legacy database, as previously described with postal codes. Addresses and postal code systems do not provide universally interpretable and precise encodings of locations, especially for the locations that matter for this project: points and areas. Addresses can be ambiguous, addresses and postal codes can be imprecise, postal codes are not uniform, and some countries do not have a postal code system. In contrast, polygons would provide unique and precise location definition that is uniform and universal. But postal codes and addresses have been useful in the legacy system. When moving to other encoding techniques, this usefulness must be preserved.




Fig. 2.2 Postal codes by country with amount of digits ranging from three digits (lightblue) to eight digits (darkgreen) and no postal code system (gray).

2.3.4 Requirements for Location Matching

If the following statements are true for a given location encoding using the definitions of the Point and Area, the location encoding is useful and able to operate independently from the postal code and address systems.

Nr	Description
1.	Every location is stored in a database as a single entity
2.	Locations can consist of multiple locations (see figure 2.3)
3.	A deterministic predicate of whether a location is fully contained within a location is achievable
4.	A deterministic method of finding all locations containing a single location can be used
5.	A method of determining precedence of location in case of overlap must always yield one result, and discard all others

Table 2.1 Location Matching Requirements




Fig. 2.3 Amsterdam - A single location contrived of multiple locations.

2.4 Literature Review

Many spatial database systems support a basic Geometry hierarchy of Points, Polygons, MultiPoint and MultiPolygon Classes, as described in the OGC [3] and ISO 19125 [4] standard. These spatial datatypes would could be stored as single entities. The MultiPolygon class is able to support multiple polygons to be stored as a single entity. The standard provides containment predicate, and methods to distinguish larger locations from smaller ones, which could be used in precedence checks. Databases like MySQL and PostgreSQL provide similar functionalities that adhere to the OGC standard, while MongoDB has its own implementation. These functionalities can be seen as a straight forward approach in solving geometry based queries. What 3 words, a multi-award winning global addressing system, bases 3m x 3m squares, covering the planet, on a combination of three words. In their whitepaper: "Efficient and future-proof", CEO Chris Cheldrick explains how locations can be communicated more effectively by describing a three by three meter areas using three words [5]. The what3words API offers functionalities that can find what3word geocodings near a specified latitude and longitude location. It is also able to find results within a clamped area, as documented in [6]. This system could be used to retrieve area's as three words in a database with given clamp parameters, which could then be stored in the database as single entities. This system would solve the problem of having ambiguity in address or postal code systems, and it is also very accurate. But in order to provide complex polygon matching, a spatial database system is still required. If a radius was assigned to the centroid of the

shape that is formed by the boundaries of the street, neighbourhood, province or country, the encoding could technically be defined as a what3words query. A combination of clustering of points around what3word encodings could provide a system that is far less accurate, but is usable.

kks32: Try to find if other people found solutions for determining precedence of polygon matches

<http://geoawesomeness.com/discrete-global-grid-system-dggs-new-reference-system/>

2.5 Database Prerequisites

The database must be capable of determining whether a virtual perimeter contains a set of coordinates, more specifically, it must adhere to The Open Geospatial Consortium (OGC) Simple Feature Access ISO 19125-1 [3] and ISO 19125-2 [7], including spatial data types, analysis functions, measurements and predicates for this requirement. The scenario presented in image 2.4 should be replicable.




Fig. 2.4 Four Points, one Polygon p containing Point c.

2.5.1 OpenGIS Compatible databases

MYSQL's innate integrity is a good reason to opt for a full MYSQL database setup. MariaDB is a fork of MYSQL that performs better according to benchmarks, however they don't always translate to real life situations. It's easy to migrate from MYSQL to MariaDB, so

choosing MYSQL at first could be preferable as an instance of MYSQL is already used at TaxiID. PostgreSQL offers a spatial database extender for that is OpenGIS compliant called PostGIS that adds support for geographic objects and location queries.

All spatial data types inherit properties such as type and spatial reference identifier (SRID). For rigorous documentation, both PostGIS documentation [8] and MYSQL documentation [9] could be consulted. When a generic geometry column, or point column is created, points can be inserted as shown in snippet 2.1 and 2.2

```

1 START TRANSACTION;
2 SET @a = ST_GeomFromText('POINT(1 1)');
3 INSERT INTO point (point) VALUES (@a);
4 SET @b = ST_GeomFromText('POINT(2.5 2.5)');
5 ;
6 INSERT INTO point (point) VALUES (@b);
7 SET @c = ST_GeomFromText('POINT(5 5)');
8 INSERT INTO point (point) VALUES (@c);
9 SET @d = ST_GeomFromText('POINT(-2.5 -2.5)');
10 ;
11 INSERT INTO point (point) VALUES (@a);
12 # also insert @b, @c, and @d
13 COMMIT;
```

Listing 2.1 Insert four points

It is evident that c is contained in p. To determine which points are contained in p, the function as seen in Snippet

kks32: Add ref to snippet

can be used, which returns the point with coordinates [5,5] as expected.

```

1 // All points contained in polygon
2 SELECT ST_ASTEXT(POINT)
3 FROM POINT
4 WHERE
5 ST_CONTAINS(
6 (
7 SELECT POLYGON
8 FROM POLYGON
9 WHERE id = 1
10 ),
11 POINT
12 )
```

Listing 2.3 Select points contained in polygon

```

START TRANSACTION;
# First and last point must be the same
SET @a = PolygonFromText('POLYGON((2.5 5,
7.5,7.5 5,5 2.5,2.5 5))');
INSERT INTO polygon (polygon) VALUES (@a);
COMMIT;
```

Listing 2.2 Insert polygon

```

// All polygons containing point
SELECT ST_ASTEXT(POLYGON)
FROM POLYGON, POINT
WHERE
    POINT.id = 3 AND ST_CONTAINS(
        POLYGON.polygon,
        POINT.point
    )
```

Listing 2.4 Select polygons containing point

2.5.2 OpenGIS Incompatible databases

MongoDB doesn't offer OpenGIS implementations but has geospatial query operators that may provide enough functionalities for current requirements

kks32: Add ref to Geospatial Query Operators — MongoDB Manual 3.6

. The argument for choosing one over the other depends on the vast differences between SQL and NoSQL, next to performance and extensiveness of geospatial features. The setup displayed in image

kks32: Add ref to image

is recreated in MongoDB using queries shown in snippet

kks32: Add ref to snippet

```

1 db.point.insertMany([
2   { shape: { type: "Point", coordinates: [1,
3     1] } },
4   { shape: { type: "Point", coordinates:
5     [2.5, 2.5] } },
6   { shape: { type: "Point", coordinates: [5,
7     5] } },
8   { shape: { type: "Point", coordinates:
9     [-2.5, -2.5] } },
10  ])
11
12 db.polygon.insert({
13   shape: {
14     type: "Polygon",
15     coordinates: [ [ [2.5, 5], [5, 7.5], [7.5,
16       5], [5, 2.5], [2.5, 5] ] ]
17   }
18 })
19
20 db.point.createIndex({ 'shape': '2dsphere' })
21 db.polygon.createIndex({ 'shape': '2d
22   dsphere' })
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
259
260
261
262
263
264
265
266
267
268
269
269
270
271
272
273
274
275
276
277
278
279
279
280
281
282
283
284
285
286
287
287
288
289
289
290
291
292
293
294
295
296
297
297
298
299
299
300
300
301
301
302
302
303
303
304
304
305
305
306
306
307
307
308
308
309
309
310
310
311
311
312
312
313
313
314
314
315
315
316
316
317
317
318
318
319
319
320
320
321
321
322
322
323
323
324
324
325
325
326
326
327
327
328
328
329
329
330
330
331
331
332
332
333
333
334
334
335
335
336
336
337
337
338
338
339
339
340
340
341
341
342
342
343
343
344
344
345
345
346
346
347
347
348
348
349
349
350
350
351
351
352
352
353
353
354
354
355
355
356
356
357
357
358
358
359
359
360
360
361
361
362
362
363
363
364
364
365
365
366
366
367
367
368
368
369
369
370
370
371
371
372
372
373
373
374
374
375
375
376
376
377
377
378
378
379
379
380
380
381
381
382
382
383
383
384
384
385
385
386
386
387
387
388
388
389
389
390
390
391
391
392
392
393
393
394
394
395
395
396
396
397
397
398
398
399
399
400
400
401
401
402
402
403
403
404
404
405
405
406
406
407
407
408
408
409
409
410
410
411
411
412
412
413
413
414
414
415
415
416
416
417
417
418
418
419
419
420
420
421
421
422
422
423
423
424
424
425
425
426
426
427
427
428
428
429
429
430
430
431
431
432
432
433
433
434
434
435
435
436
436
437
437
438
438
439
439
440
440
441
441
442
442
443
443
444
444
445
445
446
446
447
447
448
448
449
449
450
450
451
451
452
452
453
453
454
454
455
455
456
456
457
457
458
458
459
459
460
460
461
461
462
462
463
463
464
464
465
465
466
466
467
467
468
468
469
469
470
470
471
471
472
472
473
473
474
474
475
475
476
476
477
477
478
478
479
479
480
480
481
481
482
482
483
483
484
484
485
485
486
486
487
487
488
488
489
489
490
490
491
491
492
492
493
493
494
494
495
495
496
496
497
497
498
498
499
499
500
500
501
501
502
502
503
503
504
504
505
505
506
506
507
507
508
508
509
509
510
510
511
511
512
512
513
513
514
514
515
515
516
516
517
517
518
518
519
519
520
520
521
521
522
522
523
523
524
524
525
525
526
526
527
527
528
528
529
529
530
530
531
531
532
532
533
533
534
534
535
535
536
536
537
537
538
538
539
539
540
540
541
541
542
542
543
543
544
544
545
545
546
546
547
547
548
548
549
549
550
550
551
551
552
552
553
553
554
554
555
555
556
556
557
557
558
558
559
559
560
560
561
561
562
562
563
563
564
564
565
565
566
566
567
567
568
568
569
569
570
570
571
571
572
572
573
573
574
574
575
575
576
576
577
577
578
578
579
579
580
580
581
581
582
582
583
583
584
584
585
585
586
586
587
587
588
588
589
589
590
590
591
591
592
592
593
593
594
594
595
595
596
596
597
597
598
598
599
599
600
600
601
601
602
602
603
603
604
604
605
605
606
606
607
607
608
608
609
609
610
610
611
611
612
612
613
613
614
614
615
615
616
616
617
617
618
618
619
619
620
620
621
621
622
622
623
623
624
624
625
625
626
626
627
627
628
628
629
629
630
630
631
631
632
632
633
633
634
634
635
635
636
636
637
637
638
638
639
639
640
640
641
641
642
642
643
643
644
644
645
645
646
646
647
647
648
648
649
649
650
650
651
651
652
652
653
653
654
654
655
655
656
656
657
657
658
658
659
659
660
660
661
661
662
662
663
663
664
664
665
665
666
666
667
667
668
668
669
669
670
670
671
671
672
672
673
673
674
674
675
675
676
676
677
677
678
678
679
679
680
680
681
681
682
682
683
683
684
684
685
685
686
686
687
687
688
688
689
689
690
690
691
691
692
692
693
693
694
694
695
695
696
696
697
697
698
698
699
699
700
700
701
701
702
702
703
703
704
704
705
705
706
706
707
707
708
708
709
709
710
710
711
711
712
712
713
713
714
714
715
715
716
716
717
717
718
718
719
719
720
720
721
721
722
722
723
723
724
724
725
725
726
726
727
727
728
728
729
729
730
730
731
731
732
732
733
733
734
734
735
735
736
736
737
737
738
738
739
739
740
740
741
741
742
742
743
743
744
744
745
745
746
746
747
747
748
748
749
749
750
750
751
751
752
752
753
753
754
754
755
755
756
756
757
757
758
758
759
759
760
760
761
761
762
762
763
763
764
764
765
765
766
766
767
767
768
768
769
769
770
770
771
771
772
772
773
773
774
774
775
775
776
776
777
777
778
778
779
779
780
780
781
781
782
782
783
783
784
784
785
785
786
786
787
787
788
788
789
789
790
790
791
791
792
792
793
793
794
794
795
795
796
796
797
797
798
798
799
799
800
800
801
801
802
802
803
803
804
804
805
805
806
806
807
807
808
808
809
809
810
810
811
811
812
812
813
813
814
814
815
815
816
816
817
817
818
818
819
819
820
820
821
821
822
822
823
823
824
824
825
825
826
826
827
827
828
828
829
829
830
830
831
831
832
832
833
833
834
834
835
835
836
836
837
837
838
838
839
839
840
840
841
841
842
842
843
843
844
844
845
845
846
846
847
847
848
848
849
849
850
850
851
851
852
852
853
853
854
854
855
855
856
856
857
857
858
858
859
859
860
860
861
861
862
862
863
863
864
864
865
865
866
866
867
867
868
868
869
869
870
870
871
871
872
872
873
873
874
874
875
875
876
876
877
877
878
878
879
879
880
880
881
881
882
882
883
883
884
884
885
885
886
886
887
887
888
888
889
889
890
890
891
891
892
892
893
893
894
894
895
895
896
896
897
897
898
898
899
899
900
900
901
901
902
902
903
903
904
904
905
905
906
906
907
907
908
908
909
909
910
910
911
911
912
912
913
913
914
914
915
915
916
916
917
917
918
918
919
919
920
920
921
921
922
922
923
923
924
924
925
925
926
926
927
927
928
928
929
929
930
930
931
931
932
932
933
933
934
934
935
935
936
936
937
937
938
938
939
939
940
940
941
941
942
942
943
943
944
944
945
945
946
946
947
947
948
948
949
949
950
950
951
951
952
952
953
953
954
954
955
955
956
956
957
957
958
958
959
959
960
960
961
961
962
962
963
963
964
964
965
965
966
966
967
967
968
968
969
969
970
970
971
971
972
972
973
973
974
974
975
975
976
976
977
977
978
978
979
979
980
980
981
981
982
982
983
983
984
984
985
985
986
986
987
987
988
988
989
989
990
990
991
991
992
992
993
993
994
994
995
995
996
996
997
997
998
998
999
999
1000
1000
1001
1001
1002
1002
1003
1003
1004
1004
1005
1005
1006
1006
1007
1007
1008
1008
1009
1009
1010
1010
1011
1011
1012
1012
1013
1013
1014
1014
1015
1015
1016
1016
1017
1017
1018
1018
1019
1019
1020
1020
1021
1021
1022
1022
1023
1023
1024
1024
1025
1025
1026
1026
1027
1027
1028
1028
1029
1029
1030
1030
1031
1031
1032
1032
1033
1033
1034
1034
1035
1035
1036
1036
1037
1037
1038
1038
1039
1039
1040
1040
1041
1041
1042
1042
1043
1043
1044
1044
1045
1045
1046
1046
1047
1047
1048
1048
1049
1049
1050
1050
1051
1051
1052
1052
1053
1053
1054
1054
1055
1055
1056
1056
1057
1057
1058
1058
1059
1059
1060
1060
1061
1061
1062
1062
1063
1063
1064
1064
1065
1065
1066
1066
1067
1067
1068
1068
1069
1069
1070
1070
1071
1071
1072
1072
1073
1073
1074
1074
1075
1075
1076
1076
1077
1077
1078
1078
1079
1079
1080
1080
1081
1081
1082
1082
1083
1083
1084
1084
1085
1085
1086
1086
1087
1087
1088
1088
1089
1089
1090
1090
1091
1091
1092
1092
1093
1093
1094
1094
1095
1095
1096
1096
1097
1097
1098
1098
1099
1099
1100
1100
1101
1101
1102
1102
1103
1103
1104
1104
1105
1105
1106
1106
1107
1107
1108
1108
1109
1109
1110
1110
1111
1111
1112
1112
1113
1113
1114
1114
1115
1115
1116
1116
1117
1117
1118
1118
1119
1119
1120
1120
1121
1121
1122
1122
1123
1123
1124
1124
1125
1125
1126
1126
1127
1127
1128
1128
1129
1129
1130
1130
1131
1131
1132
1132
1133
1133
1134
1134
1135
1135
1136
1136
1137
1137
1138
1138
1139
1139
1140
1140
1141
1141
1142
1142
1143
1143
1144
1144
1145
1145
1146
1146
1147
1147
1148
1148
1149
1149
1150
1150
1151
1151
1152
1152
1153
1153
1154
1154
1155
1155
1156
1156
1157
1157
1158
1158
1159
1159
1160
1160
1161
1161
1162
1162
1163
1163
1164
1164
1165
1165
1166
1166
1167
1167
1168
1168
1169
1169
1170
1170
1171
1171
1172
1172
1173
1173
1174
1174
1175
1175
1176
1176
1177
1177
1178
1178
1179
1179
1180
1180
1181
1181
1182
1182
1183
1183
1184
1184
1185
1185
1186
1186
1187
1187
1188
1188
1189
1189
1190
1190
1191
1191
1192
1192
1193
1193
1194
1194
1195
1195
1196
1196
1197
1197
1198
1198
1199
1199
1200
1200
1201
1201
1202
1202
1203
1203
1204
1204
1205
1205
1206
1206
1207
1207
1208
1208
1209
1209
1210
1210
1211
1211
1212
1212
1213
1213
1214
1214
1215
1215
1216
1216
1217
1217
1218
1218
1219
1219
1220
1220
1221
1221
1222
1222
1223
1223
1224
1224
1225
1225
1226
1226
1227
1227
1228
1228
1229
1229
1230
1230
1231
1231
1232
1232
1233
1233
1234
1234
1235
1235
1236
1236
1237
1237
1238
1238
1239
1239
1240
1240
1241
1241
1242
1242
1243
1243
1244
1244
1245
1245
1246
1246
1247
1247
1248
1248
1249
1249
1250
1250
1251
1251
1252
1252
1253
1253
1254
1254
1255
1255
1256
1256
1257
1257
1258
1258
1259
1259
1260
1260
1261
1261
1262
1262
1263
1263
1264
1264
1265
1265
1266
1266
1267
1267
1268
1268
1269
1269
1270
1270
1271
1271
1272
1272
1273
1273
1274
1274
1275
1275
1276
1276
1277
1277
1278
1278
1279
1279
1280
1280
1281
1281
1282
1282
1283
1283
1284
1284
1285
1285
1286
1286
1287
1287
1288
1288
1289
1289
1290
1290
1291
1291
1292
1292
1293
1293
1294
1294
1295
1295
1296
1296
1297
1297
1298
1298
1299
1299
1300
1300
1301
1301
1302
1302
1303
1303
1304
1304
1305
1305
1306
1306
1307
1307
1308
1308
1309
1309
1310
1310
1311
1311
1312
1312
1313
1313
1314
1314
1315
1315
1316
1316
1317
1317
1318
1318
1319
1319
1320
1320
1321
1321
1322
1322
1323
1323
1324
1324
1325
1325
1326
1326
1327
1327
1328
1328
1329
1329
1330
1330
1331
1331
1332
1332
1333
1333
1334
1334
1335
1335
1336
1336
1337
1337
1338
1338
1339
1339
1340
1340
1341
1341
1342
1342
1343
1343
1344
1344
1345
1345
1346
1346
1347
1347
1348
1348
1349
1349
1350
1350
1351
1351
1352
1352
1353
1353
1354
1354
1355
1355
1356
1356
1357
1357
1358
1358
1359
1359
1360
1360
1361
1361
1362
1362
1363
1363
1364
1364
1365
1365
1366
1366
1367
1367
1368
1368
1369
1369
1370
1370
1371
1371
1372
1372
1373
1373
1374
1374
1375
1375
1376
1376
1377
1377
1378
1378
1379
1379
1380
1380
1381
1381
1382
1382
1383
13
```

Next to database solutions for this requirement, services exist that are capable of geofencing. Although these services may not be free, and the added dependencies restrict extensibility.

2.6 Performance and Clustering Trade-offs

Agarwal and Rajan state that NoSQL take advantage of cheap memory and processing power, thereby handling the four V's of big data more effectively, but lack the robustness over SQL databases

kks32: Add reference to Agarwal and Rajan

. The report dives deeper into spatial queries and concludes that their tests suggest that MongoDB performs better by an average factor of 10, which increases exponentially as the data size increases, but lack many spatial functions that OpenGIS supports. Although improvements have been made

kks32: Add reference to Geospatial Performance Improvements in MongoDB 3.2," MongoDB

after the cited paper Schmid et al. 2015

kks32: Add ref to Stephan Schmid Eszter Galicz

was published. The team argues that clustering is much easier in MongoDB, which may be important in the future when the company grows. As the required functionalities exist in both SQL and NoSQL, it is beneficial to opt for MongoDB for its performance and alignment with the teams experience. Although if robustness is desired, or extra GIS functionalities required, SQL should be taken into consideration.

References

- [1] U. T. Inc. (2011) The uber story. [Online]. Available: <https://www.uber.com/en-NL/our-story/>
- [2] (2018) Mysql 5.7 reference manual - spatial data types. [Online]. Available: <https://dev.mysql.com/doc/refman/5.7/en/spatial-types.html>
- [3] J. R. Herring, “Implementation standard for geographic information - simple feature access - part 1: Common architecture,” May 2011. [Online]. Available: http://portal.opengeospatial.org/files/?artifact_id=25355
- [4] (2004) Geographic information – simple feature access – part 1: Common architecture. [Online]. Available: <https://www.iso.org/standard/40114.html>
- [5] C. Sheldrick, “Efficient and future-proof,” April 2018. [Online]. Available: <https://what3words.com/2018/04/read-our-white-paper-efficient-and-future-proof/>
- [6] (2016) what3words - restful api. [Online]. Available: <https://docs.what3words.com/api/v2/#autosuggest-params>
- [7] J. R. Herring, “Implementation standard for geographic information - simple feature access - part 2: Sql option,” August 2018. [Online]. Available: http://portal.opengeospatial.org/files/?artifact_id=25354
- [8] (2018) Postgis 2.4.5dev manual. [Online]. Available: https://postgis.net/docs/manual-2.4/using_postgis_dbmanagement.html#PostGIS_GeographyVSGeometry
- [9] (2018) Mysql 5.7 reference manual - geometry class. [Online]. Available: <https://dev.mysql.com/doc/refman/5.7/en/gis-class-geometry.html>
- [10] (2011) Iso/iec 25010:2011. [Online]. Available: <https://www.iso.org/obp/ui/#iso:std:iso-iec:25010:ed-1:v1:en>
- [11] I. K. Center. (2018) Three-tier architectures. [Online]. Available: https://www.ibm.com/support/knowledgecenter/en/SSAW57_8.5.5/com.ibm.websphere.nd.doc/ae/covr_3-tier.html
- [12] R. Stephens, *Beginning Software Engineering*. John Wiley & Sons, 2015.
- [13] P. Hauer. (2015) Microservices in a nutshell. pros and cons. [Online]. Available: <https://blog.philippauer.de/microservices-nutshell-pros-cons/>
- [14] J. Stenberg. (2014) Experiences from failing with microservices. [Online]. Available: <https://www.infoq.com/news/2014/08/failing-microservices>

List of figures

2.1	LatLngSphere	7
2.2	PostalCodes	11
2.3	Amsterdam	12
2.4	Square	13
3.1	Architecture	16
3.2	Schema	18
3.3	Architecture	22
3.4	Architecture	23
3.5	Architecture	24

List of tables

1.1	Fixed Prices	2
1.2	Planning	6
2.1	Location Matching Requirements	11