
Sprint 5 Thresholds


Improving thresholds, specific week days, price estimations, portal authentication, and implementing location to location rules

- 1. Thresholds are embedded as arrays in the fixedPrice and dynamicPrice entities
- 2. Thresholds do not rely on id's
- 3. Thresholds are sorted before they are added based on threshold property ASC
- 4. There must not be duplicate thresholds, ex: that there are two thresholds at 15 min
- 5. Thresholds can be edited, but will not automatically sort in the frontend


The + icon adds a threshold under the kilometer or minute price. The x icon removes a threshold.



The threshold property can be modified, just like the prices in each product column.



A warning is shown if thresholds thresholds exists, or if zero threshold prices are submitted.



Thresholds, functional filter

```
if (
getDuplicates = (array: any[]) => array.reduce((acc, el, i, arr) => {
 if (arr.indexOf(el) !== i && acc.indexOf(el) < 0) { acc.push(el); }</pre>
  return acc;
}, []);
noDuplicateThresholds = (prices: Price[]) => prices.every(p =>
  ['priceDynamic', 'priceFixed'].every(priceType =>
    ['distance', 'duration'].every(metricType =>
      !this.getDuplicates(p[priceType].thresholds
        .filter(t => t.type === metricType)
        .map(t => t.threshold)).length)));
noZeroThresholdPrices = (prices: Price[]) => prices.every(p =>
                                                                              });
  p.priceDynamic.thresholds.every(t => t.value > 0)
 && p.priceFixed.thresholds.every(t => t.value > 0));
```


```
!this.checkIf(this.form.value.prices,
  this.noDuplicateThresholds,
  this.noZeroThresholdPrices)
this. dialogService.openAlert({
 title: 'Failed to update',
 message: 'No duplicate thresholds or ...,
 disableClose: true,
  closeButton: 'OK',
```

Specific Week Days

- 1. When specific week days is unchecked, start time and end time can be specified
- 2. When specific week days is checked, the usual timeframe selector is displayed


Specific Week Days

When the specific week days option is disabled, start and end time can be defined to make the date definitions more precise



Specific Week Days


When the specific week days option is enabled, days in the week can be defined more precisely with the granularity of an hour




Price Estimations

- 1. Relations between the following entities have been made polymorphic hasMany through:
 - a. DaAppInstall Rule
 - b. DaAppInstall Discount
 - c. Debtor Rule
 - d. Debtor Discount
- 2. The relations are defined as models called links: ruleLink & discountLink
- 3. The link between rule and DaAppInstall has a property 'isEstimated': true | false

Portal Authentication



Portal Authentication



Automatic Company and DaAppInstall Sync

- 1. An endpoint allows companies and daAppInstall entities to be created in TPS
- 2. The following properties are required:
 - a. companyld
 - b. daAppInstallId
 - c. name
 - d. country: ISO Alpha-2 country code
- 3. The Core tries to keep TPS up to date on companies and daAppInstalls that are added