



Run Server



Auth API Server is running!
PS C:\My diary\ACS_kmutt\Second year\Web\auth> npm run start
Server is running on http://localhost:3000
PS C:\My diary\ACS_kmutt\Second year\Web\auth> npm run start
> auth@1.0.0 start
> node server.js
◇ injected env (6) from .env
Server is running on http://localhost:3000


PORT=3000
SESSION_SECRET=your_session_secret
SMTP_HOST=smtp.gmail.com
SMTP_PORT=587
SMTP_USER=thitaree1811@gmail.com
SMTP_PASS=xxxx xxxx xxxx xxxx
SMTP ของเมล์ที่ใช้ส่ง OTP
npm install express express-session nodemailer argon2 dotenv
PS C:\My diary\ACS_kmutt\Second year\Web\auth> npm run start
Server is running on http://localhost:3000
PS C:\My diary\ACS_kmutt\Second year\Web\auth> npm run start
> auth@1.0.0 start
> node server.js
◇ injected env (6) from .env
Server is running on http://localhost:3000


http://localhost:3000/api/login





เข้าสู่ระบบ
teacher
เข้าสู่ระบบ
Problems Output Debug Console Terminal Ports
Server is running on http://localhost:3000



เข้าสู่ระบบ
teacher
กำลังส่ง OTP...
Problems Output Debug Console Terminal Ports
Server is running on http://localhost:3000

รับ OTP



mail.google.com/mail/u/0/?tab=rm&ogbl#inbox/FMfcgzQjgqPzRLKxmkVKrgPZkdtvqKsw
Gmail
เขียน
กล่องจดหมาย
ติดดาว
เลื่อนการแจ้งเตือนแล้ว
ส่งแล้ว
ร่างจดหมาย
การซื้อ
เพิ่มเติม
ป้ายกำกับ
แบบร่าง
อย่าลบ
Your OTP Code
กล่องจดหมาย ×
Auth System <thitaree1811@gmail.com>
ถึง user
14:30 (0 นาทีที่ผ่านมา)
Your 6-digit OTP is: 697931. It will expire in 5 minutes.
Mail Delivery Subsystem <mailer-daemon@googlemail.com>
ถึง ฉัน
14:30 (0 นาทีที่ผ่านมา)
ไม่พบที่อยู่
ไม่สามารถส่งข้อความของคุณไปยัง user@example.com เนื่องจากไม่พบโดเมน example.com โปรดตรวจสอบการสะกดผิดหรือการเว้นวรรคที่ไม่จำเป็นแล้วลองอีกครั้ง
ดูข้อมูลเพิ่มเติม
เปิดการแจ้งเตือนในเดสก์ท็อปสำหรับ Gmail
ตกลง
ไม่ ขอบคุณ


http://localhost:3000/api/verify-otp





http://localhost:3000/api/profile


http://localhost:3000/api/profile
GET
http://localhost:3000/api/profile
Send
Docs Params Authorization Headers 7 Body Scripts Settings Cookies
raw JSON Schema Beautify
Body 200 OK 3 ms 317 B Load test
JSON Preview Visualize
{
"message": "Welcome to Protected Profile!",
"user": {
"id": 1,
"username": "student"
}
}
COLLECTIONS
No items in this panel
Create
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
FLOWS
Investigate SMTP fail...
/debug-request The login request is failing with a 500 error: "Failed to send OTP via SMTP". I need help investigating why the SMTP service
Thought for 10 seconds
This is a local API (localhost:3000) with a 500 error rooted in an SMTP dependency during login. The server is trying to send an OTP email after credentials are validated, and that SMTP call is failing. Per the debug skill for local APIs, I'll read the source code to trace the login handler and find the SMTP config — that will tell us both why it's failing and how to bypass it for local testing.
Let me connect to the local project directory first.
Conne... Choose folder Cancel
The agent wants to connect a
Waiting for approval...
Describe what you need. Press @ for context, / for Skills.
Auto


Explorer
auth
config
controllers
middleware
authMiddleware.js
node_modules
public
index.html
routes
authRoutes.js
utils
mailer.js
.env
.gitignore
~$th_Result.docx
Auth_Result.docx
Auth_Result.pdf
package-lock.json
package.json
server.js
http://localhost:3000/
✓ ยืนยันตัวตนสำเร็จ!
สร้าง Session และ HttpOnly Cookie แล้ว
สถานะ: Welcome to Protected Profile!
ID: 1
User: teacher
ออกจากระบบ
Problems Output Debug Console Terminal Ports
powershell
node
at next (C:\My diary\ACS_kmutt\Second year\Web\auth\node_modules\router\lib\route.js:157:13)
at Route.dispatch (C:\My diary\ACS_kmutt\Second year\Web\auth\node_modules\router\lib\route.js:117:3)
at handle (C:\My diary\ACS_kmutt\Second year\Web\auth\node_modules\router\index.js:435:11)
at Layer.handleRequest (C:\My diary\ACS_kmutt\Second year\Web\auth\node_modules\router\lib\layer.js:152:17)
at C:\My diary\ACS_kmutt\Second year\Web\auth\node_modules\router\index.js:295:15
at processParams (C:\My diary\ACS_kmutt\Second year\Web\auth\node_modules\router\index.js:582:12)
Server is running on http://localhost:3000
Chat
Sessions
Tip: Steer the agent mid-task by sending follow-up messages. They queue and apply in order.
2FA Auth System
Chat with Copilot
Agent
Copilot
Outline
Timeline
main*
Connect
Connected to Discord
Go Live