







Table of Contents

- If Statements
- ▶ If Else Statements
- ▶ If Elif Else Statements
- Nested If Statements





3

If Statements

A simple **if statement** essentially states, if a particular test is true, then perform a specified set of actions. If it's not true, don't take those acts.

```
if [[ <some test> ]]
then
    <commands>
fi
```

```
#!/bin/bash
read -p "Input a number" number
if [[ $number -gt 50 ]]
then
  echo "The number is big."
fi
```

Output:

```
$./if-statement.sh
Input a number: 55
The number is big.
```



4

Relational Operators



Operator	Description
-eq	equal
-ne	not equal
-gt	greater than
-lt	less than
-ge	greater than or equal
-le	less than or equal

```
#!/bin/bash
read -p "Input a number" number

if [[ $number -gt 50 ]]
then
  echo "The number is big."
fi
```

CLARUSWAY[©]

String Operators

```
    Operator
    Description

    =
    equal

    !=
    not equal

    -z
    Empty string

    -n
    Not empty string
```

```
#!/bin/bash

if [[ "a" = "a" ]]
then
  echo "They are same"

fi

if [[ "a" != "b" ]]
then
  echo "They are not same"

fi

if [[ -z "" ]]
then
  echo "It is empty"

fi

if [[ -n "text" ]]
then
  echo "It is not empty"

fi
```



.

File Test Operators

Description

directory

ordinary file

size is > 0 bytes

exists

readable

writable

executable





Operator

-d file

-e file

-f file

-r file

-s file

-w file

-x FILE

.

If Else Statements



If Else Statements execute a block of code if a statement is true, or another block of code if it is false.

Output:

```
#!/bin/bash
read -p "Input a number: " number

if [[ $number -ge 10 ]]
then
  echo "The number is bigger than or
equal to 10."
else
  echo "The number is smaller than
10"
fi
```

```
$./ifelse-statement.sh
Input a number: 27
The number is bigger than or
equal to 10.
$
$./ifelse-statement.sh
Input a number: 5
The number is smaller than 10
```



Я

If Elif Else Statements



```
#!/bin/bash
read -p "Input a number: " number

if [[ $number -eq 10 ]]
then
  echo "The number is equal to
10."
elif [[ $number -gt 10 ]]
then
  echo "The number is bigger than
10"
else
  echo "The number is smaller than
10"
fi
```


Output:

\$./elif-statement.sh
Input a number: 15
The number is bigger than 10
\$
\$./elif-statement.sh
Input a number: 5
The number is smaller than
10
\$
\$./elif-statement.sh
Input a number: 10
The number: 10
The number is equal to 10

CLARUSWAY®

K

Nested If Statements



Output:

\$./nested-if-statement.sh Input a number: 40 Number is bigger than 10 And is an even number \$ \$./nested-if-statement.sh Input a number: 27 Number is bigger than 10 And is an odd number. \$ \$./nested-if-statement.sh Input a number: 5 It is not bigger than 10

CLARUSWAY®

11

Exercise 1



- Ask user to enter his/her name.
- 2. Ask user to enter his/her age.
- 3. Ask user average life expectancy (ale).
- 4. Print user name with one of these messages regarding his/her age:

a. age<18:

"Student"

"At least X years to become a worker." # (X = 18 - age)

18<=age<65:

"Worker"

"X years to retire."

(X = 65 - age)

c. age>=65:

if age less than ale:

"Retired"

"X years to die."

(X = ale - age) # echo -ne '\007'

else:

beep sound

"!!! Already died !!!"

wait 1 sec. "!!! Already died !!!"

wait 2 secs.

"!!! Already died !!!"



Pear Deck Interactive Slide



THANKS!

Any questions?

