

Participants with Drug-Related Adverse Events  
(Incidence > 0 % in One or More Treatment Groups)  
Weeks 0 to 12  
All Participants as Treated

| Low Dose                                                    |              |                                           |                     | Placebo  |              |                                           |                     |
|-------------------------------------------------------------|--------------|-------------------------------------------|---------------------|----------|--------------|-------------------------------------------|---------------------|
| n                                                           | (%)          | Mean<br>Events per<br>Participant<br>(SE) | Number of<br>Events | n        | (%)          | Mean<br>Events per<br>Participant<br>(SE) | Number of<br>Events |
| Participants<br>in<br>population8<br>4                      |              |                                           |                     | 86       |              |                                           |                     |
| with one or<br>more drug-<br>related<br>adverse<br>events73 | (86.9)       | 2.5 ( 0.3)                                | 292                 | 44       | (51.2)       | 1.1 ( 0.2)                                | 133                 |
| with no<br>drug-related<br>adverse<br>events11              | (13.1)       |                                           |                     | 42       | (48.8)       |                                           |                     |
|                                                             |              |                                           |                     |          |              |                                           |                     |
| <b>Cardiac<br/>disorders7</b>                               | <b>(8.3)</b> | <b>1.9 ( 0.4)</b>                         | <b>13</b>           | <b>6</b> | <b>(7.0)</b> | <b>2.3 ( 0.6)</b>                         | <b>14</b>           |
| Atrial<br>fibrillation0                                     | (0.0)        |                                           | 0                   | 1        | (1.2)        | 1.0                                       | 1                   |
| Atrial<br>flutter1                                          | (1.2)        | 1.0                                       | 1                   | 0        | (0.0)        |                                           | 0                   |
| Atrioventric<br>ular block<br>first<br>degree0              | (0.0)        |                                           | 0                   | 1        | (1.2)        | 1.0                                       | 1                   |
| Atrioventric<br>ular block<br>second<br>degree0             | (0.0)        |                                           | 0                   | 1        | (1.2)        | 1.0                                       | 1                   |
| Bradycardia<br>0                                            | (0.0)        |                                           | 0                   | 1        | (1.2)        | 4.0                                       | 4                   |
| Bundle<br>branch<br>block right1                            | (1.2)        | 1.0                                       | 1                   | 0        | (0.0)        |                                           | 0                   |
| Cardiac<br>failure<br>congestive0                           | (0.0)        |                                           | 0                   | 1        | (1.2)        | 1.0                                       | 1                   |
| Myocardial<br>infarction1                                   | (1.2)        | 2.0                                       | 2                   | 2        | (2.3)        | 1.0 ( 0.0)                                | 2                   |
| Palpitations<br>1                                           | (1.2)        | 1.0                                       | 1                   | 0        | (0.0)        |                                           | 0                   |
| Sinus<br>arrhythmia0                                        | (0.0)        |                                           | 0                   | 1        | (1.2)        | 2.0                                       | 2                   |

|                                            |       |            |   |   |       |            |   |
|--------------------------------------------|-------|------------|---|---|-------|------------|---|
| Sinus<br>bradycardia<br>2                  | (2.4) | 1.0 ( 0.0) | 2 | 2 | (2.3) | 1.0 ( 0.0) | 2 |
| Supraventricular<br>extrasystoles1         | (1.2) | 2.0        | 2 | 0 | (0.0) |            | 0 |
| Ventricular<br>extrasystoles1              | (1.2) | 2.0        | 2 | 0 | (0.0) |            | 0 |
| Wolff-<br>parkinson-<br>white<br>syndrome1 | (1.2) | 2.0        | 2 | 0 | (0.0) |            | 0 |

Participants with Drug-Related Adverse Events  
(Incidence > 0 % in One or More Treatment Groups)

Weeks 0 to 12

All Participants as Treated

| Low Dose                                                       |              |                                           |                     | Placebo  |              |                                           |                     |
|----------------------------------------------------------------|--------------|-------------------------------------------|---------------------|----------|--------------|-------------------------------------------|---------------------|
| n                                                              | (%)          | Mean<br>Events per<br>Participant<br>(SE) | Number of<br>Events | n        | (%)          | Mean<br>Events per<br>Participant<br>(SE) | Number of<br>Events |
| <b>Congenital,<br/>familial<br/>and genetic<br/>disorders1</b> | <b>(1.2)</b> | <b>1.0</b>                                | <b>1</b>            | <b>0</b> | <b>(0.0)</b> |                                           | <b>0</b>            |
| Ventricular<br>septal<br>defect1                               | (1.2)        | 1.0                                       | 1                   | 0        | (0.0)        |                                           | 0                   |
| <b>Ear and<br/>labyrinth<br/>disorders2</b>                    | <b>(2.4)</b> | <b>1.0 ( 0.0)</b>                         | <b>2</b>            | <b>0</b> | <b>(0.0)</b> |                                           | <b>0</b>            |
| Tinnitus1                                                      | (1.2)        | 1.0                                       | 1                   | 0        | (0.0)        |                                           | 0                   |
| Vertigo1                                                       | (1.2)        | 1.0                                       | 1                   | 0        | (0.0)        |                                           | 0                   |
| <b>Eye<br/>disorders1</b>                                      | <b>(1.2)</b> | <b>1.0</b>                                | <b>1</b>            | <b>0</b> | <b>(0.0)</b> |                                           | <b>0</b>            |
| Vision<br>blurred1                                             | (1.2)        | 1.0                                       | 1                   | 0        | (0.0)        |                                           | 0                   |
| <b>Gastrointes-<br/>tinal<br/>disorders8</b>                   | <b>(9.5)</b> | <b>1.9 ( 0.4)</b>                         | <b>15</b>           | <b>4</b> | <b>(4.7)</b> | <b>1.8 ( 0.5)</b>                         | <b>7</b>            |
| Abdominal<br>pain1                                             | (1.2)        | 1.0                                       | 1                   | 0        | (0.0)        |                                           | 0                   |
| Diarrhoea3                                                     | (3.6)        | 1.3 ( 0.3)                                | 4                   | 3        | (3.5)        | 1.3 ( 0.3)                                | 4                   |
| Dyspepsia1                                                     | (1.2)        | 2.0                                       | 2                   | 1        | (1.2)        | 2.0                                       | 2                   |

|                                                               |               |                   |            |           |               |                   |           |
|---------------------------------------------------------------|---------------|-------------------|------------|-----------|---------------|-------------------|-----------|
| Gastroesophageal reflux disease0                              | (0.0)         |                   | 0          | 1         | (1.2)         | 1.0               | 1         |
| Nausea3                                                       | (3.6)         | 1.7 ( 0.3)        | 5          | 0         | (0.0)         |                   | 0         |
| Vomiting2                                                     | (2.4)         | 1.5 ( 0.5)        | 3          | 0         | (0.0)         |                   | 0         |
| <b>General disorders and administration site conditions43</b> | <b>(51.2)</b> | <b>2.5 ( 0.3)</b> | <b>108</b> | <b>18</b> | <b>(20.9)</b> | <b>2.3 ( 0.4)</b> | <b>41</b> |
| Application site bleeding1                                    | (1.2)         | 1.0               | 1          | 0         | (0.0)         |                   | 0         |
| Application site dermatitis9                                  | (10.7)        | 1.7 ( 0.3)        | 15         | 5         | (5.8)         | 1.8 ( 0.6)        | 9         |
| Application site desquamation1                                | (1.2)         | 1.0               | 1          | 0         | (0.0)         |                   | 0         |
| Application site discoloration1                               | (1.2)         | 1.0               | 1          | 0         | (0.0)         |                   | 0         |

Participants with Drug-Related Adverse Events  
 (Incidence > 0 % in One or More Treatment Groups)  
 Weeks 0 to 12  
 All Participants as Treated

| Low Dose                     |        |                                  |                  | Placebo |       |                                  |                  |
|------------------------------|--------|----------------------------------|------------------|---------|-------|----------------------------------|------------------|
| n                            | (%)    | Mean Events per Participant (SE) | Number of Events | n       | (%)   | Mean Events per Participant (SE) | Number of Events |
| Application site erythema12  | (14.3) | 1.7 ( 0.1)                       | 20               | 3       | (3.5) | 1.0 ( 0.0)                       | 3                |
| Application site induration0 | (0.0)  |                                  | 0                | 1       | (1.2) | 1.0                              | 1                |
| Application site irritation9 | (10.7) | 2.0 ( 0.3)                       | 18               | 3       | (3.5) | 2.3 ( 0.3)                       | 7                |
| Application site pruritus22  | (26.2) | 1.5 ( 0.1)                       | 32               | 6       | (7.0) | 1.7 ( 0.3)                       | 10               |

|                                                        |              |                   |          |          |              |                   |          |
|--------------------------------------------------------|--------------|-------------------|----------|----------|--------------|-------------------|----------|
| Application site reaction0                             | (0.0)        |                   | 0        | 1        | (1.2)        | 2.0               | 2        |
| Application site swelling1                             | (1.2)        | 1.0               | 1        | 0        | (0.0)        |                   | 0        |
| Application site urticaria2                            | (2.4)        | 1.0 ( 0.0)        | 2        | 0        | (0.0)        |                   | 0        |
| Application site vesicles4                             | (4.8)        | 1.2 ( 0.2)        | 5        | 1        | (1.2)        | 2.0               | 2        |
| Application site warmth1                               | (1.2)        | 2.0               | 2        | 0        | (0.0)        |                   | 0        |
| Asthenia0                                              | (0.0)        |                   | 0        | 1        | (1.2)        | 2.0               | 2        |
| Chills1                                                | (1.2)        | 2.0               | 2        | 1        | (1.2)        | 3.0               | 3        |
| Fatigue2                                               | (2.4)        | 1.0 ( 0.0)        | 2        | 1        | (1.2)        | 2.0               | 2        |
| Malaise1                                               | (1.2)        | 2.0               | 2        | 0        | (0.0)        |                   | 0        |
| Oedema2                                                | (2.4)        | 1.0 ( 0.0)        | 2        | 0        | (0.0)        |                   | 0        |
| Pain1                                                  | (1.2)        | 2.0               | 2        | 0        | (0.0)        |                   | 0        |
| <b>Injury, poisoning and procedural complications2</b> | <b>(2.4)</b> | <b>2.0 ( 0.0)</b> | <b>4</b> | <b>0</b> | <b>(0.0)</b> |                   | <b>0</b> |
| Fall1                                                  | (1.2)        | 1.0               | 1        | 0        | (0.0)        |                   | 0        |
| Skin laceration1                                       | (1.2)        | 1.0               | 1        | 0        | (0.0)        |                   | 0        |
| Wound1                                                 | (1.2)        | 2.0               | 2        | 0        | (0.0)        |                   | 0        |
| <b>Investigations2</b>                                 | <b>(2.4)</b> | <b>1.5 ( 0.5)</b> | <b>3</b> | <b>4</b> | <b>(4.7)</b> | <b>2.2 ( 0.6)</b> | <b>9</b> |

Participants with Drug-Related Adverse Events  
 (Incidence > 0 % in One or More Treatment Groups)  
 Weeks 0 to 12  
 All Participants as Treated

| Low Dose                                |       |                                  |                  | Placebo |       |                                  |                  |
|-----------------------------------------|-------|----------------------------------|------------------|---------|-------|----------------------------------|------------------|
| n                                       | (%)   | Mean Events per Participant (SE) | Number of Events | n       | (%)   | Mean Events per Participant (SE) | Number of Events |
| Blood creatine phosphokinase increased0 | (0.0) |                                  | 0                | 1       | (1.2) | 2.0                              | 2                |

|                                                         |               |                   |           |          |              |                   |          |
|---------------------------------------------------------|---------------|-------------------|-----------|----------|--------------|-------------------|----------|
| Body temperature increased1                             | (1.2)         | 1.0               | 1         | 0        | (0.0)        |                   | 0        |
| Electrocardiogram st segment depression1                | (1.2)         | 2.0               | 2         | 1        | (1.2)        | 1.0               | 1        |
| Heart rate increased0                                   | (0.0)         |                   | 0         | 1        | (1.2)        | 2.0               | 2        |
| Heart rate irregular0                                   | (0.0)         |                   | 0         | 1        | (1.2)        | 4.0               | 4        |
| <b>Metabolism and nutrition disorders0</b>              | <b>(0.0)</b>  |                   | <b>0</b>  | <b>3</b> | <b>(3.5)</b> | <b>1.7 ( 0.3)</b> | <b>5</b> |
| Decreased appetite0                                     | (0.0)         |                   | 0         | 1        | (1.2)        | 2.0               | 2        |
| Food craving0                                           | (0.0)         |                   | 0         | 1        | (1.2)        | 1.0               | 1        |
| Increased appetite0                                     | (0.0)         |                   | 0         | 1        | (1.2)        | 2.0               | 2        |
| <b>Musculoskeletal and connective tissue disorders0</b> | <b>(0.0)</b>  |                   | <b>0</b>  | <b>1</b> | <b>(1.2)</b> | <b>2.0</b>        | <b>2</b> |
| Shoulder pain0                                          | (0.0)         |                   | 0         | 1        | (1.2)        | 2.0               | 2        |
| <b>Nervous system disorders12</b>                       | <b>(14.3)</b> | <b>2.2 ( 0.4)</b> | <b>26</b> | <b>5</b> | <b>(5.8)</b> | <b>1.6 ( 0.2)</b> | <b>8</b> |
| Balance disorder1                                       | (1.2)         | 3.0               | 3         | 0        | (0.0)        |                   | 0        |
| Complex partial seizures1                               | (1.2)         | 1.0               | 1         | 0        | (0.0)        |                   | 0        |
| Coordination abnormal1                                  | (1.2)         | 1.0               | 1         | 0        | (0.0)        |                   | 0        |
| Dizziness6                                              | (7.1)         | 1.7 ( 0.5)        | 10        | 2        | (2.3)        | 1.5 ( 0.5)        | 3        |
| Headache1                                               | (1.2)         | 1.0               | 1         | 2        | (2.3)        | 1.5 ( 0.5)        | 3        |
| Lethargy1                                               | (1.2)         | 1.0               | 1         | 0        | (0.0)        |                   | 0        |
| Paraesthesia oral1                                      | (1.2)         | 1.0               | 1         | 0        | (0.0)        |                   | 0        |
| Somnolence0                                             | (0.0)         |                   | 0         | 1        | (1.2)        | 2.0               | 2        |
| Stupor1                                                 | (1.2)         | 1.0               | 1         | 0        | (0.0)        |                   | 0        |

Participants with Drug-Related Adverse Events  
(Incidence > 0 % in One or More Treatment Groups)

Weeks 0 to 12  
All Participants as Treated

| Low Dose                                                                            |               |                                           |                     | Placebo   |               |                                           |                     |
|-------------------------------------------------------------------------------------|---------------|-------------------------------------------|---------------------|-----------|---------------|-------------------------------------------|---------------------|
| n                                                                                   | (%)           | Mean<br>Events per<br>Participant<br>(SE) | Number of<br>Events | n         | (%)           | Mean<br>Events per<br>Participant<br>(SE) | Number of<br>Events |
| Syncope <sup>4</sup>                                                                | (4.8)         | 1.5 ( 0.3)                                | 6                   | 0         | (0.0)         |                                           | 0                   |
| Transient<br>ischaemic<br>attack <sup>1</sup>                                       | (1.2)         | 1.0                                       | 1                   | 0         | (0.0)         |                                           | 0                   |
| <b>Psychiatric<br/>disorders<sup>9</sup></b>                                        | <b>(10.7)</b> | <b>1.4 ( 0.2)</b>                         | <b>13</b>           | <b>2</b>  | <b>(2.3)</b>  | <b>1.5 ( 0.5)</b>                         | <b>3</b>            |
| Agitation <sup>2</sup>                                                              | (2.4)         | 1.0 ( 0.0)                                | 2                   | 0         | (0.0)         |                                           | 0                   |
| Anxiety <sup>3</sup>                                                                | (3.6)         | 1.3 ( 0.3)                                | 4                   | 0         | (0.0)         |                                           | 0                   |
| Confusional<br>state <sup>2</sup>                                                   | (2.4)         | 1.0 ( 0.0)                                | 2                   | 1         | (1.2)         | 1.0                                       | 1                   |
| Depressed<br>mood <sup>1</sup>                                                      | (1.2)         | 2.0                                       | 2                   | 0         | (0.0)         |                                           | 0                   |
| Irritability <sup>1</sup>                                                           | (1.2)         | 1.0                                       | 1                   | 1         | (1.2)         | 2.0                                       | 2                   |
| Restlessness<br><sup>1</sup>                                                        | (1.2)         | 2.0                                       | 2                   | 0         | (0.0)         |                                           | 0                   |
| <b>Renal and<br/>urinary<br/>disorders<sup>1</sup></b>                              | <b>(1.2)</b>  | <b>1.0</b>                                | <b>1</b>            | <b>0</b>  | <b>(0.0)</b>  |                                           | <b>0</b>            |
| Enuresis <sup>1</sup>                                                               | (1.2)         | 1.0                                       | 1                   | 0         | (0.0)         |                                           | 0                   |
| <b>Reproducti<br/>ve system<br/>and breast<br/>disorders<sup>0</sup></b>            | <b>(0.0)</b>  |                                           | <b>0</b>            | <b>1</b>  | <b>(1.2)</b>  | <b>2.0</b>                                | <b>2</b>            |
| Pelvic pain <sup>0</sup>                                                            | (0.0)         |                                           | 0                   | 1         | (1.2)         | 2.0                                       | 2                   |
| <b>Respirator<br/>y, thoracic<br/>and<br/>mediastinal<br/>disorders<sup>0</sup></b> | <b>(0.0)</b>  |                                           | <b>0</b>            | <b>2</b>  | <b>(2.3)</b>  | <b>1.0 ( 0.0)</b>                         | <b>2</b>            |
| Dyspnoea <sup>0</sup>                                                               | (0.0)         |                                           | 0                   | 1         | (1.2)         | 1.0                                       | 1                   |
| Emphysema<br><sup>0</sup>                                                           | (0.0)         |                                           | 0                   | 1         | (1.2)         | 1.0                                       | 1                   |
| <b>Skin and<br/>subcutaneo<br/>us tissue<br/>disorders<sup>39</sup></b>             | <b>(46.4)</b> | <b>2.6 ( 0.3)</b>                         | <b>103</b>          | <b>17</b> | <b>(19.8)</b> | <b>2.2 ( 0.4)</b>                         | <b>37</b>           |
| Blister <sup>5</sup>                                                                | (6.0)         | 1.6 ( 0.4)                                | 8                   | 0         | (0.0)         |                                           | 0                   |
| Cold sweat <sup>0</sup>                                                             | (0.0)         |                                           | 0                   | 1         | (1.2)         | 3.0                                       | 3                   |
| Dermatitis<br>contact <sup>1</sup>                                                  | (1.2)         | 2.0                                       | 2                   | 0         | (0.0)         |                                           | 0                   |

Participants with Drug-Related Adverse Events

(Incidence > 0 % in One or More Treatment Groups)  
Weeks 0 to 12  
All Participants as Treated

| Low Dose                       |              |                                           |                     | Placebo  |              |                                           |                     |
|--------------------------------|--------------|-------------------------------------------|---------------------|----------|--------------|-------------------------------------------|---------------------|
| n                              | (%)          | Mean<br>Events per<br>Participant<br>(SE) | Number of<br>Events | n        | (%)          | Mean<br>Events per<br>Participant<br>(SE) | Number of<br>Events |
| Erythema13                     | (15.5)       | 1.4 ( 0.1)                                | 18                  | 9        | (10.5)       | 1.4 ( 0.2)                                | 13                  |
| Hyperhidrosis4                 | (4.8)        | 1.2 ( 0.2)                                | 5                   | 1        | (1.2)        | 1.0                                       | 1                   |
| Pruritus21                     | (25.0)       | 1.4 ( 0.1)                                | 30                  | 7        | (8.1)        | 1.4 ( 0.2)                                | 10                  |
| Pruritus<br>generalised1       | (1.2)        | 4.0                                       | 4                   | 0        | (0.0)        |                                           | 0                   |
| Rash11                         | (13.1)       | 1.3 ( 0.1)                                | 14                  | 3        | (3.5)        | 2.0 ( 0.6)                                | 6                   |
| Rash<br>erythematous2          | (2.4)        | 1.0 ( 0.0)                                | 2                   | 0        | (0.0)        |                                           | 0                   |
| Rash<br>pruritic1              | (1.2)        | 2.0                                       | 2                   | 0        | (0.0)        |                                           | 0                   |
| Skin<br>exfoliation1           | (1.2)        | 2.0                                       | 2                   | 0        | (0.0)        |                                           | 0                   |
| Skin<br>irritation6            | (7.1)        | 2.2 ( 0.6)                                | 13                  | 2        | (2.3)        | 1.0 ( 0.0)                                | 2                   |
| Skin ulcer0                    | (0.0)        |                                           | 0                   | 1        | (1.2)        | 2.0                                       | 2                   |
| Urticaria1                     | (1.2)        | 3.0                                       | 3                   | 0        | (0.0)        |                                           | 0                   |
| <b>Vascular<br/>disorders2</b> | <b>(2.4)</b> | <b>1.0 ( 0.0)</b>                         | <b>2</b>            | <b>1</b> | <b>(1.2)</b> | <b>3.0</b>                                | <b>3</b>            |
| Hypertension1                  | (1.2)        | 1.0                                       | 1                   | 0        | (0.0)        |                                           | 0                   |
| Hypotension1                   | (1.2)        | 1.0                                       | 1                   | 1        | (1.2)        | 1.0                                       | 1                   |
| Orthostatic<br>hypotension0    | (0.0)        |                                           | 0                   | 1        | (1.2)        | 2.0                                       | 2                   |

Every participant is counted a single time for each applicable row and column.

A system organ class or specific adverse event appears on this report only if its incidence in one or more of the columns meets the incidence criterion in the report title, after rounding.

Adverse event terms are from MedDRA Version 24.0.Source: [CDISCpilot: adam-adsl; adae]