
Software Requirements Specification

for

A smart printing service for students at

HCMUT

Version 1.0.0 approved

Prepared by:

- 1. Bùi Phạm Thái An – 2052358**
- 2. Cao Quế Phương – 2252652**
- 3. Đặng Duy Tiến – 2252808**
- 4. Đào Thị Hà An – 2252002**
- 5. Đinh Bá Khánh – 2252323**

Department of Software Engineering

Faculty of Computer Science and Engineering

Ho Chi Minh City University of Technology – VNU-HCM

22/09/2024

Table of Contents

Table of Contents	ii
Revision History	iii
1. Introduction.....	Error! Bookmark not defined.
1.1 Purpose.....	Error! Bookmark not defined.
1.2 Document Conventions.....	Error! Bookmark not defined.
1.3 Intended Audience and Reading Suggestions	Error! Bookmark not defined.
1.4 Product Scope	Error! Bookmark not defined.
1.5 References.....	Error! Bookmark not defined.
2. Overall Description	Error! Bookmark not defined.
2.1 Product Perspective.....	Error! Bookmark not defined.
2.2 Product Functions	Error! Bookmark not defined.
2.3 User Classes and Characteristics	Error! Bookmark not defined.
2.4 Operating Environment.....	Error! Bookmark not defined.
2.5 Design and Implementation Constraints	Error! Bookmark not defined.
2.6 User Documentation	Error! Bookmark not defined.
2.7 Assumptions and Dependencies	Error! Bookmark not defined.
3. External Interface Requirements	Error! Bookmark not defined.
3.1 User Interfaces	Error! Bookmark not defined.
3.2 Hardware Interfaces	Error! Bookmark not defined.
3.3 Software Interfaces	Error! Bookmark not defined.
3.4 Communications Interfaces	Error! Bookmark not defined.
4. System Features	Error! Bookmark not defined.
4.1 System Feature 1	Error! Bookmark not defined.
4.2 System Feature 2 (and so on).....	Error! Bookmark not defined.
5. Other Nonfunctional Requirements.....	Error! Bookmark not defined.
5.1 Performance Requirements	Error! Bookmark not defined.
5.2 Safety Requirements	Error! Bookmark not defined.
5.3 Security Requirements	Error! Bookmark not defined.
5.4 Software Quality Attributes	Error! Bookmark not defined.
5.5 Business Rules	Error! Bookmark not defined.
6. Other Requirements	Error! Bookmark not defined.
Appendix A: Glossary.....	Error! Bookmark not defined.
Appendix B: Analysis Models	Error! Bookmark not defined.
Appendix C: To Be Determined List.....	Error! Bookmark not defined.

Revision History

Name	Date	Reason For Changes	Version
Project 1	22/09/2024	Submit task 1.1 and 1.2	1.0.0
Project 1	01/10/2024	Submit task 1.3	1.0.1

1. Task 1: Requirement elicitation (1.1, 1.2)

1.1 Domain Context

The Student Smart Printing Service (HCMUT_SSPS) is a web-based and mobile-based printing service that has an objective to provide students with a convenient way to print their documents with printers located around the campuses. Each printer has its own ID, brand name, printer model, short description and the location. The system allows students to print their documents by uploading their files onto the system, they can choose the printer and edit the printing properties, the permitted file types are also limited and configured by SPSO. The system also logs the printing actions for students including student ID, printer ID, file name, printing start and end time, number of pages for each paper size. Besides, SPSO can view the printing history of all students and each student can view their history. For each semester, each student will be given the default number of A4-size pages and they can buy additional printing pages through some online payment systems, each student can only print when the number of printing pages does not exceed their balance and each A3 page is equal to 2 A4 pages. Moreover, SPSO can also manage the printer states such as add, enable and disable and SPSO can also change the default number of pages, the dates the system will give the default number of pages to all students as well as change the permitted file types. SPSO can view the report monthly and annually which is stored in the system. Finally, to use the system, all users have to be authenticated by HCMUT_SSO service.

1.2 Stakeholders and Needs

Students:

- Print a document by uploading a document file onto the system
- View printing log for a time period together with a summary of number of printed pages for each page size
- Buy some more using the feature buy printing page

Student printing service officer:

- Limit and configure the permitted file types
- View the printing history of all students or a student for a time period (date to date) and for all or some printers
- Manage the printers such as add/ enable/ disable a printer
- Manage other configurations of the system such as changing the default number of pages, the dates that the system will give the default number of pages to all students, the permitted file types accepted by the system.

- View the reports of the using of the printing system

1.3 Benefits of the System

For Students:

1. Convenient Document Printing:

- Students can upload documents, choose printing properties, and print at any available campus printer from anywhere using a web or mobile app.
- Flexible options for specifying paper size, number of copies, double-sided printing, etc., offer personalized printing.

2. Cost Management:

- The system tracks each student's print quota (pages) per semester, ensuring they don't exceed their allowance.
- Students can purchase additional print pages as needed via an integrated online payment system like BKPay, making the process seamless.

3. Transparency and Tracking:

- Students can access their printing history, including the number of pages printed per size and logs of all previous printing actions.
- This helps students track their usage and ensure they stay within their budgeted print quota.

4. Multiple Access Points:

- The system is accessible via both web and mobile apps, providing students flexibility in managing their printing needs regardless of location.

5. Security and Authentication:

- Integration with the university's Single Sign-On (HCMUT_SSO) ensures that only authorized users access the system, protecting student information and transactions.

For University Administration (SPSO):

1. Centralized Printer Management:

- The SPSO can add, enable, disable, or configure printers across campuses, making printer management streamlined and ensuring better resource allocation.

2. Configurable System Settings:

- The system allows customization of key parameters such as the default print allowance for students, acceptable file formats, and important operational dates, making the system adaptable to evolving needs.

3. Comprehensive Logging and Reporting:

- All student printing actions are logged, allowing the university to monitor usage and create accurate reports on the print system's performance, enabling better resource management.
- Monthly and yearly reports are generated automatically, providing insights into system usage without manual effort.

4. Enhanced Accountability:

- The detailed logs ensure transparency, allowing the SPSO to monitor student printing history and troubleshoot any discrepancies.
- This also helps in preventing misuse or overuse of resources.

5. Efficient Payment Integration:

- The integration with an online payment system (BKPay) simplifies the process of buying additional print pages, reducing administrative overhead for managing student printing balances.

1.4 Functional Requirements

Students:

1. Students can print documents by uploading files, choosing printers and specifying printing properties.
2. Students can view their own printing log
3. Students can view their number of printed pages for each page size
4. Students can buy more pages to print
5. Students can view how many pages they have left in their balance

Student Printing Service Officer (SPSO):

1. SPSO can view printing history of student(s) or printer(s)

2. SPSO can add, remove, enable, disable a printer
3. SPSO can change the number of default pages given to student each period
4. SPSO can change the date students are given pages
5. SPSO can change the permitted file types
6. SPSO can view the report of the printing system

1.5 Non- Functional Requirements

The printing system is implemented as a web-based app and a mobile app.

The system is available 24/7, except for maintenance periods.


The system is available for multiple concurrent users but must ensure that each printer serves only 1 user at a time.

The HCMUT_SSO authentication service must authenticate all users before they use the system.


The payment method is made online, like BKPay

2. Use case Diagrams (1.3)

2.1 Use case Diagram for the Whole System



2.2 Use case Diagram for Printing Process Module



2.3 The Details of Use cases in Printing Process Module

1. Use case Print a document

Use case ID	UC-PPM-01
Use case name	Print a document
Created by	Đinh Bá Khánh
Created date	01/10/2024
Actors	Student, Database, BKPay
Description	The student requests the system to print his/her documents by choosing the printer based on its ID and then specify the printing properties such as paper size, number of pages, one-/double-size, number of copies, etc. The system will check if the student has enough available number of pages and the permitted file types and then it will print the documents for the student.
Trigger	The student wants to print the documents.
Preconditions	System checked page balance. Student must log into the system based on his/her ID. Student chose the printer.

	Student specified printing properties. Student uploaded documents onto the system
Postconditions	Printing histories are stored in the system. Documents are printed successfully.
Normal flow	<ol style="list-style-type: none"> 1. The student logs into the system based on his or her ID. 2. The student uploads his or her documents onto the system. 3. The system checks if the file is uploaded successfully. 4. The student specifies printing properties. 5. The system checks the balance 6. Student choose the printer. 7. The system sends the document file to the selected printer. 8. The document is printed 9. The student views the result.
Alternative flow	Alternative 1: 5a. Student does not have sufficient page balance 5b. Student buys more pages
Exception	Exception 1: 5a. Student does not have sufficient page balance 5b. Student cancel the printing process => Use case stops

2. Use case Upload document

Use case ID	UC-PPM-02
Use case Name	Upload document
Created by	Đặng Duy Tiến
Created date	01/10/2024
Actors	Students
Description	The system allows students to upload documents for printing
Trigger	Students want to upload documents
Preconditions	Students logged in the system
Postconditions	The uploading actions is saved in the system Documents is uploaded successfully
Normal flow	<ol style="list-style-type: none"> 1. Students log into the system 2. Students choose permitted file types 3. Students upload the documents 4. Students check the uploading action

Alternative flow	None
Exception	Exception 1: 2a. Students cancel uploading => Use case stops Exception 2: 3a. File types are not permitted => Use case stops

3. Use case Specify printing property

Use case ID	UC-PPM-03
Use case name	Specify printing properties
Created by	Đào Thị Hà An
Created date	01/10/2024
Actors	Student
Description	The student configures the printing properties of the selected printer according to his/her preferences in order to print the uploaded document.
Trigger	Printer is ready to print and student wants to set the printing mode.
Preconditions	Student has logged in Student uploads the printing file of permitted type Student has chosen an available printer.
Postconditions	All (changed) properties are successfully applied to the printer.
Normal flow	1. Student selects the default settings. 2. Student submits the settings. 3. System invokes the “Check page balance” use-case (UC-PPM-05). 4. System shows the notification that all settings are valid.
Alternative flow	Alternative 1: 1a. Student changes one or more printing properties. => Continue at step 2 Alternative 2: 3a. Student buys extra printing pages => Continue at step 2 Alternative 3: 2a. Student cancels the printing process. => Use case stops

Exception	Exception 1: 3a. Student doesn't have sufficient page balance 3b. Student changes some setting => Continue at step 2
-----------	---

4. Use case Choose printer

Use case ID	UC-PPM-04
Use case name	Choose printer
Created by	Bùi Phạm Thái An
Created date	01/10/2024
Actors	Student
Description	Student can choose which printer to use to print their document
Trigger	Student wants to print a document
Preconditions	Student has logged in Student is on printing window
Postconditions	Printer is selected
Normal flow	1. Student opens printer list 2. Student browses for printer 3. Student selects a printer 4. Student confirm the selection
Alternative flow	None
Exception	Exception 1: 3a. Student cancel the selection => Use case stops

5. Use case Check page balance


Use case ID	UC-PPM-05
Use case name	Check page balance
Created by	Cao Quế Phương
Created date	01/10/2024

Actors	Student, SPSS
Description	The student checks their remaining page balance for printing. The balance is displayed in terms of A4 pages, with conversions for A3 pages (1 A3 = 2 A4 pages). Students can use this information to determine if they need to purchase more pages.
Trigger	The student wants to print the documents.
Preconditions	Student has logged in The student has been allocated a page balance for the current semester.
Postconditions	The system displays the current page balance to the student, broken down by A4 pages (and A3 equivalents if applicable).
Normal flow	<ol style="list-style-type: none"> 1. The student logs into the system. 2. The student navigates to the "Check Page Balance" feature. 3. The system retrieves the student's current page balance from the database. 4. The system displays the remaining page balance to the student. 5. The student can proceed with printing or purchasing additional pages.
Alternative flow	<p>Alternative 1:</p> <ol style="list-style-type: none"> 5a. Student has a balance of 0 pages 5b. System displays a message indicating that the student has no remaining pages and must purchase more to continue printing.
Exception	<p>Exception 1:</p> <ol style="list-style-type: none"> 5a. System is unable to retrieve the balance 5b. An error message is displayed <p>=> Use case stops</p> <p>Exception 2:</p> <ol style="list-style-type: none"> 5a. Student does not have enough page balance 5b. The system displays an error <p>=> Use case stops</p>

3. Task 2: System modelling


3.1 Activity diagrams

1. Print document




This diagram represents the steps which students need to follow to print a document. The process begins with a student uploading a document. If the document is valid, the student then needs to specify printing properties. If the properties are valid, the student then chooses a printer. While the printer is printing the document, the system will log this printing session. The process ends when the student has received the printed document.

2. Upload document




This diagram shows the activities performed by the student and system while uploading documents. The process begins with a student choosing the file type. If the file type is allowed (configured by SPSO), the student can then choose and upload the document. The process ends after the student checks and confirms the document has been uploaded.

3. Specify printing properties




This diagram represents the specify printing properties process. The process begins when a student chooses which setting to apply, if they choose default setting, the system will invoke the check page balance process, otherwise they need to specify the reference (page size, page number, number of copies, etc.) before the system checks page balance. The process ends with the student confirming the correct properties.

4. Choose printer



This diagram shows the step when students want to choose a printer. The process begins when a student opens the printer page. The application will retrieve the printer list from the database and display it to the student. The student can browse and choose the printer they want. The process ends when the student confirms their selection.


5. Check page balance



This diagram represents the process the system checks and the process to buy more pages from students. The activity starts when the check page balance function is invoked. The application then retrieves page balance of the students and displays it. If the page balance is 0 it will also notify the student. The student can then choose to buy more pages. If they do, the BKPay system will process the billing and the system will update the student's page balance. The process ends after the student has checked the result.


3.2 Sequence diagrams

1. Print document




This sequence diagram illustrates the use case of printing a document. The key participants are Student (User), System, Database, BKPay and Printer. The sequence starts when the student logs in to the system. Then the system will check the information, if correct then the student subsequently uploads printing properties and then the system will check the balance and if it is sufficient, it will print the document, completing the use case.

2. Upload document




This sequence diagram illustrates the use case of uploading documents. The key participants are Student, System and Database. The sequence starts when the student logs in to the system. If log in successfully, then they choose the permitted file types and then upload the document, completing the use case.

3. Specify printing properties




This sequence diagram illustrates the use case of specifying printing properties. The key participants are Student, System, Database and BKPay. The sequence starts when the student selects settings and the system will store the properties into the database, the system will also check the balance, if the balance is sufficient, they will announce the settings are valid, completing the use case.

4. Choose printer




This sequence diagram illustrates the use case of choosing a printer. The key participants are Student and System. The sequence starts when the student opens the printer list, and browses then selects the printer. The system then announces that they confirm the selection, completing the use case.

5. Check page balance



This sequence diagram illustrates the use case of checking page balance. The key participants are Student, System and Database. The sequence starts when the student chooses the 'Check Page Balance' option. The system will require the database to send the user's balance, after they send the balance, the system will display it to the user, completing the use case.

3.3 Class diagram



3.4 Wireframe

The following designs are UI for students' account

DỊCH VỤ IN THÔNG MINH DÀNH CHO SINH VIÊN BÁCH KHOA

Nguyễn Văn A



Trang chủ

Bạn hiện còn: **100** trang



IN TÀI LIỆU



MUA
THÊM
TRANG



XEM
LỊCH SỬ
IN

Trang chủ >> In tài liệu



Tải tệp lên:

Software Engineering.pdf



Chọn máy in:

B4-02



Cài đặt thuộc tính:

Số bản in: 1

Hướng giấy:

Đọc

In 1 mặt/
In 2 mặt:

In 1 mặt

Kích thước:

A4

In theo bộ hoàn chỉnh/
In không theo thứ tự:

In theo bộ
hoàn chỉnh

Trang in:

Toàn bộ
tài liệu

Tỉ lệ:

100 %

Số trang mỗi mặt:

1

Chế độ màu:

Trắng đen

Kiểm tra

In

Số trang A4 còn lại: **100**

Bản xem trước



< 1 / 50 >

100%

Trang chủ >> Mua thêm trang

Giá tiền hiện tại:	300đ / trang A4
Hình thức thanh toán:	Chuyển khoản online
Số trang giấy A4 muốn mua:	<input type="text" value="50"/>
<i>Lưu ý: nhập số chẵn</i>	
Tổng cộng:	15,000 đ

Trang chủ >> In tài liệu



Tải tệp lên:



Chọn máy in:



Cài đặt thuộc tính

Hướng giấy:

Kích thước:

Trang in:

Số trang mỗi mặt:

Số trang A4 còn lại: **100**

Bản xem trước

Chú ý:

Định dạng tệp cho phép: .docx, .doc, .pptx, .xlsx, .xsl, .pdf

TẢI TỆP TỪ ...



Thiết bị này



Đường dẫn từ Drive



Trang chủ >> In tài liệu

Tải tệp lên: Software Engineering.pdf

Bản xem trước

Số trang A4 còn lại: 40

Chọn máy in:

Cài đặt thuộc tính:

Hướng giấy: Dọc

Kích thước: A4

Trang in: Toàn bộ tài liệu

Số trang mỗi mặt: 1

Kiểm tra

TÓM TẮT

Tổng số trang A4 trong tài khoản: 100

Số trang A4 tương ứng dự kiến sử dụng: 50

Còn lại: -10 !

*Bạn không có đủ số trang để in tài liệu này !!!

*Bạn phải "**Mua thêm trang**" hoặc chỉnh sửa thông số để tiếp tục in tài liệu này.

Mua thêm trang?

OK

Kiểm tra

In

< 1 / 50 >

100%

Trang chủ >> In tài liệu

Đang in ...

Máy đang in
Vui lòng đợi

70 %

35 / 50

The following designs are for SPSO to manage students and printers



Trang chủ >> Theo dõi quá trình in

Các hoạt động in tài liệu trong ngày hôm nay: 21/10/2024

Tổng cộng: 3 lượt in

Máy in	Tiến trình	Thời gian bắt đầu	Thời gian chạy	Sinh viên sử dụng	Tên tệp	Kích thước	Tình trạng	Thời gian kết thúc
B4-02	75%	20:05 21/10/2024	1m 20s	2200000	Software Engineering.pdf	100 KB	Đang in	
B6-01	100%	15:10 21/10/2024	5m 13s	2200001	DSA.pptx	1.3 MB	Thành công	08:36 21/10/2024
A2-02	51%	08:32 21/10/2024	4m 02s	2200002	Database.doc	367 KB	Thất bại	15:15 21/10/2024

Users need to authenticate using the central HCMUT_SSO authentication service

SPSS Student Smart Printing Service

Đăng nhập bằng tài khoản

Tài khoản HCMUT (sinh viên) Quản trị viên (SPSS)

Đăng nhập

Dịch vụ xác thực tập trung

Tên tài khoản

Mật khẩu

Đăng nhập


Lưu ý:

Hỗ trợ kĩ thuật:
E-mail: support@hcmut.edu.vn
Tel: (84-8) 38647256 - 5200

4. Task 3: Architecture design

4.1 Layered architecture

1. Architecture diagram



2. Presentation strategy

Our SPSS design focuses on the smooth experience of users as students and SPSO in both website and mobile app versions, hence the interface is flexible according to devices from small screens of smartphones to large screens of desktops. We apply the column-grid layout for consistent content organization throughout page navigation. The structure mainly follows the minimalist style, using white with various shades of blue, green, and purple as the primary colors, but contrasting colors like red and orange will be used to highlight components such as errors, warnings, etc. We also place icons next to some textual items for a better visual effect. On each page, a header bar shows where users are visiting as a text title and has a “selection” icon with a list of all pages that provide users with quick access to other main sections without returning to the Home page. Typography will be chosen for readability across devices, with larger fonts for headings and titles, and smaller legible fonts for supporting text and description. The buttons are divided into 2 types: active and inactive. The former is represented with full background color and the latter with empty background. We also create an instruction page in case users find it difficult or confusing. Besides some fields that need to be completely inputted from the keyboard, we add many combo boxes as a quicker way to select the inputs. For students, we provide default printing property settings to save time. There is also a “filter” area to choose a list of items with wanted properties from the list. To enhance user experience, there is a link to a “Report issue” form where users can describe their problems in detail and insert photos or videos as well.

3. Data storage approach

During production, the system should have its API service to ensure that our system is secured. The requests endpoint our services are hidden behind a proxy layer implemented in the API gateway, and every request requires a token for authentication.

- **BK Pay:** Our system does not access any information (the system just sends a request for money that students need to pay for their use of service), and the payment information should be preceded by BKPay department, also the system simply requires a navigation capability from BKPay service.
- **HCMUT SPSS:** the endpoint is used together with SSPS application ID, which is registered through HCMUT central authentication department, alongside with the callback url to HCMUT SSO web- site. The application ID, also known as the client in the client - server of CAS authentication service, acts like an API key to access the features of HCMUT SSO service.

The system will store its user interface components (also known as the Frontend part) on a separate server. Since our frontend framework is chosen to be ReactJS, the bundled files (consists of App.vue, index.js and style.css) which are created in the build process will be sent to the client on request to the server (on loading page). The frontend server is built with Docker.


On the other hand, the frontend will communicate with the other components (services, database, etc.) via an API gateway. By implementing this, the system will gain the following benefits:

- **Security:** The API gateway acts as a proxy to prevent external sources from accessing the actual endpoints of our system, which prevent the APIs from (D)DOS attacks, or exposing sensible contents from the APIs.
- **Rate-limiting and Caching:** The SSPS service is estimated to handle a large quantity of requests at a time, it is valuable to have the capability to persist information from requests for an extended time period. Rate-limiting also helps in (D)DOS protection.

4. API management

In this project, API management will concentrate on secure, organized and scalable API interactions. About API Gateway Platform, which helps us traffic management as well as security, besides, it helps in managing access control, rate limiting, routing, load balancing, authentication and request throttling. In this project, we want to use Kong Gateway, this is one of the most widely used in the world right now. This is a lightweight and highly scalable platform for developers. Subsequently, talking about functionality tools, for secure access to the system, OAuth is one of the suitable tools for managing access authorization request, grant and asking to access the user resources. Then, to monitor, alert and observe in the system, Prometheus together with Grafana are the good solution. Prometheus works in the monitoring and alerting toolkit, which is developed by SoundCloud, it also tracks the usage of CPU, memory and other performances in the system. Grafana works in data visualization and analytics, it is used to visualize data from many sources including Prometheus and other Database Management Systems such as MySQL, SQL Server, ...

4.2 Component diagram



This component diagram illustrates the architecture of the Student Smart Printing Service (HCMUT_SSPS), detailing how various components work together to enable students to print documents on campus.

Components Overview:

Printer: Represents physical printers available on campus. It provides an interface (`IPrinting`) for interacting with the print functionality within the application.

Print: Part of the Application subsystem, responsible for managing print requests, including verifying page balance and sending print jobs to the selected printer.

Buy More Pages: Allows students to purchase additional pages, deducting costs via the online payment system.

Page Balance: Tracks students' remaining pages for printing and is part of the Database subsystem.

Printing Log: Records all printing activities for auditing and history tracking. This log data can be accessed by both students and SPSO.

User: Stores basic information about each user, managed within the Database subsystem.

Login: Manages user login within the Application subsystem by interfacing with the Account subsystem for authentication.

Payment Processor: Part of the BKPay subsystem, handles financial transactions when students buy more pages.

Authenticate Service: A component within the Account subsystem that verifies user identities and interfaces with the "Login" component.

Authorization Service: Controls access to system resources.

Interfaces and Dependencies:

IPage and ILog: Interfaces used by the Application to interact with the Database for retrieving page balances and printing logs.

IPrinting: Interface allowing the Print component to send print jobs to available printers.

IPaymentProcessing: Interface connecting the Application to the BKPay subsystem, allowing students to make payments for additional printing pages.

IAuthenticate and IUser: Interfaces within the Account subsystem for managing user authentication and authorization requests.

Components communicate primarily within the application layer and database, while the Account subsystem ensures all interactions are secure and authenticated.

External Dependencies:

The BKPay subsystem serves as an external dependency, managing payment transactions when students purchase more pages.

The Account subsystem relies on an external authentication service, HCMUT_SSO, to authenticate users before granting access to the system.